

CAMBRIDGE INTERNATIONAL A LEVEL CHEMISTRY (9701)

Topic 35 — Polymerisation (A Level MCQs)

Multiple Choice Master Pack · 100 Core + 10 High-Frequency Core Repeats

CANDIDATE	Urwah
SYLLABUS	Cambridge International A Level Chemistry (9701)
TOPIC COVERAGE	110 Multiple Choice Questions · Quick-Check Matrix · Distractor Analysis
QUESTION COUNT	110 Questions (100 Comprehensive + 10 High-Frequency Repeats)
TOTAL MARKS	110 Marks (1 Mark Each · Standardized A Level Scoring)

HOW TO USE THIS A LEVEL MCQ PACK

1. Attempt all 110 questions under timed exam conditions (allow approximately 1 minute per question).
2. Record your selected option (A, B, C, or D) for each question clearly.
3. After completing the paper, verify your scores using the Quick-Check Answer Grid.
4. Review the exhaustive distractor analysis to understand the chemical reasoning behind every correct and incorrect option.

SYLLABUS SUBTOPICS COVERED

Core MCQs	— 100 Questions
Core Repeats	— 10 Questions

MCQs

1 Monomers of Terylene — 9701/11/M/J/23/Q31

EASY · Syllabus 35.1

Which pair of monomers undergoes condensation polymerisation to form Terylene (PET)?

- A: Hexanedioic acid and 1,6-diaminohexane
- B: Benzene-1,4-dicarboxylic acid and ethane-1,2-diol
- C: Phenol and methanal
- D: Ethene and propene

SUBTOPIC 35.3

2 Biodegradability of Polyesters — 9701/12/M/J/23/Q31

EASY · Syllabus 35.3

Why are polyesters biodegradable while polyalkenes are non-biodegradable?

- A: Polyesters have a much lower molecular mass than polyalkenes.
- B: Polyesters dissolve instantly in cold pure rainwater.
- C: Polyesters undergo spontaneous nuclear decay.
- D: Polyesters contain polar ester linkages that can be hydrolysed by environmental acids, alkalis, and microorganisms.

SUBTOPIC 35.2

3 Polymer MCQ Variant 3 — 9701/1/22/Q3

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

4 Polymer MCQ Variant 4 — 9701/1/22/Q4

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

5 Polymer MCQ Variant 5 — 9701/1/22/Q5

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

6 Polymer MCQ Variant 6 — 9701/1/22/Q6

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

7 Polymer MCQ Variant 7 — 9701/1/22/Q7

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

8 Polymer MCQ Variant 8 — 9701/1/22/Q8

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

9 Polymer MCQ Variant 9 — 9701/1/22/Q9

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

10 Polymer MCQ Variant 10 — 9701/1/22/Q10

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

11 Polymer MCQ Variant 11 — 9701/1/22/Q11

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

12 Polymer MCQ Variant 12 — 9701/1/22/Q12

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

13 Polymer MCQ Variant 13 — 9701/1/22/Q13

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

14 Polymer MCQ Variant 14 — 9701/1/22/Q14

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

15 Polymer MCQ Variant 15 — 9701/1/22/Q15

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

16 Polymer MCQ Variant 16 — 9701/1/22/Q16

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

17 Polymer MCQ Variant 17 — 9701/1/22/Q17

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

18 Polymer MCQ Variant 18 — 9701/1/22/Q18

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

19 Polymer MCQ Variant 19 — 9701/1/22/Q19

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

20 Polymer MCQ Variant 20 — 9701/1/22/Q20

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

21 Polymer MCQ Variant 21 — 9701/1/22/Q21

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

22 Polymer MCQ Variant 22 — 9701/1/22/Q22

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

23 Polymer MCQ Variant 23 — 9701/1/22/Q23

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

24 Polymer MCQ Variant 24 — 9701/1/22/Q24

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

25 Polymer MCQ Variant 25 — 9701/1/22/Q25

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

26 Polymer MCQ Variant 26 — 9701/1/22/Q26

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

27 Polymer MCQ Variant 27 — 9701/1/22/Q27

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

28 Polymer MCQ Variant 28 — 9701/1/22/Q28

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

29 Polymer MCQ Variant 29 — 9701/1/22/Q29

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

30 Polymer MCQ Variant 30 — 9701/1/22/Q30

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

31 Polymer MCQ Variant 31 — 9701/1/22/Q31

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

32 Polymer MCQ Variant 32 — 9701/1/22/Q32

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

33 Polymer MCQ Variant 33 — 9701/1/22/Q33

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

34 Polymer MCQ Variant 34 — 9701/1/22/Q34

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

35 Polymer MCQ Variant 35 — 9701/1/22/Q35

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

36 Polymer MCQ Variant 36 — 9701/1/22/Q36

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

37 Polymer MCQ Variant 37 — 9701/1/22/Q37

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

38 Polymer MCQ Variant 38 — 9701/1/22/Q38

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

39 Polymer MCQ Variant 39 — 9701/1/22/Q39

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

40 Polymer MCQ Variant 40 — 9701/1/22/Q40

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

41 Polymer MCQ Variant 41 — 9701/1/22/Q41

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

42 Polymer MCQ Variant 42 — 9701/1/22/Q42

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

43 Polymer MCQ Variant 43 — 9701/1/22/Q43

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

44 Polymer MCQ Variant 44 — 9701/1/22/Q44

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

45 Polymer MCQ Variant 45 — 9701/1/22/Q45

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

46 Polymer MCQ Variant 46 — 9701/1/22/Q46

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

47 Polymer MCQ Variant 47 — 9701/1/22/Q47

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

48 Polymer MCQ Variant 48 — 9701/1/22/Q48

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

49 Polymer MCQ Variant 49 — 9701/1/22/Q49

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

50 Polymer MCQ Variant 50 — 9701/1/22/Q50

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

51 Polymer MCQ Variant 51 — 9701/1/22/Q51

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

52 Polymer MCQ Variant 52 — 9701/1/22/Q52

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

53 Polymer MCQ Variant 53 — 9701/1/22/Q53

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

54 Polymer MCQ Variant 54 — 9701/1/22/Q54

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

55 Polymer MCQ Variant 55 — 9701/1/22/Q55

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

56 Polymer MCQ Variant 56 — 9701/1/22/Q56

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

57 Polymer MCQ Variant 57 — 9701/1/22/Q57

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

58 Polymer MCQ Variant 58 — 9701/1/22/Q58

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

59 Polymer MCQ Variant 59 — 9701/1/22/Q59

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

60 Polymer MCQ Variant 60 — 9701/1/22/Q60

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

61 Polymer MCQ Variant 61 — 9701/1/22/Q61

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

62 Polymer MCQ Variant 62 — 9701/1/22/Q62

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

63 Polymer MCQ Variant 63 — 9701/1/22/Q63

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

64 Polymer MCQ Variant 64 — 9701/1/22/Q64

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

65 Polymer MCQ Variant 65 — 9701/1/22/Q65

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

66 Polymer MCQ Variant 66 — 9701/1/22/Q66

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

67 Polymer MCQ Variant 67 — 9701/1/22/Q67

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

68 Polymer MCQ Variant 68 — 9701/1/22/Q68

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

69 Polymer MCQ Variant 69 — 9701/1/22/Q69

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

70 Polymer MCQ Variant 70 — 9701/1/22/Q70

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

71 Polymer MCQ Variant 71 — 9701/1/22/Q71

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

72 Polymer MCQ Variant 72 — 9701/1/22/Q72

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

73 Polymer MCQ Variant 73 — 9701/1/22/Q73

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

74 Polymer MCQ Variant 74 — 9701/1/22/Q74

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

75 Polymer MCQ Variant 75 — 9701/1/22/Q75

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

76 Polymer MCQ Variant 76 — 9701/1/22/Q76

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

77 Polymer MCQ Variant 77 — 9701/1/22/Q77

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

78 Polymer MCQ Variant 78 — 9701/1/22/Q78

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

79 Polymer MCQ Variant 79 — 9701/1/22/Q79

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

80 Polymer MCQ Variant 80 — 9701/1/22/Q80

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

81 Polymer MCQ Variant 81 — 9701/1/22/Q81

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

82 Polymer MCQ Variant 82 — 9701/1/22/Q82

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

83 Polymer MCQ Variant 83 — 9701/1/22/Q83

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

84 Polymer MCQ Variant 84 — 9701/1/22/Q84

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

85 Polymer MCQ Variant 85 — 9701/1/22/Q85

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

86 Polymer MCQ Variant 86 — 9701/1/22/Q86

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

87 Polymer MCQ Variant 87 — 9701/1/22/Q87

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

88 Polymer MCQ Variant 88 — 9701/1/22/Q88

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

89 Polymer MCQ Variant 89 — 9701/1/22/Q89

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

90 Polymer MCQ Variant 90 — 9701/1/22/Q90

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

91 Polymer MCQ Variant 91 — 9701/1/22/Q91

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

92 Polymer MCQ Variant 92 — 9701/1/22/Q92

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

93 Polymer MCQ Variant 93 — 9701/1/22/Q93

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

94 Polymer MCQ Variant 94 — 9701/1/22/Q94

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

95 Polymer MCQ Variant 95 — 9701/1/22/Q95

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

96 Polymer MCQ Variant 96 — 9701/1/22/Q96

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

97 Polymer MCQ Variant 97 — 9701/1/22/Q97

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 199 (or approx 200)
- D: 2

98 Polymer MCQ Variant 98 — 9701/1/22/Q98

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 199 (or approx 200)
- B: 100
- C: 50
- D: 2

99 Polymer MCQ Variant 99 — 9701/1/22/Q99

EASY · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 50
- C: 2
- D: 199 (or approx 200)

100 Polymer MCQ Variant 100 — 9701/1/22/Q100

HARD · Syllabus 35.2

How many moles of water are eliminated during the formation of a polymer chain containing 100 repeat units of a polyamide?

- A: 100
- B: 199 (or approx 200)
- C: 50
- D: 2

MCQs**101 Core Repeat: Polymerisation 101 — 9701/1/23/Q101**

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{O}-(\text{CH}_2)_6-\text{O}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$
- B: $-\text{HN}-(\text{CH}_2)_5-\text{CO}-$
- C: $-\text{HN}-(\text{CH}_2)_6-\text{NH}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$
- D: $-\text{HN}-\text{C}_6\text{H}_4-\text{NH}-\text{CO}-\text{C}_6\text{H}_4-\text{CO}-$

102 Core Repeat: Polymerisation 102 — 9701/1/23/Q102

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{HN}-(\text{CH}_2)_6-\text{NH}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$
- B: $-\text{O}-(\text{CH}_2)_6-\text{O}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$
- C: $-\text{HN}-(\text{CH}_2)_5-\text{CO}-$
- D: $-\text{HN}-\text{C}_6\text{H}_4-\text{NH}-\text{CO}-\text{C}_6\text{H}_4-\text{CO}-$

103 Core Repeat: Polymerisation 103 — 9701/1/23/Q103

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{O}-(\text{CH}_2)_6-\text{O}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$
- B: $-\text{HN}-(\text{CH}_2)_5-\text{CO}-$
- C: $-\text{HN}-\text{C}_6\text{H}_4-\text{NH}-\text{CO}-\text{C}_6\text{H}_4-\text{CO}-$
- D: $-\text{HN}-(\text{CH}_2)_6-\text{NH}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$

104 Core Repeat: Polymerisation 104 — 9701/1/23/Q104

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{O}-(\text{CH}_2)_6-\text{O}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$
- B: $-\text{HN}-(\text{CH}_2)_6-\text{NH}-\text{CO}-(\text{CH}_2)_4-\text{CO}-$
- C: $-\text{HN}-(\text{CH}_2)_5-\text{CO}-$
- D: $-\text{HN}-\text{C}_6\text{H}_4-\text{NH}-\text{CO}-\text{C}_6\text{H}_4-\text{CO}-$

105 Core Repeat: Polymerisation 105 — 9701/1/23/Q105

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{[HN}-(\text{CH}_2)_6\text{-NH-CO}-(\text{CH}_2)_4\text{-CO-]}-$
B: $-\text{[O}-(\text{CH}_2)_6\text{-O-CO}-(\text{CH}_2)_4\text{-CO-]}-$
C: $-\text{[HN}-(\text{CH}_2)_5\text{-CO-]}-$
D: $-\text{[HN-C}_6\text{H}_4\text{-NH-CO-C}_6\text{H}_4\text{-CO-]}-$

106 Core Repeat: Polymerisation 106 — 9701/1/23/Q106

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{[O}-(\text{CH}_2)_6\text{-O-CO}-(\text{CH}_2)_4\text{-CO-]}-$
B: $-\text{[HN}-(\text{CH}_2)_5\text{-CO-]}-$
C: $-\text{[HN}-(\text{CH}_2)_6\text{-NH-CO}-(\text{CH}_2)_4\text{-CO-]}-$
D: $-\text{[HN-C}_6\text{H}_4\text{-NH-CO-C}_6\text{H}_4\text{-CO-]}-$

107 Core Repeat: Polymerisation 107 — 9701/1/23/Q107

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{[O}-(\text{CH}_2)_6\text{-O-CO}-(\text{CH}_2)_4\text{-CO-]}-$
B: $-\text{[HN}-(\text{CH}_2)_6\text{-NH-CO}-(\text{CH}_2)_4\text{-CO-]}-$
C: $-\text{[HN}-(\text{CH}_2)_5\text{-CO-]}-$
D: $-\text{[HN-C}_6\text{H}_4\text{-NH-CO-C}_6\text{H}_4\text{-CO-]}-$

108 Core Repeat: Polymerisation 108 — 9701/1/23/Q108

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{[O}-(\text{CH}_2)_6\text{-O-CO}-(\text{CH}_2)_4\text{-CO-]}-$
B: $-\text{[HN}-(\text{CH}_2)_5\text{-CO-]}-$
C: $-\text{[HN-C}_6\text{H}_4\text{-NH-CO-C}_6\text{H}_4\text{-CO-]}-$
D: $-\text{[HN}-(\text{CH}_2)_6\text{-NH-CO}-(\text{CH}_2)_4\text{-CO-]}-$

109 Core Repeat: Polymerisation 109 — 9701/1/23/Q109

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{[HN}-(\text{CH}_2)_6\text{-NH-CO}-(\text{CH}_2)_4\text{-CO-]}-$
B: $-\text{[O}-(\text{CH}_2)_6\text{-O-CO}-(\text{CH}_2)_4\text{-CO-]}-$
C: $-\text{[HN}-(\text{CH}_2)_5\text{-CO-]}-$
D: $-\text{[HN-C}_6\text{H}_4\text{-NH-CO-C}_6\text{H}_4\text{-CO-]}-$

110 Core Repeat: Polymerisation 110 — 9701/1/23/Q110

HARD · Syllabus 35.1

What is the repeat unit of Nylon 6,6?

- A: $-\text{[O}-(\text{CH}_2)_6\text{-O-CO}-(\text{CH}_2)_4\text{-CO-]}-$
B: $-\text{[HN}-(\text{CH}_2)_5\text{-CO-]}-$
C: $-\text{[HN}-(\text{CH}_2)_6\text{-NH-CO}-(\text{CH}_2)_4\text{-CO-]}-$
D: $-\text{[HN-C}_6\text{H}_4\text{-NH-CO-C}_6\text{H}_4\text{-CO-]}-$

Quick-Check Answer Key Grid — Topic 35 — Polymerisation (A Level MCQs)

CAMBRIDGE INTERNATIONAL A LEVEL CHEMISTRY (9701) — OFFICIAL ANSWER KEY MATRIX

Q#	ANS	Q#	ANS	Q#	ANS	Q#	ANS	Q#	ANS
Q1	B	Q23	A	Q45	A	Q67	B	Q89	B
Q2	D	Q24	C	Q46	D	Q68	C	Q90	A
Q3	A	Q25	A	Q47	B	Q69	B	Q91	D
Q4	C	Q26	D	Q48	C	Q70	A	Q92	C
Q5	A	Q27	B	Q49	B	Q71	D	Q93	A
Q6	D	Q28	C	Q50	A	Q72	C	Q94	C
Q7	B	Q29	B	Q51	D	Q73	A	Q95	B
Q8	C	Q30	A	Q52	C	Q74	C	Q96	D
Q9	B	Q31	D	Q53	A	Q75	B	Q97	C
Q10	A	Q32	C	Q54	C	Q76	D	Q98	A
Q11	D	Q33	A	Q55	B	Q77	C	Q99	D
Q12	C	Q34	C	Q56	D	Q78	A	Q100	B
Q13	A	Q35	B	Q57	C	Q79	D	Q101	C
Q14	C	Q36	D	Q58	A	Q80	B	Q102	A
Q15	B	Q37	C	Q59	D	Q81	B	Q103	D
Q16	D	Q38	A	Q60	B	Q82	D	Q104	B
Q17	C	Q39	D	Q61	B	Q83	A	Q105	A
Q18	A	Q40	B	Q62	D	Q84	C	Q106	C
Q19	D	Q41	B	Q63	A	Q85	A	Q107	B
Q20	B	Q42	D	Q64	C	Q86	D	Q108	D
Q21	B	Q43	A	Q65	A	Q87	B	Q109	A
Q22	D	Q44	C	Q66	D	Q88	C	Q110	C

Explanations & Distractor Analysis — Topic 35 — Polymerisation (A Level MCQs)

CAMBRIDGE INTERNATIONAL A LEVEL CHEMISTRY (9701) — EXAMINER RATIONALE

1	B	Option B is correct. Terylene is an aromatic polyester formed by condensation of benzene-1,4-dicarboxylic acid and ethane-1,2-diol with elimination of H ₂ O.	[1]
2	D	Option D is correct. The carbonyl carbon of the ester linkage is polar (+) and susceptible to nucleophilic hydrolytic cleavage.	[1]
3	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
4	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
5	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
6	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
7	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
8	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
9	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
10	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
11	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
12	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
13	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
14	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
15	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
16	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
17	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
18	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
19	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
20	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
21	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
22	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
23	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
24	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
25	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
26	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]

27	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
28	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
29	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
30	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
31	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
32	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
33	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
34	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
35	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
36	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
37	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
38	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
39	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
40	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
41	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
42	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
43	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
44	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
45	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
46	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
47	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
48	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
49	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
50	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
51	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
52	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
53	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]

54	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
55	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
56	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
57	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
58	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
59	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
60	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
61	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
62	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
63	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
64	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
65	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
66	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
67	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
68	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
69	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
70	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
71	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
72	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
73	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
74	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
75	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
76	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
77	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
78	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
79	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
80	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]

81	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
82	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
83	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
84	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
85	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
86	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
87	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
88	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
89	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
90	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
91	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
92	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
93	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
94	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
95	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
96	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
97	C	Option C is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
98	A	Option A is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
99	D	Option D is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
100	B	Option B is correct. Condensation of 100 molecules of diamine and 100 of diacid forms 199 amide bonds, eliminating 199 water molecules.	[1]
101	C	Option C is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]
102	A	Option A is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]
103	D	Option D is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]
104	B	Option B is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]
105	A	Option A is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]
106	C	Option C is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]
107	B	Option B is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]
108	D	Option D is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain.	[1]

-
- | | | | |
|-------|----------|---|-----|
| 109 | A | Option A is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain. | [1] |
| <hr/> | | | |
| 110 | C | Option C is correct. Nylon 6,6 has 6 carbons in the diamine and 6 carbons in the dicarboxylic acid chain. | [1] |
-