

```
document.querySelector('h1')
```

This is the querySelector, this method result will echo back the result that is being presented in the html.

```
const
```

It's a keyword where a variable that cannot be reassigned once the value has been given

```
querySelector
```

This is basically a way to find and return an element, you can review this as a reference that is being displayed on the page itself.

```
const title = document.querySelector('h1');
```

Using this method what it basically does is that it stores in a value but it won't store anything itself therefore it won't produce a result.

This is undefined so when apply changed like reading the text such as:

```
title.textContent  
title.textContent = 'Anything'  
title.style.color = 'Blue'
```

```
document.querySelectorAll('.achievement')
```

With this your basically getting a NodeList that is presented and when you expand in the console

```
document.querySelectorAll('.achievement').length
```

This is going to basically show you how much achievement that I currently have in the list and there should be two for the time being (at least on this draft.)

```
const cards = document.querySelectorAll('.achievement');  
cards[0]  
cards[1]  
cards[0].textContent
```

In the previous code .length it should be printing two cards = 2. Not just one, previously in my HTML file I have achievement 1 & 2 and hover 1 and 2. This would've been catastrophic because it would not work work and run into errors.

Now just like in python using const cards. Since we only have to cards [0] is going to be our first cards and [1] is going to be our second card. So no more then that we have to subtract the last index with -1 into 0 and doing a .textContent will yeild us with a result of the description.