

Sample code Nr.	370-2026-00032760	Report Date	18/07/2026	Page 1/2
Analytical Report Nr.	AR-26-AA-032501-01 / 370-2026-00032760			



Eurofins İzmir Gıda Analiz Laboratuvarları Limited
Şirketi

For the attention of

Report
KARACAOĞLAN MAHALLESİ
6166 Sok
İsikkent-Bornova
35070 Izmir (Bornova)
TURQUIE

Email ReportTurkiye@ftcee.eurofins.com

Our reference :	370-2026-00032760 / AR-26-AA-032501-01	Type :	EX
Sample reception date :	10/07/2026		
Analysis starting date :	11/07/2026		
Sampling/Transport :	DHL		

Data provided by the customer

Client reference :	180-2026-00029116		
Sample described as :	OSMAN FALAKALI//BAL CICEK - OSMAN FALAKALI//BAL CICEK OSMAN FALAKALI//BAL CICEK		
Packaging :	101G		
Your purchase order reference :	EUTR0200016389	Your purchase order date :	08/07/2026
Analyses requested :	AA0SG: 1H-NMR profiling of honey (sugars, HMF, sugar add)		

Physical analysis	Results (uncertainty)	Guidelines
AA0SG AA 1H-NMR profiling of honey Method : Internal, NMR		
(a) Fructose	42.8 (± 2.0) g/100 g	
(a) Glucose	35.4 (± 2.0) g/100 g	
(a) Fructose / Glucose	1.21 (± 0.05)	
(a) Glucose+Fructose	78.2 (± 4.0) g/100 g	>= 60 Council Directive 2001/110/EC General >= 45 Honeydew honey
(a) Sucrose	<0.5 g/100 g	<= 5 (general ; Dir. 2001/110/CE)
(a) 5-HMF	<5 mg/kg	<= 40 (general ; Dir. 2001/110/CE)
(a) Turanose	1.58 (± 0.21) g/100 g	
(a) Citric acid	127 (± 22) mg/kg	
(a) Ethanol	<5 mg/kg	
(a) Acetic acid	<10 mg/kg	
(a) Lactic acid	11 (± 5) mg/kg	
(a) Succinic acid	18 (± 4) mg/kg	
(a) Proline	659 (± 86) mg/kg	
(a) Mannose	<500 mg/kg	
(a) Dihydroxyacetone	<20 mg/kg	
(a) Spectral fingerprint	See conclusion	

CONCLUSION

The NMR profiling test did not reveal any peculiarities in this sample with reference to our database of authentic samples.

SIGNATURE

Mailys BAUDET LEROUX
ASM Eurofins Analytics France SAS



Report electronically validated by Mailys BAUDET LEROUX

Sample code Nr.	370-2026-00032760	Report Date	18/07/2026	Page 2/2
Analytical Report Nr.	AR-26-AA-032501-01 / 370-2026-00032760			

EXPLANATORY NOTE

This document can only be reproduced in full ; it only concerns the submitted sample.
Results have been obtained and reported in accordance with our general sales conditions available on request.

Only results for which a specification or a standard is quoted are taken into account during interpretation.
In order to declare conformity to existing regulations or customer specifications, the uncertainty associated with the result will be added or removed in such a way that the result can be interpreted in any case regarding the specifications or regulations in force. It will not be taken into account in case of standards which already incorporate the measurement uncertainties.
Statements of conformity are covered by the 1-0287 accreditation if all the results taken into consideration to conclude are covered by the 1-0287 accreditation.

The tests are identified by a five-digit code, their description is available on request.

The tests identified by the two characters code AA are performed in laboratory Eurofins Analytics France - Authenticity. The symbol (a) identifies the tests under accreditation COFRAC TESTING (scope on www.cofrac.fr) 1-0287. Scope available on www.cofrac.fr.
The laboratory cannot be responsible for information coming from customers that could affect the reliability of the results.
In case the laboratory is not in charge of the sampling step, the results apply to the sample as received or supported.