

```

import React, {
  forwardRef,
  useState,
  useEffect,
  useRef,
  useCallback,
  useImperativeHandle,
} from "react";
import { FileText, ShieldAlert, RefreshCw, ExternalLink } from "lucide-react";
import { clsx, type ClassValue } from "clsx";
import { twMerge } from "tailwind-merge";

export function cn(...inputs: ClassValue[]) {
  return twMerge(clsx(inputs));
}

export interface PdfViewerProps extends React.HTMLAttributes<HTMLDivElement> {
  src?: string;
  title?: string;
  fallbackText?: string;
  height?: string | number;
}

export const PdfViewer = forwardRef<HTMLDivElement, PdfViewerProps>(
  (
    {
      src,
      title = "PDF Document",
      fallbackText = "Unable to display PDF. Your browser may not support embedded PDFs.",
      height = "600px",
      className,
      style,
      ...props
    },
    ref,
  ) => {
    const [isLoading, setIsLoading] = useState(false);
    const [hasError, setHasError] = useState(false);
    const [iframeSrc, setIframeSrc] = useState<string | undefined>(src);
    const iframeRef = useRef<HTMLIFrameElement>(null);
    const containerRef = useRef<HTMLDivElement>(null);

    useImperativeHandle(ref, () => containerRef.current as HTMLDivElement, []);

    useEffect(() => {
      if (src !== iframeSrc) {
        setIframeSrc(src);
        setHasError(false);
        setIsLoading(true);
      }
    }, [src, iframeSrc]);
  }
);

```

```

    }
  }, [src, iframeSrc]);

  const handleLoad = useCallback(() => {
    setIsLoading(false);
    setHasError(false);
  }, []);

  const handleError = useCallback(() => {
    setIsLoading(false);
    setHasError(true);
  }, []);

  const handleRetry = useCallback(() => {
    if (iframeRef.current && iframeSrc) {
      setIsLoading(true);
      setHasError(false);
      iframeRef.current.src = iframeSrc;
    }
  }, [iframeSrc]);

  const handleOpenInNewTab = useCallback(() => {
    if (src) {
      window.open(src, "_blank", "noopener,noreferrer");
    }
  }, [src]);

  const containerStyle: React.CSSProperties = {
    height: typeof height === "number" ? `${height}px` : height,
    ...style,
  };

  return (
    <div
      ref={containerRef}
      className={cn(
        "relative",
        "bg-card/90 backdrop-blur-[var(--backdrop-blur)]",
        "border border-[color-mix(in_oklch,var(--color-border)_60%,transparent)]",
        "rounded-surface",
        "overflow-hidden",
        "flex flex-col",
        className,
      )}
      style={containerStyle}
      {...props}
    >
      <div
        className={cn(
          "flex items-center justify-between p-3",

```

```

        "bg-[color-mix(in_oklch,var(--color-card)_95%,transparent)]",
        "backdrop-blur-[var(--backdrop-blur)]",
        "border-b
border-[color-mix(in_oklch,var(--color-border)_40%,transparent)]",
    })
    role="toolbar"
    aria-label="PDF viewer controls"
  >
    <div className="flex items-center gap-3 min-w-0">
      <FileText
        className="w-5 h-5 text-muted-foreground/60 flex-shrink-0"
        aria-hidden="true"
      />
      <div className="min-w-0">
        <h3 className="text-sm font-medium text-foreground truncate">
          {title}
        </h3>
        {src && (
          <p className="text-xs text-muted-foreground/70 truncate
max-w-[300px]">
            {src}
          </p>
        )}
      </div>
    </div>
    <div className="flex items-center gap-2">
      {isLoading && (
        <div className="flex items-center gap-2 text-xs
text-muted-foreground">
          <RefreshCw
            className="w-4 h-4 animate-spin"
            aria-hidden="true"
          />
          <span>Loading...</span>
        </div>
      )}
      {hasError && (
        <div className="flex items-center gap-2 text-xs text-destructive/80">
          <ShieldAlert
            className="w-4 h-4 flex-shrink-0"
            aria-hidden="true"
          />
          <span>Failed to load</span>
        </div>
      )}
    <button
      type="button"
      onClick={handleOpenInNewTab}
      disabled={!src}
      className={cn(

```

```

        "relative flex items-center justify-center gap-1.5",
        "px-3 py-1.5 rounded-md text-xs font-medium",
        "text-muted-foreground/60 hover:text-foreground",
        "bg-transparent hover:bg-accent",
        "transition-transform duration-100",
        "active:scale-95",
        "focus-visible:outline-none",
        "focus-visible:ring-2 focus-visible:ring-amber-500/20
focus-visible:border-amber-500",
        "disabled:opacity-50 disabled:pointer-events-none",
    )}
    aria-label="Open PDF in new tab"
  >
    <ExternalLink className="w-3.5 h-3.5" aria-hidden="true" />
    <span className="hidden sm:inline">Open</span>
  </button>
  {hasError && (
    <button
      type="button"
      onClick={handleRetry}
      className={cn(
        "relative flex items-center justify-center",
        "w-8 h-8 rounded-md",
        "text-muted-foreground/60 hover:text-foreground",
        "bg-transparent hover:bg-accent",
        "transition-transform duration-100",
        "active:scale-95",
        "focus-visible:outline-none",
        "focus-visible:ring-2 focus-visible:ring-amber-500/20
focus-visible:border-amber-500",
      )}
      aria-label="Retry loading PDF"
    >
      <RefreshCw className="w-4 h-4" aria-hidden="true" />
    </button>
  )}
</div>
</div>
<div
  className="relative flex-1 w-full overflow-hidden"
  style={{ minHeight: 0 }}
  >
    {isLoading && (
      <div className="absolute inset-0 flex items-center justify-center z-10
bg-card/90">
        <div className="text-center p-8">
          <RefreshCw
            className="w-12 h-12 text-muted-foreground/40 mx-auto mb-3
animate-spin"
            aria-hidden="true"

```

```

        />
        <p className="text-muted-foreground">Loading document...</p>
      </div>
    </div>
  )}
  {hasError && (
    <div className="absolute inset-0 flex items-center justify-center z-10
p-8 bg-card/90">
      <div className="text-center max-w-md">
        <ShieldAlert
          className="w-16 h-16 text-destructive/60 mx-auto mb-4"
          aria-hidden="true"
        />
        <h4 className="text-lg font-medium text-foreground mb-2">
          Unable to Display PDF
        </h4>
        <p className="text-sm text-muted-foreground mb-6">
          {fallbackText}
        </p>
        <div className="flex items-center justify-center gap-3">
          <button
            type="button"
            onClick={handleRetry}
            className={cn(
              "relative flex items-center justify-center gap-2",
              "px-4 py-2 rounded-md text-sm font-medium",
              "bg-brand-primary text-white",
              "hover:bg-brand-hover",
              "transition-transform duration-100",
              "active:scale-95",
              "focus-visible:outline-none",
              "focus-visible:ring-2 focus-visible:ring-amber-500/20
focus-visible:border-amber-500",
            )}
          >
            <RefreshCw className="w-4 h-4" aria-hidden="true" />
            <span>Retry</span>
          </button>
          <button
            type="button"
            onClick={handleOpenInNewTab}
            disabled={!src}
            className={cn(
              "relative flex items-center justify-center gap-2",
              "px-4 py-2 rounded-md text-sm font-medium",
              "bg-transparent border border-border",
              "text-foreground hover:bg-accent",
              "transition-transform duration-100",
              "active:scale-95",
              "focus-visible:outline-none",

```

```

        "focus-visible:ring-2 focus-visible:ring-amber-500/20
focus-visible:border-amber-500",
        "disabled:opacity-50 disabled:pointer-events-none",
    )}
    >
    <ExternalLink className="w-4 h-4" aria-hidden="true" />
    <span>Open in New Tab</span>
  </button>
</div>
</div>
</div>
)}
<iframe
  ref={iframeRef}
  src={iframeSrc ?? ""}
  title={title}
  className={cn(
    "absolute inset-0 w-full h-full border-0",
    "bg-transparent",
    isLoading && "opacity-0",
    hasError && "hidden",
  )}
  sandbox="allow-scripts allow-same-origin"
  allow="fullscreen"
  onLoad={handleLoad}
  onError={handleError}
  loading="lazy"
/>
{!iframeSrc && !isLoading && !hasError && (
  <div className="absolute inset-0 flex items-center justify-center p-8
bg-card/90">
    <div className="text-center">
      <FileText
        className="w-16 h-16 text-muted-foreground/40 mx-auto mb-4"
        aria-hidden="true"
      />
      <p className="text-muted-foreground">No PDF source provided</p>
    </div>
  </div>
)}
</div>
</div>
);
},
);

```

```

PdfViewer.displayName = "PdfViewer";

```