

Page: 1 of 23 Version: 1.08 May 2016



nanoSSOC-D60

Sun Sensor for Nano-Satellites
Digital interface

Technical Specification, Interfaces & Operation

Specifications

Wide field of view (FOV): ±60°
High accuracy in FOV: 0.5°
Precision: 0.1°
Power supply: 3V3 (5V under request)
Reduced size: 43 × 14 × 5.9 mm
Low weight: 6.2 g
UART, I2C or SPI
Temperature range: -30 to +85 °C

Two orthogonal axes sun sensor

Qualification

30 kRad Total Ionizing Dose Space-grade components Space qualified microcontroller Space qualified internal 4Q sensor

Applications

Low cost satellite attitude determination
Accurate Sun position determination
Satellite solar panel positioning
Attitude Failure Alarm
Satellite positioning in specific trajectory points
Balloons and UAVs control

Nano Sun Sensor on a Chip (nanoSSOC) is a two-axis low cost sun sensor for high accurate sun-tracking and attitude determination. This device measures the incident angle of a sun ray in both azimuth and elevation, providing an accurate angle reading. nanoSSOC sun sensor is based on MEMS fabrication processes to achieve high integrated sensing structures.

Every sensor is individually characterized and calibrated. The use of materials as aluminum 6082 minimizes the ageing of the device under high energy particle radiation.

nanoSSOC-D60 includes a microcontroller that directly provides the sun light incident angles and other information useful for attitude determination, via UART, I2C or SPI protocol.

nanoSSOC-D60 has minimum size, weight and power consumption to be the perfect ADCS solution for nano-satellite platforms like Cubesats.



Contents

| Figure | 9S | 3 |
|---|---|--------------------|
| Table | s | 3 |
| 1. | INTRODUCTION | 4 |
| 2. 2.1. 2.2. | DESIGN REVIEW Technology Qualification & Flight heritage. | 4 |
| 3. | TECHNICAL SPECIFICATIONS | 5 |
| 4. 4.1. 4.2. 4.3. | MECHANICAL Material and Surface Treatments Labeling Reference system | 6 |
| 4.4. 4.5. 4.6. 4.7. 4.8. | Mass Dimensions Fastening Remove Before Flight Items Connector gluing | 6 7 7 |
| 5. 5.1. 5.2. 5.3. 5.4. | THERMAL Material Characteristics Contact Area Unit Temperature Range Power Dissipation | 9 9 |
| 6. 6.1. 6.2. 6.3. 6.4. | Power supply | 10 10 |
| 7. 7.1. 7.2. 7.3. 7.3.1. 7.3.2. 7.3.3. 7.3.4. 7.4.1. 7.4.2. 7.5. 7.5.1. 7.5.2. 7.6. 7.6.1. 7.6.2. | COMMUNICATIONS Data format Frame format Commands Command 01: Unfiltered photocell voltages. Command 03: Filtered photocell voltages Command 04: Angular position Error codes UART communication protocol UART configuration UART protocol format I²C communication protocol I²C Configuration I²C protocol format SPI communication protocol SPI Configuration SPI configuration SPI protocol format | 121314141516161717 |
| 8. 8.1. 8.2. 8.3. | OPTICAL Calibration Spectral Responsivity Look-up Table | 20 21 |



Page: 3 of 23 Version: 1.08 May 2016

| 9. | PACKING, HANDLING AND STORAGE | 22 |
|------|---|----|
| 10. | WARRANTY | 23 |
| Fiç | gures | |
| | 1. nanoSSOC-D60 sun sensor device | |
| | 2. Labeling | |
| | 3. Angles reference | |
| | 4. Dimensions | |
| | 5. Cubesat bracket example | |
| | 6. Inrush current | |
| | 7. Connector pin numbering | |
| | SPI slave mode bus configuration | |
| | 10. SPI request message example | |
| | 11. SPI response message example | |
| | 12. Photodiodes voltages obtained from the sun sensor calibration | |
| | 13. nanoSSOC-D60 calibration function | |
| | 14. Spectral Responsivity | |
| Tabl | ole 1. General specifications | 5 |
| | ble 2. Electrical Characteristics. | |
| | le 3. Pin description | |
| | le 4. Command format | |
| | ole 5. Checksum | |
| Tabl | le 6. Response format | 13 |
| | le 7. Command codes | |
| | le 8. Command 01 TC format | |
| | le 9. Command 01 TM format | |
| | le 10. Command 03 TC format | |
| | ble 11. Command 03 TM format | |
| | ble 12. Command 04 TC format | |
| | ble 13. Command 04 TM format | |
| | le 14. Error codes | |
| | ble 15. UART communications interface configurationble 16. UART request message from master to nanoSSOC-D60 | |
| | ble 17. UART request message from master to hand550C-D60 | |
| | le 18. I ² C communications interface characteristics | |
| | ble 19. SPI communications interface characteristics | |
| | ble 20. SPI request message from master to nanoSSOC-D60 | |
| | le 21. SPI response message, from nanoSSOC-D60 to master | |

Responsibility exemption:

Solar MEMS has checked the concordance of this document with the described software and hardware. However, as it is impossible to exclude deviations, Solar MEMS is not liable for full concordance. Solar MEMS reviews this document periodically. If necessary, possible corrections will be included in the next version.

Solar MEMS is not liable for the correct operation of the system if the user does not follow the instructions of this document or use replacement parts that are not covered by this guarantee.



Page: 4 of 23 Version: 1.08 May 2016

1. INTRODUCTION

This user manual presents a brief description for a correct use of the sun sensor called nanoSSOC-D60 and provides information about the operating principle, design, interfaces, communications protocol and operations of the device. Instructions and recommendations are also included for operator handling and other relevant activities with the sun sensor.



Fig 1. nanoSSOC-D60 sun sensor device

Besides this specification document, the sun sensor is delivered with a certificate of conformance. For further assistance in design, interfacing, or sensor operation, Solar MEMS Technologies can offer a dedicated quotation for product support based on each customer specific requirements.

2. DESIGN REVIEW

2.1. Technology

nanoSSOC-D60 uses four silicon photodiodes monolithically integrated, including a transparent glass on the same silicon die to act as a shield to prevent space radiation damage. nanoSSOC device fabrication combines microelectronics technology with a high efficiency solar cell fabrication process, leading to small area and low weight device. All materials used in the silicon sensor fabrication process are compatible with space requirements in terms of thermal and vibration resistance, and low degasification.

The printed circuit board with the electronics and the solar sensor is packaged in an anodized and alodined aluminum box to attenuate the influence of the outer-space radiation effect. The layout of the electronic components has been determined according to its functionality and maximizing their protection against high energy particle radiation. Electronics assembly has been done considering the special requirements demanded by space applications.

2.2. Qualification & Flight heritage

nanoSSOC-D60 sensing element has been developed following the same proprietary MEMS technology than other SSOC devices from Solar MEMS Technologies: SSOC-D60 and SSOC-A60. Its flight heritage includes around 30 SSOC units in more than 10 missions, orbiting since 2009.

All electronic components inside nanoSSOC-D60 are space-grade, except for the internal COTS microcontroller, which has flight heritage and has been tested showing a correct working up to 30 kRad TID.

SSOC technology has been qualified in the frame of different tests, including radiation (absorbed dose and proton beam), random vibration, shock response, outgassing, thermal and EMC. For a detailed description of qualification test campaign and proof of heritage, please contact with Solar MEMS.



Page: 5 of 23 Version: 1.08 May 2016

3. TECHNICAL SPECIFICATIONS

| Parameter | Value | Comments |
|------------------------|--------------------------------------|--|
| Angles reading | | |
| Sensor type | 2 axes | Orthogonal. |
| Field of view (FOV) | ± 60 ° | Angular size of the view cone |
| Accuracy | < 0.5 ° | 3σ error |
| Precision | < 0.1 ° | |
| Electrical | | |
| Supply voltage | 3.3V | 5V under request |
| Average consumption | < 21 mA | Dark |
| Average consumption | < 23 mA | Light: 1360 W/m ² , AM0 |
| Thermal | | |
| Temperature range | - 30 to +85 °C | |
| Mechanical | | |
| Dimensions (L × W × H) | 43 × 14 × 5.9 mm | |
| Weight | 6.2g | |
| Mount holes | M2.5 x2 | 38mm separation |
| Connector | DF13A-10DP-1.25V(55) | From Hirose |
| Housing | Aluminum 6082 | Alodine 1200S (ECSS-Q-70-71) Black anodized (ECSS-Q-ST-70-03C) |
| Response time | | |
| Filtering stage | 50 Hz sampling 1 Hz cutting freq. | 3th order Butterworth |
| Qualification | 3 | 1 |
| Total ionizing dose | 30 kRad | Gamma radiation |
| Beam energy | 6 MeV | Proton beam |
| Random vibration | 14,1g @ 20-2000 Hz | |
| Shock | 3000 g @ 1-100 ms | |

Table 1. General specifications



Page: 6 of 23 Version: 1.08 May 2016

4. MECHANICAL

4.1. Material and Surface Treatments

nanoSSOC-D60 case is made of 6082 aluminum to attenuate the influence of the outer-space radiation. It is black-anodized according to the ECSS-Q-ST-70-03C (MIL-A-8625 type II class 2, hard black anodize), excepting the contact surface which is subjected to alodine 1200S for space applications (ECSS-Q-70-71). It includes a staircase-shaped aperture to collect the light with an angle of 120° (±60°).

4.2. Labeling

For traceability purposes, each nanoSSOC-D60 sun sensor has a unique serial number, which is milled on its case. The serial number follows this format: NDXXXX, where XXXX is a number between 0000 and 9999. It can be seen in the following picture:



Fig 2. Labeling

4.3. Reference system

With X_A , Y_A , Z_A coordinate system as the sensor angles references, the angle α and angle β specify the angular position of the incident sun ray inside the field of view of nanoSSOC-D60 (Fig 3). Both angles are provided in degrees.




Fig 3. Angles reference

4.4. Mass


nanoSSOC-D60 mass is 6.2g



Page: 7 of 23 Version: 1.08 May 2016

4.5. Dimensions

nanoSSOC dimensions are 43 x 14 x 5,9 mm (With the connector protruding 1,9mm). The following figure shows all the relevant dimensions of nanoSSOC-D60. All dimensions are in mm.



4.6. Fastening

nanoSSOC-D60 has two M2.5 threaded mounting holes. As can be seen in Fig 4, the distance between the centers of the two holes is 38±0.02 mm. For fastening the sensor at the two precision holes and assure the alignment, it is recommended the use of M2.5 threaded countersunk screws. Recommended minimum and maximum torque levels are 0.65 Nm and 0.86 Nm respectively. The choice of recommended fasteners as well as torque levels ensures appropriate sensor alignment.

nanoSSOC-D60 can be fastened directly to the satellite or using an adaptor. Solar MEMS can provide an adaptor specially designed for placing a nanoSSOC-D60 between two units of most commons Cubesat structures. It can be seen in Fig 5.

Custom brackets can be designed and manufactured by Solar MEMS under request.



Fig 5. Cubesat bracket example



Page: 8 of 23 Version: 1.08 May 2016

4.7. Remove Before Flight Items

nanoSSOC-D60 precision can be affected by dust particles. For that reason they have a protective kapton film that must be kept during integration operations. For normal operation of the sensor it must be removed.

4.8. Connector gluing

nanoSSOC-D60 has been subjected to vibration test with successful and during this test the connector was unglued to test it reliability. However, once finished all the integration tasks and just before launch, it is recommended to assure the connector by gluing it with some space approved epoxy.

Another recommendation is to insert in the connector all the terminals even if they are not going to be used. It ensures the maximum strength in the connector mechanical connection.



Page: 9 of 23 Version: 1.08 May 2016

5. THERMAL

5.1. Material Characteristics

The aluminum housing has been black-anodized according to the ECSS-Q-ST-70-03C. Black anodized emission and refraction coefficients are the following:

- α ≥ 0.935
- ε≥ 0.855

5.2. Contact Area

Contact area of nanoSSOC-D60 is 513 mm² on top-side and 140 mm² on bottom-side. Direct contact areas are the main dissipation way for the unit.

5.3. Unit Temperature Range

nanoSSOC-D60 temperature range is -30°C to +85°C.

5.4. Power Dissipation

The unit power dissipation is <76mW.



Page: 10 of 23 Version: 1.08 May 2016

6. ELECTRICAL

6.1. Power supply

nanoSSOC-D60 electrical characteristics are summarized in the following table. Electrical behavior of the sensor has been measured using AM0 filter with solar light spectrum of 1360 W/m2 at ambient temperature and normal incidence.

| Symbol | Parameter | Min | Typical | Max | Unit |
|----------|---------------------|------|---------|------|------|
| V_{DD} | Supply voltage | | | | |
| | Absolute Maximums | 3.00 | - | 3.60 | V |
| | Recommended | 3.25 | 3.3* | 3.35 | V |
| I | Current consumption | - | 21 | 23 | mA |

Table 2. Electrical Characteristics.

*nanoSSOC-D60 sun sensors accuracy is guaranteed in the 3.00V to 3.60V range. However, supply voltage should be precisely tuned to 3.3V to achieve the best sensor performance. 5V version under request.

6.2. Inrush current

In the following figure it can be seen the inrush current plot of nanoSSOC-D60.




Fig 6. Inrush current

6.3. Connector and harness

nanoSSOC-D60 uses a micro-connector with 10 contacts installed on the bottom of the sensor. This connector is a Hirose DF13A-10DP-1.25V(55), 2-row male connector straight with fixing, suitable for space applications and with flight heritage (refer to manufacturer for more information).

The connector for platform side is a Hirose DF13-10DS-1.25C, 2-row female connector crimp gauge. It is recommended to use a space-grade adhesive to secure the fixed connectors.



Page: 11 of 23 Version: 1.08 May 2016

Solar MEMS delivers interface cable under request. We recommend the use of a cable harness composed of AWG-26 to AWG-30 wire gauge for the individual wires, and a cable length shorter than 1.5 m.

Grounding shall be at one point only. The sensor has no direct connection between the negative supply and the chassis (electrically isolated).

6.4. Pin Description

The pin numbering of connector is described in the following figure:




Fig 7. Connector pin numbering

The electrical signals of the sun sensor are detailed in the following table:

| Pin | Signal | Description | Туре |
|-----|--------------------|---------------------------------------|----------------|
| 1 | SCK | SPI-Serial clock | Digital input |
| 2 | SS | SPI-Slave synchronization | Digital input |
| 3 | UTX SCL MISO | UART-TX I2C-CLK SPI-Data out | Digital output |
| 4 | Reserved | Do not connect | - |
| 5 | URX SDA MOSI | UART-Rx I2C-Data SPI-Data in | Digital input |
| 6 | VCC | 3V3 Supply Voltage (5V under request) | Power |
| 7 | Chassis | Connection to chassis | - |
| 8 | GND | Ground | Power |
| 9 | GND | Ground | Power |
| 10 | GND | Ground | Power |

Table 3. Pin description



Page: 12 of 23 Version: 1.08 May 2016

7. COMMUNICATIONS

nanoSSOC-D60 sensors can communicate via three different protocols: UART, I2C or SPI. This must be chosen at the time of the purchase because the pins of the different protocols are shared and they cannot be enabled simultaneously. The following sections describe the protocol and command codes.

7.1. Data format

The data structure for communications is explained below:

Character transmission (unsigned char):



Two byte Integer transmission (int):

| Byte_1 | Byte_0 | To communications channel |
|--------|--------|---------------------------|
| MSB | LSB | |

Floating data transmission (float): Float codification according to IEEE 754-1985 standard for single-precision floating 32 bits:

| 5 | Expor | nent | | Fraction | | To communications channel |
|---|--------|------|----|----------|--------|---------------------------|
| | Byte_3 | Byte | _2 | Byte_1 | Byte_0 | |
| | MSB | | | | LSB | 4 |

Floating value= $S \times 2^e \times m$.

- Sign (S): 1 bit (1=positive, 0=negative)
- Exponent: 8 bits (e = Exponent 127)
- Fraction: 23 bits (m = 1.Fraction)

7.2. Frame format

The same protocol is implemented in the three communication options: UART, I2C and SPI. This protocol uses two messages:

- · Request message: from master to slave.
- · Response message: from slave to master.

The master is the on board computer of the satellite, or the master of the communication bus, and the slave is the nanoSSOC-D60 device.

Every command sent to the sensor shall comply with the format described in the table below.

| Command Code | Length | Checksum |
|--------------|--------|----------|
| 0xXX | 0x01 | 0xXX |
| 1 byte | 1 byte | 1 bytes |

Table 4. Command format

Command message:

- Command code: It corresponds to the code of the incoming command.
- Length: For commands it is fixed to 0x01.
- Checksum byte: For commands the values of the checksum field are:



Page: 13 of 23 Version: 1.08 May 2016

| Command code | Checksum |
|--------------|----------|
| 0x01 | 0x02 |
| 0x03 | 0x04 |
| 0x04 | 0x05 |

Table 5. Checksum

Every response sent to the master shall comply with the format described in the table below:

| Command Code | Length | Application Data | Checksum |
|--------------|--------|------------------|----------|
| 0xXX | 0xXX | - | 0xXX |
| 1 byte | 1 byte | 2 – 16 bytes | 1 bytes |

Table 6. Response format

Response message:

- Command Code: It corresponds to the code of the command which this answer refers to.
- Length: It is the sum of the number of bytes of the fields 'Application Data' + 'Checksum'.
- Data: It is the answer with the data previously requested by the corresponding command.
- Checksum: it is used to check the integrity of the packet. It is calculated adding all bytes
 in 'Command Code' + 'Length' + 'Data' fields and extracting the less significant byte of the
 result.

E.g.:

1A CF FC 1D 02 05 42 12 87 2B 0D

Checksum is 0D. This checksum is calculated adding 0x02 + 0x05 + 0x42 + 0x12 + 0x87 + 0x2B = 0x10D. Less significant byte of 0x10D is 0x0D.

7.3. Commands

There are several command codes implemented in UART, I2C and SPI communication of nanoSSOC-D60 sun sensor. The frame and information of these command codes are the same for these three protocols. The command codes are:

| Command | Name | Functionality | |
|---------|------------------|--|--|
| 0x01 | UNFILTERED CELLS | Request for the voltages values of the four photocells without filtering | |
| 0x03 | FILTERED CELLS | Request for the voltages values of the four photocells with filtering | |
| 0x04 | ANGULAR POSITION | Request for the angular position (α,β) and error code. | |

Table 7. Command codes

After nanoSSOC-D60 is turned on, a minimum timeout of 2 seconds is required before the first data request, in order to reach the stabilization of the digital filters.



Page: 14 of 23 Version: 1.08 May 2016

7.3.1. Command 01: Unfiltered photocell voltages

Request for the voltages values of the four photocells without filtering: four unfiltered cells are obtained by means of an analog to digital converter (ADC) of 10 bits and 50 Hz.

The voltage of each cell is represented by a 32-bit float.

| Command Code | Length | Checksum |
|--------------|--------|----------|
| 0x01 | 0x01 | 0x02 |
| 1 byte | 1 byte | 1 byte |

Table 8. Command 01 TC format

| Command Code | Length | Application Data | | | Checksum | |
|-----------------|--------|------------------|------------------|------------------|------------------|--------|
| 0x01 | 0x11 | Float (uSSA1) | Float (uSSA2) | Float (uSSA3) | Float (uSSA4) | 0xXX |
| 1 byte | 1 byte | 4 bytes | 4 bytes | 4 bytes | 4 bytes | 1 byte |

Table 9. Command 01 TM format

7.3.2. Command 03: Filtered photocell voltages

Request for the voltages values of the four photocells with filtering: four filtered cells are obtained with the ADC conversion (10 bits, 50 Hz), and an internal filtering stage (Butterworth filter). The voltage of each cell is represented by a 32-bit float.

| Command Code | Length | Checksum |
|--------------|--------|----------|
| 0x03 | 0x01 | 0x04 |
| 1 byte | 1 byte | 1 byte |

Table 10. Command 03 TC format

| Command Code | Length | Application Data | | | Checksum | |
|-----------------|--------|-------------------|-------------------|-------------------|-------------------|--------|
| 0x03 | 0x11 | Float (uSSA1F) | Float (uSSA2F) | Float (uSSA3F) | Float (uSSA4F) | 0xXX |
| 1 byte | 1 byte | 4 bytes | 4 bytes | 4 bytes | 4 bytes | 1 byte |

Table 11. Command 03 TM format

7.3.3. Command 04: Angular position

Request for the angular position and the corresponding error code on each axis: the estimated results are taken from the ADC converted values (10 bits and 50 Hz) of both sensor direction angles, the internal Butterworth filter, and from the obtained error code calculations.

The two angles which determine the angular position (α and β , see Fig 3) are represented by a single-precision floating-point format. The error code (see Table 14) format is represented in a char.



Page: 15 of 23 Version: 1.08 May 2016

| Command Code | Length | Checksum |
|--------------|--------|----------|
| 0x04 | 0x01 | 0x05 |
| 1 byte | 1 byte | 1 byte |

Table 12. Command 04 TC format

| Command Code | Length | Application Data | | | Checksum |
|-----------------|--------|------------------|-----------|-------------------------|----------|
| 0x04 | 0x0A | Float (α) | Float (β) | Char (error code) | 0xXX |
| 1 byte | 1 byte | 4 bytes | 4 bytes | 1 byte | 1 byte |

Table 13. Command 04 TM format

7.3.4. Error codes

The error code byte will always inform if angles calculation operation was done successfully or if it was any problem detected.

| Error Code | Information | |
|--|--|--|
| 0 | No error. Angles were calculated successfully | |
| 11 | Albedo: Earth; Sun sensor does not see the Sun, but Earth, and the reflected sun-light is affecting measurement of the sensor. | |
| 12 | Albedo: Earth + Sun; Sun sensor sees the Sun and the Earth, because received solar radiation level is higher than 1360 W/m2, with a tolerance of 10%, so a reflected sun-light is affecting measurement. | |
| Other values Internal manufacturer information | | |

Table 14. Error codes

The albedo codes (11 and 12) describe the following situations:

- Code 11: Earth albedo.
 Sun sensor does not see the Sun, but Earth, and the reflected sun-light is affecting measurement of the sensor.
- Code 12: Earth and Sun albedo.
 Sun sensor sees the Sun and the Earth, because received solar radiation level is higher than 1360 W/m², so a reflected sun-light is affecting measurement.

These codes are just informative and do not affect angles calculation.

This algorithm depends on a tolerance of 20% around the solar radiation during calibration of the sun sensor, this is 1366 W/m^2 . When the measured radiation is lower or higher than this value considering the tolerance, the algorithm detects code 11 or 12.



Page: 16 of 23 Version: 1.08 May 2016

7.4. UART communication protocol

This section describes the features of the sun sensor UART communications interface and the different protocol messages and commands. Please refer to the manufacturer for any other particular configuration.

7.4.1. UART configuration

The following table summarizes the characteristics of the UART communications interface.

| Baud rate | 115200 bps |
|-------------------------|---------------|
| Data bits | 8 bits |
| Stop bits | 1 |
| Handshaking | none |
| Bit-level transmission | Little Endian |
| Byte-level transmission | Little Endian |

Table 15. UART communications interface configuration

Interface configuration can be changed under request, i.e., baud rate. Please contact Solar MEMS for special requirements.

7.4.2. UART protocol format

Every request and response message will be preceded by a synchronization word that indicates the start of a new frame.

| Sync Word | Request message | Length | Checksum |
|------------|-----------------|--------|----------|
| 0x1ACFFC1D | 0xXX | 0x01 | 0xXX |
| 4 bytes | 1 byte | 1 byte | 1 bytes |

Table 16. UART request message from master to nanoSSOC-D60

| Sync Word | Command Code | Length | Data | Checksum |
|------------|--------------|--------|--------------|----------|
| 0x1ACFFC1D | 0xXX | 0x01 | - | 0xXX |
| 4 bytes | 1 byte | 1 byte | 2 – 16 bytes | 1 bytes |

Table 17. UART response message, from nanoSSOC-D60 to master



Page: 17 of 23 Version: 1.08 May 2016

7.5. I²C communication protocol

This section describes the features of the sun sensor I²C communications interface and the different protocol messages and commands. Please refer to the manufacturer for any other special configuration.

7.5.1. I²C Configuration

The following table summarizes the characteristics of the I2C communications interface.

| I ² C clock signal | PIN 3 |
|-------------------------------|---------------|
| I ² C data signal | PIN 5 |
| Type of node | Slave |
| Address | 0x60 (hex) |
| Bit rate | Up to 400 kHz |

Table 18. I'C communications interface characteristics

7.5.2. I²C protocol format

nanoSSOC-D60 responses to the master according to the I²C standard, as follows:




Fig 8. I2C Message protocol: write and read, request and response

The following describes the elements in the Fig 8 about message protocol:

- From master to slave:
 - Address (7 bits): the address of the sun sensor (0x60 by default). If you need a
 different value, please contact Solar MEMS.
 - o Command (1 byte): as in section 7.3 (command code).
- From slave to master:
 - Address (7 bits): the address of the sun sensor (0x60 by default). If you need a
 different value, please check with Solar MEMS.
 - Data (n + 2 bytes):
 - Length (1 byte): as in section 7.3.
 - Information (n byte): as in section 7.3 (data).
 - Checksum (1 byte): as in section 7.3.



Page: 18 of 23 Version: 1.08 May 2016

7.6. SPI communication protocol

This section describes the features of the sun sensor SPI communications interface and the different protocol messages and commands. Please refer to the manufacturer for any other special configuration.

7.6.1. SPI Configuration

The following table summarizes the characteristics of the SPI communications interface.

| Transmission frequency | 115 Kbps |
|------------------------|-------------|
| Synchronism | Enabled |
| Data format | 8 bits |
| Clock polarity (idle) | High level |
| Transmission edge | Rising edge |
| Operation mode | Slave |
| Slave selection | Low Level |

Table 19. SPI communications interface characteristics




Fig 9. SPI slave mode bus configuration

7.6.2. SPI protocol format

Every request and response message will be preceded by a synchronization word than indicates the start of a new frame.

| Sync Word | Request message | Length | Checksum |
|------------|-----------------|--------|----------|
| 0x1ACFFC1D | 0xXX | 0x01 | 0xXX |
| 4 bytes | 1 byte | 1 byte | 1 bytes |

Table 20. SPI request message from master to nanoSSOC-D60

| Sync Word | Sync Word Command Code | | Data | Checksum | |
|------------|------------------------|--------|--------------|----------|--|
| 0x1ACFFC1D | 0xXX | 0x01 | - | 0xXX | |
| 4 bytes | 1 byte | 1 byte | 2 – 16 bytes | 1 bytes | |

Table 21. SPI response message, from nanoSSOC-D60 to master



Page: 19 of 23 Version: 1.08 May 2016

The following figure describes an example of a message 01 communication via SPI:

AOCS ______ nanoSSOC-D60

| Sync Word | Command Code | Length | Checksum |
|------------|--------------|--------|----------|
| 0x1ACFFC1D | 0x01 | 0x01 | 0x02 |
| 4 bytes | 1 byte | 1 byte | 1 byte |

AOCS ← nanoSSOC-D60

| Char |
|--------|--------|--------|--------|--------|--------|--------|
| (IDLE) |
| 1 byte |

Fig 10. SPI request message example

AOCS — nanoSSOC-D60

Char Char Char Char Char Float Float Float Char

| Char | Char | Char | Char | Char | Char | Float | Float | Float | Float | Char |
|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|--------|
| (IDLE) | (IDLE) | (IDLE) | (IDLE) | (IDLE) |
| 1 byte | 4 bytes | 4 bytes | 4 bytes | 4 bytes | |

AOCS ← nanoSSOC-D60

| Sync Word | Command Code | Length | | Checksum | | | |
|------------|-----------------|--------|------------------|------------------|------------------|------------------|--------|
| 0x1ACFFC1D | 0x01 | 0x11 | Float (uSSA1) | Float (uSSA2) | Float (uSSA3) | Float (uSSA4) | 0xXX |
| 4 bytes | 1 byte | 1 byte | 4 bytes | 4 bytes | 4 bytes | 4 bytes | 1 byte |

Fig 11. SPI response message example



Page: 20 of 23 Version: 1.08 May 2016

8. OPTICAL

8.1. Calibration

In order to guarantee the best accuracy, every sun sensor is individually tested and characterized, and a unique look-up table is included with each sensor. A ground calibration of the sensor is carried out to compensate all manufacturing tolerances and misalignment respect to the sensor positional reference.

Calibration procedure consists in the use of a High-Accurate Angular Positioning System (HAAPS), which is necessary to achieve high precision calibration curves. The HAAPS has been specifically developed by Solar MEMS for this purpose. The calibration process is carried out with the standard AM0 irradiance (1360 W/m²).

As an example of the calibration results, the surface resulting from the outputs corresponding to each photodiode cell for each defined angular position in both orthogonal axes within the sensor field of vision is as follows:




Fig 12. Photodiodes voltages obtained from the sun sensor calibration

Proprietary software characterizes and post-processes the response of the unit and generates the corresponding calibration tables. Following figure illustrates an example of a sun sensor calibration function obtained in the calibration process. Sensor calibration is performed at Solar MEMS Clean Room class ISO 8.




Fig 13. nanoSSOC-D60 calibration function



Page: 21 of 23 Version: 1.08 May 2016

8.2. Spectral Responsivity

nanoSSOC-D60 spectral responsivity range is from 380 nm to about 1200 nm. The light transmittance of the Borofloat used for the window presents an optical transmittance approximately of 90% in the 380-1200 nm range. The electrical behavior of the sensor photodiodes has been measured using AM0 filter with solar light spectrum of 1366 W/m2 at ambient temperature (25°C) and normal incidence. The spectral responsivity in the 380-1200nm range is show in the following picture.




Fig 14. Spectral Responsivity

8.3. Look-up Table

Each sun sensor delivered already includes its own calibration data in the internal microcontroller, so the look-up table is not delivered to the customer.



Page: 22 of 23 Version: 1.08 May 2016

9. PACKING, HANDLING AND STORAGE

nanoSSOC-D60 packing to the end customer is carried out by skilled operators of Solar MEMS Technologies in the clean room complex (class 10000, temp $23 \pm 2^{\circ}$ C). Operators involved with packing follow the standard environment and handling precautions. Devices are individually packed in antistatic plastic bags protected from ESD. These bags carry the serial number of each product, and are hermetically sealed. The sealed bags are further packed in an appropriate box, surrounded by shock-absorbing soft foam, correctly labeled and suitable for air and road transport. The delivery will be associated with the following documents:

- Certificate of Conformity.
- Test report with the calibration results.
- Qualification Status document.

The unpacking of nanoSSOC-D60 shall take place in a controlled environment by skilled operators. The items under treatment are delicate and high-reliability optical and electronic instruments, which require handling with the most care.

Storage of the device may take place in an anti-static plastic bag. For long-term periods, it shall be stored in a controlled cleanroom environment. The package shall be maintained in a controlled environment with a temperature in the range of 15 to 25 °C. The relative humidity shall be between 40% and 65%.

During device handling gloves shall be worn by the personnel, as well as the clothing required for the environment. The operator shall be grounded by an electrically conductive wrist-strap to minimize the risk of damage by electro-static discharges. The total allowable number of connects / disconnects on the connector itself shall be limited to 50. The sensor window surface shall never be touched.

If in spite of the precautions nanoSSOC-D60 package requires cleaning, the operator can use dry nitrogen gas to remove particle contamination. The maximum allowable pressure of the dry nitrogen gas flow leaving the pistol is 1 bar. If blowing is insufficient, the particular surface may be wiped with a wetted nylon woven cloth with isopropyl alcohol (IPA), or a cotton wool stick.



Page: 23 of 23 Version: 1.08 May 2016

10. WARRANTY

Solar MEMS Technologies S.L. warrants nanoSSOC-D60 sun sensor to the original consumer purchaser any product that is determined to be defective for the following terms will be repaired, or replaced.

The limited warranty is 2 years from the date of purchase:

The product in question must be sent to Solar MEMS Technologies S.L. (address is shown below) within the warranty period and the original consumer purchaser must comply with the following conditions, to be eligible for repair or replacement under this warranty:

- The product must not have been modified or altered in any way by an unauthorized source.
- The product must have been installed in accordance with the installation instructions and handled and stored following the technical specification interfaces & operation document recommendations.

This limited warranty does not cover:

- Damage due to improper installation.
- Accidental or intentional damages.
- Misuse, abuse, corrosion, or neglect.
- Product impaired by severe conditions, such as excessive wind, ice, storms, lightning strikes
 or other natural occurrences.
- Damage due to improper packaging on return shipment.

Any and all labor charges for troubleshooting, removal or replacement of the product are not covered by this warranty and will not be honored by Solar MEMS Technologies S.L.

Return shipping to Solar MEMS Technologies S.L. must be pre-paid by the original consumer purchaser. Solar MEMS Technologies S.L. will pay the normal return shipping charges to original consumer purchaser within the European Union countries only.

Address of Solar MEMS Technologies S.L.

Solar MEMS Technologies S.L.
Parque Empresarial Aerópolis
C/ Early Ovington 24, nave 1
C.P. 41309 La Rinconada (Sevilla) — Spain
e-mail: smt@solar-mems.com
Web: http://www.solar-mems.com
Phone: (+34) 954 460 113

Solar MEMS Technologies has a quality and environment management system according to the ISO 9001 and ISO 14001 standards.

END OF DOCUMENT