

PROJECT REPORT

MOVIE THEATRE MAMAGEMENT SYSTEM REPORT

We are creating a database for a movie theatre. Our design takes the conceptual (logical) and external levels of database management system into consideration. We have made an ER diagram that abstractly explains the different attributes of the entities that will be part of the movie theatre and it also explains the synergistic relationships between the various sectors of the theatre.

From the ER Diagram we derived the relational schema which explains the conceptual level in table form, this makes it easier to build the Database.

Finally, we have written extensive SQL commands to demonstrate the functionality of our database system, these commands deal with the conceptual and external levels.

**PROJECT CREATED BY
MUHAMMED HUSSAIN BASIT**

PROJECT REPORT

Contents

1.ER Diagram.....	4
2.Relational Schema.....	6
3.SQL QUERIES	8
3.1.1 CREATE TABLE Theatre.....	8
3.1.2 CREATE TABLE theatreEmail	8
3.1.3 CREATE TABLE theatreContact.....	9
3.1.4 CREATE TABLE staff	10
3.1.5 CREATE TABLE staffPhone.....	11
3.1.6 CREATE TABLE staffEmail	12
3.1.7 CREATE TABLE screen.....	13
3.1.8 CREATE TABLE Movie	14
3.1.9 CREATE TABLE shows	15
3.1.10 CREATE TABLE seat	16
3.1.11 CREATE TABLE showSeat.....	17
3.1.12 CREATE TABLE customer	18
3.1.13 CREATE TABLE customerEmail	19
3.1.14 CREATE TABLE customerPhone.....	20
3.1.15 CREATE TABLE payment.....	21
3.1.16 CREATE TABLE Ticket.....	22
3.1.17 CREATE TABLE snack	24
3.1.18 CREATE TABLE paymentSnack	25

PROJECT REPORT

3.2 Find the total earning of theatre in cash.	26
3.3 Find the total ticket revenue per show and only show those shows where total revenue is greater than 1000.....	26
3.4 Show the total payment amount per customer, excluding those who paid by 'Card'	27
3.5 Get the name of customers, their ticket ID, movie title, and payment amount.	28
3.6 Get all customers who bought snacks and the payment method they used for snacks.	29
3.7 Show staff names, their emails, the theatres they work at, and theatre contact numbers.....	30
3.8 List names of customers who have made cash payments and watched a movie that is in Urdu.	31
3.9 List all movies for which at least one seat was booked (i.e. ticket was issued) and paid using Cash.	32
3.10 Find names of customers who booked a seat with a seat type of 'VIP'.	33


PROJECT REPORT

1.ER Diagram

We have made an ER Diagram which is pasted on the next page, we have used associative entities as well because it is easier to convert the ER Diagram to a relational schema when associative entities are used.




PROJECT REPORT




PROJECT REPORT

2.Relational Schema

We have converted the ER Diagram and made a relational schema



PROJECT REPORT



PROJECT REPORT

3.SQL QUERIES

3.1.1 CREATE TABLE Theatre

```
CREATE TABLE Theatre (  
    theatreId INT PRIMARY KEY,  
    name VARCHAR(100),  
    location VARCHAR(100)  
);  
  
INSERT INTO Theatre (theatreId, name , location)  
VALUES (1, 'Pak Cineplex', 'Mall Road,Lahore');
```

3.1.2 CREATE TABLE theatreEmail

```
CREATE TABLE theatreEmail (  
    email VARCHAR(100),  
    theatreId INT,  
    FOREIGN KEY (theatreId) REFERENCES Theatre(theatreId)  
);  
  
INSERT INTO theatreEmail (email, theatreId)  
VALUES('info@pakcineplex.com', 1),  
('contact@pakcineplex.com', 1);
```

PROJECT REPORT

3.1.3 CREATE TABLE theatreContact

```
CREATE TABLE theatreContact (
```

```
    contact VARCHAR(15),
```

```
    theatreId INT,
```

```
    FOREIGN KEY (theatreId) REFERENCES Theatre(theatreId)
```

```
);
```

```
INSERT INTO theatreContact (contact,theatreId)
```

```
VALUES('03001234567', 1),
```

```
('03112345678', 1),
```

```
('03211234567', 1);
```

PROJECT REPORT

3.1.4 CREATE TABLE staff

```
CREATE TABLE staff (  
    staffId INT PRIMARY KEY,  
    name VARCHAR(100),  
    designation VARCHAR(50),  
    joiningDate DATE,  
    salary DECIMAL(10,2),  
    shiftTime VARCHAR(20),  
    theatreId INT,  
    FOREIGN KEY (theatreId) REFERENCES Theatre(theatreId)  
);  
  
INSERT INTO staff (staffId , name , designation , joiningDate ,salary ,shiftTime, theatreId)  
VALUES (1, 'Ahmed Khan', 'Manager', '2020-01-15', 85000.00, 'Morning', 1),  
(2, 'Sara Malik', 'Cashier', '2021-03-22', 40000.00, 'Evening', 1),  
(3, 'Ali Raza', 'Projectionist', '2019-07-11', 50000.00, 'Night', 1),  
(4, 'Nida Fatima', 'Cleaner', '2022-02-28', 30000.00, 'Morning', 1),  
(5, 'Imran Haider', 'Security', '2020-08-05', 35000.00, 'Night', 1),  
(6, 'Ayesha Noor', 'Receptionist', '2023-05-01', 38000.00, 'Evening', 1),  
(7, 'Zeeshan Tariq', 'Cleaner', '2021-09-10', 25000.00, 'Morning', 1);
```

PROJECT REPORT

3.1.5 CREATE TABLE staffPhone

```
CREATE TABLE staffPhone (  
    phone VARCHAR(15),  
    staffId INT,  
    FOREIGN KEY (staffId) REFERENCES staff(staffId)  
);  
  
INSERT INTO staffPhone (phone , staffId)  
VALUES('03001111111', 1),  
('03021111111' , 1),  
('03112223333', 2),  
('03202223333', 2),  
('03214445555', 3),  
('03315556666', 4),  
('03416667777', 5),  
('03517778888', 6),  
('03917778888', 6),  
('03618889999', 7);
```

PROJECT REPORT

3.1.6 CREATE TABLE staffEmail

```
CREATE TABLE staffEmail (  
    email VARCHAR(100),  
    staffId INT,  
    FOREIGN KEY (staffId) REFERENCES staff(staffId)  
);
```

```
INSERT INTO staffEmail (email ,staffId)  
VALUES('ahmed.khan@pakcineplex.com', 1),  
('sara@megastar.pk', 2),  
('ali.raza@royalvision.com', 3),  
('nida@galaxy.pk', 4),  
('imran@silverscreen.pk', 5),  
('ayesha@starcinema.pk', 6),  
('zeeshan@cinestar.com', 7);
```

PROJECT REPORT

3.1.7 CREATE TABLE screen

CREATE TABLE screen (

screenId INT PRIMARY KEY,

screenName VARCHAR(50),

capacity INT,

screenType VARCHAR(30),

soundSystem VARCHAR(30),

theatreId INT,

FOREIGN KEY (theatreId) REFERENCES Theatre(theatreId)

);

INSERT INTO screen (screenId , screenName ,capacity , screenType ,soundSystem , theatreId)

VALUES(1, 'Screen A', 100, '2D', 'Dolby', 1),

(2, 'Screen B', 150, '3D', 'Dolby', 1),

(3, 'Screen C', 120, '2D', 'Stereo', 1),

(4, 'Screen D', 200, 'IMAX', 'Dolby Atmos', 1),

(5, 'Screen E', 130, '2D', 'Mono', 1);

PROJECT REPORT

3.1.8 CREATE TABLE Movie

CREATE TABLE Movie (

movieId INT PRIMARY KEY,

title VARCHAR(100),

genre VARCHAR(50),

language VARCHAR(30),

durationTime INT,

releaseDate DATE

);

INSERT INTO Movie (movieId, title, genre, language , durationTime , releaseDate)

VALUES(1, 'Maula Jatt', 'Action', 'Urdu', 150, '2022-10-13'),

(2, 'Zindagi Tamasha', 'Drama', 'Urdu', 120, '2020-01-24'),

(3, 'Donkey King', 'Animation', 'Urdu', 95, '2018-10-13'),

(4, 'Parwaaz Hai Junoon', 'Romance', 'Urdu', 130, '2018-08-22'),

(5, 'Waar', 'Action', 'English', 140, '2013-10-11'),

(6, 'Bol', 'Drama', 'Urdu', 125, '2011-06-24'),

(7, 'Teefa in Trouble', 'Comedy', 'Urdu', 135, '2018-07-20');

PROJECT REPORT

3.1.9 CREATE TABLE shows

CREATE TABLE shows (

showId INT PRIMARY KEY,

startTime TIME,

isFull BOOLEAN,

date DATE,

movieId INT,

screenId INT,

FOREIGN KEY (movieId) REFERENCES Movie(movieId),

FOREIGN KEY (screenId) REFERENCES screen(screenId)

);

INSERT INTO shows (showId, startTime , isFull, date , movieId , screenId)

VALUES(1, '14:00', FALSE, '2025-06-14', 1, 1),

(2, '18:00', TRUE, '2025-06-14', 2, 2),

(3, '20:30', FALSE, '2025-06-14', 3, 3),

(4, '22:00', TRUE, '2025-06-14', 4, 4),

(5, '16:00', FALSE, '2025-06-14', 5, 5),

(6, '19:00', TRUE, '2025-06-14', 6, 1),

(7, '21:00', FALSE, '2025-06-14', 7, 5);

PROJECT REPORT

3.1.10 CREATE TABLE seat

```
CREATE TABLE seat (  
    seatNum INT,  
    screenId INT,  
    rowLINE CHAR(1),  
    seatSection VARCHAR(20),  
    seatType VARCHAR(20),  
    priceMultiplier FLOAT,  
    PRIMARY KEY (seatNum, screenId),  
    FOREIGN KEY (screenId) REFERENCES screen(screenId)  
);  
  
INSERT INTO seat(seatNum,screenId,rowLINE,seatSection,seatType,priceMultiplier)  
VALUES(1, 1, 'A', 'Front', 'Regular', 1.0),  
(2, 1, 'A', 'Front', 'Regular', 1.0),  
(3, 1, 'B', 'Middle', 'VIP', 1.5),  
(4, 1, 'B', 'Middle', 'VIP', 1.5),  
(5, 1, 'C', 'Back', 'Premium', 2.0),  
(6, 1, 'C', 'Back', 'Premium', 2.0),  
(7, 1, 'D', 'Back', 'Regular', 1.0);
```

PROJECT REPORT

3.1.11 CREATE TABLE showSeat

```
CREATE TABLE showSeat (  
    seatNum INT,  
    screenId INT,  
    showId INT,  
    status VARCHAR(20),  
    PRIMARY KEY (seatNum, screenId, showId),  
    FOREIGN KEY (seatNum, screenId) REFERENCES seat(seatNum, screenId),  
    FOREIGN KEY (showId) REFERENCES shows(showId) );
```

INSERT INTO showSeat VALUES

```
(1, 1, 1, 'Booked'),  
(2, 1, 1, 'Available'),  
(3, 1, 1, 'Booked'),  
(4, 1, 1, 'Available'),  
(5, 1, 1, 'Available'),  
(6, 1, 1, 'Booked'),  
(7, 1, 1, 'Available');
```

PROJECT REPORT

3.1.12 CREATE TABLE customer

```
CREATE TABLE customer (  
    customerId INT PRIMARY KEY,  
    name VARCHAR(100),  
    DOB DATE,  
    gender VARCHAR(10)  
);  
  
INSERT INTO customer (customerId ,name, DOB, gender)  
VALUES(1, 'Hassan Ali', '1995-03-12', 'Male'),  
(2, 'Amina Tariq', '1998-07-25', 'Female'),  
(3, 'Zubair Shah', '1989-11-02', 'Male'),  
(4, 'Sana Rauf', '1992-01-15', 'Female'),  
(5, 'Bilal Khan', '2000-05-22', 'Male'),  
(6, 'Mariam Iqbal', '1997-09-10', 'Female'),  
(7, 'Usman Ashraf', '1994-04-04', 'Male');
```

PROJECT REPORT

3.1.13 CREATE TABLE customerEmail

```
CREATE TABLE customerEmail (  
    email VARCHAR(100),  
    customerId INT,  
    FOREIGN KEY (customerId) REFERENCES customer(customerId)  
);  
  
INSERT INTO customerEmail (email ,customerId)  
VALUES('hassan.ali@email.com', 1),  
('amina.tariq@email.com', 2),  
('zubair.shah@email.com', 3),  
('sana.rauf@email.com', 4),  
('bilal.khan@email.com', 5),  
('mariam.iqbal@email.com', 6),  
('usman.ashraf@email.com', 7);
```

PROJECT REPORT

3.1.14 CREATE TABLE customerPhone

```
CREATE TABLE customerPhone (
```

```
    phone VARCHAR(15),
```

```
    customerId INT,
```

```
    FOREIGN KEY (customerId) REFERENCES customer(customerId));
```

```
INSERT INTO customerPhone ( phone ,customerId)
```

```
VALUES('03009991111', 1),
```

```
('03112223344', 2),
```

```
('03213334455', 3),
```

```
('03314445566', 4),
```

```
('03415556677', 5),
```

```
('03516667788', 6),
```

```
('03617778899', 7);
```

PROJECT REPORT

3.1.15 CREATE TABLE payment

CREATE TABLE payment (

paymentId INT PRIMARY KEY,

paymentMethod VARCHAR(20),

paymentTime TIMESTAMP,

discount DECIMAL(5,2),

amount DECIMAL(10,2),

transactionStatus VARCHAR(20),

customerId INT,

FOREIGN KEY (customerId) REFERENCES customer(customerId)

);

INSERT INTO payment (paymentId ,paymentMethod , paymentTime, discount , amount ,transactionStatus ,customerId)

VALUES(1, 'Cash', '2025-06-14 13:00:00', 0.00, 500.00, 'Completed', 1),

(2, 'Card', '2025-06-14 13:10:00', 10.00, 450.00, 'Completed', 2),

(3, 'Cash', '2025-06-14 14:00:00', 0.00, 600.00, 'Completed', 3),

(4, 'Card', '2025-06-14 14:30:00', 5.00, 570.00, 'Completed', 4),

(5, 'Online', '2025-06-14 15:00:00', 20.00, 400.00, 'Completed', 5),

(6, 'Cash', '2025-06-14 15:15:00', 0.00, 550.00, 'Completed', 6),

(7, 'Card', '2025-06-14 16:00:00', 15.00, 485.00, 'Completed', 7);

PROJECT REPORT

3.1.16 CREATE TABLE Ticket

CREATE TABLE Ticket (

ticketId INT PRIMARY KEY,

price DECIMAL(10,2),

bookingTime TIMESTAMP,

isCancelled BOOLEAN,

ticketType VARCHAR(20),

customerId INT,

seatNum INT,

screenId INT,

showId INT,

paymentId INT,

FOREIGN KEY (customerId) REFERENCES customer(customerId),

FOREIGN KEY (seatNum, screenId) REFERENCES seat(seatNum, screenId),

FOREIGN KEY (showId) REFERENCES shows(showId),

FOREIGN KEY (paymentId) REFERENCES payment(paymentId)

);

PROJECT REPORT

```
INSERT INTO Ticket (ticketId,price,bookingTime,isCancelled,ticketType,customerId,seatNum,screenId,showId,paymentId)
VALUES(1, 500.00, '2025-06-14 12:30:00', FALSE, 'Online', 1, 1, 1, 1, 1),
(2, 450.00, '2025-06-14 13:00:00', FALSE, 'BoxOffice', 2, 2, 1, 1, 2),
(3, 600.00, '2025-06-14 13:30:00', FALSE, 'Online', 3, 3, 1, 1, 3),
(4, 570.00, '2025-06-14 14:00:00', FALSE, 'BoxOffice', 4, 4, 1, 1, 4),
(5, 400.00, '2025-06-14 14:30:00', FALSE, 'Online', 5, 5, 1, 1, 5),
(6, 550.00, '2025-06-14 15:00:00', FALSE, 'BoxOffice', 6, 6, 1, 1, 6),
(7, 485.00, '2025-06-14 15:30:00', FALSE, 'Online', 7, 7, 1, 1, 7);
```

PROJECT REPORT

3.1.17 CREATE TABLE snack

```
CREATE TABLE snack (  
    snackId INT PRIMARY KEY,  
    name VARCHAR(50),  
    price DECIMAL(6,2),  
    size VARCHAR(20),  
    isAvailable BOOLEAN,  
    calories INT,  
    customerId INT,  
    FOREIGN KEY (customerId) REFERENCES customer(customerId)  
);  
  
INSERT INTO snack (snackId,name,price,size,isAvailable,calories,customerId)  
VALUES(1, 'Popcorn', 250.00, 'Large', TRUE, 500, 1),  
(2, 'Nachos', 300.00, 'Medium', TRUE, 400, 2),  
(3, 'Soft Drink', 150.00, 'Regular', TRUE, 180, 3),  
(4, 'Hot Dog', 200.00, 'Regular', TRUE, 350, 4),  
(5, 'Fries', 180.00, 'Small', TRUE, 300, 5),  
(6, 'Chocolate Bar', 100.00, 'Single', TRUE, 250, 6),  
(7, 'Tea', 80.00, 'Cup', TRUE, 90, 7);
```

PROJECT REPORT

3.1.18 CREATE TABLE paymentSnack

```
CREATE TABLE paymentSnack (  
    paymentId INT,  
    snackId INT,  
    FOREIGN KEY (paymentId) REFERENCES payment(paymentId),  
    FOREIGN KEY (snackId) REFERENCES snack(snackId)  
);
```

```
INSERT INTO paymentSnack (paymentId ,snackId)  
VALUES(1, 1),  
(2, 2),  
(3, 3),  
(4, 4),  
(5, 5),  
(6, 6),  
(7, 7);
```

PROJECT REPORT

3.2 Find the total earning of theatre in cash.

```
311 • SELECT sum(amount) as earning
312     from payment
313     where paymentMethod = 'Cash';
314
```

<

Result Grid |  Filter Rows: | Export:  | Wrap Cell Content: 

	earning
▶	1650.00

3.3 Find the total ticket revenue per show and only show those shows where total revenue is greater than 1000.

```
316 • SELECT showId, SUM(price) AS total_revenue
317     FROM Ticket
318     GROUP BY showId
319     HAVING SUM(price) > 1000;
320
```

<

Result Grid |  Filter Rows: | Export:  | Wrap Cell Content: 

	showId	total_revenue
▶	1	3555.00

PROJECT REPORT

3.4 Show the total payment amount per customer, excluding those who paid by 'Card'

```
322 • SELECT customerId, SUM(amount) AS total_paid
323 FROM payment
324 WHERE NOT paymentMethod = 'Card'
325 GROUP BY customerId;
326
```

<		
Result Grid		
Filter Rows:		
Export: 		
Wrap Cell Content: 		
	customerId	total_paid
▶	1	500.00
	3	600.00
	5	400.00
	6	550.00

PROJECT REPORT

3.5 Get the name of customers, their ticket ID, movie title, and payment amount.

```
329 • SELECT c.name, t.ticketId, m.title, p.amount
330 FROM customer c
331 JOIN Ticket t ON c.customerId = t.customerId
332 JOIN shows s ON t.showId = s.showId
333 JOIN Movie m ON s.movieId = m.movieId
334 JOIN payment p ON t.paymentId = p.paymentId;
```

<				
Result Grid				
Filter Rows:				
Export: Export				
Wrap Cell Content: IA				
	name	ticketId	title	amount
▶	Hassan Ali	1	Maula Jatt	500.00
	Amina Tariq	2	Maula Jatt	450.00
	Zubair Shah	3	Maula Jatt	600.00
	Sana Rauf	4	Maula Jatt	570.00
	Bilal Khan	5	Maula Jatt	400.00
	Mariam Iqbal	6	Maula Jatt	550.00
	Usman Ashraf	7	Maula Jatt	485.00

PROJECT REPORT

3.6 Get all customers who bought snacks and the payment method they used for snacks.

```
338 • SELECT c.name, s.name AS snackName, p.paymentMethod
339 FROM customer c
340 JOIN snack s ON c.customerId = s.customerId
341 JOIN paymentSnack ps ON s.snackId = ps.snackId
342 JOIN payment p ON ps.paymentId = p.paymentId;
```

<			
Result Grid			
Filter Rows:			
Export:  Wrap Cell Content: 			
	name	snackName	paymentMethod
▶	Hassan Ali	Popcorn	Cash
	Amina Tariq	Nachos	Card
	Zubair Shah	Soft Drink	Cash
	Sana Rauf	Hot Dog	Card
	Bilal Khan	Fries	Online
	Mariam Iqbal	Chocolate Bar	Cash
	Usman Ashraf	Tea	Card

PROJECT REPORT

3.7 Show staff names, their emails, the theatres they work at, and theatre contact numbers.

```
346 • SELECT s.name, se.email, t.name AS theatreName, tc.contact
347 FROM staff s
348 JOIN staffEmail se ON s.staffId = se.staffId
349 JOIN Theatre t ON s.theatreId = t.theatreId
350 JOIN theatreContact tc ON t.theatreId = tc.theatreId;
```

<

Result Grid |  Filter Rows: | Export:  | Wrap Cell Content: 

	name	email	theatreName	contact
▶	Ahmed Khan	ahmed.khan@paccineplex.com	Pak Cineplex	03001234567
	Ahmed Khan	ahmed.khan@paccineplex.com	Pak Cineplex	03001234567
	Sara Malik	sara@megastar.pk	Pak Cineplex	03001234567
	Sara Malik	sara@megastar.pk	Pak Cineplex	03001234567
	Ali Raza	ali.raza@royalvision.com	Pak Cineplex	03001234567
	Ali Raza	ali.raza@royalvision.com	Pak Cineplex	03001234567
	Nida Fatima	nida@galaxy.pk	Pak Cineplex	03001234567
	Nida Fatima	nida@galaxy.pk	Pak Cineplex	03001234567
	Imran Haider	imran@silverscreen.pk	Pak Cineplex	03001234567
	Imran Haider	imran@silverscreen.pk	Pak Cineplex	03001234567
	Ayesha Noor	ayesha@starcinema.pk	Pak Cineplex	03001234567
	Ayesha Noor	ayesha@starcinema.pk	Pak Cineplex	03001234567
	Zeeshan Tariq	zeeshan@cinestar.com	Pak Cineplex	03001234567
	Zeeshan Tariq	zeeshan@cinestar.com	Pak Cineplex	03001234567
	Ahmed Khan	ahmed.khan@paccineplex.com	Pak Cineplex	03112345678
	Ahmed Khan	ahmed.khan@paccineplex.com	Pak Cineplex	03112345678
	Sara Malik	sara@megastar.pk	Pak Cineplex	03112345678
	Sara Malik	sara@megastar.pk	Pak Cineplex	03112345678
	Ali Raza	ali.raza@royalvision.com	Pak Cineplex	03112345678
	Ali Raza	ali.raza@royalvision.com	Pak Cineplex	03112345678
	Nida Fatima	nida@galaxy.pk	Pak Cineplex	03112345678
	Nida Fatima	nida@galaxy.pk	Pak Cineplex	03112345678
	Imran Haider	imran@silverscreen.pk	Pak Cineplex	03112345678
	Imran Haider	imran@silverscreen.pk	Pak Cineplex	03112345678

PROJECT REPORT

3.8 List names of customers who have made cash payments and watched a movie that is in Urdu.

```
354 • SELECT name
355 FROM customer
356 WHERE customerId IN (
357     SELECT customerId
358     FROM payment
359     WHERE paymentMethod = 'Cash'
360     AND paymentId IN (
361         SELECT paymentId
362         FROM Ticket
363         WHERE showId IN (
364             SELECT showId
365             FROM shows
366             WHERE movieId IN (
367                 SELECT movieId
368                 FROM Movie
369                 WHERE language = 'Urdu'
370             )
371         )
372     )
373 );
```

PROJECT REPORT

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
name			
Hassan Ali			
Zubair Shah			
Mariam Iqbal			

3.9 List all movies for which at least one seat was booked (i.e. ticket was issued) and paid using Cash.

377	•	SELECT title
378		FROM Movie
379	⊖	WHERE movieId IN (
380		SELECT s.movieId
381		FROM shows s
382		JOIN Ticket t ON s.showId = t.showId
383		JOIN payment p ON t.paymentId = p.paymentId
384		WHERE p.paymentMethod = 'Cash'
385		);

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
title			
Maula Jatt			

PROJECT REPORT

3.10 Find names of customers who booked a seat with a seat type of 'VIP'.

```
389 • SELECT name
390     FROM customer
391     WHERE customerId IN (
392         SELECT customerId
393         FROM Ticket
394         WHERE (seatNum, screenId) IN (
395             SELECT seatNum, screenId
396             FROM seat
397             WHERE seatType = 'VIP'
398         )
399     );
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



	name
▶	Zubair Shah
	Sana Rauf