

Glossary and Terminology

Field	Value
Last Updated	2026-10-02
Status	Draft

1. Purpose

One meaning per term, in both languages, across UI copy, documentation, database names and code. When the current UI uses a different word, the **Current UI wording** column records it so it can be aligned.

2. Organization

English	Arabic	Code identifier	Definition	Current UI wording
Saudi Developer Community (SDC)	المجتمع السعودي للمطورين	sdc	The community; the only organization the platform serves.	Same
Founder	مؤسس / مؤسسة	founder	A person who founded the community. Organizational position with oversight visibility.	مؤسس المجتمع
Community leader	قائد المجتمع	community_leader	The person currently leading the community's execution.	قائد المجتمع
Advisor	المستشار / المستشارة	advisor	A strategic advisor (currently a former community leader).	المستشار
Leadership	القيادة	—	Collective term: founders, community leader, advisor.	—

English	Arabic	Code identifier	Definition	Current UI wording
Committee	لجنة	committee	A standing working group responsible for a domain (e.g., AI, Cybersecurity). Owns events and articles. See OPEN Q-004 .	لجنة
Committee head	قائد / قائدة اللجنة	committee_head	Leads one committee.	... قائدة لجنة
Committee deputy head	نائب / نائبة قائد اللجنة	committee_deputy	Deputizes for a committee head.	نائبة قائدة ... لجنة
Committee member	عضو لجنة	committee_member	A member assigned to a committee.	—
Community leads	قادة المجتمع	—	UI section showing committee heads/deputies and other heads (e.g., Head of Projects).	قادة المجتمع
Community section	قسم من أقسام المجتمع	—	Homepage marketing list (AI, Data Science, Marketing, Podcast & Content, Product Management, PR). Its relation to committees is unknown (OPEN Q-004).	أقسام المجتمع
Track	المسار	track	CURRENT free-text field on member records (e.g., "Web Development"). Target meaning pending OPEN Q-004 .	المسار
Term	فترة / دورة قيادية	term	The period during which a person holds a position. Positions are time-bound (starts_at , ends_at).	—
Partner	شريك	partner	An external organization that co-hosts or supports SDC.	قسم الشركاء

3. People and access

English	Arabic	Code identifier	Definition
Visitor	زائر	anon (DB role)	Anyone not signed in.
Account / user	حساب / مستخدم	user , auth.users , profiles	A sign-in identity (email + password). Having an account does not make someone a member.
Participant	مشارك	—	A user who registers for an event.
Applicant	متقدم	applicant	A user who submitted a membership application in an intake cycle.
Member	عضو	member	A person accepted through a membership intake cycle and holding an active member record.
Member profile	الملف التعريفى للعضو	member_profile	The member's directory information (university, major, bio, links).
Role	دور	role	A named bundle of permissions (e.g., committee_head).
Permission	صلاحية	permission	An action key such as events.approve .
Scope	نطاق	scope	Where a role applies: global or a specific committee .
Role assignment	إسناد دور	role_assignment	User + role + optional committee + time window. Single source of truth for positions.
System administrator	مدير النظام	system_admin	Technical administrator with full platform access. Not an organizational position.

4. Membership intake

English	Arabic	Code identifier	Definition
Membership intake cycle	دورة استقبال طلبات العضوية	membership_cycle	A time window (opens/closes, ≈ once per year) during which applications are accepted.
Membership application	طلب عضوية	membership_application	One user's application within one cycle.
Join page	صفحة الانضمام	/join	Dedicated page that shows the application form only while a cycle is open. Distinct from /register (account creation).
Application statuses	حالات الطلب	submitted , under_review , accepted , rejected , waitlisted , withdrawn	See membership lifecycle .

5. Events and registration

English	Arabic	Code identifier	Definition	Current UI wording
Event	فعالية	event	A scheduled activity organized by a committee.	فعالية
Event type	نوع الفعالية	event_type	meetup (لقاء تقني), workshop (ورشة), camp (معسكر), hackathon (هاكاثون), talk (محاضرة) — OPEN Q-040.	—
Event format	نمط الفعالية	format	online , in_person , hybrid .	أونلاين

English	Arabic	Code identifier	Definition	Current UI wording
Event registration	تسجيل في فعالية	event_registration	A user's request to attend an event.	تسجيل
Registration window	فترة التسجيل	registration_opens_at / registration_closes_at	When registration is accepted.	متاح التسجيل
Accepted	مقبول	accepted	Registration approved; participant notified.	مقبول
Rejected	مرفوض	rejected	Registration declined; participant notified.	مرفوض
Pending	قيد المراجعة	pending	Awaiting a decision.	قيد الانتظار
Waitlisted	قائمة الانتظار	waitlisted	Eligible but no seat yet (OPEN Q-029).	—
Attendance session	جلسة الحضور	attendance_sessions	One per scheduled event day; opened, closed and finalized by organizers.	—
Check-in	تسجيل الحضور	attendance_records.method	qr · online · manual ; one per person per session.	—
Attendance result	نتيجة الحضور	attendance_result , attendance_percent	attended / absent and the frozen percentage, written by attendance finalization.	—
Certificate	الشهادة	certificates	Issued to eligible attendees (threshold — Q-020).	شهادة حضور

English	Arabic	Code identifier	Definition	Current UI wording
Coming soon	قريبًا	derived	Display state: published, date not announced or registration not yet open.	قريبًا
Ended	منتهى	derived	Display state: event end time has passed.	منتهى

6. Content

English	Arabic	Code identifier	Definition	Current UI wording
Article / thread	مقال / ثريد	article	A technical write-up published by the community. "Thread" (ثريد) is the current public label; one entity covers both.	ثريد، مقال (both used)
Author	الكاتب	article_author	A person or a committee credited on an article.	بقلم
Tag	وسم	tag	Topic label on an article.	—
Reading time	مدة القراءة	reading_minutes	Estimated minutes to read.	دقائق 3

7. Code naming rules

Rule	Example
Database: snake_case , plural table names, singular column names	event_registrations.event_id

Rule	Example
Bilingual columns use <code>_ar</code> / <code>_en</code> suffixes, Arabic required	<code>title_ar NOT NULL , title_en</code>
Status values: lowercase <code>snake_case</code> text with <code>CHECK</code> constraints	<code>'pending_review'</code>
Permission keys: <code><resource>.<action></code> dotted, lowercase	<code>registrations.review</code>
TypeScript: <code>camelCase</code> variables, <code>PascalCase</code> components/types	<code>EventCard , registrationStatus</code>
Routes: lowercase, hyphenated, plural collections	<code>/events/[slug] ,</code> <code>/dashboard/membership-cycles</code>
Never use commercial terms: <i>tenant, customer, plan, subscription, invoice, SKU</i>	—

The UI must not mix "articles" and "threads" on the same screen (it currently does: the list page says *Threads*, the detail breadcrumb says *Articles*). The chosen public label is pending **OPEN Q-033**.