



Installing Ubuntu shell on Windows10

Step-1 Process windows key and search for **Turn windows features on or off**




Step-2 Check the third last option **“Windows Subsystem for Linux”** and press OK




Step-3

Go to window store and search for “Ubuntu” and choose latest version of Ubuntu for installation.



Step-4 Run Ubuntu shell by searching it from the installed programs




Step-5

Set Password when prompted.

Step-6

Type “sudo apt-get update” command and press enter.


Enter password that you set in step-5 to continue.

A terminal window titled 'adnan@AdnanPc: ~' with standard window controls. The terminal shows the command 'adnan@AdnanPc:~\$ sudo apt-get update' being entered. The prompt changes to '[sudo] password for adnan:'. The user's password is entered (represented by dots). The terminal then displays four lines of output: 'Hit:1 http://archive.ubuntu.com/ubuntu focal InRelease', 'Hit:2 http://security.ubuntu.com/ubuntu focal-security InRelease', 'Hit:3 http://archive.ubuntu.com/ubuntu focal-updates InRelease', and 'Hit:4 http://archive.ubuntu.com/ubuntu focal-backports InRelease'. The terminal has a scrollbar on the right side.

```
adnan@AdnanPc:~$ sudo apt-get update
[sudo] password for adnan:
Hit:1 http://archive.ubuntu.com/ubuntu focal InRelease
Hit:2 http://security.ubuntu.com/ubuntu focal-security InRelease
Hit:3 http://archive.ubuntu.com/ubuntu focal-updates InRelease
Hit:4 http://archive.ubuntu.com/ubuntu focal-backports InRelease
```

Step-7

Install GCC compiler “sudo apt-get install gcc”

A terminal window titled 'adnan@AdnanPc: ~' with standard window controls. It shows the execution of 'sudo apt-get update' and 'sudo apt-get install gcc'. The update command lists four hits from archive.ubuntu.com for focal, focal-security, focal-updates, and focal-backports. The install command shows that gcc is already the newest version (4:9.3.0-1ubuntu2) and is set to manually installed. The summary indicates 0 upgraded, 0 newly installed, 0 to remove, and 259 not upgraded.

```
adnan@AdnanPc:~$ sudo apt-get update
[sudo] password for adnan:
Hit:1 http://archive.ubuntu.com/ubuntu focal InRelease
Hit:2 http://security.ubuntu.com/ubuntu focal-security InRelease
Hit:3 http://archive.ubuntu.com/ubuntu focal-updates InRelease
Hit:4 http://archive.ubuntu.com/ubuntu focal-backports InRelease
Reading package lists... Done
adnan@AdnanPc:~$ sudo apt-get install gcc
Reading package lists... Done
Building dependency tree
Reading state information... Done
gcc is already the newest version (4:9.3.0-1ubuntu2).
gcc set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 259 not upgraded.
adnan@AdnanPc:~$
```


Step-8

Go to your C drive in windows10 and create a folder by the name of “Code”. Paste your C files in the folder.

In Ubuntu, issue the following commands to reach the folder “Code” to compile your program.

“cd /mnt/c/code”

“gcc firstprogram.c -o firstprogram.out”

A terminal window titled 'adnan@AdnanPc: /mnt/c/code' with standard window controls. It shows the user navigating to '/mnt/c/code' and running 'gcc firstprogram.c -o firstprogram.out'. After running './firstprogram.out', the output 'Hello World' is displayed.

```
adnan@AdnanPc: /mnt/c/code
adnan@AdnanPc:~$ cd /mnt/c/code
adnan@AdnanPc:/mnt/c/code$ gcc firstprogram.c -o firstprogram.out
adnan@AdnanPc:/mnt/c/code$ ./firstprogram.out
Hello World
adnan@AdnanPc:/mnt/c/code$
```