Experiment/Case Study No : 10

Aim:

Load and display JSON data using fetch() and jQuery $.getJSON(); render results dynamically in a table.

Software/Tools Required

- Visual Studio Code
- Google Chrome (Web Browser)

Experiment Program Code

1. Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Student Info</title>
  <style>
    table { border-collapse: collapse; width: 80%; margin: 20px auto; }
    th, td { border: 1px solid #ccc; padding: 10px; text-align: center; }
    th { background: #4CAF50; color: white; }
    form { width: 80%; margin: 20px auto; }
    form div { margin: 8px 0; }
    label { display: inline-block; width: 110px; font-weight: bold; }
    input { padding: 5px; width: 200px; }
    button { padding: 8px 16px; background: #4CAF50; color: white; border: none; cursor:
pointer; margin-top: 10px; }
  </style>
</head>
<body>

  <h2 style="text-align:center">Student Records</h2>

  <form id="studentForm">
    <div><label>ID</label><input type="number" id="id" required></div>
    <div><label>Name</label><input type="text" id="name" required></div>
    <div><label>Age</label><input type="number" id="age" required></div>
    <div><label>Grade</label><input type="text" id="grade" required></div>
    <div><label>Subject</label><input type="text" id="subject" required></div>
    <div><label>Department</label><input type="text" id="department" required></div>
    <button type="submit">Add Student</button>
  </form>

  <table id="studentTable">
    <thead>
      <tr>
        <th>ID</th>
        <th>Name</th>
        <th>Age</th>
```

```
      <th>Grade</th>
      <th>Subject</th>
      <th>Department</th>
    </tr>
  </thead>
  <tbody id="studentBody"></tbody>
 </table>

 <script>
  function getStudents() {
   return JSON.parse(localStorage.getItem("students") || "[]");
  }

  function saveStudents(students) {
   localStorage.setItem("students", JSON.stringify(students));
  }

  function render() {
   const tbody = document.getElementById("studentBody");
   tbody.innerHTML = "";
   getStudents().forEach(s => {
    const row = document.createElement("tr");
    row.innerHTML =
     "<td>" + s.id + "</td>" +
     "<td>" + s.name + "</td>" +
     "<td>" + s.age + "</td>" +
     "<td>" + s.grade + "</td>" +
     "<td>" + s.subject + "</td>" +
     "<td>" + s.department + "</td>";
    tbody.appendChild(row);
   });
  }


  document.getElementById("studentForm").addEventListener("submit", function(e) {
   e.preventDefault();
   const student = {
    id: parseInt(document.getElementById("id").value),
    name: document.getElementById("name").value,
    age: parseInt(document.getElementById("age").value),
    grade: document.getElementById("grade").value,
    subject: document.getElementById("subject").value,
    department: document.getElementById("department").value
   };
   const students = getStudents();
   students.push(student);
   saveStudents(students);
   render();
   this.reset();
  });

  render();
 </script>

</body>
<div style="position: fixed; bottom: 10px; right: 10px; font-family: sans-serif; fontsize: 14px;
color: #da1111; background-color: rgba(255, 208, 0, 0.8); padding: 5px 10px;
border-radius: 4px; z-index: 1000;">
 Name: M HUSSAIN KHAN <br>
 PRN: 8482871166
```

```
</div>
</html>
```

Output



Name: M HUSSAIN KHAN
PRN: 8482871166

Case Study Title
Technical Workshop Ticket Booking, About My City

Case Study Program Code

1.index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Technical Workshop Ticket Booking</title>
    <style>
        * {
            box-sizing: border-box;
            margin: 0;
            padding: 0;
        }
        body {
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
            background: linear-gradient(135deg, #0393f9 0%, #a1ffa4 100%);
            min-height: 100vh;
            display: flex;
            justify-content: center;
            align-items: center;
            padding: 20px;
        }
        .container {
            width: 100%;
            max-width: 480px;
            background: #ffffff;
            padding: 40px;
            border-radius: 16px;
            box-shadow: 0 10px 25px rgba(0, 0, 0, 0.15);
        }
        h2 {
            text-align: center;
            color: #2d3748;
            margin-bottom: 8px;
            font-size: 28px;
```

```
    font-weight: 700;
}
.subtitle {
    text-align: center;
    color: #718096;
    font-size: 14px;
    margin-bottom: 30px;
}
.form-group {
    margin-bottom: 20px;
}
label {
    display: block;
    margin-bottom: 8px;
    font-weight: 600;
    color: #4a5568;
    font-size: 14px;
}
input, select {
    width: 100%;
    padding: 12px 16px;
    border: 2px solid #e2e8f0;
    border-radius: 8px;
    font-size: 15px;
    color: #2d3748;
    outline: none;
    transition: all 0.3s ease;
}
input:focus, select:focus {
    border-color: #667eea;
    box-shadow: 0 0 0 3px rgba(102, 126, 234, 0.15);
}
button {
    width: 100%;
    padding: 14px;
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    color: white;
    border: none;
    border-radius: 8px;
    font-size: 16px;
    font-weight: 600;
    cursor: pointer;
```

```
            box-shadow: 0 4px 6px rgba(118, 75, 162, 0.25);
            transition: all 0.3s ease;
            margin-top: 10px;
        }
        button:hover {
            transform: translateY(-1px);
            box-shadow: 0 7px 14px rgba(118, 75, 162, 0.35);
        }
        button:active {
            transform: translateY(1px);
        }
    </style>
</head>
<body>

<div class="container">
    <h2>Workshop Entry</h2>
    <div class="subtitle">Secure your seat for the upcoming technical sessions</div>
    <form id="bookingForm">
        <div class="form-group">
            <label for="fullName">Full Name</label>
            <input type="text" id="fullName" required>
        </div>
        <div class="form-group">
            <label for="studentId">Student ID</label>
            <input type="text" id="studentId" required>
        </div>
        <div class="form-group">
            <label for="email">Email Address</label>
            <input type="email" id="email" required>
        </div>
        <div class="form-group">
            <label for="workshop">Select Workshop</label>
            <select id="workshop" required>
                <option value="">-- Choose a Topic --</option>
                <option value="web-dev">Full Stack Web Development</option>
                <option value="ai-ml">Artificial Intelligence & Machine Learning</option>
                <option value="cybersecurity">Cybersecurity Essentials</option>
            </select>
        </div>
        <div class="form-group">
            <label for="ticketCount">Number of Sessions</label>
```

```
            <input type="number" id="ticketCount" min="1" max="5" value="1" required>
        </div>
        <button type="submit">Book Sessions</button>
    </form>
</div>

<script>
    const form = document.getElementById('bookingForm');
    const fields = ['fullName', 'studentId', 'email', 'workshop', 'ticketCount'];

    fields.forEach(field => {
        const input = document.getElementById(field);
        input.value = sessionStorage.getItem(field) || input.value;
        input.addEventListener('input', () => {
            sessionStorage.setItem(field, input.value);
        });
    });

    form.addEventListener('submit', (e) => {
        e.preventDefault();

        const booking = {};
        fields.forEach(f => { booking[f] = document.getElementById(f).value; });

        const currentBookings = JSON.parse(localStorage.getItem('workshopBookings') ||
'[]');
        currentBookings.push(booking);
        localStorage.setItem('workshopBookings', JSON.stringify(currentBookings));

        form.reset();
        fields.forEach(f => sessionStorage.removeItem(f));
        alert('Booking successful!');
    });
</script>
<div style="position: fixed; bottom: 10px; right: 10px; font-family: sans-serif;
fontsize: 14px; color: #da1111; background-color: rgba(255, 208, 0, 0.8); padding:
5px 10px;
border-radius: 4px; z-index: 1000;">
 Name: M HUSSAIN KHAN <br>
 PRN: 8482871166
</div>
</body>
</html>
```

2. Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About My City</title>
    <style>
        @import url('https://googleapis.com');

        body {
            background-color: #ff0000;
            font-family: 'Quicksand', sans-serif;
            margin: 0;
            padding: 40px 20px;
            display: flex;
            flex-direction: column;
            align-items: center;
        }

        h1 {
            font-family: 'Fredoka One', cursive;
            color: #fdfdfc;
            font-size: 4.5rem;
            text-align: center;
            margin: 0 0 40px 0;
            text-shadow:
                4px 4px 0px #000,
                -1px -1px 0 #000,
                 1px -1px 0 #000,
                -1px  1px 0 #000,
                 1px  1px 0 #000;
            letter-spacing: 2px;
            transform: rotate(-2deg);
        }

        .landmarks-container {
            background: #ffffff;
            border: 4px solid #000000;
            border-radius: 20px;
            padding: 30px;
            max-width: 600px;
```

```
    width: 100%;
    box-shadow: 12px 12px 0px #000000;
    margin-bottom: 50px;
    box-sizing: border-box;
}

h2 {
    font-family: 'Fredoka One', cursive;
    color: #000;
    font-size: 2rem;
    margin-top: 0;
    border-bottom: 4px dashed #000;
    padding-bottom: 10px;
}

ul {
    list-style-type: none;
    padding: 0;
    margin: 0;
}

li {
    margin: 25px 0;
    padding: 15px;
    border: 3px solid #000;
    border-radius: 12px;
    text-align: center;
    font-weight: bold;
    box-shadow: 5px 5px 0px #000;
    transition: transform 0.1s ease;
}

li:hover {
    transform: translate(-2px, -2px);
    box-shadow: 7px 7px 0px #000;
}

.landmark-1 {
    background-color: #00ddff;
    color: #ff0000;
    font-family: 'Georgia', serif;
    font-size: 1.6rem;
```

```
    font-style: italic;
}

.landmark-2 {
    background-color: #35ffe1;
    color: #000;
    font-family: 'Courier New', Courier, monospace;
    font-size: 1.5rem;
    letter-spacing: 1px;
}

.landmark-college {
    background-color: #ddffa1;
    padding: 0;
    overflow: hidden;
}

.landmark-college a {
    display: block;
    padding: 15px;
    color: #ff0000;
    font-family: 'Impact', Charcoal, sans-serif;
    font-size: 1.8rem;
    text-decoration: underline;
}

.landmark-college a:hover {
    color: #fff;
    background-color: #ec971f;
}

.landmark-4 {
    background-color: #6f42c1;
    color: #fff;
    font-family: 'Comic Sans MS', cursive, sans-serif;
    font-size: 1.5rem;
    transform: rotate(1deg);
}

.marquee-container {
    width: 100%;
    background-color: #e9ecef;
```

```
            border: 4px solid #000;
            box-shadow: 8px 8px 0px #000;
            overflow: hidden;
            padding: 15px 0;
            transform: rotate(-1deg);
            max-width: 640px;
            box-sizing: border-box;
        }

        marquee {
            font-family: 'Fredoka One', cursive;
            font-size: 1.4rem;
            color: #333;
        }
    </style>
</head>
<body>

    <h1>Nagpur</h1>


    <div class="landmarks-container">
        <h2>Key Landmarks</h2>
        <ul>
            <li class="landmark-1">VR Mall</li>
            <li class="landmark-2">Futala Lake</li>
            <li class="landmark-college">
                <a href="https://sitnagpur.edu.in/" target="_blank">Symbiosis institute
of technology, Nagpur</a>
            </li>
            <li class="landmark-4">Ambora Dam</li>
        </ul>
    </div>


    <div class="marquee-container">
        <marquee behavior="scroll" direction="left" scrollamount="6">
            Advice of the day: Always keep learning, stay curious, and explore the
hidden gems of your city!
        </marquee>
    </div>

</body>
<div style="position: fixed; bottom: 10px; right: 10px; font-family: sans-serif;
fontsize: 14px; color: #da1111; background-color: rgba(255, 208, 0, 0.8); padding:
```

```
5px 10px;
border-radius: 4px; z-index: 1000;">
 Name: M HUSSAIN KHAN <br>
 PRN: 8482871166
</div>
</html>
```

Output





Result/Conclusion

The program was executed successfully, and the required output was obtained.