

▼ Bitwise Operator

```
%%writefile Operator1.cpp
```

```
#include<iostream>
using namespace std;
int main(){
    int a=4;
    int b=6;
    cout<<"a&b="<<(a&b)<<endl;
    cout<<"a|b="<<(a|b)<<endl;
    cout<<"~a="<<(~a)<<endl;
    cout<<"a^b="<<(a^b)<<endl;
}
```

 Writing Operator1.cpp

```
!g++ Operator1.cpp -o Operator1
!./Operator1
```

 a&b=4
a|b=6
~a=-5
a^b=2

▼ Shift Operator

```
%%writefile Operator2.cpp
```

```
#include <iostream>
using namespace std;
int main(){
    cout<<(17>>1)<<endl;
    cout<<(17>>2)<<endl;
    cout<<(19<<1)<<endl;
    cout<<(21<<2)<<endl;
}
```

 Overwriting Operator2.cpp

```
!g++ Operator2.cpp -o Operator2
!./Operator2
```

 8
4
38
84

▼ Increment and Decrement Operator

```
%%writefile Operator3.cpp
```

```
#include <iostream>
using namespace std;
int main(){
    int i=7;
    cout<<(++i)<<endl;
    // 8
    cout<<(i++)<<endl;
    //8 , i=9
    cout<<(i--)<<endl;
    //9 , i=8
    cout<<(--i)<<endl;
    //7 , i=7
}
```

 Writing Operator3.cpp

```
!g++ Operator3.cpp -o Operator3
!./Operator3
```

```
↵ 8
   8
   9
   7
```

✓ For Loop

Printing the natural number from 1 to n

```
%%writefile loop1.cpp
```

```
#include<iostream>
using namespace std;
int main(){
    int n;
    cout<<"enter the value of n"<<endl;
    cin>>n;
    cout<<"printing count from 1 to n"<<endl;
    for(int i=1;i<=n;i++){
        cout<<i<<endl;
    }
}
```

```
↵ Overwriting loop1.cpp
```

```
!g++ loop1.cpp -o loop1
!./loop1
```

```
↵ enter the value of n
   5
   printing count from 1 to n
   1
   2
   3
   4
   5
```

```
%%writefile loop2.cpp
```

```
#include<iostream>
using namespace std;
int main(){
    // we also write like that
    int n;
    cout<<"enter the value of n"<<endl;
    cin>>n;
    cout<<"printing count from 1 to n"<<endl;
    int i=1;
    for(;;){
        if (i<=n){
            cout<<i<<endl;
        }
        else{
            break;
        }
        i++;
    }
}
```

```
↵ Overwriting loop2.cpp
```

```
!g++ loop2.cpp -o loop2
!./loop2
```

```
↵ enter the value of n
   5
   printing count from 1 to n
   1
   2
   3
   4
   5
```

```
%%writefile loop3.cpp
```

```
#include <iostream>
using namespace std;
int main(){
```

```

    for(int a = 0,b=1; a>=0 && b>=1; a--,b--){
        cout<<a<<" "<<b<<endl;
    }
}

```

 Writing loop3.cpp

```

!g++ loop3.cpp -o loop3
!./loop3

```

 0 1

Print the sum of natural number from 1 to n

```

%%writefile loop4.cpp

```

```

#include<iostream>
using namespace std;
int main(){
    int n;
    cout<<"enter the value of n"<<endl;
    cin>>n;
    int sum=0;
    for(int i=1;i<=n;i++){
        sum+=i;
    }
    cout<<sum<<endl;
}

```

 Writing loop4.cpp

```

!g++ loop4.cpp -o loop4
!./loop4

```

 enter the value of n
5
15

Print fibonacci Series

```

%%writefile loop5.cpp

```

```

#include<iostream>
using namespace std;
int main(){
    int n=10;
    int a=0;
    int b=1;
    cout<<a <<" " <<b<<" ";
    for(int i=1;i<=n;i++){
        int nextNumber=a+b;
        cout<<nextNumber<<" ";
        a=b;
        b=nextNumber;
    }
}

```

 Writing loop5.cpp

```

!g++ loop5.cpp -o loop5
!./loop5

```

 0 1 1 2 3 5 8 13 21 34 55 89

Number is prime or not

```

%%writefile loop6.cpp

```

```

#include<iostream>
using namespace std;
int main(){
    int n;
    cout<<"Enter the value of n"<<endl;
    cin>>n;
    bool isPrime=1;
    for (int i=2;i<n;i++){
        if (n%i==0){

```

```

        // cout<<"not a prime number"<<endl;
        isPrime=0;
        break;
    }
}
if (isPrime==0){
    cout<<"Not a prime Number"<<endl;
}
else{
    cout<<"is a Prime Number"<<endl;
}
}
}

```

 Writing loop6.cpp

```

!g++ loop6.cpp -o loop6
!./loop6

```

 Enter the value of n
17
is a Prime Number

Continue Statement

```

%%writefile loop7.cpp

#include<iostream>
using namespace std;
int main(){
    for (int i=0;i<5;i++){
        cout<<"hi"<<endl;
        cout<<"hey"<<endl;
        continue;
        cout<<"reply to kar de"<<endl;
    }
}

```

 Writing loop7.cpp

```

!g++ loop7.cpp -o loop7
!./loop7

```

 hi
hey
hi
hey
hi
hey
hi
hey
hi
hey