


Date ___/___/___

INTR TO PROGRAMMING AND FLOWCHART

Rough Solution $\rightarrow$ Pseudo code / Flow chart



Flowchart:

A diagrammatic representation of program it have many components and they are connected to each other.

(Start/end)


terminator
(start/end)

Read a



input/output

$i += 1$

processing




decision making



connector

example sum of two number:



Pseudo code:

way of representing logic or a generic way

example:

Sum of two Number

→ Read 2 No. a and b

→ $sum = a + b$


→ print sum

example:

$$S.I = \frac{P \times R \times T}{100}$$

Draw flow chart and Pseudocode

Flowchart:



Pseudocode:

→ Read P, R, T


→ $SI = (P \times R \times T) / 100$

→ print(SI)

Date ___/___/___

example $a < b$ Yes or - No

Flowchart




pseudo cod


```

read a and b
if a < b
    print 'Yes'
else
    print 'No'
  
```

example check number is odd or even.



example. check number is +ve, -ve or zero




example valid triangle or not

condition :


$$\begin{array}{l}
 A + B > C \\
 B + C > A \\
 C + A > B
 \end{array}$$

Date ___/___/___




example.


print i from 1 to 5



example print even number 1 to n




example print odd number from 1 to n
when 1 and n inclusive.



Date ____ / ____ / ____

example find sum 1 to n (inclusive)



example find factorial of n

example

check number is prime or not

n is prime only if
 $n \% (n-1) \% \neq 0$

example $n = 5$ $[2, 3, 4]$ $5 \% 2 = 1$ $5 \% 3 = 2$ $5 \% 4 = 1$

hence 5 is prime

