

Description	Resource	Path	Location	Type
#1376-D (MISRA-C:2004 1.1/R) Ensure strict ANSI C mode (-ps) is enabled	.ccsproject			
/GPTM_Periodic	line 74, external location: C:\ti\ccs1240\ccs\tools\compiler\ti-cgt-arm_20.2.7.LTS\include\machine_types.h		C/C++ Problem	
#1376-D (MISRA-C:2004 1.1/R) Ensure strict ANSI C mode (-ps) is enabled	tm4c123gh6pm.h			
/GPTM_Periodic	line 48	C/C++ Problem		
#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call	Periodic_Manager.c	/GPTM_Periodic	line 41	C/C++ Problem
#1383-D (MISRA-C:2004 8.1/R) Functions shall have prototype declarations and the prototype shall be visible at both the function definition and call	main.c	/GPTM_Periodic	line 9	C/C++ Problem
#1385-D (MISRA-C:2004 8.2/R) Whenever an object or function is declared or defined, its type shall be explicitly stated	main.c	/GPTM_Periodic	line 7	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 11	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 12	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 13	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 14	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 19	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 20	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 21	C/C++ Problem
#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness	Periodic_Manager.c	/GPTM_Periodic	line 22	C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Periodic_Manager.c /GPTM_Periodic line 23 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Periodic_Manager.c /GPTM_Periodic line 24 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Periodic_Manager.c /GPTM_Periodic line 25 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Periodic_Manager.c /GPTM_Periodic line 26 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Periodic_Manager.c /GPTM_Periodic line 34 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Periodic_Manager.c /GPTM_Periodic line 36 C/C++ Problem

#1393-D (MISRA-C:2004 10.1/R) The value of an expression of integer type shall not be implicitly converted to a different underlying type if it is not a conversion to a wider integer type of the same signedness Periodic_Manager.c /GPTM_Periodic line 47 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 11 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 12 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 13 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 14 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 19 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 20 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 21 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 22 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 23 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 24 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 25 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 26 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 34 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 36 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type Periodic_Manager.c /GPTM_Periodic line 47 C/C++ Problem

#1400-D (MISRA-C:2004 11.3/A) A cast should not be performed between a pointer type and an integral type tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 69 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 11 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 13 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 14 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 19 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 21 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 22 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 23 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 25 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 26 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 34 C/C++ Problem

#1406-D (MISRA-C:2004 12.7/R) Bitwise operators shall not be applied to operands whose underlying type is signed Periodic_Manager.c /GPTM_Periodic line 47 C/C++ Problem

#1420-D (MISRA-C:2004 16.5/R) Functions with no parameters shall be declared and defined with the parameter list void Periodic_Manager.c /GPTM_Periodic line 41 C/C++ Problem

#1420-D (MISRA-C:2004 16.5/R) Functions with no parameters shall be declared and defined with the parameter list void main.c /GPTM_Periodic line 7 C/C++ Problem

#1421-D (MISRA-C:2004 16.8/R) All exit paths from a function with non-void return type shall have an explicit return statement with an expression (function "main") main.c /GPTM_Periodic line 12 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "FaultISR")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 73 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 74 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 75 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 76 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 81 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 82 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 84 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
 tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 85 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 86 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 87 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 88 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 89 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 90 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 91 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 92 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 93 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 94 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 95 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 96 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 97 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 98 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 99 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 100C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 101C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 102C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 103C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 104C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 105C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 106C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 107C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 108C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 109C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 110C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 111C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 112C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 113C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 114C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 115C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 116C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 117C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 118C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 119C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 120C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 121C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 122C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 123C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 124C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 125C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 126C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 129C/C++ Problem

#1498-D (MISRA-C:2004 6.3/A) typedefs that indicate size and signedness should be used in place of the basic numerical types main.c /GPTM_Periodic line 9 C/C++ Problem

#1498-D (MISRA-C:2004 6.3/A) typedefs that indicate size and signedness should be used in place of the basic numerical types Periodic_Manager.h /GPTM_Periodic line 15 C/C++ Problem

#1498-D (MISRA-C:2004 6.3/A) typedefs that indicate size and signedness should be used in place of the basic numerical types Periodic_Manager.c /GPTM_Periodic line 31 C/C++ Problem

#1498-D (MISRA-C:2004 6.3/A) typedefs that indicate size and signedness should be used in place of the basic numerical types Periodic_Manager.c /GPTM_Periodic line 29 C/C++ Problem

#1469-D (MISRA-C:2004 14.8/R) The statement forming the body of a switch, while, do ... while or for statement shall be a compound statement Periodic_Manager.c /GPTM_Periodic line 34 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "ResetISR")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 71 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "NmiSR")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 72 C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 130C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 131C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 132C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 133C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 134C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 135C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 136C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 137C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 140C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 141C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 142C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 143C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 144C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 145C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 146C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 147C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 148C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 149C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 154C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 155C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 156C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 157C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 178C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 179C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 180C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 181C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 182C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 183C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 184C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 185C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 186C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 187C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 188C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 189C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 190C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 191C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 192C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 195C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 196C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 197C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 198C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 199C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 202C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 203C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 204C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 205C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 206C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 207C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 208C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 209C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 210C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 211C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 212C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 213C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 214C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 215C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 216C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 217C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 218C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")
tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 219C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 220C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 221C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 222C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 223C/C++ Problem

#1422-D (MISRA-C:2004 16.9/R) A function identifier shall only be used with either a preceding &, or with a parenthesised parameter list, which may be empty (function "IntDefaultHandler")

tm4c123gh6pm_startup_ccs.c /GPTM_Periodic line 224C/C++ Problem