

Wound Care Supply & Equipment Checklist

Master procurement & par-level sheet for a home wound-care service. Stock by **category**, then one or two brands each — let your case mix and CuraNova's exudate/infection scores drive reorder volume.

PREPARED BY

LOCATION / BASE

COUNT DATE

NEXT REVIEW

● **Core bag** — always carry **ORDER-BACKED** needs a physician order / protocol

☐ **Have & Order** tick boxes **Par** = target stock · **On hand** = counted

ASSESS

Assessment & Measurement

10 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	● Disposable wound rulers / measuring tape	cm scale, concentric grid — single use			☐
☐	● Sterile cotton-tip applicators	depth, tunnelling & undermining probing			☐
☐	Handheld Doppler + gel	ABI/ABPI before any compression			☐
☐	● BP monitor + assorted cuffs	ABI, vitals			☐
☐	10 g monofilament (Semmes-Weinstein)	diabetic foot sensation			☐
☐	128 Hz tuning fork	vibration / neuro screen			☐
☐	● Glucometer + strips + lancets	diabetic wounds			☐
☐	Infrared / digital thermometer	periwound & DFU temperature			☐
☐	Pulse oximeter	perfusion / vitals			☐
☐	● Camera / phone + color reference card	feeds CuraNova photo module			☐

STERILE		Sterile Procedure Base				8 lines
HAVE	ITEM	SIZES / DERIVATIVES / NOTES		PAR	ON HAND	ORDER
☐	• Sterile dressing-change sets / trays	forceps, scissors, gallipot, drape, gauze				☐
☐	• Sterile gloves	sizes 6 – 8				☐
☐	• Non-sterile nitrile exam gloves	S / M / L				☐
☐	• Waterproof under-pads ("chux")	clean field on any surface				☐
☐	Sterile / fenestrated drapes	field isolation				☐
☐	Sterile scissors & forceps	disposable + reusable backup				☐
☐	Curettes / ring curettes ORDER-BACKED	conservative sharp debridement — within scope				☐
☐	Disposable scalpels + handles ORDER-BACKED	#10, #15				☐

CLEAN		Cleansing & Irrigation				6 lines
HAVE	ITEM	SIZES / DERIVATIVES / NOTES		PAR	ON HAND	ORDER
☐	• Sterile normal saline 0.9%	sachets/pods + bottles — high volume				☐
☐	Sterile water for irrigation	—				☐
☐	Surfactant / antimicrobial cleanser	PHMB (Prontosan) or HOCl (Vashe)				☐
☐	• 30-60 mL syringes + blunt/splash tips	18-19 G — safe irrigation pressure				☐
☐	Bulb syringes	gentle flush				☐
☐	Antiseptic skin prep	chlorhexidine / povidone — intact skin only				☐

DEBRIDE		Debridement				4 lines
HAVE	ITEM	SIZES / DERIVATIVES / NOTES		PAR	ON HAND	ORDER
☐	Enzymatic debrider — collagenase ORDER-BACKED	Santyl or equivalent				☐
☐	Monofilament debridement pads/cloths	mechanical (Debrisoft)				☐
☐	Amorphous hydrogel	autolytic debridement (also §8)				☐
☐	Sharp debridement kit ORDER-BACKED	scalpel/curette/forceps — within scope only				☐

DRESS · 1

Primary — Gauze, Fillers & Contact Layers

7 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	• Sterile gauze swabs	various ply & sizes			☐
☐	Non-woven / lint-free gauze	low-lint cleansing & cover			☐
☐	• Ribbon / packing gauze	plain + impregnated — cavities/tunnels			☐
☐	Combine / ABD pads	high-absorbency cover			☐
☐	• Silicone contact layer	Mepitel / Mepitel One — atraumatic			☐
☐	Lipido-colloid / knitted viscose	Urgotul / Adaptic / Jelonet			☐
☐	Activated charcoal dressing	odour management (CarboFlex/Actisorb)			☐

DRESS · 2

Primary — Foams (workhorse)

6 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	• Mepilex Border / Border Flex	S/M/L — bordered silicone foam, main workhorse			☐
☐	• Mepilex (non-bordered)	under compression / secondary fixation			☐
☐	Mepilex Border Sacrum & Heel	anatomic shapes — pressure areas			☐
☐	Mepilex Lite / Transfer	low exudate / wicking layer			☐
☐	Foam alternative	Allevyn / Biatain — backup brand			☐
☐	Bordered vs non-bordered mix	silicone border for fragile skin			☐

DRESS · 3

Primary — Exudate Management

5 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	• Calcium alginate	Kaltostat / Sorbsan — sheet + rope			☐
☐	• Hydrofiber (gelling)	Aquacel — sheet + ribbon			☐
☐	Superabsorbent dressing	Zetuvit Plus / Eclipse — heavy exudate			☐
☐	Gelling fibre — cavity	deep exuding cavities			☐
☐	Capillary-action wick dressing	moisture transfer to secondary			☐

DRESS · 4

Primary — Moisture & Occlusion

5 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	Hydrocolloid — thin & standard	DuoDERM / Comfeel — light exudate			☐
☐	Amorphous hydrogel (tube)	dry / sloughy wounds, rehydration			☐
☐	Hydrogel sheet	painful superficial wounds			☐
☐	• Transparent film — rolls + islands	Tegaderm / Opsite — retention, superficial			☐
☐	Bordered island dressing	surgical incisions			☐

ANTIMIC		Antimicrobial Dressings			6 lines	
HAVE	ITEM	SIZES / DERIVATIVES / NOTES		PAR	ON HAND	ORDER
☐	● Silver dressing	Aquacel Ag / Mepilex Ag / Acticoat				☐
☐	Cadexomer iodine	Iodosorb — sloughy, exuding, colonised				☐
☐	Povidone-iodine dressing	Inadine				☐
☐	Medical-grade honey	Medihoney — gel, paste, impregnated				☐
☐	PHMB dressing	antimicrobial gauze / foam				☐
☐	DACC bacteria-binding	Sorbact — no active agent				☐

ADVANCED

Advanced / Biologic & NPWT

7 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	Collagen / ECM dressing	Puracol / Promogran — stalled wounds			☐
☐	Skin substitute / CTP ORDER-BACKED	physician-directed budget line			☐
☐	Portable NPWT pump	purchase or rental fleet + charger/case			☐
☐	NPWT foam / gauze fillers	black PU / white PVA			☐
☐	NPWT drapes, tubing, connectors	seal & bridge kit			☐
☐	NPWT canisters	with / without gel			☐
☐	Single-use NPWT (PICO)	ambulatory / lower-exudate patients			☐

FIX		Secondary Dressings & Fixation			7 lines	
HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER	
☐	● Conforming / rolled gauze bandage	Kling — various widths			☐	
☐	Tubular retention bandage	Tubifast / Tubigrip — sized by limb			☐	
☐	Cohesive bandage (Coban)	non-adhesive self-adherent			☐	
☐	● Silicone tape (Mepitac)	fragile / at-risk skin			☐	
☐	● Paper tape (Micropore)	general fixation			☐	
☐	Cloth / transpore tape	secure fixation			☐	
☐	Wool / cast padding	limb protection under wraps			☐	

COMPRESS

Compression Therapy — ABI first

5 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	2-layer compression kit	Coban 2 — after ABI clears			☐
☐	4-layer compression kit	Profore — venous ulcers			☐
☐	Short-stretch bandage	mixed aetiology / lymphoedema			☐
☐	Compression stockings + donning aid	Class 1 / 2 / 3			☐
☐	Toe / foot bandages	lymphoedema			☐

OFFLOAD		Offloading & Pressure Redistribution				6 lines
HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER	
☐	Offloading boot / cast walker	DFU — buy or referral pathway			☐	
☐	Heel-protector boots / elbow pads	pressure prevention			☐	
☐	Adhesive / felted foam padding	offloading pressure points			☐	
☐	Pressure-redistribution mattress / overlay	air / foam — rent or per patient			☐	
☐	Positioning wedges / gel cushions	seated & bed positioning			☐	
☐	Sheepskin / heel floats	friction / shear reduction			☐	

SKIN		Periwound & Skin Care				6 lines
HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER	
☐	• No-sting barrier film (Cavilon)	wipes + spray — periwound protection			☐	
☐	Barrier cream (zinc / dimethicone)	IAD / moisture damage			☐	
☐	Medical emollient / moisturiser	dry, at-risk skin			☐	
☐	• Silicone adhesive remover	sting-free — protects fragile skin			☐	
☐	Incontinence cleanser + wipes	MASD prevention			☐	
☐	Briefs / incontinence pads	moisture control			☐	

RX · BAG		Topical Agents & Med Bag				7 lines
HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER	
☐	Topical antibiotic ORDER-BACKED	mupirocin / fusidic acid — per order			☐	
☐	Local anaesthetic gel / spray ORDER-BACKED	lidocaine — painful debridement			☐	
☐	Silver nitrate sticks	hypergranulation			☐	
☐	Haemostatic agent	minor post-debridement bleeding			☐	
☐	White soft paraffin / petroleum jelly	skin protection			☐	
☐	High-protein / arginine oral supplement	nutrition — MST-driven			☐	
☐	Emergency kit	glucose, adrenaline pathway, first aid			☐	

LAB		Specimen & Point-of-Care Diagnostics				6 lines
HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER	
☐	• Wound culture swabs	aerobic/anaerobic — Levine technique			☐	
☐	Sterile specimen containers	+ biohazard transport bags			☐	
☐	Blood draw kit	vacutainers, needles, tourniquet, holders			☐	
☐	Tissue biopsy / punch kit ORDER-BACKED	if within scope			☐	
☐	Urine dipsticks	screening			☐	
☐	HbA1c / CRP POC (optional)	glycaemic & infection markers			☐	

PPE

PPE & Infection Control

7 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	• Exam gloves (nitrile)	highest-volume consumable — S/M/L			☐
☐	• Disposable aprons / gowns	fluid-resistant + a few sterile gowns			☐
☐	• Surgical masks	standard precautions			☐
☐	N95 / FFP2 respirators	select cases			☐
☐	Eye protection / face shields	splash risk			☐
☐	• Alcohol hand rub	multiple bottles per bag			☐
☐	Surface disinfectant wipes / spray	clean work surface each home			☐

WASTE

Sharps & Clinical Waste

5 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	• Portable sharps containers	small for bag + larger transport bin			☐
☐	• Clinical waste bags (yellow) + ties	soiled dressings			☐
☐	Leak-proof transport container	soiled waste home → base			☐
☐	Body-fluid spill kit	absorbent + disinfectant			☐
☐	Waste-collection contract	legal requirement — licensed carrier			☐

BAG

Nurse's Bag & General Kit

8 lines

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	• Wipeable nursing bag	clean/dirty compartments + fold-out barrier			☐
☐	• Bandage scissors + trauma shears	tuff-cut			☐
☐	Tweezers / Kelly forceps	general handling			☐
☐	• Penlight + headlamp	home lighting is often poor			☐
☐	Stethoscope	assessment			☐
☐	Skin marker / surgical pen	margins, tunnelling reference			☐
☐	Timer	contact-layer / soak times			☐
☐	Zip-lock bags, labels, markers	specimen & supply organisation			☐

HAVE	ITEM	SIZES / DERIVATIVES / NOTES	PAR	ON HAND	ORDER
☐	Insulated cooler bag + ice packs	temperature-sensitive items			☐
☐	Base fridge + thermometer & log	cold-chain compliance			☐
☐	Labelled bin shelving (FEFO)	first-expiry-first-out rotation			☐
☐	Vehicle organiser / field caddy	stock in transit			☐
☐	● Tablet / phone running CuraNova	assessment, photos, patient log			☐
☐	Consent + wound-order + care-plan forms	incl. photo consent			☐
☐	Label printer	specimen / med labels			☐

How to use this sheet — 5 field rules

- **Category over brand.** Stock each category, then one or two brands. Don't buy one of everything — it expires before it's used.
- **Core-bag items (●)** are the ~80%-of-visits kit. Restock these to par after *every* shift; everything else weekly.
- **Order-backed items** (debriders, antibiotics, sharps, biologics, anaesthetic) are stocked *only* against a physician order or standing protocol.
- **ABI before compression, always.** No compression kit leaves the bag for a new leg ulcer until the ankle-brachial index clears it.
- **Let the data forecast.** High-exudate wounds burn foams & superabsorbents; infected wounds burn antimicrobials. Use CuraNova's exudate/infection scores to set reorder volume, and localise brand names to what your market actually carries.