```
MariaDB [DAS]> use basic;
Database changed
  ariaDB [basic]> show tables;
  Tables_in_basic |
  users
  row in set (0.001 sec)
MariaDB [basic]> desc users;
 Field
              Type
                                                                          Extra
                varchar(100)
varchar(159)
                                 NO
NO
                                                 NULL
NULL
  email
                                 NO
NO
                                                 NULL
  create at
               timestamp
                                                 current timestamp() | on update current timestamp()
  rows in set (0.006 sec)
MariaDB [basic]> INSERT INTO users (name, email, phone, password) VALUES ('Abubakar', 'abubakar@gmail.com', '077654433', md5('123'));
MariaDB [basic]> select * from users;
  userID | name
                                       email
                                                                           phone
                                                                                         password
                                                                                                                                   create at
       1 | husseinali2334@gmail.com | husseinali2334@gmail.com | 658216348 | 1234 | 2025-06-01 14:18:12 | Abubakar | abubakar@gmail.com | 77654433 | 202cb962ac59075b964b07152d234b70 | 2025-06-01 17:56:03
 rows in set (0.001 sec)
MariaDB [basic]> INSERT INTO users (name, email, phone, password) VALUES ('Davson', 'davson@gmail.com', '077654433', sha1('123'));
Query OK, 1 row affected (0.004 sec)
 lariaDB [basic]> select * from users;
  userID | name
                                        email
                                                                           phone
                                                                                         password
                                                                                                                                              create at
                                                                                                                                               2025-06-01 14:18:12
2025-06-01 17:56:03
2025-06-01 17:57:24
            husseinali2334@gmail.com | husseinali2334@gmail.com | 658216348 | 1234
            Abubakar
                                            abubakar@gmail.com
davson@gmail.com
                                                                              77654433
                                                                                           202cb962ac59075b964b07152d234b70
            Davson
                                                                                           40bd001563085fc35165329ea1ff5c5ecbdbbeef
  rows in set (0.001 sec)
MariaDB [basic]> SELECT user, AUTHENTICATION_STRING FROM mysql.user;
        *23AE809DDACAF96AF0FD78ED04B6A265E05AA257
 rows in set (0.002 sec)
MariaDB [basic]> SELECT user, AUTHENTICATION_STRING FROM mysql.user WHERE user = 'abuu';
 abuu | *23AE809DDACAF96AF0FD78ED04B6A265E05AA257 |
 row in set (0.006 sec)
MariaDB [basic]> USE das;
Database changed
MariaDB [das]> ashow tables;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'ashow tables' at line 1
 ariaDB [das]> show tables;
  Tables_in_das
  announcements
 department
 rows in set (0.001 sec)
```

```
lariaDB [das]> GRANT ALL PRIVILEGES ON users.* TO 'abuu'@'localhost';
Query OK, 0 rows affected (0.005 sec)
MariaDB [das]> SHOW GRANTS FOR 'abuu'@'localhost';
 Grants for abuu@localhost
 GRANT USAGE ON *.* TO `abuu`@`localhost` IDENTIFIED BY PASSWORD '*23AE809DDACAF96AF0FD78ED04B6A265E05AA257'
 GRANT ALL PRIVILEGES ON `users`.* TO `abuu`@`localhost`
2 rows in set (0.000 sec)
MariaDB [das]> quit;
Bye
 :\xampp\mysql\bin>mysql -u abuu -p123
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 33
 Gerver version: 10.4.32-MariaDB mariadb.org binary distribution
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]> show databases;
 Database
 information_schema
 test
2 rows in set (0.001 sec)
MariaDB [(none)]> quit;
```

```
MariaDB [das]> SHOW GRANTS FOR 'abuu'@'localhost';
  Grants for abuu@localhost
  GRANT USAGE ON *.* TO `abuu`@`localhost` IDENTIFIED BY PASSWORD '*23AE809DDACAF96AF0FD78ED04B6A265E05AA257'
 GRANT ALL PRIVILEGES ON 'users'.* TO 'abuu'@'localhost'
| GRANT SELECT, INSERT, UPDATE, DELETE ON 'das'.'users' TO 'abuu'@'localhost'
  rows in set (0.000 sec)
MariaDB [das]> REVOKE ALL PRIVILEGES ON users.* TO 'abuu'@'localhost';
ERROR 1864 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'TO 'abuu'@'localhost'' at line 1
MariaDB [das]> REVOKE ALL PRIVILEGES ON users.* FROM 'abuu'@'localhost';
Query OK, 0 rows affected (0.003 sec)
MariaDB [das]> SHOW GRANTS FOR 'abuu'@'localhost';
  Grants for abuu@localhost
  GRANT USAGE ON *.* TO `abuu'@`localhost` IDENTIFIED BY PASSWORD '*23AE809DDACAF96AF0FD78ED04B6A265E05AA257'
GRANT SELECT, INSERT, UPDATE, DELETE ON `das`.`usens` TO `abuu'@`localhost`
  rows in set (0.000 sec)
MariaDB [das]> QUIT;
 C:\xampp\mysql\bin>mysql -u abuu -p
Enter password: ***
 welcome to the MariaDB monitor. Commands end with ; or \g.
  Our MariaDB connection id is 35
server version: 10.4.32-MariaDB mariadb.org binary distribution
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
 Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]> SHOW DATABASES;
```

```
MariaDB [das]> DROP USER 'abuu'@'localhost';
Query OK, 0 rows affected (0.002 sec)
MariaDB [das]> ^S
```