NACC UNIFORM DATA SET

Researchers Data Dictionary

UDSv4.0, April 2026

Copyright© 2006, 2008, 2015, 2017, 2020, 2025, 2026 University of Washington. Created and published by the ADRC Clinical Task Force (Allan Levey, MD, PhD, Chair) and the National Alzheimer's Coordinating Center (Kari A. Stephens, PhD, Director). All rights reserved.

This publication was funded by the National Institutes of Health through the National Institute on Aging (Cooperative Agreement U24 AG072122).

Introduction

The **Researcher's Data Dictionary — Uniform Data Set (RDD-UDS)** is intended to be the first and primary resource for researchers analyzing clinical and demographic data from the National Alzheimer's Coordinating Center (NACC). The RDD-UDS brings together information from the original data-collection instruments for all past and current UDS form versions.

Please note that the RDD is different from the Data Element Dictionary (DED) that NACC provides for each packet of forms. The DED defines every variable in a given form in the order in which it appears. This one-to-one correspondence is not found in the RDD, however, because of the use of derived variables and other ways of creating consistency across all UDS versions.

The RDD-UDS is designed as a comprehensive description of the data elements available to researchers from all versions of the UDS Forms — version 1.2, version 2, version 3/3.1/3.2, and version 4. Versions 2, 3, and 4 correspond to the three major revisions that the NACC Uniform Data Set has undergone since its inception in 2005. The latest revision, version 4, was implemented in 2025. Among its significant updates, Version 4 now incorporates ADRD-specific treatment history, social determinants of health, a diagnosis of mild behavioral impairment, expanded biomarker reporting, and the addition of a word list learning task for the neuropsychological battery.

To account for changes in data elements collected in different versions of the UDS, we have done the following:

- A code of -4 is used to bring attention to data not collected due to differences in form versions: "*-4 = Not applicable: UDS form submitted did not collect data this way, or a skip pattern precludes response to this question.*" In this document, these structurally missing data will be indicated as "N/A" in the tables that accompany each variable.
- Similarly, v1.2 of the UDS did not include a Telephone Follow-up Packet, and so for v1.2, the "TFP" cell in the tables is blank. v1.2 and v2 did not include a Telephone Initial Packet, so the "TIP" cell in the tables is blank for those versions. In v4, the telephone packets were integrated into the Initial Visit Packet ("IVP") and Follow-up Visit Packet ("FVP"), so the "TIP" and "TFP" cells in the tables are blank.
- A number of original data elements have blank values dictated by skip patterns. These blanks have been reset to the appropriate codes (e.g., not present or not applicable).
- To provide consistent coding across all versions of the UDS, derived variables were created from the original source variables. In analysis files, these derived variables often replace the original UDS variable. Derived variables are named with the prefix "NACC," while original UDS variables do not have a specific prefix.

For more detail on interpreting each element in the RDD, please see the next page.

IMPORTANT NOTE: When selecting variables for data analysis, be sure to review all data elements in the section of interest. Some variables differing across forms could not be combined into a single derived variable. For example, v1.2/v2 use one way of recording the method used to arrive at a clinical diagnosis, and v3/v4 uses another. In a case like this, both original source variables are provided. Thus, the investigator will need to decide how to analyze these data keeping in mind the inconsistency.

Variable name
NACC derived variables start with "NACC", have an orange background, and list "NACC derived variable" as variable type

Data type
(numeric vs. character, cross-sectional vs. longitudinal)

UDS Form where the question/variable is located

A1

NACCHISP

Variable Type	NACC derived variable
Short descriptor	Hispanic/Latino ethnicity
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/derivation	Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.
Description/derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	9b, 9b1	N/A		
v2	9a, 9a1	N/A		N/A
v3	8a, 8a1	N/A	8a, 8a1	N/A
v4	3d	N/A		

RESIDENC

Variable Type	Original UDS question
Short descriptor	Type of residence
Data type	Numeric longitudinal
Allowable codes	**1** = Single– or multi–family private residence (apartment, condo, house) **2** = Retirement community or independent group living **3** = Assisted living, adult family home, or boarding home **4** = Skilled nursing facility, nursing home, hospital, or hospice **6** = Do not have housing *(e.g., staying with others, in a hotel, in a shelter, living outside on the street, on a beach, in a car, or in a park)* **9** = Other or Unknown
Description/derivation	Note that in v1–2 there was an option for "other" status. These have been recoded to **RESIDENC=9**. Option 6 (do not have housing) was added in v4 and not available in prior versions.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	17	5		
v2	17	5		5
v3	17	6	17	6
v4	13	5		

Allowable codes
list all possible values for that variable.

Description/derivation
includes additional information that is helpful to interpret the allowable codes or understand changes between versions or packets.

Question number(s) that the variable is pulled from. "N/A" indicates that the question was not asked on that packet/version. Blanks indicate that that version/packet combination does not exist (e.g., there is only a v3 TIP).

Packet
IVP = initial visit packet
FVP = follow-up visit packet
TIP = telephone initial packet
TFP = telephone follow-up packet

HEADER AND OTHER DERIVED VARIABLES

NACCID

Variable Type	NACC derived variable
Short descriptor	Participant ID number
Data type	Numeric longitudinal
Allowable codes	**Prefix NACC followed by 0-10 numbers**
Description/ derivation	This is a randomly generated ID that replaces the patient ID in research data files.

NACCADC

Variable Type	NACC derived variable
Short descriptor	ADRC at which participant was seen
Data type	Numeric cross-sectional
Allowable codes	**100-9999**
Description/ derivation	This is a randomly generated ID that replaces the ADC ID in research data files.

PACKET

Variable Type	Original UDS question
Short descriptor	Packet code
Data type	Numeric longitudinal
Allowable codes	**I** = Initial Visit Packet **F** = Follow-up Visit Packet **IT** = Telephone Initial Visit Packet **T** = Telephone Follow-up Visit Packet

FORMVER

Variable Type	Original UDS question
Short descriptor	Form version number
Data type	Numeric longitudinal
Allowable codes	**1, 2, 3, 3.2, 4**

VISITDATE

Variable Type	Original UDS question
Short descriptor	UDS visit date
Data type	Date
Description/ derivation	In most cases, visit date comes from the date Form A1 was completed.

NACCVNUM

Variable Type	NACC derived variable
Short descriptor	UDS visit number (order)
Data type	Numeric longitudinal
Allowable codes	**1 - no limit**
Description/ derivation	This variable provides the order of the UDS visits made for each participant, regardless of the time between visits, whether the visit was in person or on the telephone, and which ADRC the participant visited. For example, **NACCVNUM = 1** indicates the initial visit and **NACCVNUM = 2** indicates the first follow-up completed. This variable is available for all UDS participants at all visits.

NACCAVST

Variable Type	NACC derived variable
Short descriptor	Total number of all UDS visits made
Data type	Numeric cross-sectional
Allowable codes	**1 - no limit**
Description/ derivation	This variable provides the total number of visits the participant has made, regardless of the time between visits, whether the visit was in person or on the telephone, and which ADRC the participant visited. Participants with **NACCAVST = 1** have completed an initial visit only. Note that although this variable is listed for all visits, it does not change across visits; it is cross-sectional. This variable is available for all UDS participants at all visits.

NACCNVST

Variable Type	NACC derived variable
Short descriptor	Number of in-person UDS visits made
Data type	Numeric cross-sectional
Allowable codes	**0 - no limit**
Description/ derivation	This variable provides the number of in-person visits the participant has made, regardless of the time between visits and which ADRC the participant visited. Telephone visits are not included in this count (see **NACCAVST**). Participants with **NACCNVST = 1** have completed an initial visit only. Note that although this variable is listed for all visits, it does not change across visits; it is cross-sectional. This variable is available for all UDS participants at all visits.

NACCDAYS

Variable Type	NACC derived variable
Short descriptor	Days from initial visit to most recent visit
Data type	Numeric cross-sectional
Allowable codes	**0 - no limit**
Description/ derivation	This variable provides the number of days from initial visit to most recent visit, i.e., most recent visit date minus the initial visit date. Participants completing the initial visit only will have **NACCDAYS = 0**. To obtain follow-up in years, simply divide naccdays by 365.25. Also note that although this variable is listed for all visits, it does not change across visits; it is cross-sectional. This variable is available for all UDS participants at all visits.

NACCFDYS

Variable Type	NACC derived variable
Short descriptor	Days from initial visit to each follow-up visit
Data type	Numeric longitudinal
Allowable codes	**0 - no limit**
Description/ derivation	This variable provides the number of days from initial visit to each follow-up visit, calculated as visit date less initial visit date, for every follow-up visit. All initial visits will have **NACCFDYS = 0**. Note that in order to obtain follow-up time in years, simply divide **NACCFDYS** by 365.25. This variable is available for all UDS participants at all visits.

FRMDATEA1

Variable Type	Original UDS question
Short descriptor	A1 Participant Demographics - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGA1

Variable Type	Original UDS question
Short descriptor	A1 Participant Demographics - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **3** = Mandarin - Traditional **4** = Mandarin - Simplified **5** = Cantonese - Traditional **6** = Cantonese - Simplified **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1a (Z1x)	1a (Z1x)	1a (Z1x)	1a (Z1x)
v4	0c	0c		

MODEA1

Variable Type	Original UDS question
Short descriptor	A1 Participant Demographics - Was the form administered in-person or remotely
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASA1

Variable Type	Original UDS question
Short descriptor	A1 Participant Demographics - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEA1

Variable Type	Original UDS question
Short descriptor	A1 Participant Demographics - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **3** = Mail **4** = Electronic (e.g., email) **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

ADMINA1

Variable Type	Original UDS question
Short descriptor	A1 Participant Demographics - Was the form administered by staff or self-administered?
Data type	Numeric longitudinal
Allowable codes	**1** = Self-administered **2** = Staff administered **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0e	0e		

FRMDATEA1A

Variable Type	Original UDS question
Short descriptor	A1a Social Determinants of Health - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGA1A

Variable Type	Original UDS question
Short descriptor	A1a Social Determinants of Health - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **3** = Mandarin - Traditional **4** = Mandarin - Simplified **5** = Cantonese - Traditional **6** = Cantonese - Simplified **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0c	0c		

MODEA1A

Variable Type	Original UDS question
Short descriptor	A1a Social Determinants of Health - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASA1A

Variable Type	Original UDS question
Short descriptor	A1a Social Determinants of Health - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEA1A

Variable Type	Original UDS question
Short descriptor	A1a Social Determinants of Health - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **3** = Mail **4** = Electronic (e.g., email) **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

A1ANOT

Variable Type	Original UDS question
Short descriptor	A1a Social Determinants of Health - Reason form was not completed
Data type	Numeric longitudinal
Allowable codes	**93** = Concerns about reliability **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d2	0d2		

ADMINA1A

Variable Type	Original UDS question
Short descriptor	A1a Social Determinants of Health - Was the form administered by staff or self-administered?
Data type	Numeric longitudinal
Allowable codes	**1** = Self-administered **2** = Staff administered **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0e	0e		

FRMDATEA2

Variable Type	Original UDS question
Short descriptor	A2 Co-Participant Demographics - Form Date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGA2

Variable Type	Original UDS question
Short descriptor	A2 Co-Participant Demographics - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **3** = Mandarin - Traditional **4** = Mandarin - Simplified **5** = Cantonese - Traditional **6** = Cantonese - Simplified **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2a (Z1x)	2a (Z1x)	2a (Z1x)	2a (Z1x)
v4	0c	0c		

MODEA2

Variable Type	Original UDS question
Short descriptor	A2 Co-Participant Demographics - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**0** = Not completed **1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASA2

Variable Type	Original UDS question
Short descriptor	A2 Co-Participant Demographics - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEA2

Variable Type	Original UDS question
Short descriptor	A2 Co-Participant Demographics - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

A2NOT

Variable Type	Original UDS question
Short descriptor	A2 Co-Participant Demographics - Reason form was not completed
Data type	Numeric longitudinal
Allowable codes	**92** = No co-participant **95** = Physical problem **96** = Cognitive/behavioral problem **97** = Other **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2c (Z1x)	2c (Z1x)	2c (Z1x)	2c (Z1x)
v4	0d2	0d2		

FRMDATEA3

Variable Type	Original UDS question
Short descriptor	Trail Making Test Part A - Total number of seconds to complete
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGA3

Variable Type	Original UDS question
Short descriptor	A3 Participant Family History - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3a (Z1x)	3a (Z1x)	3a (Z1x)	3a (Z1x)
v4	0c	0c		

MODEA3

Variable Type	Original UDS question
Short descriptor	A3 Participant Family History - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASA3

Variable Type	Original UDS question
Short descriptor	A3 Participant Family History - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEA3

Variable Type	Original UDS question
Short descriptor	A3 Participant Family History - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATEA4

Variable Type	Original UDS question
Short descriptor	A4 Participant Medications - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGA4

Variable Type	Original UDS question
Short descriptor	A4 Participant Medications - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4a (Z1x)	4a (Z1x)	4a (Z1x)	4a (Z1x)
v4	0c	0c		

MODEA4

Variable Type	Original UDS question
Short descriptor	A4 Participant Medications - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASA4

Variable Type	Original UDS question
Short descriptor	A4 Participant Medications - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEA4

Variable Type	Original UDS question
Short descriptor	A4 Participant Medications - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATEA4A

Variable Type	Original UDS question
Short descriptor	A4a AD-Specific Drug Treatment - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGA4A

Variable Type	Original UDS question
Short descriptor	A4a AD-Specific Drug Treatment - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0c	0c		

MODEA4A

Variable Type	Original UDS question
Short descriptor	A4a AD-Specific Drug Treatment - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASA4A

Variable Type	Original UDS question
Short descriptor	A4a AD-Specific Drug Treatment - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEA4A

Variable Type	Original UDS question
Short descriptor	A4a AD-Specific Drug Treatment - Modality used for remote form collection
Data type	Character longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATEA5D2

Variable Type	Original UDS question
Short descriptor	A5/D2 Participant Health History - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGA5D2

Variable Type	Original UDS question
Short descriptor	A5/D2 Participant Health History - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **3** = Mandarin - Traditional **4** = Mandarin - Simplified **5** = Cantonese - Traditional **6** = Cantonese - Simplified **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0c	0c		

MODEA5D2

Variable Type	Original UDS question
Short descriptor	A5/D2 Participant Health History - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASA5D2

Variable Type	Original UDS question
Short descriptor	A5/D2 Participant Health History - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEA5D2

Variable Type	Original UDS question
Short descriptor	A5/D2 Participant Health History - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATEB1

Variable Type	Original UDS question
Short descriptor	B1 Evaluation Form: Physical - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB1

Variable Type	Original UDS question
Short descriptor	B1 Evaluation Form: Physical - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6a (Z1x)	6a (Z1x)	6a (Z1x)	6a (Z1x)
v4	0c	0c		

MODEB1

Variable Type	Original UDS question
Short descriptor	B1 Evaluation Form: Physical - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**0** = Not completed **1** = In-person **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

B1NOT

Variable Type	Original UDS question
Short descriptor	B1 Evaluation Form: Physical - Reason form was not completed
Data type	Numeric longitudinal
Allowable codes	**94** = Remote visit **95** = Physical problem **96** = Cognitive/behavioral problem **97** = Other **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6c (Z1x)	6c (Z1x)	6c (Z1x)	6c (Z1x)
v4	0d1	0d1		

FRMDATEB3

Variable Type	Original UDS question
Short descriptor	B3 UPDRS-Parkinson's - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB3

Variable Type	Original UDS question
Short descriptor	B3 UPDRS-Parkinson's - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0c	0c		

MODEB3

Variable Type	Original UDS question
Short descriptor	B3 UPDRS-Parkinson's - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**0** = Not completed **1** = In-person **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

B3NOT

Variable Type	Original UDS question
Short descriptor	B3 UPDRS-Parkinson's - Reason form was not completed
Data type	Numeric longitudinal
Allowable codes	**94** = Remote visit **95** = Physical problem **96** = Cognitive/behavioral problem **97** = Other **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

FRMDATEB4

Variable Type	Original UDS question
Short descriptor	B4 Global Staging-CDR: Clinical Dementia Rating - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB4

Variable Type	Original UDS question
Short descriptor	B4 Global Staging-CDR: Clinical Dementia Rating - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7a (Z1x)	6a (Z1x)	7a (Z1x)	6a (Z1x)
v4	0c	0c		

MODEB4

Variable Type	Original UDS question
Short descriptor	B4 Global Staging-CDR: Clinical Dementia Rating - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASB4

Variable Type	Original UDS question
Short descriptor	B4 Global Staging-CDR: Clinical Dementia Rating - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEB4

Variable Type	Original UDS question
Short descriptor	B4 Global Staging CDR: Clinical Dementia Rating - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATEB5

Variable Type	Original UDS question
Short descriptor	B5 Behavioral Assessment: NPI-Q - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB5

Variable Type	Original UDS question
Short descriptor	B5 Behavioral Assessment: NPI-Q - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8a (Z1x)	7a (Z1x)	8a (Z1x)	7a (Z1x)
v4	0c	0c		

MODEB5

Variable Type	Original UDS question
Short descriptor	B5 Behavioral Assessment: NPI-Q - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**0** = Not completed **1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASB5

Variable Type	Original UDS question
Short descriptor	B5 Behavioral Assessment: NPI-Q - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEB5

Variable Type	Original UDS question
Short descriptor	B5 Behavioral Assessment: NPI-Q - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

B5NOT

Variable Type	Original UDS question
Short descriptor	B5 Behavioral Assessment: NPI-Q - Reason form was not completed
Data type	Numeric longitudinal
Allowable codes	**95** = Physical problem **96** = Cognitive/behavioral problem **97** = Other **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8c (Z1x)	7c (Z1x)	8c (Z1x)	7c (Z1x)
v4	0d2	0d2		

FRMDATEB6

Variable Type	Original UDS question
Short descriptor	B6 Behavioral Assessment: GDS - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB6

Variable Type	Original UDS question
Short descriptor	B6 Behavioral Assessment: GDS - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9a (Z1x)	8a (Z1x)	9a (Z1x)	8a (Z1x)
v4	0c	0c		

MODEB6

Variable Type	Original UDS question
Short descriptor	B6 Behavioral Assessment: GDS - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**0** = Not completed **1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASB6

Variable Type	Original UDS question
Short descriptor	B6 Behavioral Assessment: GDS - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEB6

Variable Type	Original UDS question
Short descriptor	B6 Behavioral Assessment: GDS - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

B6NOT

Variable Type	Original UDS question
Short descriptor	B6 Behavioral Assessment: GDS - Reason form was not completed
Data type	Numeric longitudinal
Allowable codes	**95** = Physical problem **96** = Cognitive/behavior problem **97** = Other **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9c (Z1x)	8c (Z1x)	9c (Z1x)	8c (Z1x)
v4	0d2	0d2		

FRMDATEB7

Variable Type	Original UDS question
Short descriptor	B7 Functional Assessment: FAS - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB7

Variable Type	Original UDS question
Short descriptor	B7 Functional Assessment: FAS - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	10a (Z1x)	9a (Z1x)	10a (Z1x)	9a (Z1x)
v4	0c	0c		

MODEB7

Variable Type	Original UDS question
Short descriptor	B7 Functional Assessment: FAS - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**0** = Not completed **1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASB7

Variable Type	Original UDS question
Short descriptor	B7 Functional Assessment: FAS - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEB7

Variable Type	Original UDS question
Short descriptor	B7 Functional Assessment: FAS - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

B7NOT

Variable Type	Original UDS question
Short descriptor	B7 Functional Assessment: FAS - Reason form was not completed
Data type	Numeric longitudinal
Allowable codes	**95** = Physical problem **96** = Cognitive/behavior problem **97** = Other **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	10c (Z1x)	9c (Z1x)	10c (Z1x)	9c (Z1x)
v4	0d2	0d2		

FRMDATEB8

Variable Type	Original UDS question
Short descriptor	B8 Evaluation Form: Neurological Examination Findings - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB8

Variable Type	Original UDS question
Short descriptor	B8 Evaluation Form: Neurological Examination Findings - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11a (Z1x)	10a (Z1x)	11a (Z1x)	10a (Z1x)
v4	0c	0c		

MODEB8

Variable Type	Original UDS question
Short descriptor	B8 Evaluation Form: Neurological Examination Findings - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASB8

Variable Type	Original UDS question
Short descriptor	B8 Evaluation Form: Neurological Examination Findings - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEB8

Variable Type	Original UDS question
Short descriptor	B8 Evaluation Form: Neurological Examination Findings - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATEB9

Variable Type	Original UDS question
Short descriptor	B9 Clinical Judgment of Symptoms - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGB9

Variable Type	Original UDS question
Short descriptor	B9 Clinical Judgement of Symptoms - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12a (Z1x)	11a (Z1x)	12a (Z1x)	11a (Z1x)
v4	0c	0c		

MODEB9

Variable Type	Original UDS question
Short descriptor	B9 Clinical Judgement of Symptoms - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASB9

Variable Type	Original UDS question
Short descriptor	B9 Clinical Judgement of Symptoms - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEB9

Variable Type	Original UDS question
Short descriptor	B9 Clinical Judgement of Symptoms - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATEC2C2T

Variable Type	Original UDS question
Short descriptor	C2/C2T Neuropsychological Battery Test Scores - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGC2C2T

Variable Type	Original UDS question
Short descriptor	C2/C2T Neuropsychological Battery Test Scores - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0c	0c		

MODEC2C2T

Variable Type	Original UDS question
Short descriptor	C2/C2T Neuropsychological Battery Test Scores - Was the form administered in-person or remotely?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Remote **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d	0d		

RMREASC2C2T

Variable Type	Original UDS question
Short descriptor	C2/C2T Neuropsychological Battery Test Scores - Reason form was completed remotely
Data type	Numeric longitudinal
Allowable codes	**1** = Too cognitively impaired **2** = Too physically impaired **3** = Homebound or nursing home **4** = Refused in-person visit **5** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1	0d1		

RMMODEC2C2T

Variable Type	Original UDS question
Short descriptor	C2/C2T Neuropsychological Battery Test Scores - Modality used for remote form collection
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0d1a	0d1a		

FRMDATED1A

Variable Type	Original UDS question
Short descriptor	D1a Clinical Diagnosis - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGD1A

Variable Type	Original UDS question
Short descriptor	D1a Clinical Diagnosis - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0c	0c		

FRMDATED1B

Variable Type	Original UDS question
Short descriptor	D1b Biomarker and Etiological Diagnosis - Form date
Data type	Date

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0a	0a		

LANGD1B

Variable Type	Original UDS question
Short descriptor	D1b Biomarker and Etiological Diagnosis - Language
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	0c	0c		

TELCOV

Variable Type	Original UDS question
Short descriptor	Is the UDS telephone follow-up protocol being used because the COVID pandemic precludes traditional in-person UDS visit?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	1e	1e
v4	N/A	N/A		

TELMOD

Variable Type	Original UDS question
Short descriptor	What modality of communication was used to collect this remote UDS packet?
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video-assisted conference **3** = Some combination of the two

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	2	2
v4	N/A	N/A		

NACCDIED

Variable Type	NACC derived variable
Short descriptor	Participant is known to be deceased
Data type	Numeric cross-sectional
Allowable codes	**0** = Not deceased/unknown **1** = Deceased
Description/ derivation	A participant with a Neuropathology Form and/or a Milestones Form reporting the participant's death is indicated as deceased (**NACCDIED = 1**). Otherwise, **NACCDIED = 0**. NOTE: NACC is not always made aware of deaths for active and inactive participants; thus **NACCDIED = 0** for a participant who has died but whose death was not reported to NACC.

NACCMOD

Variable Type	NACC derived variable
Short descriptor	Month of death
Data type	Numeric cross-sectional
Allowable codes	**1-12** **88** = Not applicable, participant not deceased **99** = Unknown
Description/ derivation	This variable is derived using data from both the Neuropathology (NP) and Milestones Form, as applicable. For participants for who NP data is available. **NACCMOD** = month of death provided on the NP form. Note that all participants with an NP form will have a known month of death.

NACCYOD

Variable Type	NACC derived variable
Short descriptor	Year of death
Data type	Numeric cross-sectional
Allowable codes	**Allowable codes cannot precede 1970; in most cases, should not preced 1984** **8888** = Not applicable, participant not deceased **9999** = Unknown
Description/ derivation	This variable is derived using data from both the Neuropathology (NP) and Milestones Form, as applicable. For participants for who NP data is available. **NACCYOD** = year of death provided on the NP form. Note that all participants with an NP form will have a known year of death.

NACCACTV

Variable Type	NACC derived variable
Short descriptor	Follow-up status at the Alzheimer's Disease Research Center (ADRC)
Data type	Numeric cross-sectional
Allowable codes	**0** = Died, discontinued, lost to follow-up **1** = Annual follow-up (no discontinuation/loss to follow-up or minimal contact) **2** = Minimal contact with Center, no annual follow-up
Description/ derivation	This variable is derived using data from the Milestones Form. Participants can be enrolled for intial visit only or for annual follow-up. At any point after the initial visit, participants can discontinue participation for a number of reasons. A participant's most recent status in the database has been categorized in the following way: **NACCACTV = 0** if the participant receives no follow-up or contact with the ADRC (e.g., the participant has died, was discontinued, or was enrolled as initial visit only). **NACCACTV = 1** if the participant is under annual follow-up and is expected to make additional annual visits. Participants who have minimal contact with the ADRC (e.g., followed to autopsy), but who are still enrolled in the UDS, are coded as **NACCACTV = 2**. Note that although this variable is listed for all visits, it does not change across visits; it is cross-sectional. As such, it does not capture change in participation status. For example, participants who were discontinued but who have since rejoined for annual follow-up are coded as **NACCACTV = 1**, and participants who enrolled as initial visit only, but made additional visits and are now followed annually are coded as **NACCACTV = 1**. Please note that NACC is not always made aware of a change in follow-up status immediately; therefore this variable should be considered an estimate of the follow-up status of UDS participants.

NACCNOVS

Variable Type	NACC derived variable
Short descriptor	No longer followed annually
Data type	Numeric cross-sectional
Allowable codes	**0** = Still receiving annual follow-up **1** = No longer receiving annual follow-up **8** = Not applicable, enrolled for initial visit only
Description/ derivation	This variable is derived using data from the Milestones Form and indicates whether the participant is still receiving or expected to receive annual follow-up (i.e., the Center has not discontinued the participant and has not indicated that they will be under minimal contact). Participants who have discontinued follow-up in the past but have rejoined with annual follow-up will have **NACCNOVS = 0**. Participants who have died, have been discontinued and did not rejoin/have visits following the discontinuation, are under minimal contact, or are followed to autopsy (i.e., no longer seen annually) will have **NACCNOVS = 1**. Please note that NACC is not always made aware of a change in follow-up status immediately; therefore, this variable should not be considered an estimate of the follow-up status of UDS participants.

NACCDSMO

Variable Type	NACC derived variable
Short descriptor	Month of discontinuation from annual follow-up
Data type	Numeric cross-sectional
Allowable codes	**1-12** **88** = Not applicable, still followed annually **99** = Unknown
Description/ derivation	This variable is derived using data from the Milestones Form and indicates the month the participant discontinued from annual follow-up. Participants who continue to be followed annually or who have discontinued follow-up in the past but have rejoined will have **NACCDSMO = 88**. Participants who are under minimal contact or followed to autopsy (i.e., no longer seen annually) will have a month of discontinuation provided.

NACCDSDY

Variable Type	NACC derived variable
Short descriptor	Day of discontinuation from annual follow-up
Data type	Numeric cross-sectional
Allowable codes	**1-31** **88** = Not applicable, still followed annually **99** = Unknown
Description/ derivation	This variable is derived using data from the Milestones Form and indicates the day the participant discontinued from annual follow-up. Participants who continue to be followed annually or who have discontinued follow-up in the past but have rejoined will have **NACCDSDY = 88**. Participants who are under minimal contact or followed to autopsy (i.e., no longer seen annually) will have a day of discontinuation provided.

NACCDSYR

Variable Type	NACC derived variable
Short descriptor	Year of discontinuation from annual follow-up
Data type	Numeric cross-sectional
Allowable codes	**2005 to present** **8888** = Not applicable, still followed annually
Description/ derivation	This variable is derived using data from the Milestones Form and indicates the year the participant discontinued from annual follow-up. Participants who continue to be followed annually or who have discontinued follow-up in the past but have rejoined will have **NACCDSYR = 8888**. Participants who are under minimal contact or followed to autopsy (i.e., no longer seen annually) will have a year of discontinuation provided.

NACCNURP

Variable Type	NACC derived variable
Short descriptor	Permanently moved to a nursing home
Data type	Numeric cross-sectional
Allowable codes	**0** = Did not report permanent move to a nursing home **1** = Permanently moved to a nursing home
Description/ derivation	This variable is derived using data from the Milestones Form and Form A1 and indicates whether the participant was reported to have permanently moved to a nursing home. The definition of nursing home on the Milestones form is left up to the interpretation of the Centers; therefore, some Centers may only report a permanent move to a skilled nursing facility, whereas other Centers may report permanent moves to skilled nursing facilities as well as other types of care facilities. If the participant was reported to have permanently moved to a nursing home, but still received annual visits and later was reported to live in a place other than a nursing home, **NACCNURP = 0**. If the participant was reported to have permanently moved to a nursing home, and either discontinued follow-up at that time or still received annual visits and at all of those later visits was reported to live in a nursing home, **NACCNURP = 1**. Although this variable is listed for all visits, it does not change across visits; it is cross-sectional. Please note that NACC is not always made immediately aware of a permanent move to a nursing home; therefore, this variable should be considered an estimate of the permanent nursing home status of UDS participants.

NACCNRMO

Variable Type	NACC derived variable
Short descriptor	Month permanently moved to nursing home
Data type	Numeric cross-sectional
Allowable codes	**1-12** **88** = Not applicable, no permanent move to a nursing home **99** = Unknown
Description/ derivation	This variable is derived using data from the Milestones Form and indicates the month the participant permanently moved to a nursing home.

NACCNRDY

Variable Type	NACC derived variable
Short descriptor	Day permanently moved to nursing home
Data type	Numeric cross-sectional
Allowable codes	**1-31** **88** = Not applicable, no permanent move to a nursing home **99** = Unknown
Description/ derivation	This variable is derived using data from the Milestones Form and indicates the day the participant permanently moved to a nursing home.

NACCNRYR

Variable Type	NACC derived variable
Short descriptor	Year permanently moved to nursing home
Data type	Numeric cross-sectional
Allowable codes	**2002 to present** **8888** = Not applicable, no permanent move to a nursing home **9999** = Unknown
Description/ derivation	This variable is derived using data from the Milestones Form and indicates the year the participant permanently moved to a nursing home.

NACCMDSS

Variable Type	NACC derived variable
Short descriptor	Participant's status in the Minimum Data Set (MDS) and Uniform Data Set (UDS)
Data type	Numeric cross-sectional
Allowable codes	**1** = In the UDS and MDS **2** = In the MDS only **3** = In the UDS only
Description/ derivation	Data collection for the MDS ceased in 2005, at which point the UDS began. Thus, some participants are included in both the MDS and the UDS. This variable is designed to identify participants who started participation in the MDS and continued participation in the UDS, as well as participants who participated in the MDS only or who have participated in the UDS only.

NACCPAFF

Variable Type	NACC derived variable
Short descriptor	Previously affiliated participant
Data type	Numeric cross-sectional
Allowable codes	**0** = Not previously affiliated participant **1** = Previously affiliated participant
Description/ derivation	This variable indicates whether the participant had "affiliated" status with the Center before entering the Clinical Core. Affiliated participants are seen by Center staff and evaluated using the UDS forms but are not considered part of the Clinical Core.

NACCFTD

Variable Type	NACC derived variable
Short descriptor	One or more FTLD Module visits completed
Data type	Numeric cross-sectional
Allowable codes	**0** = No FTLD Module visit **1** = At least one FTLD Module visit

NACCLBDM

Variable Type	NACC derived variable
Short descriptor	One or more LBD Module visits completed
Data type	Numeric cross-sectional
Allowable codes	**0** = No LBD Module visit **1** = At least one LBD Module visit

NACCNMRI

Variable Type	NACC derived variable
Short descriptor	Total number of mixed-protocol MRI sessions
Data type	Numeric cross-sectional
Allowable codes	**0 - no limit**

NACCMRSA

Variable Type	NACC derived variable
Short descriptor	At least one mixed-protocol MRI scan available
Data type	Numeric cross-sectional
Allowable codes	**0** = No; does not have at least one mixed-protocol MRI available at NACC **1** = Yes; has at least one mixed-protocol MRI available at NACC

NACCNAPA

Variable Type	NACC derived variable
Short descriptor	Total number of mixed-protocol amyloid PET scans available
Data type	Numeric cross-sectional
Allowable codes	**0 - no limit**

NACCAPSA

Variable Type	NACC derived variable
Short descriptor	At least one mixed-protocol amyloid PET scan available
Data type	Numeric cross-sectional
Allowable codes	**0** = No; does not have any mixed-protocol amyloid PET scans at NACC **1** = Yes; has at least one mixed-protocol amyloid PET scan available at NACC

NACCACSF

Variable Type	NACC derived variable
Short descriptor	One or more measures of CSF Aβ1-42 reported
Data type	Numeric cross-sectional
Allowable codes	**0** = No CSF Aβ1-42 reported **1** = One or more measures of CSF Aβ1-42 reported

NACCPCSF

Variable Type	NACC derived variable
Short descriptor	One or more measures of CSF P-tau181P reported
Data type	Numeric cross-sectional
Allowable codes	**0** = No CSF P-tau181P reported **1** = One or more measures of CSF P-tau181P reported

NACCTCSF

Variable Type	NACC derived variable
Short descriptor	One or more measures of CSF T-tau reported
Data type	Numeric cross-sectional
Allowable codes	**0** = No CSF T-tau reported **1** = One or more measures of CSF T-tau reported

NACCAUTP

Variable Type	NACC derived variable
Short descriptor	Neuropathology data from an autopsy is available
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, participant not deceased

FORM A1: Participant Demographics

NACCAGE

Variable Type	NACC derived variable
Short descriptor	Participant's age at visit
Data type	Numeric longitudinal
Allowable codes	**18–120**
Description/ derivation	Birth month and year are required elements in the UDS, however, birth day is not collected. To calculate age, birth day is set to 1 for all participants and computed as visit date minus birth date.

NACCAGEB

Variable Type	NACC derived variable
Short descriptor	Participant's age at initial visit
Data type	Numeric cross–sectional
Allowable codes	**18–120**
Description/ derivation	Birth month and year are required elements in the UDS, however, birth day is not collected. To calculate **NACCAGEB**, birth day is set to 1 for all participants. Baseline age is then computed as initial visit date minus birth date. Note that although this variable is listed for all visits, it does not change across visits, it is cross–sectional.

BIRTHMO

Variable Type	Original UDS question
Short descriptor	Participant's month of birth
Data type	Numeric cross-sectional
Allowable codes	**1–12**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7a	1a		
v2	7a	1a		1a
v3	6a	1a	6a	1a
v4	1a	N/A		

BIRTHYR

Variable Type	Original UDS question
Short descriptor	Participant's year of birth
Data type	Numeric cross-sectional
Allowable codes	**1875 to (current year minus 15)**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b	1b		
v2	7b	1b		1b
v3	6b	1b	6b	1b
v4	1b	N/A		

CHLDHDCTRY

Variable Type	Original UDS question
Short descriptor	Country or region in which participant spent most of their childhood
Data type	Character cross-sectional
Allowable codes	**3 character country code - see codes in description/derivation**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2	N/A		

Description/ derivation	Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

Description/ derivation (cont.)

AFG = Afghanistan
XQZ = Akrotiri
ALB = Albania
DZA = Algeria
ASM = American Samoa
AND = Andorra
AGO = Angola
AIA = Anguilla
ATA = Antarctica
ATG = Antigua and Barbuda
ARG = Argentina
ARM = Armenia
ABW = Aruba
XAC = Ashmore and Cartier Islands
AUS = Australia
AUT = Austria
AZE = Azerbaijan
BHS = The Bahamas
BHR = Bahrain
XBK = Baker Island
BGD = Bangladesh
BRB = Barbados
XBI = Bassas da India
BLR = Belarus
BEL = Belgium
BLZ = Belize
BEN = Benin
BMU = Bermuda
BTN = Bhutan
BOL = Bolivia
BES = Bonaire, Sint Eustatius, and Saba
BIH = Bosnia and Herzegovina
BWA = Botswana
BVT = Bouvet Island
BRA = Brazil
IOT = British Indian Ocean Territory
BRN = Brunei
BGR = Bulgaria
BFA = Burkina Faso
MMR = Burma
BDI = Burundi
KHM = Cambodia
CMR = Cameroon
CAN = Canada
CPV = Cabo Verde
CYM = Cayman Islands
CAF = Central African Republic
TCD = Chad
CHL = Chile
CHN = China
CXR = Christmas Island
CPT = Clipperton Island
CCK = Cocos (Keeling) Islands
COL = Colombia
COM = Comoros
COG = Congo (Brazzaville)
COD = Congo (Kinshasa)
COK = Cook Islands
XCS = Coral Sea Islands
CRI = Costa Rica
CIV = Cote D'Ivoire
HRV = Croatia
CUB = Cuba
CUW = Curacao
CYP = Cyprus
CZE = Czech Republic
DNK = Denmark
XXD = Dhekelia
DGA = Diego Garcia
DJI = Djibouti
DMA = Dominica
DOM = Dominican Republic
ECU = Ecuador
EGY = Egypt
SLV = El Salvador
GNQ = Equatorial Guinea
ERI = Eritrea
EST = Estonia
ETH = Ethiopia
XEU = Europa Island
FLK = Falkland Islands (Islas Malvinas)
FRO = Faroe Islands
FJI = Fiji
FIN = Finland
FRA = France
GUF = French Guiana
PYF = French Polynesia
ATF = French Southern and Antarctic Lands
GAB = Gabon
GMB = The Gambia
XGZ = Gaza Strip
GEO = Georgia
DEU = Germany
GHA = Ghana
GIB = Gibraltar
XGL = Glorioso Islands
GRC = Greece
GRL = Greenland
GRD = Grenada
GLP = Guadeloupe
GUM = Guam
AX2 = Guantanamo Bay Naval Base
GTM = Guatemala
GGY = Guernsey
GIN = Guinea
GNB = Guinea-Bissau
GUY = Guyana
HTI = Haiti
HMD = Heard Island and McDonald Islands
HND = Honduras
HKG = Hong Kong
XHO = Howland Islands
HUN = Hungary
ISL = Iceland
IND = India
IDN = Indonesia
IRN = Iran
IRQ = Iraq
IRL = Ireland
IMN = Isle of Man
ISR = Israel
ITA = ITALY
JAM = Jamaica
XJM = Jan Mayen
JPN = Japan
XJV = Jarvis Island
JEY = Jersey
XJA = Johnston Atoll
JOR = Jordan
XJN = Juan de Nova Island
KAZ = Kazakhstan
KEN = Kenya
XKR = Kingman Reef
KIR = Kiribati
PRK = North Korea
KOR = South Korea
XKS = Kosovo
KWT = Kuwait
KGZ = Kyrgyzstan
LAO = Laos
LVA = Latvia
LBN = Lebanon
LSO = Lesotho
LBR = Liberia
LBY = Libya
LIE = Liechtenstein
LTU = Lithuania
LUX = Luxembourg
MAC = Macau
MKD = North Macedonia
MDG = Madagascar
MWI = Malawi
MYS = Malaysia
MDV = Maldives
MLI = Mali
MLT = Malta
MHL = Marshall Islands
MTQ = Martinique
MRT = Mauritania
MUS = Mauritius
MYT = Mayotte
MEX = Mexico
FSM = Federated States of Micronesia
XMW = Midway Islands
MDA = Moldova
MCO = Monaco
MNG = Mongolia
MNE = Montenegro
MSR = Montserrat
MAR = Morocco
MOZ = Mozambique
NAM = Namibia
NRU = Nauru
XNV = Navassa Island
NPL = Nepal
NLD = Netherlands
NCL = New Caledonia
NZL = New Zealand
NIC = Nicaragua
NER = Niger
NGA = Nigeria
NIU = Niue
NFK = Norfolk Island
MNP = Northern Mariana Islands
NOR = Norway
OMN = Oman
PAK = Pakistan
PLW = Palau
XPL = Palmyra Atoll
PAN = Panama
PNG = Papau New Guinea
XPR = Paracel Islands
PRY = Paraguay
PER = Peru
PHL = Philippines

Description/ derivation (cont.)

PCN = Pitcairn Islands
POL = Poland
PRT = Portugal
PRI = Puerto Rico
QAT = Qatar
REU = Reunion
ROU = Romania
RUS = Russia
RWA = Rwanda
BLM = Saint Barthelemy
SHN = Saint Helena, Ascension, and Tristan de Cunha
KNA = Saint Kitts and Nevis
LCA = Saint Lucia
MAF = Saint Martin
SPM = Saint Pierre and Miquelon
VCT = Saint Vincent and the Grenadines
WSM = Samoa
SMR = San Marino
STP = Sao Tome and Principe
SAU = Saudi Arabia
SEN = Senegal
SRB = Serbia
SYC = Seychelles
SLE = Sierra Leone
SGP = Singapore
SXM = Sint Maarten
SVK = Slovakia
SVN = Slovenia
SLB = Soloman Islands
SOM = Somalia
ZAF = South Africa
SGS = South Georgia and South Sandwich Islands
SSD = South Sudan
ESP = Spain
XSP = Spratly Islands
LKA = Sri Lanka
SDN = Sudan
SUR = Suriname
XSV = Svalbard
SWE = Sweden
CHE = Switzerland
SYR = Syria
TWN = Taiwan
TJK = Tajikistan
TZA = Tanzania
THA = Thailand
TLS = Timor-Leste
TGO = Togo
TKL = Tokelau
TON = Tonga
TTO = Trinidad and Tobago
XTR = Tromelin Island
TUN = Tunisia
TUR = Turkey
TKM = Turkmenistan
TCA = Turks and Caicos Islands
TUV = Tuvalu
UGA = Uganda
UKR = Ukraine
ARE = United Arab Emirates
GBR = United Kingdom
USA = United States
AX1 = Unknown
URY = Uruguay
UZB = Uzbekistan
VUT = Vanuatu
VAT = Vatican City
VEN = Venezuela
VNM = Vietnam
VGB = British Virgin Islands
VIR = U.S. Virgin Islands
XWK = Wake Island
WLF = Wallis and Futuna
XWB = West Bank
ESH = Western Sahara
YEM = Yemen
ZMB = Zambia
ZWE = Zimbabwe

NACCNIHR

Variable Type: NACC derived variable

Short descriptor: Derived NIH race definitions

Data type: Numeric cross–sectional

Allowable codes:
1 = White
2 = Black or African American
3 = American Indian or Alaska Native
4 = Native Hawaiian or Pacific Islander
5 = Asian
6 = Multiracial
7 = Middle Eastern or Northern African
99 = Unknown or ambiguous

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	10, 10a, 11, 11a, 12, 12a	N/A		
v2	10, 10a, 11, 11a, 12, 12a	N/A		N/A
v3	9, 9a, 10, 10a, 11, 11a	N/A	9, 9a, 10, 10a, 11, 11a	N/A
v4	3a - 3h	N/A		

Description/ derivation

NACCNIHR is derived from race/ethnicity variables across versions to be consistent with the NIH guidelines for human participants reporting. Although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit. Note that code 7 (Middle Eastern or Northern African) was added in v4.

v4: **NACCNIHR** is derived from the **RACEAIAN**, **RACEASIAN**, **RACEBLACK**, **RACEMENA**, **RACENHPI**, **RACEWHITE**, and **RACEUNKN** variables:

- **NACCNIHR** = 1 for participants with only **RACEWHITE** = 1
- **NACCNIHR** = 2 for participants with only **RACEBLACK** = 1
- **NACCNIHR** = 3 for participants with only **RACEAIAN** = 1
- **NACCNIHR** = 4 for participants with only **RACENHPI** = 1
- **NACCNIHR** = 5 for participants with only **RACEASIAN** = 1
- **NACCNIHR** = 6 for participants with more than one of **RACEWHITE**, **RACEBLACK**, **RACEAIAN**, **RACENHPI**, **RACEASIAN**, **RACEMENA** = 1
- **NACCNIHR** = 7 for participants with only **RACEMENA** = 1
- **NACCNIHR** = 99 for participants with **RACEUNKN** = 1 and/or all of **RACEWHITE**, **RACEBLACK**, **RACEAIAN**, **RACENHPI**, **RACEASIAN**, **RACEMENA** = 0

For mulit racial participants (**NACCNIHR** = 6), additional information can be found by looking at the **RACEWHITE**, **RACEBLACK**, **RACEAIAN**, **RACENHPI**, **RACEASIAN**, and **RACEMENA** variables.

v1-3: Some participants reported an "other" race that is not included in the NIH race categories (e.g., Hispanic or Irish). This NACC-derived race variable attemtps to include these write-in values in order to be more consistent with the NIH guidelines for human participants reporting. The categories are described as follows:

- **NACCNIHR** = 1 for participants with **RACE** = 1 (White) or **RACE** = 50 (Other) with a write-in response that is considered White or Caucasian race.
- **NACCNIHR** = 2 for participants with **RACE** = 2 (Black or African American) or **RACE** = 50 with a write-in response that is considered black or African American
- **NACCNIHR** = 3 for participants with **RACE** = 3 (American Indian or Alaska Native) or **RACE** = 50 with a write-in response that is considered American Indian or Alaska Native
- **NACCNIHR** = 4 for participants with **RACE** = 4 (Native Hawaiian or Other Pacific Islander) or **RACE** = 50 with a write-in response that is considered Native Hawaiian or Pacific Islander
- **NACCNIHR** = 5 for participants with **RACE** = 5 (Asian) or **RACE** = 50 with a write-in response that is considered Asian
- **NACCNIHR** = 6 for participants reporting multiple races or with **RACE** = 50 and a write-in response indicating mixed race including, but not limited to, "multiracial," "biracial," and "mestizo"
- **NACCNIHR** = 99 for participants with **RACE** = 99 (Unknown) or with **RACE** = 50 and a write-in response that cannot be classified as one of the categories without additional information, including but not limited to, "Hispanic," "American," and "Unknown."

Participants reporting multiple races (Codes 1-5 for **RACE** and **RACESEC**, or for **RACE**, **RACESEC** and **RACETER**) are coded to **NACCNIHR** = 6 (Multiracial). For some multiracial participants (**NACCNIHR** = 6), additional information on their primary, secondary, and/or tertiary race can be found by looking at the **RACE**, **RACESEC**, and **RACETER** variables.

Participants reporting codes 1-5 for **RACE**, followed by **RACESEC** = 50 or **RACETER** = 50, are assigned the original primary race reported if the write-in does not indicate a different race, or is ambiguous. For example, a participant that reports **RACE** = 1 (White) and then **RACESEC** = 50 (Other) with a write-in of "Irish" will still have **NACCNIHR** = 1 and will not be considered multi-racial. If write-ins for **RACESEC** = 50 or **RACETER** = 50 are indicative of an additional race, then **NACCNIHR** = 6. Additionally **RACE** = 99 (Unknown) or ambiguous write-ins for primary race (**RACE** = 50) that are followed by codes 1-5 for **RACESEC** or **RACETER** are coded as **NACCNIHR** = 99.

RACE

Variable Type	Original UDS question
Short descriptor	Race
Data type	Numeric cross-sectional
Allowable codes	**1 =** White **2 =** Black or African American **3 =** American Indian or Alaska Native **4 =** Native Hawaiian or Other Pacific Islander **5 =** Asian **50 =** Other (specify) **99 =** Unknown
Description/ derivation	Note that race is reported in **RACEAIAN**, **RACEASIAN**, **RACEBLACK**, **RACEMENA**, **RACENHPI**, **RACEWHITE**, and **RACEUNKN** in UDSv4. Refer to these as well as the additional ethnicity variables associated with each racial category for participants assessed with UDSv4. Note that although this variable is not collected at follow-up visits, the value from the initial visit will be shown at all follow-up visits.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	10	N/A		
v2	10	N/A		N/A
v3	9	N/A	9	N/A
v4	N/A	N/A		

RACEX

Variable Type	Original UDS question
Short descriptor	Race, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" race is reported (**RACE** = 50), then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	10a	N/A		
v2	10a	N/A		N/A
v3	9a	N/A	9a	N/A
v4	N/A	N/A		

RACESEC

Variable Type	Original UDS question
Short descriptor	Second race
Data type	Numeric cross-sectional
Allowable codes	**1** = White **2** = Black or African American **3** = American Indian or Alaska Native **4** = Native Hawaiian or Other Pacific Islander **5** = Asian **50** = Other (specify) **88** = None reported **99** = Unknown
Description/ derivation	Note that race is reported in **RACEAIAN**, **RACEASIAN**, **RACEBLACK**, **RACEMENA**, **RACENHPI**, **RACEWHITE**, and **RACEUNKN** in UDSv4. Refer to these as well as the additional ethnicity variables associated with each racial category for participants assessed with UDSv4. Note that although this variable is not collected at follow-up visits, the value from the initial visit will be shown at all follow-up visits.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	11	N/A		
v2	11	N/A		N/A
v3	10	N/A	10	N/A
v4	N/A	N/A		

RACESECX

Variable Type	Original UDS question
Short descriptor	Second race, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" second race is reported **(RACESEC** = 50**)** then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	11a	N/A		
v2	11a	N/A		N/A
v3	10a	N/A	10a	N/A
v4	N/A	N/A		

RACETER

Variable Type	Original UDS question
Short descriptor	Third race
Data type	Numeric cross-sectional
Allowable codes	**1** = White **2** = Black or African American **3** = American Indian or Alaska Native **4** = Native Hawaiian or Other Pacific Islander **5** = Asian **50** = Other (specify) **88** = None reported **99** = Unknown
Description/ derivation	Note that race is reported in **RACEAIAN**, **RACEASIAN**, **RACEBLACK**, **RACEMENA**, **RACENHPI**, **RACEWHITE**, and **RACEUNKN** in UDSv4. Refer to these as well as the additional ethnicity variables associated with each racial category for participants assessed with UDSv4. Note that although this variable is not collected at follow-up visits, the value from the initial visit will be shown at all follow-up visits.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	12	N/A		
v2	12	N/A		N/A
v3	11	N/A	11	N/A
v4	N/A	N/A		

RACETERX

Variable Type	Original UDS question
Short descriptor	Third race, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" third race is reported **(RACETER** = 50**)** then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	12a	N/A		
v2	12a	N/A		N/A
v3	11a	N/A	11a	N/A
v4	N/A	N/A		

RACEAIAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - American Indian or Alaska Native
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a	N/A		

RACEAIANX

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - American Indian or Alaska Native (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If American Indian or Alaska Native race/ethnicity (**RACEAIAN**) is reported then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a1	N/A		

RACEASIAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b	N/A		

ETHCHINESE

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Chinese
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b1	N/A		

ETHINDIA

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Asian Indian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b2	N/A		

ETHFILIP

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Filipino
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b3	N/A		

ETHVIETNAM

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Vietnamese
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b4	N/A		

ETHKOREAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Korean
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b5	N/A		

ETHJAPAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Japanese
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b6	N/A		

ETHASNOTH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Other
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b7	N/A		

ETHASNOTHX

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Asian, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" Asian ethnicity (**ETHASNOTH**) is reported then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b7a	N/A		

RACEBLACK

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c	N/A		

ETHAFAMER

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American, African American
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c1	N/A		

ETHJAMAICA

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American, Jamaican
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c2	N/A		

ETHHAITIAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American, Haitian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c3	N/A		

ETHNIGERIA

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American, Nigerian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c4	N/A		

ETHETHIOP

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American, Ethiopian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c5	N/A		

ETHSOMALI

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American, Somali
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c6	N/A		

ETHBLKOTH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Black or African American, Other
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c7	N/A		

ETHBLKOTHX

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Black or African American, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" Black or African American ethnicity (**ETHBLKOTH**) is reported then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c7a	N/A		

NACCHISP

Variable Type	NACC derived variable
Short descriptor	Hispanic/Latino ethnicity
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	9b, 9b1	N/A		
v2	9a, 9a1	N/A		N/A
v3	8a, 8a1	N/A	8a, 8a1	N/A
v4	3d	N/A		

HISPOR

Variable Type	Original UDS question
Short descriptor	Hispanic origins
Data type	Numeric cross-sectional
Allowable codes	**1** = Mexican, Chicano, or Mexican–American **2** = Puerto Rican **3** = Cuban **4** = Dominican **5** = Central American **6** = South American **50** = Other (specify) **88** = Not applicable; participant is not Hispanic **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origin was reported in the **ETHMEXICAN**, **ETHPUERTO**, **ETHSALVA**, **ETHCUBAN**, **ETHDOMIN**, **ETHGUATEM**, **ETHHISOTH**, and **ETHHISOTHX** variables in v4. Although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	9b	N/A		
v2	9a	N/A		N/A
v3	8a	N/A	8a	N/A
v4	N/A	N/A		

HISPORX

Variable Type	Original UDS question
Short descriptor	Hispanic origins, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or number**
Description/ derivation	If an "other" Hispanic origin (**HISPOR** = 50) is reported then it will be listed here, otherwise it will be blank. Note that Hispanic origin was reported in the **ETHMEXICAN**, **ETHPUERTO**, **ETHSALVA**, **ETHCUBAN**, **ETHDOMIN**, **ETHGUATEM**, **ETHHISOTH**, and **ETHHISOTHX** variables in v4. Although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	9b1	N/A		
v2	9a1	N/A		N/A
v3	8a1	N/A	8a1	N/A
v4	N/A	N/A		

ETHMEXICAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Mexican
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d1	N/A		

ETHPUERTO

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Puerto Rican
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d2	N/A		

ETHSALVA

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Salvadoran
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d3	N/A		

ETHCUBAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Cuban
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d4	N/A		

ETHDOMIN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Dominican
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d5	N/A		

ETHGUATEM

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Guatemalan
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d6	N/A		

ETHHISOTH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Other
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d7	N/A		

ETHHISOTHX

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Hispanic or Latino, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" Hispanic or Latino ethnicity (**ETHHISOTH**) is reported then it will be listed here, otherwise it will be blank. Note that Hispanic origina was reported in the **HISPOR** and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c7a	N/A		

RACEMENA

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e	N/A		

ETHLEBANON

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Lebanese
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e1	N/A		

ETHIRAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Iranian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e2	N/A		

ETHEGYPT

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Egyptian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e3	N/A		

ETHSYRIA

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Syrian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e4	N/A		

ETHIRAQI

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Iraqi
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e5	N/A		

ETHISRAEL

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Israeli
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e6	N/A		

ETHMENAOTH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Other
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Middle Eastern or North African was not an allowable response on v1-3, but some participants may have reported it as 50 = "Other" in **RACE**, **RACESEC**, **RACETER** and specificed in the **RACEX**, **RACESECX**, **RACETERX** variables. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e7	N/A		

ETHMENAOTX

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Middle Eastern or North African, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" Middle Eastern or North African ethnicity (**ETHMENAOTH**) is reported then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e7a	N/A		

RACENHPI

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f	N/A		

ETHHAWAII

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander, Native Hawaiian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f1	N/A		

ETHSAMOAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander, Samoan
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f2	N/A		

ETHCHAMOR

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander, Chamorro
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f3	N/A		

ETHTONGAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander, Tongan
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f4	N/A		

ETHFIJIAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander, Fijian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f5	N/A		

ETHMARSHAL

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander, Marshallese
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f6	N/A		

ETHNHPIOTH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Native Hawaiian or Pacific Islander, Other
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f7	N/A		

ETHNHPIOTX

Variable Type	Original UDS question
Short descriptor	Race/ethnicity – Native Hawaiian or Pacific Islander, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" Native Hawaiian or Pacific Islander ethnicity (**ETHNHPIOTH**) is reported then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f7a	N/A		

RACEWHITE

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g	N/A		

ETHENGLISH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, English
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g1	N/A		

ETHGERMAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, German
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g2	N/A		

ETHIRISH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, Irish
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g3	N/A		

ETHITALIAN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, Italian
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g4	N/A		

ETHPOLISH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, Polish
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g5	N/A		

ETHSCOTT

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, Scottish
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g6	N/A		

ETHWHIOTH

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, Other
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g7	N/A		

ETHWHIOTHX

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - White, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g7a	N/A		

Description/ derivation: If an "other" White ethnicity (**ETHWHIOTH**) is reported then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

RACEUNKN

Variable Type	Original UDS question
Short descriptor	Race/ethnicity - Don't know
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3h	N/A		

Description/ derivation: Note that race and ethnicity were reported in the **RACE**, **RACEX**, **RACESEC**, **RACESECX**, **RACETER**, **RACETERX**, **HISPOR**, and **HISPORX** variables in v1-3. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

GENMAN

Variable Type	Original UDS question
Short descriptor	Gender - Man
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a	1a		

Description/ derivation: Note that participants can report multiple gender identities - review additional gender identity variables: **GENWOMAN**, **GENTRMAN**, **GENTRWOMAN**, **GENNONBI**, **GENTWOSPIR**, **GENOTH**, **GENOTHX**, **GENDKN**, **GENNOANS**

GENWOMAN

Variable Type	Original UDS question
Short descriptor	Gender – Woman
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4b	1b		

Description/ derivation: Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENTRMAN**, **GENTRWOMAN**, **GENNONBI**, **GENTWOSPIR**, **GENOTH**, **GENOTHX**, **GENDKN**, **GENNOANS**

GENTRMAN

Variable Type	Original UDS question
Short descriptor	Gender – Transgender man
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENWOMAN**, **GENTRWOMAN**, **GENNONBI**, **GENTWOSPIR**, **GENOTH**, **GENOTHX**, **GENDKN**, **GENNOANS**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4c	1c		

GENTRWOMAN

Variable Type	Original UDS question
Short descriptor	Participant's gender – Transgender woman
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENWOMAN**, **GENTRMAN**, **GENNONBI**, **GENTWOSPIR**, **GENOTH**, **GENOTHX**, **GENDKN**, **GENNOANS**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4d	1d		

GENNONBI

Variable Type	Original UDS question
Short descriptor	Gender – Non-binary/genderqueer
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENWOMAN**, **GENTRMAN**, **GENTRWOMAN**, **GENTWOSPIR**, **GENOTH**, **GENOTHX**, **GENDKN**, **GENNOANS**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4e	1e		

GENTWOSPIR

Variable Type	Original UDS question
Short descriptor	Gender – Two-spirit
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants who report AIAN as their race can choose to report two-spirit gender identity. Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENWOMAN**, **GENTRMAN**, **GENTRWOMAN**, **GENNONBI**, **GENOTH**, **GENOTHX**, **GENDKN**, **GENNOANS**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4f	1f		

GENOTH

Variable Type	Original UDS question
Short descriptor	Gender - Different term
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENWOMAN**, **GENTRMAN**, **GENTRWOMAN**, **GENNONBI**, **GENTWOSPIR**, **GENDKN**, **GENNOANS**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g	1g		

GENOTHX

Variable Type	Original UDS question
Short descriptor	Gender - Different term (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" gender identity is reported (**GENOTH** = 1) then it will be listed there, otherwise it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1	1g1		

GENDKN

Variable Type	Original UDS question
Short descriptor	Gender - Don't know
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes
Description/ derivation	Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENWOMAN**, **GENTRMAN**, **GENTRWOMAN**, **GENNONBI**, **GENTWOSPIR**, **GENOTH**, **GENOTHX**, **GENNOANS**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h	1h		

GENNOANS

Variable Type	Original UDS question
Short descriptor	Gender - Prefer not to answer
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple gender identities - review additional gender identity variables: **GENMAN**, **GENWOMAN**, **GENTRMAN**, **GENTRWOMAN**, **GENNONBI**, **GENTWOSPIR**, **GENOTH**, **GENOTHX**, **GENDKN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4i	1i		

NACCSEX

Variable Type	NACC derived variable
Short descriptor	Participant's sex
Data type	Numeric cross-sectional
Allowable codes	**1** = Male **2** = Female **8** = Prefer not to answer **9** = Unknown
Description/ derivation	UDS v1-3 did not have questions on both sex and gender; participants were only asked about sex, taken to mean sex at birth, and could only choose 1=Male or 2=Female. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	2		
v2	8	2		2
v3	7	3	7	3
v4	5	N/A		

INTERSEX

Variable Type	Original UDS question
Short descriptor	Intersex
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **8** = Prefer not to answer **9** = Don't know **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6	N/A		

SEXORNGAY

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Lesbian or Gay
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple sexual orientations - review additional sexual orientation variables: **SEXORNHET**, **SEXORNBI**, **SEXORNTWOS**, **SEXORNOTH**, **SEXORNOTHX**, **SEXORNDNK**, **SEXORNNOAN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a	2a		

SEXORNHET

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Straight/Heterosexual
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple sexual orientations - review additional sexual orientation variables: **SEXORNGAY**, **SEXORNBI**, **SEXORNTWOS**, **SEXORNOTH**, **SEXORNOTHX**, **SEXORNDNK**, **SEXORNNOAN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7b	2b		

SEXORNBI

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Bisexual
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple sexual orientations - review additional sexual orientation variables: **SEXORNGAY**, **SEXORNHET**, **SEXORNTWOS**, **SEXORNOTH**, **SEXORNOTHX**, **SEXORNDNK**, **SEXORNNOAN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c	2c		

SEXORNTWOS

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Two-Spirit
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants who report AIAN as their race can choose to report two-spirit sexual orientation. Note that participants can report multiple sexual orientations - review additional sexual orientation variables: **SEXORNGAY**, **SEXORNHET**, **SEXORNBI**, **SEXORNOTH**, **SEXORNOTHX**, **SEXORNDNK**, **SEXORNNOAN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7d	2d		

SEXORNOTH

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Different term
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple sexual orientations - review additional sexual orientation variables: **SEXORNGAY**, **SEXORNHET**, **SEXORNBI**, **SEXORNTWOS**, **SEXORNDNK**, **SEXORNNOAN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7e	2e		

SEXORNOTHX

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Different term (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" sexual orientation is reported (**SEXORNOTH** = 1) then it will be listed here, otherwise it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7e1	2e1		

SEXORNDNK

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Don't know
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple sexual orientations - review additional sexual orientation variables: **SEXORNGAY**, **SEXORNHET**, **SEXORNBI**, **SEXORNTWOS**, **SEXORNOTH**, **SEXORNOTHX**, **SEXORNNOAN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7f	2f		

SEXORNNOAN

Variable Type	Original UDS question
Short descriptor	Sexual Orientation – Prefer not to answer
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants can report multiple sexual orientations - review additional sexual orientation variables: **SEXORNGAY**, **SEXORNHET**, **SEXORNBI**, **SEXORNTWOS**, **SEXORNOTH**, **SEXORNOTHX**, **SEXORNDNK**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7g	2g		

NACCLANG

Variable Type	NACC derived variable
Short descriptor	Primary language
Data type	Numeric cross-sectional
Allowable codes	**1** = English **2** = Spanish **3** = Chinese dialect **5** = Russian **6** = Japanese **8** = Other **9** = Unknown
Description/ derivation	UDS v1-3 allowable codes for primary language included separate codes for Mandarin and Cantonese. Russian and Japanese were only available as response codes in v1-3; Russian or Japanese would be mapped to 8=Other in v4. For original v1-3 variable, see **PRIMLANG**. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13	N/A		
v2	13	N/A		N/A
v3	12	N/A	12	N/A
v4	8	N/A		

NACCLANGX

Variable Type	NACC derived variable
Short descriptor	Primary language, Other (specify)
Data type	Character cross-sectional
Allowable codes	**Any text or numbers**
Description/ derivation	If an "other" primary language is reported (**NACCLANG** = 8), then it will be listed here, otherwise it will be blank. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13a	N/A		
v2	13a	N/A		N/A
v3	12a	N/A	12a	N/A
v4	8a	N/A		

HANDED

Variable Type	Original UDS question
Short descriptor	Is the participant left- or right-handed?
Data type	Numeric cross-sectional
Allowable codes	**1** = Left–handed **2** = Right–handed **3** = Ambidextrous **9** = Unknown
Description/ derivation	Note that although this variable is not collected at follow–up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	20	N/A		
v2	20	N/A		N/A
v3	16	N/A	19	N/A
v4	9	N/A		

NACCEDULVL

Variable Type	NACC derived variable
Short descriptor	Highest achieved level of education
Data type	Numeric cross-sectional
Allowable codes	**1** = Less than high school **2** = High school or GED **3** = Some college **4** = Bachelor's degree **5** = Master's degree **6** = Doctorate **9** = Unknown
Description/ derivation	In v4, the level of education was reported directly in Q10a. In v1-3, this field is derived as follows: **EDUC** < 12: 1 (less than high school) **EDUC** = 12: 2 (high school or GRE) **EDUC** > 12 and < 16: 3 (some college) **EDUC** => 16 and < 18: 4 (bachelor's degree) **EDUC** =>18 and < 20: 5 (master's degree) **EDUC** => 20 and <= 36: 6 (doctorate) **EDUC** = 99: 9 (don't know) Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	14	N/A		
v2	14	N/A		N/A
v3	13	N/A	13	N/A
v4	10a	N/A		

EDUC

Variable Type	Original UDS question
Short descriptor	Years of education
Data type	Numeric cross-sectional
Allowable codes	**0–36** **99** = Unknown
Description/ derivation	In general, 12 = high school or GRE, 16 = bachelor's degree, 18 = master's degree, 20 = doctorate. In v1-3, this field intended to refer to achieved educational levels, rather than the number of years it took to complete that level. However, if a participant attempted but did not complete a level, the number of years completed was entered. In v4, the number of years completed was entered, regardless of achieved level. See **NACCEDULVL** for the derivation of achieved levels of education. Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	14	N/A		
v2	14	N/A		N/A
v3	13	N/A	13	N/A
v4	10a	N/A		

MARISTAT

Variable Type	Original UDS question
Short descriptor	Marital status
Data type	Numeric longitudinal
Allowable codes	**1** = Married **2** = Widowed **3** = Divorced **4** = Separated **5** = Never married (or marriage was annulled) **6** = Living as married/domestic partner **9** = Other or unknown
Description/ derivation	Note that in v1–2 there was an option for "other" status. These have been recoded to **MARISTAT=9**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	19	7		
v2	19	7		7
v3	14	2	14	2
v4	11	3		

NACCLIVS

Variable Type	NACC derived variable
Short descriptor	Living situation
Data type	Numeric longitudinal
Allowable codes	**1** = Lives alone **2** = Lives with spouse or partner **3** = Lives with relative or friend **4** = Lives with group **5** = Other **9** = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	15	3		
v2	15	3		3
v3	15	4	15	4
v4	12	4		

INDEPEND

Variable Type	Original UDS question
Short descriptor	Level of independence
Data type	Numeric longitudinal
Allowable codes	**1** = Able to live independently **2** = Requires some assistance with complex activities **3** = Requires some assistance with basic activities **4** = Completely dependent **9** = Other or unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	16	4		
v2	16	4		4
v3	16	5	16	5
v4	N/A	N/A		

RESIDENC

Variable Type	Original UDS question
Short descriptor	Type of residence
Data type	Numeric longitudinal
Allowable codes	**1** = Single– or multi–family private residence (apartment, condo, house) **2** = Retirement community or independent group living **3** = Assisted living, adult family home, or boarding home **4** = Skilled nursing facility, nursing home, hospital, or hospice **6** = Do not have housing *(e.g., staying with others, in a hotel, in a shelter, living outside on the street, on a beach, in a car, or in a park)* **9** = Other or Unknown
Description/ derivation	Note that in v1–2 there was an option for "other" status. These have been recoded to **RESIDENC=9**. Option 6 (do not have housing) was added in v4 and not available in prior versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	17	5		
v2	17	5		5
v3	17	6	17	6
v4	13	5		

SERVED

Variable Type	Original UDS question
Short descriptor	Served on active duty in the U.S. Armed Forces, military Reserves, or National Guard?
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15	N/A		

MEDVA

Variable Type	Original UDS question
Short descriptor	Obtained medical care or prescription drugs from a VA facility?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	16	7		

EXRTIME

Variable Type	Original UDS question
Short descriptor	Exercise time per week
Data type	Numeric longitudinal
Allowable codes	**1** = None **2** = 1 hour or less **3** = 2.5 hours or less **4** = More than 2.5 hours **8** = Prefer not to answer **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	17	8		

MEMWORS

Variable Type	Original UDS question
Short descriptor	Do you feel like your memory is becoming worse?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, but this does not worry me **2** = Yes, and this worries me **9** = Unknown / Prefer not to answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In v1-3, the participant reported memory complaints in variable **DECSUB** on Form B9. Note that in Form A2, the co-participant is asked about their judgement of the participant's memory - see the variables: **INMEMWORS**, **INMEMTROUB**, **INMEMTEN**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	18	9		

MEMTROUB

Variable Type	Original UDS question
Short descriptor	About how often do you have trouble remembering things?
Data type	Numeric longitudinal
Allowable codes	**1** = Never **2** = Rarely **3** = Sometimes **4** = Often **5** = Very often **9** = Unknown / Prefer not to answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In v1-3, the co-participant reported memory concerns in variable **DECIN** on Form B9. Note that in Form A2, the co-participant is asked about their judgement of the participant's memory - see the variables: **INMEMWORS**, **INMEMTROUB**, **INMEMTEN**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	19	10		

MEMTEN

Variable Type	Original UDS question
Short descriptor	Compared to 10 years ago, would you say that your memory is much worse, a little worse, the same, a little better, or much better?
Data type	Numeric longitudinal
Allowable codes	**1** = Much better **2** = A little better **3** = The same **4** = A little worse **5** = Much worse **9** = Unknown / Prefer not to answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in Form A2, the co-participant is asked about their judgement of the participant's memory - see the variables: **INMEMWORS**, **INMEMTROUB**, **INMEMTEN**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	20	11		

ADISTATE

Variable Type	Original UDS question
Short descriptor	ADI state-only decile
Data type	Numeric longitudinal
Allowable codes	**1-10** **884** = PH (suppression due to low population and/or housing) **885** = GQ (suppression due to a high group quarters population) **886** = PH-GQ (suppression due to both types of suppression criteria) **887** = QDI (block groups without an ADI due to Questionable Data Integrity, stemming from missing data in the source ACS data) **999** = Unknown

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	21	12		

ADINAT

Variable Type	Original UDS question
Short descriptor	ADI national percentile
Data type	Numeric longitudinal
Allowable codes	**1-100** **884** = PH (suppression due to low population and/or housing) **885** = GQ (suppression due to a high group quarters population) **886** = PH-GQ (suppression due to both types of suppression criteria) **887** = QDI (block groups without an ADI due to Questionable Data Integrity, stemming from missing data in the source ACS data) **999** = Unknown

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	22	13		

PRIOCC

Variable Type	Original UDS question
Short descriptor	Participant's primary occupation
Data type	Numeric cross-sectional
Allowable codes	**100-731** **999** = Unknown ***see codes in description/derivation**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	23	N/A		

Description/ derivation: Note that although this variable is not collected at follow-up visits, the value will be carried forward from the prior visit.

100 = Major professionals / Higher executives / Proprietors of large concerns
101 = Actuaries
102 = Architects
103 = Bank officers
104 = Certified public accountants
105 = Chief executives (CEO, CFO, COO)
106 = Clergy (Professionally trained)
107 = Commissioned officers in the military
108 = Dentists
109 = Economists
110 = Engineers (Masters level and above)
111 = Financial managers
112 = Federal government officials
113 = Large business owners
114 = Lawyers / judges
115 = Mathematicians
116 = Major contractors
117 = Orthodontists
118 = Physicians
119 = Professor / University teachers
120 = Psychologists
121 = Research scientists
122 = Urban and regional planners
123 = Veterinarians
124 = VP of large business

200 = Lesser professionals / Business managers of medium-sized businesses
201 = Accountants
202 = Advertising executives
203 = Authors
204 = Branch managers
205 = Building contractors
206 = Business managers
207 = Chiropractors
208 = Computer programmer
209 = Computer specialists
210 = Database developer
211 = Editors
212 = Engineers (no advanced degree)
213 = Executive managers
214 = Industrial farm owners
215 = Furniture business owners
216 = Jewelers
217 = Labor relations consultants
218 = Librarians
219 = Manufacturing owners
220 = Medium business owners
221 = Musicians / composers
222 = Nurses
223 = Office managers
224 = Opticians
225 = Personnel managers
226 = Pharmacists
227 = Pilots
228 = Police chief / sheriff
229 = Postmaster
230 = Production managers (TV / radio)
231 = Public administration officials
232 = Public health officers
233 = Purchasing managers
234 = Real estate brokers
235 = Research assistants
236 = Sales engineers
237 = Sales managers
238 = Social workers
239 = State / Local government officials
240 = Teachers (elementary & high school)

300 = Administrative personnel / Small business owners / Minor professionals
301 = Actors
302 = Administrative assistants
303 = Advertising agents
304 = Artists
305 = Bakers
306 = Beauty shop owners
307 = Chefs
308 = Chief clerks
309 = Clergy (not professionally trained)
310 = Court reporters
311 = Credit managers
312 = Dental hygienists
313 = Department store managers
314 = Deputy sheriffs
315 = Dietitians / Nutritionists
316 = Dispatchers
317 = Florists
318 = Funeral directors
319 = Insurance agents
320 = Laboratory assistants
321 = Landscape planners
322 = Noncommissioned officers in the military (at or above rank of master sergeant / C.P.O.)
323 = Morticians
324 = Newspaper / TV reporters
325 = Photographers
326 = Piano teachers
327 = Radio / TV announcers
328 = Real estate agents
329 = Restaurant owners
330 = Sales representatives
331 = Service managers
332 = Small business owners
333 = Store managers
334 = Surveyors
335 = Title searchers
336 = Tool designers
337 = Traffic designers
338 = Travel agents
339 = Yard masters (railroad)

400 = Clerical and sales workers / Technicians / Owners of little businesses
401 = Bank tellers
402 = Bill collectors
403 = Bookkeepers
404 = Claims examiners
405 = Drafters
406 = Driving teachers
407 = Factory supervisors
408 = Small farm owners / farmers
409 = Flower shop workers
410 = Human resources workers
411 = Laboratory technicians
412 = Newsstand operators
413 = Post office clerks
414 = Railroad conductors
415 = Railroad train engineers
416 = Receptionists
417 = Route managers
418 = Sales clerks
419 = Secretaries / stenographers
420 = Shipping clerks
421 = Tailors
422 = Tax clerks
423 = Telephone company workers
424 = Telephone operators
425 = Timekeepers
426 = Toll collectors
427 = Tower operators
428 = Truck dispatchers
429 = Typists
430 = Utility workers
431 = Warehouse clerks
432 = Window store trimmers

Description/ derivation (cont.)

500 = Skilled manual employees
501 = Auto body repairers
502 = Barbers
503 = Boiler repairers
504 = Bookbinder
505 = Brewers
506 = Cabinet makers
507 = Carpenters
508 = Cement layers / finishers
509 = Checkers / examiners / inspectors
510 = Cheese makers
511 = Construction forepeople
512 = Die makers
513 = Electricians
514 = Engravers
515 = Exterminators
516 = Firefighters
517 = Gardeners / landscapers
518 = Glassblowers
519 = Glaziers
520 = Gun smiths
521 = Hair stylists
522 = Heavy equipment operators
523 = Home repairs
524 = Iron workers
525 = Kitchen workers / cooks
526 = Locksmiths
527 = Machinists
528 = Mail carriers
529 = Maintenance forepeople
530 = Masons
531 = Mechanics
532 = Millwrights
533 = Noncommissioned officers in the military (below rank of master sergeant / C.P.O.)
534 = Painters
535 = Paperhangers
536 = Patrolmen
537 = Piano builders
538 = Piano tuners
539 = Plumbers
540 = Police officers
541 = Postal workers
542 = Printers
543 = Radio / TV maintenance
544 = Railroad brake operators
545 = Repair people
546 = Seamstresses / seamsters
547 = Sheet metal workers
548 = Ship smiths
549 = Shoe repairs
550 = Steelworkers
551 = Tile layers
552 = Tool makers
553 = Upholsterers
554 = Utility line workers
555 = Weavers
556 = Welders

600 = Machine operators / Semiskilled employees
601 = Apprentices (electrician / printers / etc.)
602 = Assembly line workers
603 = Bartenders
604 = Building superintendents
605 = Bus drivers
606 = Cab / taxi drivers
607 = Cashiers
608 = Child care workers (not private household)
609 = Cooks (short order)
610 = Corrections workers
611 = Delivery people
612 = Dry cleaning pressers
613 = Elevator operators
614 = Enlisted military personnel (other than noncommissioned officers)
615 = Factory machine operators
616 = Factory workers
617 = Foundry workers
618 = Garage and gas station assistants
619 = Greenhouse workers
620 = Guards / security watch people
621 = Machine operators
622 = Meat cutters / packers
623 = Meter readers
624 = Nursing aides / attendants
625 = Oil delivery people
626 = Practical nurses
627 = Pump operators
628 = Receivers / checkers
629 = Servers (waiters / waitresses)
630 = Signal operators (railroad)
631 = Truck drivers
632 = Wood workers
633 = Wrappers (stores / factories)

700 = Unskilled employees
701 = Amusement park workers
702 = Cafeteria workers
703 = Car cleaners
704 = Child care workers (private household)
705 = Construction laborers
706 = Dairy workers
707 = Deck hands
708 = Farm laborers
709 = Fishers
710 = Freight handlers
711 = Garbage collectors
712 = Grave diggers
713 = Homemakers
714 = House cleaners
715 = Janitors
716 = Junk / recycle sorters
717 = Laundry workers
718 = Messengers
719 = Peddlers
720 = Porters
721 = Roofing laborers
722 = Shoe shiners
723 = Stagehands
724 = Stock handlers
725 = Street cleaners
726 = Unemployed
727 = Unskilled factory workers
728 = Unspecified laborers
729 = Window cleaners
730 = Woodchoppers
731 = Worked while incarcerated

NACCREFR

Variable Type	NACC derived variable
Short descriptor	Principal referral source
Data type	Numeric cross-sectional
Allowable codes	**1 =** Non-professional contact: self/relative/friend **2 =** Professional contact: clinician, nurse, doctor, other health care provider, or other staff (ADRC or non–ADRC) **8 =** Other **9 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that participants reporting self-referral, non-professional contact, or ADRC participant referral (Question 2a in v3 or Question 25 in v4 = 1, 2, or 3) in UDSv3 or subsequent versions will have **NACCREFR = 1**; and those reporting "ADRC clinician, staff, or investigator referral," "Nurse, doctor, or other health care provider," or "Other research study clinician/staff/investigator" (Question 2a in v3 or Question 25 in v4 = 4, 5, or 6) will have **NACCREFR = 2**. Participants reporting self/relative/friend (Question 3 = 1) in UDSv1.2 and 2.0 will have **NACCREFR = 1**; those reporting clinician or clinic sample (Question 3 = 2 or 5) will have **NACCREFR = 2**; and those reporting ADRC solicitation, non–ADRC study, population sample, or non-ADRC media appeal (Question 3 = 3, 4, 6, or 7) will have **NACCREFR = 8**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	3	N/A		
v2	3	N/A		N/A
v3	2a	N/A	2a	N/A
v4	25	N/A		

FORM A1a: Social Determinants of Health

OWNSCAR

Variable Type: Original UDS question

Short descriptor: **Transportation** - Participant or someone in the participant's household currently owns a car

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Prefer not to answer
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1	1		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner.

The "Transportation" section attempts to understand the extent to which lack of reliable and consistent transportation for the participant is a barrier to accomplishing important activities, such as going to the doctor for appointments, going grocery shopping, or picking up medications (these are only examples).

TRSPACCESS

Variable Type: Original UDS question

Short descriptor: **Transportation** - Participant has consistent access to transportation

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Prefer not to answer
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2	2		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner.

The "Transportation" section attempts to understand the extent to which lack of reliable and consistent transportation for the participant is a barrier to accomplishing important activities, such as going to the doctor for appointments, going grocery shopping, or picking up medications (these are only examples).

TRANSPROB

Variable Type: Original UDS question

Short descriptor: **Transportation** - In the past 30 days, how often was the participant not able to leave the house when they wanted to because of a problem with transportation?

Data type: Numeric longitudinal

Allowable codes:
1 = Often
2 = Sometimes
3 = Never
8 = Prefer not to answer
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3	3		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner.

The "Transportation" section attempts to understand the extent to which lack of reliable and consistent transportation for the participant is a barrier to accomplishing important activities, such as going to the doctor for appointments, going grocery shopping, or picking up medications (these are only examples).

TRANSWORRY

Variable Type	Original UDS question
Short descriptor	**Transportation** - In the past 30 days, how often did the participant worry about whether or not they would be able to get somewhere because of a problem with transportation?
Data type	Numeric longitudinal
Allowable codes	**1** = Often **2** = Sometimes **3** = Never **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Transportation" section attempts to understand the extent to which lack of reliable and consistent transportation for the participant is a barrier to accomplishing important activities, such as going to the doctor for appointments, going grocery shopping, or picking up medications (these are only examples).

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4	4		

TRSPMED

Variable Type	Original UDS question
Short descriptor	**Transportation** - In the past 30 days, how often has a lack of transportation kept the participant from medical appointments or from doing things needed for daily living?
Data type	Numeric longitudinal
Allowable codes	**1** = Often **2** = Sometimes **3** = Never **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Transportation" section attempts to understand the extent to which lack of reliable and consistent transportation for the participant is a barrier to accomplishing important activities, such as going to the doctor for appointments, going grocery shopping, or picking up medications (these are only examples).

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5	5		

INCOMEYR

Variable Type	Original UDS question
Short descriptor	**Financial Security** - Participant's household income for the past year
Data type	Numeric longitudinal
Allowable codes	**1** = $0 - $14,999 **2** = $15,000 - $29,999 **3** = $30,000 - $74,999 **4** = $75,000 and over **8** = Prefer not to answer **9** = Unknown **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation. The participant is asked which of these income groups represents their household income for the past year, including income from all sources such as wages, salaries, social security or retirement benefits, help from relatives, rent from property, and so forth.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6	6		

FINSATIS

Variable Type	Original UDS question
Short descriptor	**Financial Security** - Participant's satisfaction with their current personal financial condition
Data type	Numeric longitudinal
Allowable codes	**1** = Completely satisfied **2** = Satisfied **3** = Somewhat satisfied **4** = Not very satisfied **5** = Not at all satisfied **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7	7		

BILLPAY

Variable Type	Original UDS question
Short descriptor	**Financial Security** - Participant's difficulty with meeting monthly payments on bills
Data type	Numeric longitudinal
Allowable codes	**1** = Not at all **2** = Slightly **3** = Moderately **4** = Very **5** = Extremely **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8	8		

FINUPSET

Variable Type	Original UDS question
Short descriptor	**Financial Security** - If the participant has had financial problems that lasted twelve months or longer, how upsetting has it been to them?
Data type	Numeric longitudinal
Allowable codes	**1** = No financial problems for 12 months or longer **2** = Yes, financial problems for 12 months or longer, but not upsetting to me **3** = Yes, financial problems for 12 months or longer, and somewhat upsetting to me **4** = Yes, financial problems for 12 months or longer, and very upsetting to me **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9	9		

EATLESS

Variable Type	Original UDS question
Short descriptor	**Financial Security** - At any time, did the participant ever eat less than they felt they should because there wasn't enough money to buy food?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10	10		

EATLESSYR

Variable Type	Original UDS question
Short descriptor	**Financial Security** - In the last 12 months, did the participant ever eat less than they felt they should because there wasn't enough money to buy food?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	11	11		

LESSMEDS

Variable Type	Original UDS question
Short descriptor	**Financial Security** - At any time, has the participant ended up taking less medication than was prescribed for them because of the cost?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12	12		

LESSMEDSYR

Variable Type	Original UDS question
Short descriptor	**Financial Security** - In the last 12 months, has the participant ended up taking less medication than was prescribed for them because of the cost?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	13	13		

COMPCOMM

Variable Type	Original UDS question
Short descriptor	**Financial Security** - Participant's placement on the ladder comparing themselves to others' money, education, and job status (in their community/neighborhood)
Data type	Numeric longitudinal
Allowable codes	**1 - 10** **88 =** Prefer not to answer **-4 =** Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question


QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14	14		

Description/ derivation

Participants were asked to fill out this form on their own, without help from co-participants or study partner.

The participant is presented the picture of a ladder below with 10 steps. Each step represents a level of status as far as money, education, and jobs. The highest step is step 10. This represents people with the most money, the most education, and the best jobs. Step 1 is the lowest step. This step represents people with the least money, least education, and the worst jobs or no job. Steps in between (2 through 9) represent those people who fall somewhere between those who are best off and those who are worst off.



The participant is then asked, "Where would you place yourself on this ladder compared to others in your community (or neighborhood)? The closer you are to step 10 the better off you think you are. Please mark the number where you would place yourself."

GUARDEDU

Variable Type	Original UDS question
Short descriptor	**Financial Security** - Participant's mother's (or primary person who raised them up until age 18) highest level of education completed at the time they were raising the participant
Data type	Numeric longitudinal
Allowable codes	**1 =** Never attended school or only attended kindergarten **2 =** Grades 1 through 8 (elementary) **3 =** Grades 9 through 11 (some high school) **4 =** Grade 12 or GED (high school graduate) **5 =** College 1 year to 3 years (some college) **6 =** College 4 years or more (college graduate) **8 =** Prefer not to answer/Not applicable **9 =** Unknown **-4 =** Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15	15		

Description/ derivation

Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Financial security" section assess the participant's current and past financial situation.

EMPTINESS

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - Participant experiences a general sense of emptiness
Data type	Numeric longitudinal
Allowable codes	**1** = Strongly disagree **2** = Disagree **3** = Neither disagree or agree **4** = Agree **5** = Strongly agree **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	16	16		

MISSPEOPLE

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - Participant misses having people around
Data type	Numeric longitudinal
Allowable codes	**1** = Strongly disagree **2** = Disagree **3** = Neither disagree or agree **4** = Agree **5** = Strongly agree **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	17	17		

FRIENDS

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - Participant feels like they don't have enough friends
Data type	Numeric longitudinal
Allowable codes	**1** = Strongly disagree **2** = Disagree **3** = Neither disagree or agree **4** = Agree **5** = Strongly agree **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	18	18		

ABANDONED

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - Participant often feels abandoned
Data type	Numeric longitudinal
Allowable codes	**1** = Strongly disagree **2** = Disagree **3** = Neither disagree or agree **4** = Agree **5** = Strongly agree **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	19	19		

CLOSEFRND

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - Participant misses having a really close friend
Data type	Numeric longitudinal
Allowable codes	**1** = Strongly disagree **2** = Disagree **3** = Neither disagree or agree **4** = Agree **5** = Strongly agree **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	20	20		

PARENTCOMM

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - If the participant's parents are still alive, how often do they have contact with them either in person, by phone, mail, or email?
Data type	Numeric longitudinal
Allowable codes	**0** = Parents not living **1** = Once a year or less **2** = Several times a year **3** = Several times a month **4** = Several times a week **5** = Everyday or almost everyday **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood. In this question, participants are asked about contact with their parents (including mother, father, mother-in-law, and father-in-law) either in person, by phone, mail, or email (e.g., any online interaction).

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	21	21		

CHILDCOMM

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - If the participant has children, how often do they have contact with their children in person, by phone, mail, or email?
Data type	Numeric longitudinal
Allowable codes	**0** = Do not have children **1** = Once a year or less **2** = Several times a year **3** = Several times a month **4** = Several times a week **5** = Everyday or almost everyday **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood. In this question, participants are asked about contact with their children (including child[ren]-in-law and stepchild[ren]) either in person, by phone, mail, or email (e.g., any online interaction).

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	22	22		

FRIENDCOMM

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - How often does the participant have contact with close friends either in person, by phone, mail, or email?
Data type	Numeric longitudinal
Allowable codes	**0** = Do not have close friends **1** = Once a year or less **2** = Several times a year **3** = Several times a month **4** = Several times a week **5** = Everyday or almost everyday **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood. In this question, participants are asked about contact with close friends, either in person, by phone, mail, or email (e.g., any online interaction.)

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	23	23		

PARTICIPATE

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - How often does the participant participate in activities outside the home?
Data type	Numeric longitudinal
Allowable codes	**0** = Do not participate in activities outside the home **1** = Once a year or less **2** = Several times a year **3** = Several times a month **4** = Several times a week **5** = Everyday or almost everyday **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood. In this question, participants are asked about how often they participate in activities outside the home (e.g., religious activities, educational activities, volunteer work, paid work, or activities with groups or organizations)?

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	24	24		

SAFEHOME

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - How safe does the participant feel in their home?
Data type	Numeric longitudinal
Allowable codes	**1** = Very safe **2** = Mostly safe **3** = Unsafe at times **4** = Very unsafe **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	25a	25a		

SAFECOMM

Variable Type	Original UDS question
Short descriptor	**Social connections, activities, and environment** - How safe does the participant feel in their community/neighborhood?
Data type	Numeric longitudinal
Allowable codes	**1** = Very safe **2** = Mostly safe **3** = Unsafe at times **4** = Very unsafe **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Social connections, activities, and environment" section is designed to learn what the participant thinks about their social connection, the types of activities they spend their time on, and how they view their home and neighborhood.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	25b	25b		

DELAYMED

Variable Type: Original UDS question

Short descriptor: **Experiences with the healthcare system** - In the past year, how often did the participant delay seeking medical attention for a problem that was bothering them?

Data type: Numeric longitudinal

Allowable codes:
1 = All of the time
2 = Most of the time
3 = Sometimes
4 = None or almost none of the time
5 = Not applicable
8 = Prefer not to answer
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	26	26		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Experiences with the healthcare system" section is designed to learn about the participant's experiences with the healthcare system over the past year, referring to their regular medical doctors (not the doctors they see for the UDS research visit).

SCRIPTPROB

Variable Type: Original UDS question

Short descriptor: **Experiences with the healthcare system** - In the past year, how often did the participant experience challenges in filling a prescription?

Data type: Numeric longitudinal

Allowable codes:
1 = All of the time
2 = Most of the time
3 = Sometimes
4 = None or almost none of the time
5 = Not applicable
8 = Prefer not to answer
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	27	27		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Experiences with the healthcare system" section is designed to learn about the participant's experiences with the healthcare system over the past year, referring to their regular medical doctors (not the doctors they see for the UDS research visit).

MISSEDFUP

Variable Type: Original UDS question

Short descriptor: **Experiences with the healthcare system** - In the past year, how often did the participant miss a follow-up medical appointment that was scheduled?

Data type: Numeric longitudinal

Allowable codes:
1 = All of the time
2 = Most of the time
3 = Sometimes
4 = None or almost none of the time
5 = Not applicable
8 = Prefer not to answer
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	28	28		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Experiences with the healthcare system" section is designed to learn about the participant's experiences with the healthcare system over the past year, referring to their regular medical doctors (not the doctors they see for the UDS research visit).

DOCADVICE

Variable Type	Original UDS question
Short descriptor	**Experiences with the healthcare system** - In the past year, how often did the participant follow a doctor's advice or treatment plan when it was given?
Data type	Numeric longitudinal
Allowable codes	**1** = All of the time **2** = Most of the time **3** = Sometimes **4** = None or almost none of the time **5** = Not applicable **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Experiences with the healthcare system" section is designed to learn about the participant's experiences with the healthcare system over the past year, referring to their regular medical doctors (not the doctors they see for the UDS research visit).

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	29	29		

HEALTHACC

Variable Type	Original UDS question
Short descriptor	**Experiences with the healthcare system** - Overall, which of these describes the participant's health insurance, access to healthcare services, and access to medications?
Data type	Numeric longitudinal
Allowable codes	**1** = Not available to any extent **2** = Below the level of my needs **3** = Able to meet my needs **4** = Exceeds my needs **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. The "Experiences with the healthcare system" section is designed to learn about the participant's experiences with the healthcare system over the past year, referring to their regular medical doctors (not the doctors they see for the UDS research visit).

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	30	30		

LESSCOURT

Variable Type	Original UDS question
Short descriptor	**Experiences of Discrimination** - In participant's day-to-day life how often are they treated with less courtesy or respect than other people?
Data type	Numeric longitudinal
Allowable codes	**1** = Almost every day **2** = At least once a week **3** = A few times a month **4** = A few times a year **5** = Less than once a year **6** = Never **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	31	31		

POORSERV

Variable Type	Original UDS question
Short descriptor	**Experiences of Discrimination** - In the participant's day-to-day life how often do they receive poorer service than other people at restaurants or stores?
Data type	Numeric longitudinal
Allowable codes	**1** = Almost every day **2** = At least once a week **3** = A few times a month **4** = A few times a year **5** = Less than once a year **6** = Never **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	32	32		

NOTSMART

Variable Type	Original UDS question
Short descriptor	**Experiences of Discrimination** - In the participant's day-to-day life how often do people act as if they think the participant is not smart?
Data type	Numeric longitudinal
Allowable codes	**1** = Almost every day **2** = At least once a week **3** = A few times a month **4** = A few times a year **5** = Less than once a year **6** = Never **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	33	33		

ACTAFRAID

Variable Type	Original UDS question
Short descriptor	**Experiences of Discrimination** - In the participant's day-to-day life how often do people act as if they are afraid of the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Almost every day **2** = At least once a week **3** = A few times a month **4** = A few times a year **5** = Less than once a year **6** = Never **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	34	34		

THREATENED

Variable Type	Original UDS question
Short descriptor	**Experiences of Discrimination** - In the participant's day-to-day life how often are they threatened or harassed?
Data type	Numeric longitudinal
Allowable codes	**1** = Almost every day **2** = At least once a week **3** = A few times a month **4** = A few times a year **5** = Less than once a year **6** = Never **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	35	35		

POORMEDTRT

Variable Type	Original UDS question
Short descriptor	**Experiences of Discrimination** - How frequently did the participant receive poorer service or treatment from doctors or in hospitals compared to other people?
Data type	Numeric longitudinal
Allowable codes	**1** = All of the time **2** = Most of the time **3** = Sometimes **4** = None or almost none of the time **5** = Not applicable **8** = Prefer not to answer **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	36	36		

EXPANCEST

Variable Type	Original UDS question
Short descriptor	**Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's Ancestry or National Origins
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment. Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a1	37a1		

EXPGENDER

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's gender

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a2	37a2		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPRACE

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's race

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a3	37a3		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPAGE

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's age

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a4	37a4		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPRELIG

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's religion

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a5	37a5		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPHEIGHT

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's height

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a6	37a6		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPWEIGHT

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's weight

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a7	37a7		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPAPPEAR

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Some other aspect of the participant's physical appearance

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a8	37a8		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPSEXORN

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's sexual orientation

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a9	37a9		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPEDUCINC

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's education or income level

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a10	37a10		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPDISAB

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- A physical disability

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a11	37a11		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPSKIN, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPSKIN

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Participant's shade of skin color

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a12	37a12		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPOTHER, EXPNOTAPP, EXPNOANS**

EXPOTHER

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Other

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a13	37a13		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPNOTAPP, EXPNOANS**

EXPNOTAPP

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Not applicable - Participant does not have these experiences

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a14	37a14		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOANS**

EXPNOANS

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - Main reason(s) for the day-to-day experiences listed above -- Prefer not to answer

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	37a15	37a15		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

Note that participants can select multiple reasons for the day-to-day experiences listed in this section - review additional reasons in these variables: **EXPANCEST, EXPGENDER, EXPRACE, EXPAGE, EXPRELIG, EXPHEIGHT, EXPWEIGHT, EXPAPPEAR, EXPSEXORN, EXPEDUCINC, EXPDISAB, EXPSKIN, EXPOTHER, EXPNOTAPP**

EXPSTRS

Variable Type: Original UDS question

Short descriptor: **Experiences of Discrimination** - How stressful were the day-to-day experiences listed above?

Data type: Numeric longitudinal

Allowable codes:
1 = Very stressful
2 = Moderately stressful
3 = Not stressful
5 = Not applicable
8 = Prefer not to answer
9 = Unknown
-4 = Not applicable: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	38	38		

Description/ derivation: Participants were asked to fill out this form on their own, without help from co-participants or study partner. Research has shown that experiences of unfair treatment in daily life, for any reason, can negatively affect health. The "Experiences of Discrimination" section assess whether the participant has experienced certain types of unfair treatment.

If the participant answers that they do not have the experiences listed in this section (**EXPNOTAPP**=1), then **EXPSTRS**=5 "Not applicable."

FORM A2: Co–participant Demographics

NEWINF

Variable Type	Original UDS question
Short descriptor	Is this a new co-participant – i.e., one who was not a co-participant at any past UDS visit?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	3		
v2	N/A	3		3
v3	N/A	3	N/A	3
v4	N/A	1		

INRELTO

Variable Type	Original UDS question
Short descriptor	Co-participant's relationship to participant
Data type	Numeric longitudinal
Allowable codes	**1** = Spouse, partner, or companion (include ex-spouse, ex-partner, fiancé(e), boyfriend, girlfriend) **2** = Child (by blood or through marriage or adoption) **3** = Sibling (by blood or through marriage or adoption) **4** = Other relative (by blood or through marriage or adoption) **5** = Friend, neighbor, or someone known through family, friends, work, or community (e.g., church) **6** = Paid caregiver, health care provider, or clinician **7** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	9		
v2	8	9		9
v3	8	9	8	9
v4	1	2		

INRELTOX

Variable Type	Original UDS question
Short descriptor	Co-participant's relationship, other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another relationship is reported (**INRELTO=7**), it will be listed here; otherwise, it will be blank. Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a	9a		
v2	8a	9a		9a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

INKNOWN

Variable Type	Original UDS question
Short descriptor	How long has the co-participant known the participant?
Data type	Numeric longitudinal
Allowable codes	**0–120** **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8a	9a	8a	9a
v4	2	3		

INLIVWTH

Variable Type	Original UDS question
Short descriptor	Does the co-participant live with the participant?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9	10		
v2	9	10		10
v3	9	10	9	10
v4	3	4		

INCNTMOD

Variable Type	Original UDS question
Short descriptor	What is the primary mode of contact with the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = In-person **2** = Telephone **3** = Video conferencing **4** = Texting or email **5** = Social media platforms **6** = Other **8** = Not applicable, co-participant lives with participant **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4	5		

NACCINCNTFQ

Variable Type	NACC derived variable
Short descriptor	What is the frequency of all types of contact?
Data type	Numeric longitudinal
Allowable codes	**1** = Daily **2** = At least 3 times per week **3** = Weekly **4** = At least 3 times per month **5** = Monthly **6** = Less than once a month **8** = Not applicable, co-participant lives with participant **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In UDSv1-3, the co-participant was asked about their frequency of in-person visits (**INVISITS**) and their frequency of telephone calls (**INCALLS**) separately. In UDSv4, this was combined into one question asking about the frequency of all types of contact, including in-person, telephone, video conferencing, texting/email, and social media platforms. For UDSv1-3 visits, **NACCINCNTFQ** takes the lower (more frequent) value between **INCALLS** (telephone contact) and **INVISITS** (in-person visits).

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a, 9b	10a, 10b		
v2	9a, 9b	10a, 10b		10a, 10b
v3	9a, 9b	10a, 10b	9a, 9b	10a, 10b
v4	4a1	5a1		

INVISITS

Variable Type	Original UDS question
Short descriptor	If no, approximate frequency of in-person visits?
Data type	Numeric longitudinal
Allowable codes	**1** = Daily **2** = At least 3 times per week **3** = Weekly **4** = At least 3 times per month **5** = Monthly **6** = Less than once a month **8** = Not applicable, co-participant lives with participant **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a	10a		
v2	9a	10a		10a
v3	9a	10a	9a	10a
v4	N/A	N/A		

INCALLS

Variable Type	Original UDS question
Short descriptor	If no, approximate frequency of telephone contact?
Data type	Numeric longitudinal
Allowable codes	**1** = Daily **2** = At least 3 times per week **3** = Weekly **4** = At least 3 times per month **5** = Monthly **6** = Less than once a month **8** = Not applicable, co-participant lives with participant **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9b	10b		
v2	9b	10b		10b
v3	9b	10b	9b	10b
v4	N/A	N/A		

INCNTMDX

Variable Type	Original UDS question
Short descriptor	Primary mode of contact with the participant – Other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a	5a		

INCNTTIM

Variable Type	Original UDS question
Short descriptor	What is the average amount of time spent in contact with the participant during each encounter?
Data type	Numeric longitudinal
Allowable codes	**1** = Less than 5 minutes (appropriate for texting or email and may be applicable to other modes of contact as well) **2** = 5–15 minutes **3** = 15–30 minutes **4** = 30–60 minutes **5** = Longer than one hour **8** = Not applicable, co-participant lives with participant **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a2	5a2		

INRELY

Variable Type	Original UDS question
Short descriptor	Is there a question about the co-participant's reliability?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	10	11		
v2	10	11		11
v3	10	11	10	11
v4	5	6		

INMEMWORS

Variable Type	Original UDS question
Short descriptor	Do you feel like the participant's memory is becoming worse?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, but this does not worry me **2** = Yes, and this worries me **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in Form A1, the participant is asked about their own judgement of their memory - see the variables: **MEMWORS, MEMTROUB, MEMTEN**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6	7		

INMEMTROUB

Variable Type	Original UDS question
Short descriptor	About how often does the participant have trouble remembering things?
Data type	Numeric longitudinal
Allowable codes	**1** = Never **2** = Rarely **3** = Sometimes **4** = Often **5** = Very Often **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in Form A1, the participant is asked about their own judgement of their memory - see the variables: **MEMWORS, MEMTROUB, MEMTEN**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7	8		

INMEMTEN

Variable Type	Original UDS question
Short descriptor	Compared to 10 years ago, would you say that the participant's memory is much worse, a little worse, the same, a little better, or much better?
Data type	Numeric longitudinal
Allowable codes	**1** = Much better **2** = A little better **3** = The same **4** = A little worse **5** = Much worse **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in Form A1, the participant is asked about their own judgement of their memory - see the variables: **MEMWORS, MEMTROUB, MEMTEN**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8	9		

INBIRMO

Variable Type	Original UDS question
Short descriptor	Co-participant's month of birth
Data type	Numeric longitudinal
Allowable codes	**1–12** **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1a	1a		
v2	1a	1a		1a
v3	1a	1a	1a	1a
v4	N/A	N/A		

INBIRYR

Variable Type	Original UDS question
Short descriptor	Co-participant's year of birth
Data type	Numeric longitudinal
Allowable codes	**1875 to (current year minus 15)** **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1b	1b		
v2	1b	1b		1b
v3	1b	1b	1b	1b
v4	N/A	N/A		

INSEX

Variable Type	Original UDS question
Short descriptor	Co-participant's sex
Data type	Numeric longitudinal
Allowable codes	**1** = Male **2** = Female **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		2
v3	2	2	2	2
v4	N/A	N/A		

INHISP

Variable Type	Original UDS question
Short descriptor	Co-participant's Hispanic/Latino ethnicity
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3a	4a		
v2	3	4		4
v3	3	4	3	4
v4	N/A	N/A		

INHISPOR

Variable Type	Original UDS question
Short descriptor	Co-participant's Hispanic origins
Data type	Numeric longitudinal
Allowable codes	**1** = Mexican, Chicano, or Mexican-American **2** = Puerto Rican **3** = Cuban **4** = Dominican **5** = Central American **6** = South American **50** = Other (specify) **88** = Not applicable, co-participant is not Hispanic **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3b	4b		
v2	3a	4a		4a
v3	3a	4a	3a	4a
v4	N/A	N/A		

INHISPOX

Variable Type	Original UDS question
Short descriptor	Co-participant of Hispanic origins, other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3b1	4b1		
v2	3a1	4a1		4a1
v3	3a1	4a1	3a1	4a1
v4	N/A	N/A		

Description/ derivation: If another Hispanic origin is reported (**INHISPOR=50**), it will be listed here; otherwise, this variable will be blank. Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

INRACE

Variable Type	Original UDS question
Short descriptor	Co-participant's race
Data type	Numeric longitudinal
Allowable codes	**1** = White **2** = Black or African American **3** = American Indian or Alaska Native **4** = Native Hawaiian or Other Pacific Islander **5** = Asian **50** = Other (specify) **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4	5		
v2	4	5		5
v3	4	5	4	5
v4	N/A	N/A		

Description/ derivation: Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

INRACEX

Variable Type	Original UDS question
Short descriptor	Co-participant's race, other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a	5a		
v2	4a	5a		5a
v3	4a	5a	4a	5a
v4	N/A	N/A		

Description/ derivation: If another race is reported (**INRACE=50**), it will be listed here; otherwise, it will be blank. Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

INRASEC

Variable Type	Original UDS question
Short descriptor	Co-participant's second race
Data type	Numeric longitudinal
Allowable codes	**1** = White **2** = Black or African American **3** = American Indian or Alaska Native **4** = Native Hawaiian or Other Pacific Islander **5** = Asian **50** = Other (specify) **88** = None reported **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5	6		
v2	5	6		6
v3	5	6	5	6
v4	N/A	N/A		

Description/ derivation: Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

INRASECX

Variable Type	Original UDS question
Short descriptor	Co-participant's second race, other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5a	6a		
v2	5a	6a		6a
v3	5a	6a	5a	6a
v4	N/A	N/A		

Description/ derivation: If a second race is reported (**INRASEC=50**), it will be listed here; otherwise, it will be blank. Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

INRATER

Variable Type	Original UDS question
Short descriptor	Co-participant's third race
Data type	Numeric longitudinal
Allowable codes	**1** = White **2** = Black or African American **3** = American Indian or Alaska Native **4** = Native Hawaiian or Other Pacific Islander **5** = Asian **50** = Other (specify) **88** = None reported **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6	7		
v2	6	7		7
v3	6	7	6	7
v4	N/A	N/A		

Description/ derivation: Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

INRATERX

Variable Type	Original UDS question
Short descriptor	Co-participant's third race, other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a	7a		
v2	6a	7a		7a
v3	6a	7a	6a	7a
v4	N/A	N/A		

Description/ derivation: If a third race is reported (**INRATER=50**), it will be listed here; otherwise, it will be blank. Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

NACCNINR

Variable Type	NACC derived variable
Short descriptor	Derived NIH race definitions
Data type	Numeric longitudinal
Allowable codes	**1** = White **2** = Black or African American **3** = American Indian or Alaska Native **4** = Native Hawaiian or Pacific Islander **5** = Asian **6** = Multiracial **99** = Unknown or ambiguous **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4, 4a, 5, 5a, 6, 6a	5, 5a, 6, 6a, 7, 7a		
v2	4, 4a, 5, 5a, 6, 6b	5, 5a, 6, 6a, 7, 7a		5, 5a, 6, 6a, 7, 7a
v3	4, 4a, 5, 5a, 6, 6a	5, 5a, 6, 6a, 7, 7a	4, 4a, 5, 5a, 6, 6a	5, 5a, 6, 6a, 7, 7a
v4	N/A	N/A		

Description/ derivation

Some co-participants have reported an "other" race that is not included in the NIH race categories (e.g., Hispanic or Irish). This NACC-derived race variable attempts to include these write-in values in order to be more consistent with the NIH guidelines for human subjects reporting. The categories are described as follows:

- **NACCNINR = 1** for co-participants with **INRACE = 1** (White) or **INRACE = 50** (Other) with a write-in response that is considered White or Caucasian race
- **NACCNINR = 2** for co-participants with **INRACE = 2** (Black or African American) or **INRACE = 50** with a write-in response that is considered black or African American
- **NACCNINR = 3** for co-participants with **INRACE = 3** (American Indian or Alaska Native) or **INRACE = 50** with a write-in response that is considered American Indian or Alaska Native
- **NACCNINR = 4** for co-participants with **INRACE = 4** (Native Hawaiian or Other Pacific Islander) or **INRACE = 50** with a write-in response that is considered Native Hawaiian or Pacific Islander
- **NACCNINR = 5** for co-participants with **INRACE = 5** (Asian) or **INRACE = 50** with a write-in response that is considered Asian
- **NACCNINR = 6** for co-participants reporting multiple races or with **INRACE = 50** and a write-in response indicating mixed race including, but not limited to, "multiracial," "biracial," and "mestizo"
- **NACCNINR = 99** for co-participants with **INRACE = 99** (Unknown) or with **INRACE = 50** and a write-in response that cannot be classified as one of the categories without additional information, including but not limited to, "Hispanic," "American," and "Unknown."

Co-participants reporting multiple races (Codes 1-5 for **INRACE** and **INRASEC**, or for **INRACE**, **INRASEC**, and **INRATER**) are coded to **NACCNINR = 6** (Multiracial). For some multiracial co-participants (**NACCNINR = 6**), additional information on their primary, secondary, and/or tertiary race can be found by looking at the **INRACE**, **INRASEC**, and **INRATER** variables.

Co-participants reporting codes 1-5 for **INRACE**, followed by **INRASEC = 50** or **INRATER = 50**, are assigned the original primary race reported if the write-in does not indicate a different race, or is ambiguous. For example, a co-participant that reports **INRACE = 1** (White) and then **INRASEC = 50** (Other) with a write-in of "Irish" will still have **NACCNINR = 1** and will not be considered multi-racial. If write-ins for **INRASEC = 50** or **INRATER = 50** are indicative of an additional race, then **NACCNINR = 6**. Additionally, **INRACE = 99** (unknown) or ambiguous write-ins for primary race (**INRACE = 50**) that are followed by codes 1-5 for **INRASEC** or **INRATER** are coded as **NACCNINR = 99**.

INEDUC

Variable Type	Original UDS question
Short descriptor	Co-participant's years of education
Data type	Numeric longitudinal
Allowable codes	**0–36** **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7	8		
v2	7	8		8
v3	7	8	7	8
v4	N/A	N/A		

Description/ derivation

Note that if there is no change in co-participant at a follow-up visit, the co-participant data from a previous visit (visit where reported) will be carried forward to the current visit.

FORM A3: Participant Family History

NACCFAM

Variable Type NACC derived variable

Short descriptor Indicator of first-degree family member with cognitive impairment

Data type Numeric cross-sectional

Allowable codes
0 = No report of a first-degree family member with cognitive impairment
1 = Report of at least one first-degree family member with cognitive impairment
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1, 2, 5, 7	1, 2, 5, 7		
v2	1d, 2d, 5d1...5d20, 7d1...7d15	1d, 2d, 5d1...5d20, 7d1...7d15		1d, 2d, 5d1...5d20, 7d1...7d15
v3	5a4, 5a5, 5b4, 5b5, 6a4, 6a5...6t4, 6t5, 7a4, 7a5...7t4, 7t5	5a4, 5a5, 5b4, 5b5, 6a4, 6a5...6t4, 6t5, 7a4, 7a5...7t4, 7t5	5a4, 5a5, 5b4, 5b5, 6a4, 6a5...6t4, 6t5, 7a4, 7a5...7t4, 7t5	5a4, 5a5, 5b4, 5b5, 6a4, 6a5...6t4, 6t5, 7a4, 7a5...7t4, 7t5
v4	1a3, 1b3, 2a3...2t3, 3a3...3o3	1a3, 1b3, 2a3...2t3, 3a3...3o3		

Description/ derivation

UDS Form A3 v1 – 2: Participants reporting at least one parent, sibling, or child with dementia at any visit will have **NACCFAM = 1**. Participants who report no first-degree family members with dementia will have **NACCFAM = 0**.

UDS Form A3 v3: If at least one parent, sibling, or child is reported to have both a primary neurological problem/ psychiatric condition of cognitive impairment/behavior change (coded as 1) and one of the primary diagnosis codes listed below, then **NACCFAM = 1**. Participants who report all first-degree family members as having a family history absent of cognitive impairment/psychiatric condition (primary neurological problem/psychiatric condition coded as 2–8) or a primary neurological problem/psychiatric condition is reported (coded as 1), but a code other than those listed below is reported, will have **NACCFAM = 0**.

UDS Form A3 v4: If at least one parent, sibling, or child is reported to have one of the primary diagnosis codes listed below, then **NACCFAM = 1**. Participants who report all first-degree family members as having no known neurological/psychiatric diagnosis (coded as 00) will have **NACCFAM = 0**.

For participants with Form A3 data from multiple form versions, all available data will be included in the calculation of **NACCFAM**. **NACCFAM** uses the most recent data in its calculation, which can override prior data. For example, if a family history of cognitive impairment is indicated on Form A3 using v4.0 but not on a previous version using v1–3, the participant will still have **NACCFAM = 1**.

Those with a submitted Form A3 (any version) who are missing data on all first-degree family members are coded as Unknown (**NACCFAM = 9**). If some first-degree family members are coded as No and some are coded as Unknown, then they are all coded as Unknown (**NACCFAM = 9**).

If Form A3 was never submitted for any version of the UDS, **NACCFAM** will take a value of -4. Note that although this variable is listed for all visits, it does not change across visits; it is cross-sectional.

UDSv3 primary diagnosis codes:

Cognitive Impairment
040 = Mild cognitive impairment (MCI), not otherwise specified
041 = MCI — amnestic, single domain
042 = MCI — amnestic, multiple domain
043 = MCI — nonamnestic, single domain
044 = MCI — nonamnestic, multiple domain

Stroke
240 = Stroke

Vascular disease
080 = Vascular cognitive impairment or dementia
422 = Other cerebrovascular disease neuropathology

Alzheimer's disease
050 = Alzheimer's disease dementia
400 = Alzheimer's disease neuropathology

Lewy Body disease
070 = Dementia with Lewy bodies
230 = Parkinson's disease

UDSv4 primary diagnosis codes:

Stroke
04 = Stroke

Vascular disease
03 = Vascular dementia

Alzheimer's disease
01 = Alzheimer's disease

Lewy Body disease
02 = Lewy Body dementia (including DLB and PDD)
08 = Parkinson's disease

UDSv3 primary diagnosis codes (cont.):

FTLD

120 = Behavioral variant frontotemporal dementia
130 = Primary progressive aphasia, semantic variant
131 = Primary progressive aphasia, nonfluent/agrammatic variant
132 = Primary progressive aphasia, logopenic variant
133 = Primary progressive aphasia, not otherwise specified
140 = Clinical progressive supranuclear palsy
150 = Clinical corticobasal syndrome/corticobasal degeneration
431 = FTD with Tau pathology - Pick's disease
432 = FTD with Tau pathology - CBD
433 = FTD with Tau pathology - PSP
434 = FTD with Tau pathology - argyrophyllic grains
435 = FTD with Tau pathology - other
436 = FTD with TDP-43
439 = FTD other (FTLD-FUS, FTLD-UPS, FTLD NOS)

FTLD* with motor neuron disease/Motor Neuron disease

310 = Amyotrophic lateral sclerosis
430 = ALS/MND neuropathology

Prion disease

170 = Clinical prion disease
450 = Prion disease neuropathology

Other

100 = Impariment due to alcohol abuse
260 = Traumatic brain injury
421 = Hemorrhage(s) neuropathology
440 = Hippocampal sclerosis
110 = Dementia of undetermined etiology
999 = Specific diagnosis unknown
490 = Other neuropathologic diagnosis not listed above

UDSv4 primary diagnosis codes (cont.):

FTLD

05 = FTLD without motor neuron disease

FTLD* with motor neuron disease/Motor Neuron disease

06 = FTLD* with motor neuron disease
07 = Motor Neuron Disease

Prion disease

09 = Prion pathology

Other

11 = Dementia of unknown etiology
12 = Other

NACCMOM

Variable Type	NACC derived variable
Short descriptor	Indicator of mother with cognitive impairment
Data type	Numeric cross-sectional
Allowable codes	**0 =** No report of mother with cognitive impairment **1 =** Mother was reported to have cognitive impairment **9 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1d	1d		1d
v3	5a4, 5a5	5a4, 5a5	5a4, 5a5	5a4, 5a5
v4	1a3	1a3		

Description/ derivation

If the participant's mother is reported to have dementia in UDS v1.2 or v2.0 (Question 1d = 1) then **NACCMOM = 1**. If the participant's mother is reported not to have dementia (Question 1d = 0), then **NACCMOM = 0**.

Similarly, if on Form A3 of UDS v3, the participant's mother is reported to have a primary neurological problem/ psychiatric condition noted as "Cognitive impairment/behavior change" (Question 5a4 = 1) and one of the primary diagnosis codes below, then **NACCMOM = 1**. If the participant's mother is reported as having a history absent of cognitive impairment/psychiatric condition (primary neurological problem/psychiatric condition coded as 2–8) or a primary neurological problem/psychiatric condition is reported (coded as 1) but a code other than those listed below is reported, then **NACCMOM = 0**.

UDS Form A3 v4.0: If the participant's mother is reported to have one of the primary diagnosis codes listed below, then **NACCMOM = 1**. If the participant's mother is reported as having a history absent of a neurological/psychiatric diagnosis (coded as 00) will have **NACCMOM = 0**.

Those with a submitted Form A3 (any version) who are missing necessary data are coded as unknown (**NACCMOM = 9**).

For participants with Form A3 data from multiple form versions, all available data will be included in the calculation of **NACCMOM**. **NACCMOM** uses the most recent data in its calculation, which can override prior data. For example, if a family history of cognitive impairment is indicated on Form A3 using v4.0 but not on a previous version using v1-3, the participant will still have **NACCMOM = 1**.

If Form A3 was never submitted for any version of the UDS, **NACCMOM** will take a value of -4. Note that although this variable is listed for all visits, it does not change across visits; it is cross-sectional.

UDSv3 primary diagnosis codes:

Cognitive Impairment
040 = Mild cognitive impairment (MCI), not otherwise specified
041 = MCI — amnestic, single domain
042 = MCI — amnestic, multiple domain
043 = MCI — nonamnestic, single domain
044 = MCI — nonamnestic, multiple domain

Stroke
240 = Stroke

Vascular disease
080 = Vascular cognitive impairment or dementia
422 = Other cerebrovascular disease neuropathology

Alzheimer's disease
050 = Alzheimer's disease dementia
400 = Alzheimer's disease neuropathology

Lewy Body disease
070 = Dementia with Lewy bodies
230 = Parkinson's disease

UDSv4 primary diagnosis codes:

Stroke
04 = Stroke

Vascular disease
03 = Vascular dementia

Alzheimer's disease
01 = Alzheimer's disease

Lewy Body disease
02 = Lewy Body dementia (including DLB and PDD)
08 = Parkinson's disease

UDSv3 primary diagnosis codes (cont.):

FTLD

120 = Behavioral variant frontotemporal dementia
130 = Primary progressive aphasia, semantic variant
131 = Primary progressive aphasia, nonfluent/agrammatic variant
132 = Primary progressive aphasia, logopenic variant
133 = Primary progressive aphasia, not otherwise specified
140 = Clinical progressive supranuclear palsy
150 = Clinical corticobasal syndrome/corticobasal degeneration
431 = FTD with Tau pathology - Pick's disease
432 = FTD with Tau pathology - CBD
433 = FTD with Tau pathology - PSP
434 = FTD with Tau pathology - argyrophyllic grains
435 = FTD with Tau pathology - other
436 = FTD with TDP-43
439 = FTD other (FTLD-FUS, FTLD-UPS, FTLD NOS)

FTLD* with motor neuron disease/Motor Neuron disease

310 = Amyotrophic lateral sclerosis
430 = ALS/MND neuropathology

Prion disease

170 = Clinical prion disease
450 = Prion disease neuropathology

Other

100 = Impariment due to alcohol abuse
260 = Traumatic brain injury
421 = Hemorrhage(s) neuropathology
440 = Hippocampal sclerosis
110 = Dementia of undetermined etiology
999 = Specific diagnosis unknown
490 = Other neuropathologic diagnosis not listed above

UDSv4 primary diagnosis codes (cont.):

FTLD

05 = FTLD without motor neuron disease

FTLD* with motor neuron disease/Motor Neuron disease

06 = FTLD* with motor neuron disease
07 = Motor Neuron Disease

Prion disease

09 = Prion pathology

Other

11 = Dementia of unknown etiology
12 = Other

NACCDAD

Variable Type	NACC derived variable
Short descriptor	Indicator of father with cognitive impairment
Data type	Numeric cross-sectional
Allowable codes	**0 =** No report of father with cognitive impairment **1 =** Father was reported to have cognitive impairment **9 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2d	2d		2d
v3	5b4, 5b5	5b4, 5b5	5b4, 5b5	5b4, 5b5
v4	1b3	1b3		

Description/ derivation

If the participant's father is reported to have dementia (Question 2d = 1) in UDS v1.2 or v2.0 then **NACCDAD = 1**. If the participant's father is reported not to have dementia (Question 2d=0), then **NACCDAD = 0**.

Similarly, if on Form A3 of UDS v3, the participant's father is reported to have a primary neurological problem/ psychiatric condition noted as "Cognitive impairment/behavior change" and one of the primary diagnosis codes below, then **NACCDAD = 1**. If the participant's father is reported as having a history absent of cognitive impairment/psychiatric condition (primary neurological problem/psychiatric condition coded as 2–8) or a primary neurological problem/psychiatric condition is reported (coded as 1) but a code other than those listed below is reported, then **NACCDAD = 0**.

UDS Form A3 v4.0: If the participant's father is reported to have one of the primary diagnosis codes listed bewlo, then **NACCDAD = 1**. If the participant's father is reported as having a history absent of a neurological/psychiatric diagnosis (coded as 00) will have **NACCDAD = 0**.

Those with a submitted Form A3 (any version) who are missing necessary data are coded as unknown (**NACCDAD = 9**).

For participants with Form A3 data from multiple form versions, all available data will be included in the calculation of **NACCDAD**. **NACCDAD** uses the most recent data in its calculation, which can override prior data. For example, if a family history of cognitive impairment is indicated on Form A3 using v4.0 but not on a previous version using v1-3, the participant will still have **NACCDAD = 1**.

If Form A3 was never submitted for any version of the UDS, **NACCDAD** will take a value of -4. Note that although this variable is listed for all visits, it does not change across visits; it is cross-sectional.

UDSv3 primary diagnosis codes:

Cognitive Impairment
040 = Mild cognitive impairment (MCI), not otherwise specified
041 = MCI — amnestic, single domain
042 = MCI — amnestic, multiple domain
043 = MCI — nonamnestic, single domain
044 = MCI — nonamnestic, multiple domain

Stroke
240 = Stroke

Vascular disease
080 = Vascular cognitive impairment or dementia
422 = Other cerebrovascular disease neuropathology

Alzheimer's disease
050 = Alzheimer's disease dementia
400 = Alzheimer's disease neuropathology

Lewy Body disease
070 = Dementia with Lewy bodies
230 = Parkinson's disease

UDSv4 primary diagnosis codes:

Stroke
04 = Stroke

Vascular disease
03 = Vascular dementia

Alzheimer's disease
01 = Alzheimer's disease

Lewy Body disease
02 = Lewy Body dementia (including DLB and PDD)
08 = Parkinson's disease

UDSv3 primary diagnosis codes (cont.):

FTLD

120 = Behavioral variant frontotemporal dementia
130 = Primary progressive aphasia, semantic variant
131 = Primary progressive aphasia, nonfluent/agrammatic variant
132 = Primary progressive aphasia, logopenic variant
133 = Primary progressive aphasia, not otherwise specified
140 = Clinical progressive supranuclear palsy
150 = Clinical corticobasal syndrome/corticobasal degeneration
431 = FTD with Tau pathology - Pick's disease
432 = FTD with Tau pathology - CBD
433 = FTD with Tau pathology - PSP
434 = FTD with Tau pathology - argyrophyllic grains
435 = FTD with Tau pathology - other
436 = FTD with TDP-43
439 = FTD other (FTLD-FUS, FTLD-UPS, FTLD NOS)

FTLD* with motor neuron disease/Motor Neuron disease

310 = Amyotrophic lateral sclerosis
430 = ALS/MND neuropathology

Prion disease

170 = Clinical prion disease
450 = Prion disease neuropathology

Other

100 = Impariment due to alcohol abuse
260 = Traumatic brain injury
421 = Hemorrhage(s) neuropathology
440 = Hippocampal sclerosis
110 = Dementia of undetermined etiology
999 = Specific diagnosis unknown
490 = Other neuropathologic diagnosis not listed above

UDSv4 primary diagnosis codes (cont.):

FTLD

05 = FTLD without motor neuron disease

FTLD* with motor neuron disease/Motor Neuron disease

06 = FTLD* with motor neuron disease
07 = Motor Neuron Disease

Prion disease

09 = Prion pathology

Other

11 = Dementia of unknown etiology
12 = Other

FORM A4: Participant Medications

ANYMEDS

Variable Type	Original UDS question
Short descriptor	Participant taking any medications
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Did not complete medications form
Description/ derivation	If the medications form was not completed, then **ANYMEDS=-4**.

RXNORM1-RXNORM40

Variable Type	Original UDS question
Short descriptor	Name of medications used within two weeks of UDS visit
Data type	Character longitudinal
Allowable codes	**Name of medication** If use of a specific medication was reported, it will be listed here, otherwise it will be blank. Up to 40 medications can be reported at each visit, thus there are 40 columns of **RXNORM**.
Description/ derivation	Be sure to use these variables in conjunction with the variable **ANYMEDS**, as this is the only way to determine if medication data were submitted to NACC for that UDS visit (**ANYMEDS = -4** indicates form not submitted). Note that Drug IDs can only be provided to ADRC-affiliated investigators; all other investigators will receive medications by name or category as described in the NACC calculated summary variables. Note that in v1-3, medications were recorded using Multum/Lexi-Comp© codes in variables **DRUG1-40**. In v4, medications were recorded using RxNorm codes in variables **RXNORM1-40**.

DRUG1–DRUG40

Variable Type	Original UDS question
Short descriptor	Name of medications used within two weeks of UDS visit
Data type	Character longitudinal
Allowable codes	**Name of medication** If use of a specific medication was reported, it will be listed here, otherwise, it will be blank. Up to 40 medications can be reported at each visit, thus there are 40 columns of **DRUG**.
Description/ derivation	Be sure to use these variables in conjunction with the variable **ANYMEDS**, as this is the only way to determine if medication data were submitted to NACC for that UDS visit (**ANYMEDS=-4** indicates form not submitted). Note that Drug IDs can only be provided to ADRC–affiliated investigators; all other investigators will receive medications by name or category as described in the NACC calculated summary variables. Note that in v1-3, medications were recorded using Multum/Lexi-Comp© codes in variables **DRUG1-40**. In v4, medications were recorded using RxNorm codes in variables **RXNORM1-40**.

NACCAMD

Variable Type	NACC derived variable
Short descriptor	Total number of medications reported at each visit
Data type	Numeric longitudinal
Allowable codes	**0 – 40** **-4** = Did not complete medications form
Description/ derivation	This variable provides the total number of medications reported at a visit including all prescription and over the counter medications reported on UDS Form A4 at a single visit. If the medications form was not completed, then **NACCAMD=-4.**

NACCAHTN

Variable Type	NACC derived variable
Short descriptor	Reported current use of any type of antihypertensive or blood pressure medication
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable is an indicator of reported current use of an antiadrenergic agent, ACE inhibitor, beta–blocker, calcium channel blocking agent, diuretic, vasodilator, antihypertensive combination therapy or angiotensin II inhibitor. All of the medications used to code **NACCACEI, NACCAAAS, NACCBETA, NACCCCBS, NACCDIUR, NACCVASD, NACCHTNC,** or **NACCANGI** are included in this category.

NACCHTNC

Variable Type	NACC derived variable
Short descriptor	Reported current use of an antihypertensive combination therapy
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an antihypertensive combination medication. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs:

Drug Name	Example brand names
hydrochlorothiazide-triamterene	Dyazide, Hydrochlorothiazide-Triamterene, Maxzide, Maxzide-25
aMILoride-hydrochlorothiazide	Moduretic 5-50, AMILoride HCl-Hydrochlorothiazide
hydrochlorothiazide-spironolactone	Aldactazide, Hydrochlorothiazide-Spironolactone, Spironolactone Plus
polythiazide-reserpine	Renese-R, Demi-Regroton, Regroton
chlorothiazide-reserpine	Chlorothiazide-Reserpine, Diupres-250, Diupres-500
hydrochlorothiazide-reserpine	Hydro-Reserp, Hydrochlorothiazide-Reserpine, Hydropres-25, Hydropres-50, Hydroserp, Hydroserpine, Hydroserpine #1, Salutensin, Mallopress, Salutensin-Demi
methyclothiazide-reserpine	Diutensen-R
reserpine-trichlormethiazide	Metatensin #2, Metatensin #4
bendroflumethiazide-rauwolfia serpentina	Bendroflumethiazide-Rauwolfia Serp, Flumezide, Rauzide, Rondameth
hydrALAZINE/hydrochlorothiazide/reserpine	Diuretic Ap-Es, HHR, HydrALAZINE HCl/Hydrochlorothiazid, Hydrap-ES, Marpres, Ser-Ap-Es, Serathide, Serpazide, Serpex, Tri-Hydroserpine, Uni Serp, Unipres
hydrALAZINE-hydrochlorothiazide	Apresazide, HydrALAZINE HCl-Hydrochlorothiazid, HydrALAZINE Plus, Hydra-Zide
atenolol-chlorthalidone	Atenolol-Chlorthalidone, Tenoretic 100, Tenoretic 50
bendroflumethiazide-nadolol	Bendroflumethiazide-Nadolol, Corzide 40/5, Corzide 80/5
hydrochlorothiazide-timolol	Timolide 10-25
hydrochlorothiazide-propranolol	Hydrochlorothiazide-Propranolol, Inderide, Inderide :A
hydrochlorothiazide-methyldopa	Aldoril 15, Aldoril 25, Aldoril D30, Aldoril D50, Hydrochlorothiazide-Methyldopa, Hydrochlorothiazide-Metoprolol, Lopressor HCT
benazepril-hydrochlorothiazide	Lotensin HCT, Benazepril-Hydrochlorothiazide
hydrochlorothiazide-lisinopril	Prinzide, Zestoretic, Hydrochlorothiazide-Lisinopril
chlorthalidone-cloNIDine	Chlorthalidone-CloNIDine, Clorpres, Combipres
polythiazide-prazosin	Minizide
guanethidine-hydrochlorothiazide	Esimil
deserpidine-methyclothiazide	Enduronyl, Enduronyl Forte
deserpidine-hydrochlorothiazide	Oreticyl 25, Oreticyl 50, Oreticyl Forte

Drug Name (cont.)	Example brand names (cont.)
captopril-hydrochlorothiazide	Capozide 25/15, Capozide 25/25, Capozide 50/15, Capozide 50/25, Captopril-Hydrochlorothiazide
enalapril-hydrochlorothiazide	Enalapril-Hydrochlorothiazide, Vaseretic 10-25, Vaseretic 5-12.5
bisoprolol-hydrochlorothiazide	Ziac, Bisoprolol-Hydrochlorothiazide
chlorothiazide-methyldopa	Aldoclor-150, Aldoclor-250, Chlorothiazide-Methyldopa
amLODIPine-benazepril	Lotrel, AmLODIPine Besylate-Benazepril Hyd
hydrochlorothiazide-losartan	Hyzaar, Hydrochlorothiazide-Losartan
diltiazem-enalapril	Teczem
trandolapril-verapamil	Tarka, Trandolapril-Verapamil Hydrochlori
enalapril-felodipine	Lexxel
hydrochlorothiazide-moexipril	Uniretic, Hydrochlorothiazide-Moexipril Hydr
hydrochlorothiazide-irbesartan	Avalide
hydrochlorothiazide-valsartan	Diovan HCT
hydrochlorothiazide-quinapril	Accuretic, Quinaretic, Hydrochlorothiazide-Quinapril Hydr
fosinopril-hydrochlorothiazide	Fosinopril-Hydrochlorothiazide, Monopril HCT
candesartan-hydrochlorothiazide	Atacand HCT
hydrochlorothiazide-telmisartan	Micardis HCT
eprosartan-hydrochlorothiazide	Teveten HCT
hydrochlorothiazide-olmesartan	Benicar HCT
amLODIPine-atorvastatin	Amlodipine Besylate-Atorvastatin
hydrALAZINE-isosorbide dinitrate	BiDil
amLODIPine-valsartan	Exforge
amLODIPine-olmesartan	Azor
aliskiren-hydrochlorothiazide	Tekturna HCT
amLODIPine/hydrochlorothiazide/valsartan	Exforge HCT
aliskiren-valsartan	Valturna
amLODIPine-telmisartan	Twynsta
amLODIPine/hydrochlorothiazide/olmesartan	Tribenzor
aliskiren-amLODIPine	Tekamlo
aliskiren/amLODIPine/hydrochlorothiazide	Amturnide
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC classes C02L, C07B, C07C, C09B, and C09D from RxClass.

NACCACEI

Variable Type	NACC derived variable
Short descriptor	Reported current use of an angiotensin converting enzyme (ACE) inhibitor
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an angiotensin converting enzyme (ACE) inhibitor. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
captopril	Capoten, Captopril
enalapril	Enalapril Maleate, Enalaprilat, Vasotec
fosinopril	Fosinopril Sodium, Monopril
quinapril	Accupril, Quinapril Hydrochloride
ramipril	Altace, Ramipril
benazepril	Lotensin, Benazepril Hydrochloride
lisinopril	Lisinopril, Prinivil, Zestril
moexipril	Univasc, Moexipril Hydrochloride
trandolapril	Mavik, Trandolapril
perindopril	Aceon, Perindopril Erbumine
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class C09A from RxClass.

NACCAAAS

Variable Type	NACC derived variable
Short descriptor	Reported current use of an antiadrenergic agent
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an antiadrenergic agent. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
guanethidine	Ismelin
prazosin	Minipress, Prazosin Hydrochloride
reserpine	Reserpine
terazosin	Hytrin, Terazosin Hydrochloride
guanadrel	Hylorel
doxazosin	Cardura, Cardura XL, Doxazosin Mesylate
mecamylamine	Inversine
rauwolfia serpentina	Rauwolfemms, Rauwolfia 1X, Rauwolfia Serpentina
deserpidine	Harmonyl
tamsulosin	Flomax, Tamsulosin Hydrochloride
alfuzosin	Uroxatral, Alfuzosin Hydrochloride
silodosin	Rapaflo
dutasteride-tamsulosin	Jalyn
cloNIDine	Catapres, Catapres-TTS1-3, CloNIDine Hydrochloride, CloNIDine TTS1-3, Duraclon, Kapvay, Nexiclon XR
guanabenz	Wytensin, Guanabenz Acetate
methyldopa	Aldomet, Aldomet Ester Hydrochloride, Methyldopa, Methyldopate
guanFACINE	Intuniv, GuanFACINE Hydrochloride, Tenex
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See lists in ATC class C02A, C02B, and C02C from RxClass.

NACCBETA

Variable Type	NACC derived variable
Short descriptor	Reported current use of a beta-adrenergic blocking agent (Beta–Blocker)
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of a beta-adrenergic blocking agent (Beta-Blocker). In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
atenolol	Atenolol, Senormin, Tenormin
acebutolol	Acebutolol Hydrochloride
metoprolol	Lopressor, Metoprolol Succinate ER, Metoprolol Tartrate, Toprol-XL
betaxolol	Betaxolol Hydrochloride, Kerlone
esmolol	Brevibloc
bisoprolol	Zebeta, Bisoprolol Fumarate
nebivolol	Bystolic
labetalol	Normodyne, Trandate, Labetalol Hydrochloride
nadolol	Corgard, Nadolol
propranolol	Inderal
pindolol	Pindolol, Visken
timolol	Blocadren, Timolol Maleate
penbutolol	Levatol
sotalol	Betapace
carteolol	Cartrol
carvedilol	Carvedilol, Coreg, Coreg CR
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class C07A from RxClass.

NACCCCBS

Variable Type	NACC derived variable
Short descriptor	Reported current use of a calcium channel blocking agent
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of a calcium channel blocking agent. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
diltiazem	Cardizem
verapamil	Calan
NIFEdipine	Adalat, Adalat CC, Afeditab CR, NIFEdipine ER, Nifediac CC, Nifedical XL, Nifedipine, Procardia, Procardia XL
felodipine	Plendil, Felodipine ER
isradipine	Dynacirc, Dynacirc CR, Isradipine
niCARdipine	Cardene, Cardene IV, Cardene SR, NiCARdipine Hydrochloride
niMODipine	NiMODipine, Nimotop

Drug Name	Example brand names
bepridil	Vascor
amLODIPine	Norvasc, AmLODIPine Besylate
nisoldipine	Nisoldipine, Sular
mibefradil	Posicor
clevidipine	Cleviprex
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class C08 from RxClass.

NACCDIUR

Variable Type	NACC derived variable
Short descriptor	Reported current use of a diuretic
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of a diuretic. In UDSv1-3, medications were derived from the Multum/ Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
furosemide	Lasix, Diaqua-2, Furosemide, Lo-Aqua Lasix, Diaqua-2, Furosemide, Lo-Aqua
bumetanide	Bumex, Bumetanide
ethacrynic acid	Edecrin, Edecrin Sodium
torsemide	Demadex, Demadex I.V., Torsemide
aMILoride	AMILoride Hydrochloride, AMILoride Hydrochloride Dihydrate, Midamor
spironolactone	Aldactone
triamterene	Dyrenium, Triamterene
chlorothiazide	Chlorothiazide, Chlorothiazide Sodium, Diuril, Diuril Sodium, Chlorthalidone, Hygroton, Thalitone
hydrochlorothiazide	Aquazide H, Carozide, Diaqua, Esidrix, Ezide, Hydro Par, HydroDIURIL, Hydrochlorothiazide, Loqua, Microzide, Oretic
indapamide	Lozol, Indapamide
metolazone	Metolazone, Mykrox, Zaroxolyn
bendroflumethiazide	Bendroflumethiazide, Naturetin-10, Naturetin-5
methyclothiazide	Aquatensen, Enduron, Methyclothiazide
benzthiazide	Exna
hydroflumethiazide	Diucardin, Saluron
trichlormethiazide	Aquacot, Diurese, Metahydrin, Naqua, Trichlormethiazide
polythiazide	Renese
acetaZOLAMIDE	AcetaZOLAMIDE
dichlorphenamide	Daranide
methazolamide	Glauctabs, MZM, Methazolamide, Neptazane
mannitol	Aridol, Mannitol, Osmitrol
pamabrom	Aqua-Ban, Aqua-Ban with Pamabrom, Diurex Aquagels, Diurex Water Capsules
urea	Ureaphil
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class C03 from RxClass.

NACCVASD

Variable Type	NACC derived variable
Short descriptor	Reported current use of a vasodilator
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of a vasodilator. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
hydrALAZINE	Apresoline, HydrALAZINE Hydrochloride
minoxidil	Loniten, Minoxidil
nitroprusside	Sodium Nitroprusside
nitroglycerin	Minitran, Nitrek, Nitro TD Patch-A, Nitro-Bid, Nitro-Bid IV, Nitro-Dur, Nitro-Par, Nitro-Time, Nitrocot, Nitrodisc, Nitrogard, Nitroglycerin, Nitroglycerin ER, Nitroglycerin Patch, NitroglycerinTransdermal System, Nitroglyn E-R, Nitrol, Nitrol Appli-Kit, Nitrolingual, Nitrolingual Duo Pack, Nitromist, Nitrong, Nitroquick, Nitrostat, Transderm-Nitro, Tridil
alprostadil	Alprostadil
nesiritide	Natrecor
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See lists in ATC classes C01D and C02D from RxClass.

NACCANGI

Variable Type	NACC derived variable
Short descriptor	Reported current use of an angiotensin II inhibitor
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an angiotensin II inhibitor. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
losartan	Cozaar, Losartan Potassium
valsartan	Diovan
irbesartan	Avapro
eprosartan	Teveten
candesartan	Atacand
telmisartan	Micardis
olmesartan	Benicar
azilsartan	Edarbi
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class C09C from RxClass.

NACCLIPL

Variable Type	NACC derived variable
Short descriptor	Reported current use of lipid lowering medication
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of lipid lowering medication. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
lovastatin	Altoprev, Altocor, Lovastatin, Mevacor
pravastatin	Pravachol, Pravastatin Sodium
simvastatin	Zocor, Simvastatin
fluvastatin	Lescol, Lescol XL
atorvastatin	Lipitor, Atorvastatin Calcium
cerivastatin	Baycol
red yeast rice	Cholestin (obsolete)
rosuvastatin	Crestor
pitavastatin	Livalo
niacin	B3-500-Gr, Niacin, Niacin ER, Niacin SR, Niacin TD, Niacor, Niacor B3, Niaspan ER, Niaspan ER Starter Pack, Nico-400, Nicobid Tempules, Nicolar, Nicotinex, Nicotinic Acid, Slo-Niacin
probucol	Lorelco
dextrothyroxine sodium	Choloxin
icosapent ethyl	Vascepa
clofibrate	Atromid-S, Clofibrate
gemfibrozil	Gemcor, Gemfibrozil, Lopid
fenofibrate	Antara, Fenofibrate, Fenofibrate Micronized, Fenoglide, Lipofen, Lofibra, TriCor, Triglide
fenofibric acid	Fenofibric Acid, Fibricor, Trilipix
cholestyramine	Cholestyramine, Cholestyramine Light, Cholestyramine Light Packets, Cholestyramine Packets, Locholest, Locholest Light, Locholest Light Packets, Locholest Packets, Prevalite, Prevalite Packets, Questran, Questran Light, Questran Light Packets, Questran Packets
colestipol	Colestid, Colestid Flavored, Colestipol Hydrochloride
colesevelam	Welchol
ezetimibe	Zetia
lovastatin-niacin	Advicor
aspirin-pravastatin	Pravigard Pac
amLODIPine-atorvastatin	Caduet
ezemtimibe-simvastatin	Vytorin
niacin-simvastatin	Simcor
simvastatin-sitaGLIPtin	Juvisync
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class C10 from RxClass.

NACCNSD

Variable Type	NACC derived variable
Short descriptor	Reported current use of nonsteroidal anti-inflammatory medication
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of non-steroidal anti-inflammatory medication. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
ibuprofen	Advanced Pain Relief, Advil, Advil Childrens, Advil Junior Strength, Advil Junior Strength, Advil Liquigel, Advil Migraine, Advil Pediatric, Arthritis Foundation IB, Caldolor, Cap-Profen, Childrens Ibuprofen Berry, Childrens Ibuprofen, Dolgesic, Genpril, Haltran, IBU, IBU-200, Ibifon 600, Ibren, Ibu-4, Ibu-6, Ibu-8, Ibu-Tab, Ibuprofen, Ibuprofen Childrens, Ibuprofen Dye Free, Ibuprofen IB, Ibuprofen Infants Drops, Ibuprofen PMR, Ibuprofen to Go, Ibuprohm, Menadol, Midol IB, Midol Maxium Strength Cramp Formula, Motrin, Motrin Childrens, Motrin IB, Motrin Infant Drops, Motrin Junior Strength, Motrin Migraine Pain, Motrin Pediatric, NeoProfen, Nuprin, Pediacare Fever, Q-Profen, Rufen, Saleto-200, Saleto-400, Saleto-600, Saleto-800, Sup Pain Med, Tab-Profen, Uni-Pro, Wal-Profen
naproxen	Aflaxen, Aleve, Aleve Caplet, Aleve Easy Open Arthritis, Aleve Gelcap, All Day Pain Relief, Anaprox, Anaprox-DS, Comfort Pac with Naproxen, EC-Naprosyn, Leader Naproxen Sodium, Midol Extended Relief, Naprelan 375, Naprelan 500, Naprelan 750, Naprelan Dose Card, Naprosyn, Naproxen, Naproxen Enteric Coated, Naproxen Sodium, Naproxen Sodium DS, Wal-Proxen, Wal-Proxen Capulets
fenoprofen	Nalfon, Fenoprofen Calcium, Fenoprofen Calcium Anhydrous
ketoprofen	Actron, Ketoprofen, Ketoprofen ER, Orudis, Orudis KT, Oruvail
sulindac	Clinoril, Sulindac
indomethacin	Indocin, Indocin SR, Indomethacin, Indomethacin SR, Indomethecin Sodium Trihydrate
tolmetin	Tolectin, Tolectin 600, Telectin DS, Tolmetin Sodium
flurbiprofen	Ansaid, Flurbiprofen
ketorolac	Ketoralac Tromethamine, Sprix, Toradol, Toradol IM, Toradol IV/IM
maclofenamate	Meclofenamate Sodium, Meclomen
mefanamic acid	Mefenamic Acid, Ponstel
nabumetone	Nabumetone, Relafen
phenylbutazone	Butazolidine
piroxicam	Feldene, Piroxicam
diclofenac	Cambia, Cataflam, Diclofenac Potassium, Diclofenac Sodium, Diclofenac Sodium XR, Voltaren, Voltaren-XR, Zipsor
etodolac	Etodolac, Etodolac ER, Lodine, Lodine XL
oxaprozin	Daypro, Oxaprozin
bromfenac	DurAct
diclofenac-misoprostol	Arthrotec
meloxicam	Meloxicam, Mobic
lansoprazole-naproxen	PREVACID NapraPAC 375, PREVACID NapraPAC 500
esomeprazole-naproxen	Vimovo
famotidine-ibuprofen	Duexis

Drug Name	Example brand names
aspirin	Acetylsalicylic Acid, Acuprin 81, Arthritis Foundation Aspirin, Arthritis Pain, Ascriptin Enteric, Aspergum Cherry, Aspergum Orginal, Aspir 81, Aspir-Low, Aspir-trin, Aspirin, Aspirin Adult Low Strength, Aspirin Child Chewable, Aspirin Childrens Cherry, Aspirin Childrens Orange, Aspirin EC Lo-Dose, Aspirin Enteric Coated, Aspirin Lite Coat, Aspirin Litecoat, Aspirin Low Dose, Aspirin Low Strength, Aspirin Tri-Buffered, Aspirin, Extended Release, Aspirin-Antacid, Aspirtab, Bayer Aspirin, Bayer Aspirin Regimen, Bayer Aspirin Sugar Free, Bayer Aspirin with Calcium, Bayer Aspirin with Heart Advantage, Bayer Childrens Aspirin, Bayer Low Dose, Bayer Low Strength, Bayer Plus, Buffered Aspirin, Bufferin, Bufferin Arthritis Strength, Bufferin Extra Strength, Bufferin Low Dose, Buffex, CTD Aspirin, Coated Aspirin, Easprin, Ecotrin, Ecotrin Adult Low Strength, Ecotrin Maximum Strength, Ecpirin, Empirin, Entaprin, Entercote, Extra Strength Bayer, Fasprin, Genacote, Gennin-FC, Genprin, Halfprin, Litecoat Aspirin, Low Dose ASA, Med Aspirin, Minitabs, Norwich Aspirin, Ridiprin, Sloprin, St. Joseph Aspirin, St. Joseph Aspirin Adult Chewable, St. Joseph Aspirin Adult EC, Stanback Analgesic, Tri-Buffered Aspirin, Uni-Buff, Uni-Tren, Valomag, YSP Aspirin, Zero-Order Release, Zorprin
diflunisal	Diflunisal, Dolobid
choline salicylate	Arthropan
salsalate	Amigesic, Anaflex, Argesic-SA, Disalcid, Marthritic, Mono-Gesic, Salflex, Salsalate, Salsitab
sodium salicylate	Sodium Salicylate
sodium thiosalicylate	Rexolate, Sodium Thiosalicylate, Tusal
magnesium salicylate	Backache Relief Extra Strength, Bayer Select Backache Pain Formula, Doans Pills, Doans Pills Extra Strength, MST, Magan, Magnesium Salicylate, Mobidin, Novasal, Nuprin Backache Caplet
choline salicylate-magnesium salicylate	CMT, Choline Magnesium Trisalicylate, Ticosal, Trilisate
ASA/citric acid/Na bicarb	Alka-Seltzer, Alka-Seltzer Blue, Alka-Saltzer Extra Strength, Alka-Seltzer Flavored, Effervescent Pain & Antacid, Effervescent Pain Relief, Pain Relief (Effervescent)
Al hydroxide/ASA/Ca carbonate/Mg hydroxide	Arthritis Pain Formula, Ascriptin, Ascriptin Maximum Strength, Aspidrox, Aspir-Mox, Aspir-Mox IB, Aspirin Buffered, Aspirin Plus Antacid Extra Strength, Magnaprin
celecoxib	CeleBREX
rofecoxib	Vioxx
valdecoxib	Bextra
APAP/ASA/caffeine/ salicylamide	Levacet, Saleto
APAP/ASA/caffeine	Excedrin, Excedrin Express Gels, Excedrin Extra Strength, Excedrin Extra Strength Geltab, Excedrin Geltab, Excedrin Menstrual express Gels, Exedrin Migraine, Excedrin Migraine Geltab, Ex-Pain, Genace, Acetaminophen/Aspirin/Caffeine, Anacin Advanced Headache Formula, Goodys Headache Powders, Goodys Extra Strength, Headache Relief, Migraine Formula, Pain Reliever Added Strength, Pain Reliever Plus, Pamprin Max, Supac, Uni-Case
APAP/Al hydroxide/ASA/ caffeine/MG hydroxide	Vanquish
ASA/caffeine/salicylamide	B.C. Powder, B.C. Powder Arthritis Strength, B.C. Headache, Emagrin
aspirin-meprobamate	Equagesic
aspirin-caffeine	AA&C, Adult Pain, Adult Strength, Alka-Seltzer Morning Relief, Anacin, Anacin Extra Strength, Analgesic Pain Reliever, Aspircaf, Aspirin-Caffeine, CP-2, Cope, Genasan, Major-Cin, P-A-C Analgesic, Pain Relief with Aspirin, Q-Acin, Uni-Ann
aspirin-phenyltoloxamine	Momentum
magnesium salicylate-phenyltoloxamine	Mag-Phen, Magsal, Mobigesic, Tetra-Mag
ASA/butalbital/caffeine	Aspirin/Butalbital/Caffeine, Butalbital Compound, Fiorinal, Fiormor, Fiortal, Fortabs, Idenal, Isollyl, Laniroif
aspirin-butalbital	Axotal
aspirin-diphenhdyrAMINE	Bayer Aspirin PM Extra Strength, Bayer NightTime Relief
diphendyrAMINE-magnesium salicylate	Doans PM

Drug Name	Example brand names
acetaminophen-salicylamide	Frenadol, Panritis Forte
APAP/caffeine/phenyltoloxamine/salicylamide	Cafgesic
APAP/phenyltoloxamine/salicylamide	Anabar, Be-Flex Plus, By-Ache, Dolorex, Ed-Flex, Lobac
APAP/caffeine/Mg salicylate/phenyltoloxamin	Cafgesic Forte, Combiflex ES, Durabac Forte
diphenhydrAMINE-ibuprofen	Advil PM, Advil PM Liqui-Gels, Ibuprofen PM, Motrin PM
APAP/caffeine/magnesium salicylate	KneeRelief
acetaminophen-aspirin	Excedrin Back & Body
caffeine-magnesium salicylate	Diurex
APAP/magnesium/salicylate/pamabrom	Pamprin Cramp Formula
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class M01A from RxClass.

NACCAC

Variable Type	NACC derived variable
Short descriptor	Reported current use of an anticoagulant or antiplatelet agent
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/derivation	This variable indicates reported current use of an anticoagulant or antiplatelet agent. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
heparin	Dextrose-Heparin Sodium, Heparin Sodium, Heparin Sodium (beef), Heparin Sodium ADD-Vantage, Heparin Sodium Preservative Free, Heparin Sodium-Sodium Chloride
enoxaparin	Lovenox, Enoxaparin Sodium
dalteparin	Fragmin
danaparoid	Orgaran
ardeparin	Normiflo
tinzaparin	Innohep
heparin flush	Hep-Lock, Hep-Pak, Hep-Pak CVC, Heparin (Preservative Free) in Sod, Heparin Lock Flush, Heparin Sodium in Sodium Chloride, Lok-Pak Needleless Kit, Lok-Pak-N, Monoject Prefill Advanced, PosiFlush
warfarin	Coumadin, Jantoven, Warfarin Sodium
anisindione	Miradon
dicumarol	Dicumarol
lepirudin	Refludan
argatroban	Acova, Argatroban
bivalirudin	Angiomax
desirudin	Iprivask

Drug Name	Example brand names
dabigatran	Pradaxa
fondaparinux	Arixtra, Fondaparinux Sodium
rivaroxaban	Xarelto
apixaban	Eliquis
aspirin	Acetylsalicylic Acid, Acuprin 81, Arthritis Foundation Aspirin, Arthritis Pain, Ascriptin Enteric, Aspergum Cherry, Aspergum Orginal, Aspir 81, Aspir-Low, Aspir-trin, Aspirin, Aspirin Adult Low Strength, Aspirin Child Chewable, Aspirin Childrens Cherry, Aspirin Childrens Orange, Aspirin EC Lo-Dose, Aspirin Enteric Coated, Aspirin Lite Coat, Aspirin Litecoat, Aspirin Low Dose, Aspirin Low Strength, Aspirin Tri-Buffered, Aspirin, Extended Release, Aspirin-Antacid, Aspirtab, Bayer Aspirin, Bayer Aspirin Regimen, Bayer Aspirin Sugar Free, Bayer Aspirin with Calcium, Bayer Aspirin with Heart Advantage, Bayer Childrens Aspirin, Bayer Low Dose, Bayer Low Strength, Bayer Plus, Buffered Aspirin, Bufferin, Bufferin Arthritis Strength, Bufferin Extra Strength, Bufferin Low Dose, Buffex, CTD Aspirin, Coated Aspirin, Easprin, Ecotrin, Ecotrin Adult Low Strength, Ecotrin Maximum Strength, Ecpirin, Empirin, Entaprin, Entercote, Extra Strength Bayer, Fasprin, Genacote, Gennin-FC, Genprin, Halfprin, Litecoat Aspirin, Low Dose ASA, Med Aspirin, Minitabs, Norwich Aspirin, Ridiprin, Sloprin, St. Joseph Aspirin, St. Joseph Aspirin Adult Chewable, St. Joseph Aspirin Adult EC, Stanback Analgesic, Tri-Buffered Aspirin, Uni-Buff, Uni-Tren, Valomag, YSP Aspirin, Zero-Order Release, Zorprin
dipyridamole	Dipyridamole
ticlopidine	Ticlid, Ticlopidine Hydorchloride
clopidogrel	Pletal
cilostazol	Aggrenox
aspirin-dipyridamole	Pravigard Pac
aspirin-pravastatin	Effient
prasugrel	Effient
aspirin-calcium carbonate	Bayer Womens Low Dose Plus Calcium
ticagrelor	Brilinta
abciximab	Reopro
tirofiban	Aggrastat
eptifibatide	Integrilin
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class B01 from RxClass.

NACCADEP

Variable Type	NACC derived variable
Short descriptor	Reported current use of an antidepressant
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an antidepressant. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
buPROPion	Aplenzin
St. Johns wort	St. Johns wort
5-hydroxytryptophan	5-HTP
vilazodone	Viibryd
FLUoxetine	FLUoxetine Hydrochloride, FLUoxetine Hydrochloride DR, PROzac, PROzac Weekly, Rapiflux, Sarafem, Selfemra

Drug Name	Example brand names
sertraline	Zoloft, Sertraline Hydrochloride
PARoxetine	Paxil, Paxil CR, Pexeva, PARoxetine Hydrochloride, PARoxetine Hydrochloride ER
fluvoxaMINE	FluvoxaMINE Maleate, Luvox, Luvox CR
citalopram	CeleXA, Citalopram Hydrobromide
escitalopram	Lexapro
nortriptyline	Aventyl HCl, Nortriptyline Hydrochloride, Pamelor
desipramine	Desipramine Hydrochloride, Norpamin
amitrityline	Amitriptyline Hydrochloride, Elavil, Endep, Vanatrip
doxepin	Doxepin Hydrochloride, SINEquan, Silenor
imipramine	Imipramine Hydrochloride, Imapramine Pamoate, Tofranil, Tofranil-PM
trimipramine	Surmontil, Trimipramine Maleate
amoxapine	Asendin, Amoxapine
protriptyline	Vivactil, Protriptyline Hydrochloride
clomiPRAMINE	Anafranil, ClomiPRAMINE Hydrochloride
isocarboxazid	Marplan
phenelzine	Nardil, Phenelzine Sulfate
tranylcypromine	Parnate, Tranylcympromine Sulfate
selegiline	Atapryl
traZODone	Desyrel, Desyrel Dividose, Oleptro, TraZODone Hydrochloride
nefazodone	Serzone, Nefazodone Hydrochloride
maprotiline	Ludiomil, Maprotiline Hydrochloride
mirtazapine	Mirtazapine, Remeron, Remeron SolTab
venlafaxine	Effexor, Effexor XR, Venlafaxin Hydrochloride, Venlafaxine Hydrochloride ER
DULoxetine	Cymbalta
milnacipran	Savella
desvenlafaxine	Pristiq
levomilnacipran	Fetzima
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class N06A from RxClass.

NACCAPSY

Variable Type	NACC derived variable
Short descriptor	Reported current use of an antipsychotic agent
Data type	Numeric longitudinal
Allowable codes	**0 =** Did not report use at visit **1 =** Reported use at visit **-4 =** Did not complete medications form
Description/ derivation	This variable indicates reported current use of an antipsychotic agent. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
haloperidol	Haldol, Haldol Decanoate, Haloperidol, Haloperidol Decanoate, Haloperidol Lactate
lithium	Eskalith, Eskalith-CR, Lithium Carbonate, Lithium Citrate, Lithobid, Lithonate, Lithotabs
molindone	Moban
loxapine	Loxapine Succinate, Loxitane, Loxitane C, Loxitane IM
pimozide	Orap

Drug Name	Example brand names
amitriptyline-chlordiazePOXIDE	Amitrityline-chlordiazePOXIDE, Limbitrol, Limbitrol DS
amitriptyline-perphenazine	Duo-VIL 2-10, Duo-Vil 2-25, Duo-Vil 4-10, Etrafon 2-10, Etrafon 2-25, Etrafon Forte, Etrafon-A, Perphanzine-Amitriptyline, Triavil
FLUoxetine-OLANZapine	Symbyax, FLUoxetine-OLANZapine
chlorproMAZINE	Ormazine, Thorazine, Thorazine Spansule, ChlorproMAZINE Hydrochloride
fluPHENAZine	Permitil, Prolixin, FluPHENAZine Decanoate, FluPHENAZine Hydrochloride, Prolixin Decanoate, Prolixin Enanthate
prochlorperazine	Compro, Compazine Spansule, Prochlorperazine, Prochlorperazine Edisylate, Prochlorperazine Maleate, Procot
promazine	Sparine, Promazine Hydrochloride
thioridazine	Mellaril, Mellaril-S, Thioridazine Hydrochloride
methotrimeprazine	Levoprome
perphenazine	Trilafon
mesoridazine	Serentil
trifluoperazine	Stelazine, Trifluoperazine Hydrochloride
triflupromazine	Vesprin
thiothixene	Navane, Thiothixene
cloZAPine	CloZAPine, Clozaril, FazaClo
risperiDONE	RisperDAL, RisperDAL Consta, RisperDAL M-Tab, RisperiDONE
OLANZapine	Olanzapine, ZyPREXA, ZyPREXA Relprevv, ZyPREXA Zydis
QUEtiapine	SEROquel, SEROquel XR
ziprasidone	Geodon
ARIPiprazole	Abilify, Abilify Discmelt
paliperidone	Invega, Invega Sustenna
iloperidone	Fanapt
asenapine	Saphris, Saphris Black Cherry
lurasidone	Latuda
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class N05A from RxClass.

NACCAANX

Variable Type	NACC derived variable
Short descriptor	Reported current use of an anxiolytic, sedative, or hypnotic agent
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an anxiolytic, sedative, or hypnotic agent. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
amobarbital	Amobarbital Sodium, Amytal Sodium
PENTobarbital	Nembutal, Nembutal Sodium, PENTobarbital Sodium, Pentobarbital, Luminal
secobarbital	Secobarbital Sodium, Seconal Sodium
mephobarbital	Mebaral
butabarbital	Busodium, Butabarbital, Butisol Sodium

Drug Name	Example brand names
butalbital	Butalbital
amobarbital-secobarbital	Tuinal
oxazepam	Oxazepam, Serax
diazepam	Diastat, Diastat AcuDial, Diastat Pediatric, Valium, Valrelease, Zetran, Diazepam
LORazempam	Ativan
ALPRAZolam	Alprazolam, ALPRAZolam ER, Niravam, Xanax, Xanax XR
chlordiazePOXIDE	Libritabs, ChlordiazePOXIDE Hydrochloride, Librium, Mitran, Poxi
clonazePAM	ClonazePAM, Clorazepate Diptassium, Gen-xene, Tranxene SD, Tranxene T-Tab
flurazepam	Dalmane, Flurazepam Hydrochloride
midazolam	Midazolam, Midazolam Hydrochloride, Versed
temazepam	Restoril, Temazepam
triazolam	Halcion, Triazolam
halazepam	Paxipam
estazolam	Estazolam, Prosom
quazepam	Doral
chloral hydrate	Aquachloral Supprettes, Chloral Hydrate, Somnote
busPIRone	BuSpar, BuSpar Dividose, BusPIRone Hydrochloride, Vanspar
diphenhydrAMINE	DiphenhydrAMINE Hydrochloride
doxepin	Adapin
ethchlorvynol	Placidyl
meprobamate	Equanil, MB-TAB, Meprobamate, Miltown
pyrilamine	Pyrilamine Maleate
hydrOXYzine	Anx
chlormezanone	Trancopal
zolpidem	Ambien, Ambien CR, Edluar, Zopidem Tartrate, Zopidem Tartrate ER, Zopimist
paraldehyde	Paral
acetylcarbromal	Paxarel
propiomazine	Largon
doxylamine	Aldex AN, Doxylamine Succinate, Nitetime, Nytol Maximum Strength, Sleep Aid (Doxylamine), Unisom
melatonin	Melatonin
zaleplon	Sonata, Zalepon
dexmedetomidine	Precedex
sodium oxybate	Xyrem
eszopiclone	Lunesta
ramelteon	Rozerem
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See lists in ATC classes N05B and N05C from RxClass.

NACCADMD

Variable Type	NACC derived variable
Short descriptor	Reported current use of a FDA-approved medication for Alzheimer's disease symptoms
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an FDA-approved medication for Alzheimer's disease symptoms. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
tacrine	Cognex
donepezil	Aricept, Aricept ODT, Donepezil Hydrochloride
rivastigmine	Exelon, Rivastigmine Tartrate
galantamine	Razadyne, Razadyne ER, Reminyl, Galantamine Hydrobromide, Galantamine Hydrobromide ER
memantine	Namenda
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class N06D from RxClass.

NACCPDMD

Variable Type	NACC derived variable
Short descriptor	Reported current use of an antiparkinson agent
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of an antiparkinson agent. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
benztropine	Cogentin, Benztropine Mesylate
diphenhydrAMINE	DiphenhydrAMINE Hydrochloride
procyclidine	Kemadrin
trihexyphenidyl	Artane, Trihexane, Trihexyphenidyl Hydrochloride
biperiden	Akineton HCl
amantadine	Symmetrel, Symadine
bromocriptine	Bromocriptine Mesylate
carbidopa	Carbidopa, Lodosyn
levodopa	Levodopa, Larodopa, Dopar
selegiline	Carbex, Eldepryl, Emsam, Selegiline Hydrochloride, Zelapar
pergolide	Permax, Pergolide Mesylate
carbidopa-levodopa	Atamet, Carbidopa-Levodopa, Carbidopa-Levodopa CR, Parcopa, Sinemet, Sinemet CR
cabergoline	Cabergoline
pramipexole	Mirapex, Mirapex ER, Pramipexole Dihydrochloride
rOPINIRole	Requip, Requip Starter Kit, Requip XL, ROPINIRole Hydrochloride
tolcapone	Tasmar
entacapone	Comtan

Drug Name	Example brand names
carbidopa/entacapone/levodopa	Stalevo 50, Stalevo 75, Stalevo 100, Stalevo 125, Stalevo 150, Stalevo 200
apomorphine	Apokyn, Apomorphine Hydrochloride
rasagiline	Azilect
rotigotine	Neupro
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class N04 from RxClass.

NACCEMD

Variable Type	NACC derived variable
Short descriptor	Reported current use of estrogen hormone therapy
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of estrogen hormone therapy. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
conjugated estrogens	Cenestin, Premarin
esterified estrogens	Menest
estradiol	Fempatch, Estrace
estropipate	Ogen, Ortho-Est
diethylstilbestrol	Stilphostrol
quinestrol	Quinestrol
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class G03C from RxClass.

NACCEPMD

Variable Type	NACC derived variable
Short descriptor	Reported current use of estrogen + progestin hormone therapy
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of estrogen + progestin hormone therapy. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
drospirenone-estradiol	Angeliq
ethinyl estradiol-norethindrone	FemHrt
estradiol-norethindrone	Mimvey, Activella
estradiol-norgestimate	Prefest, Ortho-Prefest

Drug Name	Example brand names
conjugated estrogens-medroxyprogesterone	Premphase, Prempro
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class G03F from RxClass.

NACCDBMD

Variable Type	NACC derived variable
Short descriptor	Reported current use of a diabetes medication
Data type	Numeric longitudinal
Allowable codes	**0** = Did not report use at visit **1** = Reported use at visit **-4** = Did not complete medications form
Description/ derivation	This variable indicates reported current use of a diabetes medication. In UDSv1-3, medications were derived from the Multum/Lexi-Comp© therapeutic drug categories and included the following drugs.

Drug Name	Example brand names
chlorproPAMIDE	ChlorproPAMIDE, Diabinese
acetoHEXAMIDE	AcetoHEXAMIDE, Dymelor
glipiZIDE	GlipiZIDE, GlipiZIDE Extended Release, Glucotrol
glyBURIDE	DiaBeta, Glycron, Micronase
TOLAZamide	Tolazamide, Tolinase
TOLBUTamide	Orinase, Tol-Tab, Tolbutamide
glimepiride	Amaryl, Glimepiride
metFORMIN	Fortamet, Glucophage, MetFORMIN Hydrochloride, Riomet, Glumetza
insulin	insulin
insulin lispro protamine	insulin lispro protamine
insulin regular	HumuLIN R, HumuLIN R (Concentrated), Iletin Regular, Iletin II Regular Pork, Insulin Purified Regular Pork, NovoLIN R, NovoLIN R Innolet, NovoLIN R PenFill, Velosulin BR, ReliON/NovoLIN R
insulin isophane	HumuLIN N, HumuLin N Pen, Iletin II NPH Pork, Iletin NPH, INsulin Purified NPH Pork, NovoLIN N, NovoLIN N Innolet, NovoLIN N PenFill, Relion NovoLIN N
insulin zinc	HumuLIN L, Iletin II Lente Pork, Iletin Lente, Insulin Lente Pork, NovoLIN L
insulin zinc extended	HumuLIN U
insulin lispro	HumaLOG, HumaLOG Cartridge, HumaLOG KwikPen, HumaLOG Pen, Lispro PRC
insulin isophane-insulan regular	HumuLIN 50/50, HumuLIN 70/30, HumuLIN 70/30 Pen, Insulin Pork Mix, NovoLIN 70/30, NovoLIN 70/30 Innolet, NovoLIN 70/30 PenFill, ReliOn/NovoLin 70/30, Relion NovoLIN 70/30 Innolet
insulun lispro-insulin lispro protamine	HumaLOG Mix 50/50, HumaLOG Mix 50/50 KwikPen, HumalOG Mix 50/50 Pen, HumaLOG Mix 75/25, HumaLOG Mix 75/25 KwikPen, HumaLOG Mix 75/25 Pen
insulin glargine	Lantus, Lantus OptiClik Cartridge, Lantus Solostar Pen
insulin aspart	NovoLOG, NovoLOG FlexPen, NovoLOG PenFill
insulin aspart protamine	insulin aspart protamine
insulin aspart-insulin aspart protamine	NovoLOG Mix 70/30, NovoLOG Mix 70/30 FlexPen, NovoLOG Mix 70/30 PenFill
insulin glulisine	Apidra, Apidra OptiClik Cartridge, Apidra SoloStar Pen
insulin detemir	Levemir, Levemir FlexPen
insulin inhalation, rapid acting	EXUBERA, EXUBERA Combination Pack 12, EXUBERA Combination Pack 15, EXUBERA Kit
acarbose	Acarbose, Precose

Drug Name	Example brand names
miglitol	Glyset
troglitazone	Rezulin
rosiglitazone	Avandia
pioglitazone	Actos
repaglinide	Prandin
nateglinide	Nateglinide, Starlix
glyBURIDE-metFORMIN	Glucovance, Glyburide-Metformin
metFORMIN-rosiglitazone	Avandamet
glipiZIDE-metFORMIN	GlipiZIDE-Metformin, Metaglip
metFORMIN-pioglitazone	Actoplus Met, Actoplus Met XR
glimepiride-rosiglitazone	Avandaryl
glimepiride-pioglitazone	Duetact
metFORMIN-sitaGLIPtin	Janumet
metFORMIN-repaglinide	PrandiMet
metFORMIN-saxagliptin	Kombiglyze XR
simvastatin-sitaGLIPtin	Juvisync
linagliptin-metformin	jentadueto
sitaGLIPtin	Januvia
saxagliptin	Onglyza
linagliptin	Tradjenta
pramlintide	Symlin, SymlinPen 120, SymlinPen 60
exenatide	Byetta Prefilled Pen
liraglutide	Victoza
Medications variables were derived using Multum/Lexi-Comp© therapeutic drug categories.	

Starting in UDSv4, medications were derived from drug (product-level) ATC class membership curated by the National Library of Medicine. See list in ATC class A10 from RxClass.

FORM A4a: ADRD–Specific Treatments

TRTBIOMARK

Variable Type: Original UDS question

Short descriptor: Has the participant ever been prescribed a treatment or been enrolled in a clinical trial of a treatment expected to modify ADRD biomarkers?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1	1		

NEWTREAT

Variable Type: Original UDS question

Short descriptor: Is there new information available concerning the participant's prescribed ADRD biomarkers treatment since the last UDS visit?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Not applicable
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	1a		

TARGETAB1

Variable Type: Original UDS question

Short descriptor: Primary Drug Target 1 - Amyloid Beta

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a1a	2a1a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 1 variables: **TARGETTAU1, TARGETINF1, TARGETSYN1, TARGETOTH1, TARGETOTX1**

TARGETTAU1

Variable Type: Original UDS question

Short descriptor: Primary Drug Target 1 - Tau

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a1b	2a1b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 1 variables: **TARGETAB1, TARGETINF1, TARGETSYN1, TARGETOTH1, TARGETOTX1**

TARGETINF1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 1 variables: **TARGETAB1, TARGETTAU1, TARGETSYN1, TARGETOTH1, TARGETOTX1**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a1c	2a1c		

TARGETSYN1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 1 variables: **TARGETAB1, TARGETTAU1, TARGETINF1, TARGETOTH1, TARGETOTX1**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a1d	2a1d		

TARGETOTH1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Other targets
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 1 variables: **TARGETAB1, TARGETTAU1, TARGETINF1, TARGETSYN1**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a1e	2a1e		

TARGETOTX1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another primary drug target 1 is reported (**TARGETOTH1 = 1**), it will be listed here, otherwise, it will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a1e1	2a1e1		

TRTTRIAL1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a2a	2a2a		

NCTNUM1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a2b	2a2b		

STARTMO1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a3a	2a3a		

STARTYEAR1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a3b	2a3b		

ENDMO1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88 =** Ongoing **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a4a	2a4a		

ENDYEAR1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888** = Ongoing **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a4b	2a4b		

CARETRIAL1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a5	2a5		

TRIALGRP1

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 1 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a6	2a6		

TARGETAB2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Amyloid Beta
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 2 variables: **TARGETTAU2, TARGETINF2, TARGETSYN2, TARGETOTH2, TARGETOTX2**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b1a	2b1a		

TARGETTAU2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Tau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 2 variables: **TARGETAB2, TARGETINF2, TARGETSYN2, TARGETOTH2, TARGETOTX2**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b1b	2b1b		

TARGETINF2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 2 variables: **TARGETAB2, TARGETTAU2, TARGETSYN2, TARGETOTH2, TARGETOTX2**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b1c	2b1c		

TARGETSYN2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 2 variables: **TARGETAB2, TARGETTAU2, TARGETINF2, TARGETOTH2, TARGETOTX2**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b1d	2b1d		

TARGETOTH2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Other target(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 2 variables: **TARGETAB2, TARGETTAU2, TARGETINF2, TARGETSYN2**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b1e	2b1e		

TARGETOTX2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b1e1	2b1e1		

Description/ derivation: If another primary drug target 2 is reported **(TARGETOTH2 = 1**), it will be listed here, otherwise, it will be blank.

TRTTRIAL2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b2a	2b2a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

NCTNUM2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b2b	2b2b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTMO2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b3a	2b3a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTYEAR2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b3b	2b3b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

ENDMO2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88** = Ongoing **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b4a	2b4a		

ENDYEAR2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888** = Ongoing **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b4b	2b4b		

CARETRIAL2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b5	2b5		

TRIALGRP2

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 2 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b6	2b6		

TARGETAB3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Amyloid Beta
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 3 variables: **TARGETTAU3, TARGETINF3, TARGETSYN3, TARGETOTH3, TARGETOTX3**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c1a	2c1a		

TARGETTAU3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Tau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 3 variables: **TARGETAB3, TARGETINF3, TARGETSYN3, TARGETOTH3, TARGETOTX3**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c1b	2c1b		

TARGETINF3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 3 variables: **TARGETAB3, TARGETTAU3, TARGETSYN3, TARGETOTH3, TARGETOTX3**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c1c	2c1c		

TARGETSYN3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 3 variables: **TARGETAB3, TARGETTAU3, TARGETINF3, TARGETOTH3, TARGETOTX3**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c1d	2c1d		

TARGETOTH3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Other target(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 3 variables: **TARGETAB3, TARGETTAU3, TARGETINF3, TARGETSYN3**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c1e	2c1e		

TARGETOTX3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another primary drug target 3 is reported (**TARGETOTH3 = 1**), it will be listed here, otherwise, it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c1e1	2c1e1		

TRTTRIAL3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c2a	2c2a		

NCTNUM3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c2b	2c2b		

STARTMO3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c3a	2c3a		

STARTYEAR3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c3b	2c3b		

ENDMO3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88 =** Ongoing **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c4a	2c4a		

ENDYEAR3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888 =** Ongoing **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c4b	2c4b		

CARETRIAL3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c5	2c5		

TRIALGRP3

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 3 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2c6	2c6		

TARGETAB4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Amyloid Beta
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 4 variables: **TARGETTAU4, TARGETINF4, TARGETSYN4, TARGETOTH4, TARGETOTX4**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d1a	2d1a		

TARGETTAU4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Tau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 4 variables: **TARGETAB4, TARGETINF4, TARGETSYN4, TARGETOTH4, TARGETOTX4**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d1b	2d1b		

TARGETINF4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 4 variables: **TARGETAB4, TARGETTAU4, TARGETSYN4, TARGETOTH4, TARGETOTX4**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d1c	2d1c		

TARGETSYN4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 4 variables: **TARGETAB4, TARGETTAU4, TARGETINF4, TARGETOTH4, TARGETOTX4**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d1d	2d1d		

TARGETOTH4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Other target(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 4 variables: **TARGETAB4, TARGETTAU4, TARGETINF4, TARGETSYN4**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d1e	2d1e		

TARGETOTX4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another primary drug target 4 is reported (**TARGETOTH4 = 1**), it will be listed here, otherwise, it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d1e1	2d1e1		

TRTTRIAL4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d2a	2d2a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

NCTNUM4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d2b	2d2b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTMO4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d3a	2d3a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTYEAR4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d3b	2d3b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

ENDMO4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88 =** Ongoing **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d4a	2d4a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

ENDYEAR4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888** = Ongoing **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d4b	2d4b		

CARETRIAL4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d5	2d5		

TRIALGRP4

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 4 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2d6	2d6		

TARGETAB5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Amyloid Beta
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 5 variables: **TARGETTAU5, TARGETINF5, TARGETSYN5, TARGETOTH5, TARGETOTX5**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e1a	2e1a		

TARGETTAU5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Tau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 5 variables: **TARGETAB5, TARGETINF5, TARGETSYN5, TARGETOTH5, TARGETOTX5**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e1b	2e1b		

TARGETINF5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 5 variables: **TARGETAB5, TARGETTAU5, TARGETSYN5, TARGETOTH5, TARGETOTX5**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e1c	2e1c		

TARGETSYN5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 5 variables: **TARGETAB5, TARGETTAU5, TARGETINF5, TARGETOTH5, TARGETOTX5**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e1d	2e1d		

TARGETOTH5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Other target(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 5 variables: **TARGETAB5, TARGETTAU5, TARGETINF5, TARGETSYN5**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e1e	2e1e		

TARGETOTX5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e1e1	2e1e1		

Description/ derivation: If another primary drug target 5 is reported (**TARGETOTH5 = 1**), it will be listed here, otherwise, it will be blank.

TRTTRIAL5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e2a	2e2a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

NCTNUM5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e2b	2e2b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTMO5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e3a	2e3a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTYEAR5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e3b	2e3b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

ENDMO5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88** = Ongoing **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e4a	2e4a		

ENDYEAR5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888** = Ongoing **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e4b	2e4b		

CARETRIAL5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e5	2e5		

TRIALGRP5

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 5 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e6	2e6		

TARGETAB6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Amyloid Beta
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 6 variables: **TARGETTAU6, TARGETINF6, TARGETSYN6, TARGETOTH6, TARGETOTX6**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f1a	2f1a		

TARGETTAU6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Tau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 6 variables: **TARGETAB6, TARGETINF6, TARGETSYN6, TARGETOTH6, TARGETOTX6**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f1b	2f1b		

TARGETINF6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 6 variables: **TARGETAB6, TARGETTAU6, TARGETSYN6, TARGETOTH6, TARGETOTX6**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f1c	2f1c		

TARGETSYN6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 6 variables: **TARGETAB6, TARGETTAU6, TARGETINF6, TARGETOTH6, TARGETOTX6**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f1d	2f1d		

TARGETOTH6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Other target(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 6 variables: **TARGETAB6, TARGETTAU6, TARGETINF6, TARGETSYN6**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f1e	2f1e		

TARGETOTX6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another primary drug target 6 is reported (**TARGETOTH6 = 1**), it will be listed here, otherwise, it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f1e1	2f1e1		

TRTTRIAL6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f2a	2f2a		

NCTNUM6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f2b	2f2b		

STARTMO6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f3a	2f3a		

STARTYEAR6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f3b	2f3b		

ENDMO6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88 =** Ongoing **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f4a	2f4a		

ENDYEAR6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888 =** Ongoing **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f4b	2f4b		

CARETRIAL6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f5	2f5		

TRIALGRP6

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 6 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f6	2f6		

TARGETAB7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Amyloid Beta
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 7 variables: **TARGETTAU7, TARGETINF7, TARGETSYN7, TARGETOTH7, TARGETOTX7**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g1a	2g1a		

TARGETTAU7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Tau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 7 variables: **TARGETAB7, TARGETINF7, TARGETSYN7, TARGETOTH7, TARGETOTX7**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g1b	2g1b		

TARGETINF7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 7 variables: **TARGETAB7, TARGETTAU7, TARGETSYN7, TARGETOTH7, TARGETOTX7**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g1c	2g1c		

TARGETSYN7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 7 variables: **TARGETAB7, TARGETTAU7, TARGETINF7, TARGETOTH7, TARGETOTX7**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g1d	2g1d		

TARGETOTH7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Other target(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 7 variables: **TARGETAB7, TARGETTAU7, TARGETINF7, TARGETSYN7**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g1e	2g1e		

TARGETOTX7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another primary drug target 7 is reported (**TARGETOTH7 = 1**), it will be listed here, otherwise, it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g1e1	2g1e1		

TRTTRIAL7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g2a	2g2a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

NCTNUM7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g2b	2g2b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTMO7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g3a	2g3a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTYEAR7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g3b	2g3b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

ENDMO7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88 =** Ongoing **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g4a	2g4a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

ENDYEAR7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888** = Ongoing **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g4b	2g4b		

CARETRIAL7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g5	2g5		

TRIALGRP7

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 7 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2g6	2g6		

TARGETAB8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Amyloid Beta
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 8 variables: **TARGETTAU8, TARGETINF8, TARGETSYN8, TARGETOTH8, TARGETOTX8**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h1a	2h1a		

TARGETTAU8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Tau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 8 variables: **TARGETAB8, TARGETINF8, TARGETSYN8, TARGETOTH8, TARGETOTX8**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h1b	2h1b		

TARGETINF8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Inflammation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 8 variables: **TARGETAB8, TARGETTAU8, TARGETSYN8, TARGETOTH8, TARGETOTX8**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h1c	2h1c		

TARGETSYN8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Synaptic plasticity/neuroprotection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 8 variables: **TARGETAB8, TARGETTAU8, TARGETINF8, TARGETOTH8, TARGETOTX8**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h1d	2h1d		

TARGETOTH8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Other target(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit. Note that multiple drug targets can be selected - review additional primary drug target 8 variables: **TARGETAB8, TARGETTAU8, TARGETINF8, TARGETSYN8**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h1e	2h1e		

TARGETOTX8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Other target(s), specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h1e1	2h1e1		

Description/ derivation: If another primary drug target 8 is reported (**TARGETOTH8 = 1**), it will be listed here, otherwise, it will be blank.

TRTTRIAL8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Specific treatment and/or trial
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h2a	2h2a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

NCTNUM8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Specific treatment and/or trial - NCT identifier
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h2b	2h2b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTMO8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Start date (month)
Data type	Numeric longitudinal
Allowable codes	**1 – 12** **99 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h3a	2h3a		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

STARTYEAR8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - Start date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **9999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h3b	2h3b		

Description/ derivation: Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

ENDMO8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - End date (month)
Data type	Numeric longitudinal
Allowable codes	**1 - 12** **88** = Ongoing **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h4a	2h4a		

ENDYEAR8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - End date (year)
Data type	Numeric longitudinal
Allowable codes	**1990 to current year** **8888** = Ongoing **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h4b	2h4b		

CARETRIAL8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - How was the treatment provided?
Data type	Numeric longitudinal
Allowable codes	**1** = Clinical care **2** = Clinical trial **3** = Clinical care and clinical trial **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h5	2h5		

TRIALGRP8

Variable Type	Original UDS question
Short descriptor	Primary Drug Target 8 - If clinical trial, in which group was the participant?
Data type	Numeric longitudinal
Allowable codes	**1** = Active treatment **2** = Placebo **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Up to 8 different treatments or clinical trials of ADRD-modifying treatments can be reported at each UDSv4 visit.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h6	2h6		

ADVEVENT

Variable Type	Original UDS question
Short descriptor	Has the participant ever experienced major adverse events associated with ADRD-modifying treatments (e.g., ARIA-E, ARIA-H)?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3	3		

NEWADVEVENT

Variable Type	Original UDS question
Short descriptor	Has the participant ever experienced major adverse events associated with ADRD-modifying treatments (e.g., ARIA-E, ARIA-H) since the last UDS visit?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	3a		

ARIAE

Variable Type	Original UDS question
Short descriptor	Adverse events to modify ADRD biomarkers – Amyloid related imaging abnormalities-edeme (ARIA-E)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple adverse events can be reported - review additional adverse event variables: **ARIAH, ADVERSEOTH, ADVERSEOTX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a1	3b1		

ARIAH

Variable Type	Original UDS question
Short descriptor	Adverse events to modify ADRD biomarkers – Amyloid related imaging abnormalities-hemorrhage (ARIA-H)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple adverse events can be reported - review additional adverse event variables: **ARIAE, ADVERSEOTH, ADVERSEOTX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a2	3b2		

ADVERSEOTH

Variable Type	Original UDS question
Short descriptor	Adverse events to modify ADRD biomarkers – Other
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple adverse events can be reported - review additional adverse event variables: **ARIAE, ARIAH**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a3	3b3		

ADVERSEOTX

Variable Type	Original UDS question
Short descriptor	Adverse events to modify ADRD biomarkers – Other, specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another adverse event is reported (**ADVERSEOTH=1**), it will be listed here, otherwise, it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a3a	3b3a		

FORM A5-D2: Participant Health History/Clinician-assessed Medical Conditions

TOBAC100

Variable Type	Original UDS question
Short descriptor	Smoked more than 100 cigarettes in life
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b2 (A5)	7b2 (A5)		
v2	7b2 (A5)	7b2 (A5)		7b2 (A5)
v3	1b (A5)	N/A	1b (A5)	N/A
v4	1a	1a		

SMOKYRS

Variable Type	Original UDS question
Short descriptor	Total years smoked cigarettes
Data type	Numeric longitudinal
Allowable codes	**0 – 87** **88** = Not applicable **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the total years smoked cigarettes is the same as the previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b3 (A5)	7b3 (A5)		
v2	7b3 (A5)	7b3 (A5)		7b3 (A5)
v3	1c (A5)	N/A	1c (A5)	N/A
v4	1b	1b		

PACKSPER

Variable Type	Original UDS question
Short descriptor	Average number of packs smoked per day
Data type	Numeric longitudinal
Allowable codes	**0** = No reported cigarette use **1** = 1 cigarette to less than 1/2 pack **2** = 1/2 pack to less than 1 pack **3** = 1 pack to less than 1 1/2 packs **4** = 1 1/2 packs to less than 2 packs **5** = 2 packs or more **8** = Not applicable **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b4 (A5)	7b4 (A5)		
v2	7b4 (A5)	7b4 (A5)		7b4 (A5)
v3	1d (A5)	N/A	1d (A5)	N/A
v4	1c	1c		

TOBAC30

Variable Type	Original UDS question
Short descriptor	Smoked cigarettes in last 30 days
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b1 (A5)	7b1 (A5)		
v2	7b1 (A5)	7b1 (A5)		7b1 (A5)
v3	1a (A5)	N/A	1a (A5)	N/A
v4	1d	1d		

QUITSMOK

Variable Type	Original UDS question
Short descriptor	If the participant quit smoking, age at which they last smoked *(i.e., quit)*
Data type	Numeric longitudinal
Allowable codes	**7 – 110** **888** = Not applicable **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at which they last smoked is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b5 (A5)	7b5 (A5)		
v2	7b5 (A5)	7b5 (A5)		7b5 (A5)
v3	1e (A5)	N/A	1e (A5)	N/A
v4	1e	1e		

ALCFREQYR

Variable Type	Original UDS question
Short descriptor	In the past 12 months, how often has the participant had a drink containing alcohol?
Data type	Numeric longitudinal
Allowable codes	**0** = Never **1** = Monthly or less **2** = 2-4 times a month **3** = 2-3 times a week **4** = 4 or more times a week **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1f	1f		

ALCOCCAS

Variable Type	Original UDS question
Short descriptor	In the past three months, has the participant consumed any alcohol?
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1f (A5)	N/A	1f (A5)	N/A
v4	N/A	N/A		

ALCFREQ

Variable Type	Original UDS question
Short descriptor	During the past three months, how often did the participant have at least one drink of any alcoholic beverage such as wine, beer, malt liquor or spirits?
Data type	Numeric cross-sectional
Allowable codes	**0** = Less than once a month **1** = About once a month **2** = About once a week **3** = A few times a week **4** = Daily or almost daily **8** = Not applicable, no alcohol consumption in last three months **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1g (A5)	N/A	1g (A5)	N/A
v4	N/A	N/A		

ALCDRINKS

Variable Type: Original UDS question

Short descriptor: On a day when the participant drinks alcoholic beverages, how many standard drinks does the participant typically consume?

Data type: Numeric longitudinal

Allowable codes:
1 = 1 or 2
2 = 3 to 4
3 = 5 to 6
4 = 7 to 9
5 = 10 or more
8 = Not applicable
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1g	1g		

ALCBINGE

Variable Type: Original UDS question

Short descriptor: In the past 12 months, how often did the participant have six or more drinks containing alcohol in one day?

Data type: Numeric longitudinal

Allowable codes:
0 = Never
1 = Less than once a month
2 = Monthly
3 = Weekly
4 = Daily or almost daily
8 = Not applicable
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1h	1h		

ALCOHOL

Variable Type: Original UDS question

Short descriptor: Alcohol abuse – clinically significant impairment occurring over a 12-month period manifested in one of the following areas: work, driving, legal, or social

Data type: Numeric longitudinal

Allowable codes:
0 = Absent
1 = Recent/Active
2 = Remote/Inactive
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7a1 (A5)	7a1 (A5)		
v2	7a1 (A5)	7a1 (A5)		7a1 (A5)
v3	6a (A5)	N/A	6a (A5)	N/A
v4	N/A	N/A		

NACCSUBST

Variable Type	NACC derived variable
Short descriptor	Participant used substances including prescription or recreational drugs that caused significant impairment in work, legal, driving, or social areas within the past 12 months
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In v1-3, if **ABUSOTHER = 0** or **2** (absent or remote/inactive), **NACCSUBST = 0**. If **ABUSOTHR = 1** (remote/active), **NACCSUBT = 1**. If **ABUSOTHR = 9** (unknown), **NACCSUBT = 9**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7c1 (A5)	7c1 (A5)		
v2	7c1 (A5)	7c1 (A5)		N/A
v3	6b (A5)	N/A	6b (A5)	N/A
v4	1i1	1i1		

ABUSOTHR

Variable Type	Original UDS question
Short descriptor	Other abused substances – clinically significant impairment occurring over a 12-month period manifested in one of the following areas: work, driving, legal, or social
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7c1 (A5)	7c1 (A5)		
v2	7c1 (A5)	7c1 (A5)		7c1 (A5)
v3	6b (A5)	N/A	6b (A5)	N/A
v4	N/A	N/A		

ABUSX

Variable Type	Original UDS question
Short descriptor	If reported other abused substances, specify abused substance(s)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If an abused substance other than alcohol is reported, it will be listed here, otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7c2 (A5)	7c2 (A5)		
v2	7c2 (A5)	7c2 (A5)		7c2 (A5)
v3	6b1 (A5)	N/A	6b1 (A5)	N/A
v4	N/A	N/A		

SUBSTPAST

Variable Type	Original UDS question
Short descriptor	Participant used substances including prescription or recreational drugs that caused significant impairment in work, legal, driving, or social areas prior to 12 months ago
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1i2	1i2		

CANNABIS

Variable Type	Original UDS question
Short descriptor	In the past 12 months, how often has the participant consumed cannabis (edibles, smoked, or vaporized)?
Data type	Numeric longitudinal
Allowable codes	**0** = Never **1** = Monthly or less **2** = 2-4 times a month **3** = 2-3 times a week **4** = 4 or more times a week **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1j	1j		

NACCHEART

Variable Type	NACC derived variable
Short descriptor	Heart attack / cardiac arrest
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1a (A5)	1a (A5)		
v2	1a (A5)	1a (A5)		1a (A5)
v3	2a (A5) 3 (D2)	3 (D2)	2a (A5) 3 (D2)	3 (D2)
v4	2a	2a		

Description/ derivation

In v3, this variable is derived from **CVHATT** ('Heart attack/cardiac arrest' from A5: Participant Health History) and **MYOINF** ('Myocardial infarct present within the past 12 months' from D2: Clinician-assessed Medical Conditions), as follows:

- If heart attack/cardiac arrest is recent/active or myocardial infarct is present (**CVHATT = 1** or **MYOINF = 1**) then **NACCHEART = 1**
- If heart attack/cardiac arrest is absent or myocardial infarct is absent (**CVHATT = 0** or **MYOINF = 0**) then **NACCHEART = 0**
- If heart attack/cardiac arrest is remote/inactive (**CVHATT = 2**) then **NACCHEART = 2**
- If heart attack/cardiac arrest is unknown and myocardial infarct was not assessed (**CVHATT = 9** and **MYOINF = 8**) then **NACCHEART = 9**
- If heart attack/cardiac arrest and myocardial infarct are both -4 then **NACCHEART = -4**

In v4, this variable is derived from **HRTATTACK** (heart attack (heart artery blockage)) and **CARDARREST** (Cardiac arrest (heart stopped)) as follows:

- If heart attack or cardiac arrest are recent/active (**HRTATTACK = 1** or **CARDARREST = 1**) then **NACCHEART = 1**
- If heart attack or cardiac arrest are remote/inactive (**HRTATTACK = 2** or **CARDARREST = 2**) then **NACCHEART = 2**
- If heart attack or cardiac arrest are absent (**HRTATTACK = 0** or **CARDARREST = 0**) then **NACCHEART = 0**
- If heart attack or cardiac arrest are both unknown (**HRTATTACK = 9** and **CARDARREST = 9**) then **NACCHEART = 9**
- If more than one heart attack and cardiac arrest are both -4 then **NACCHEART = -4**

HRTATTACK

Variable Type	Original UDS question
Short descriptor	Heart attack (heart artery blockage)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a	2a		

CVHATT

Variable Type	Original UDS question
Short descriptor	Heart attack/cardiac arrest
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the myocardial infarct variable collected on Form D2 (Clinician-assessed Medical Conditions), because heart attack as reported on Form A5 is collected using mainly participant and co-participant report. See also: **NACCHEART**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1a (A5)	1a (A5)		
v2	1a (A5)	1a (A5)		1a (A5)
v3	2a (A5)	N/A	2a (A5)	N/A
v4	N/A	N/A		

MYOINF

Variable Type	Original UDS question
Short descriptor	Myocardial infarct present within the past 12 months
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **HRTATTACK**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3 (D2)	3 (D2)	3 (D2)	3 (D2)
v4	N/A	N/A		

HRTATTMULT

Variable Type	Original UDS question
Short descriptor	More than one heart attack?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported history of heart attack **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For UDS v3, see **HATTMULT** for assessment of more than one heart attack or cardiac arrest.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a1	2a1		

HATTMULT

Variable Type	Original UDS question
Short descriptor	More than one heart attack/cardiac arrest
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported history of heart attack **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For UDS v4, see **HRTATTMULT** for assessment of more than one heart attack (excluding cardiac arrest).

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2a1 (A5)	N/A	2a1 (A5)	N/A
v4	N/A			

HRTATTAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent heart attack
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of heart attack **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent heart attack is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a2	2a2		

HATTYEAR

Variable Type	Original UDS question
Short descriptor	Year of most recent heart attack
Data type	Numeric cross-sectional
Allowable codes	**1900 – current year** **8888** = Not applicable, no reported history of heart attack **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2a2 (A5)	N/A	2a2 (A5)	N/A
v4	N/A			

CARDARREST

Variable Type	Original UDS question
Short descriptor	Cardiac arrest (heart stopped)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b	2b		

CARDARRAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent cardiac arrest
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of cardiac arrest **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent cardiac arrest is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b1	2b1		

CVAFIB

Variable Type	Original UDS question
Short descriptor	Atrial fibrillation
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the atrial fibrillation variable collected on Form D2 (Clinician-assessed Medical Conditions), because atrial fibrillation as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	1b (A5)	1b (A5)		
v2	1b (A5)	1b (A5)		1b (A5)
v3	2b (A5)	N/A	2b (A5)	N/A
v4	2c	2c		

AFIBRILL

Variable Type	Original UDS question
Short descriptor	Atrial fibrillation present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **CVAFIB**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5 (D2)	5 (D2)	5 (D2)	5 (D2)
v4	N/A	N/A		

CVANGIO

Variable Type	Original UDS question
Short descriptor	Coronary artery angioplasty / endarterectomy / stenting
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the angioplasty/endarterectomy/stenting variables collected on Form D2 (Clinician-assessed Meidcal Conditions), because this variable in Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	1c (A5)	1c (A5)		
v2	1c (A5)	1c (A5)		1c (A5)
v3	2c (A5)	N/A	2c (A5)	N/A
v4	2d	2d		

ANGIOPCI

Variable Type	Original UDS question
Short descriptor	Percutaneous coronary intervention: angioplasty and/or stent within the past 12 months
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **CVANGIO**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	19 (D2)	19 (D2	19 (D2)	19 (D2)
v4	N/A	N/A		

CVBYPASS

Variable Type	Original UDS question
Short descriptor	Coronary artery bypass procedure
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	1d (A5)	1d (A5)		
v2	1d (A5)	1d (A5)		1d (A5)
v3	2d (A5)	N/A	2d (A5)	N/A
v4	2e	2e		

BYPASSAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent coronary artery bypass surgery
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of coronary artery bypass surgery **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent coronary artery bypass surgery is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2e1	2e1		

CVPACDEF

Variable Type	Original UDS question
Short descriptor	Pacemaker and/or defibrillator implantation
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Pacemaker data were collected in the form of the **CVPACE** variable in UDS v1.2 or v2.0. For v3, it may be advisable to use the pacemaker/defibrillator variable collected on Form D2 (Clinician-assessed Medical Conditions), because this variable as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2e (A5)	N/A	2e (A5)	N/A
v4	2f	2f		

CVPACE

Variable Type	Original UDS question
Short descriptor	Pacemaker
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Pacemaker data are collected in the form of the **CVPACEDEF** variable in v3-4. For some analyses, it may be advisable to use the pacemaker/defibrillator variable collected on Form D2 (Clinician-assessed Medical Conditions), because this variable as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	1e (A5)	1e (A5)		
v2	1e (A5)	1e (A5)		1e (A5)
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

PACEMAKE

Variable Type	Original UDS question
Short descriptor	Procedure: pacemaker and/or defibrillator within the past 12 months
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **CVPACDEF**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	20 (D2)	20 (D2)	20 (D2)	20 (D2)
v4	N/A	N/A		

PACDEFAGE

Variable Type	Original UDS question
Short descriptor	Age at first pacemaker and/or defibrillator implantation
Data type	Numeric cross-sectional
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of coronary artery bypass surgery **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at first pacemaker and/or defibrillator implantation is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2f1	2f1		

CVCHF

Variable Type	Original UDS question
Short descriptor	Congestive heart failure *(including pulmonary edema)*
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the congestive heart failure variable collected on Form D2 (Clinician-assessed Medical Conditions), because congestive heart failure as reported on Form A5 is collected using mainly participant and coparticipant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	1f (A5)	1f (A5)		
v2	1f (A5)	1f (A5)		1f
v3	2f (A5)	N/A	2f (A5)	N/A
v4	2g	2g		

CONGHRT

Variable Type	Original UDS question
Short descriptor	Congestive heart failure present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **CVCHF**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4 (D2)	4 (D2)	4 (D2)	4 (D2)
v4	N/A	N/A		

CVANGINA

Variable Type	Original UDS question
Short descriptor	Angina
Data type	Numeric cross-sectional
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in UDS v1.2, v2.0, or v4. Thus, report of this condition may be recorded as an "Other cardiovascular disease" for participants assessed using UDS v1.2 or v2.0. For some analyses, it may be advisable to use the angina variable collected on Form D2 (Clinician-assessed Medical Conditions), because angina as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2g (A5)	N/A	2g (A5)	N/A
v4	N/A	N/A		

ANGINA

Variable Type	Original UDS question
Short descriptor	Angina present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDS v3; however, self-reported medical history information is available for v3 of the UDS from Form A5: Participant Health History.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7 (D2)	7 (D2)	7 (D2)	7 (D2)
v4	N/A	N/A		

CVHVALVE

Variable Type	Original UDS question
Short descriptor	Heart valve replacement or repair
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not in UDS v1.2 or v2.0. Thus, report of this condition may be recorded as an "Other cardiovascular disease" for participants assessed using UDS v1.2 or v2.0. For v3, it may be advisable to use the heart valve replacement variable collected on Form D2 (Clinician-assessed Medical Conditions), because heart valve replacement as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2h (A5)	N/A	2h (A5)	N/A
v4	2h	2h		

HVALVE

Variable Type	Original UDS question
Short descriptor	Procedure: heart valve replacement or repair within the past 12 months
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **CVHVALVE**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	21 (D2)	21 (D2)	21 (D2)	21 (D2)
v4	N/A	N/A		

VALVEAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent heart valve replacement or repair procedure
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of heart valve replacement or repair procedure **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent heart valve replacement or repair procedure is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2h1	2h1		

CVOTHR

Variable Type	Original UDS question
Short descriptor	Other cardiovascular disease
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	1g (A5)	1g (A5)		
v2	1g (A5)	1g (A5)		1g (A5)
v3	2i (A5)	N/A	2i (A5)	N/A
v4	2i	2i		

CVOTHRX

Variable Type	Original UDS question
Short descriptor	Specification for other cardiovascular disease
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another cardiovascular disease is indicated (**CVOTHR = 1 OR 2**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2i1 (A5)	N/A	2i1 (A5)	N/A
v4	2i1	2i1		

CBSTROKE

Variable Type	Original UDS question
Short descriptor	Stroke by history, not exam (imaging is not required)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the stroke variable collected on Form D1 (Clinician Diagnosis), because stroke as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2a (A5)	2a (A5)		
v2	2a (A5)	2a (A5)		2a (A5)
v3	3a (A5)	N/A	3a (A5)	N/A
v4	3a	3a		

STROKMUL

Variable Type	Original UDS question
Short descriptor	More than one stroke reported
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported history of stroke **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in the UDS v1.2 and v2.0, this variable was not collected; however, upon request, researchers can obtain the stroke year variables collected in UDS v1.2 and v2.0 and derive a similar variable (up to six possible stroke years were reported in v1.2 and v2.0).

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3a1 (A5)	N/A	3a1 (A5)	N/A
v4	3a1	3a1		

NACCSTYR

Variable Type	NACC derived variable
Short descriptor	Most recently reported year of stroke as of the Initial Visit
Data type	Numeric cross-sectional
Allowable codes	**1900 – current year** **8888** = Not applicable, no reported history of stroke at the Initial Visit **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If a participant was reported to have multiple strokes, only the most recent stroke year as of the Initial Visit is reported, if applicable. Note that in UDS v1.2 and v2.0, stroke history was collected at every UDS visit on Form A5, whereas it is not collected at any Follow-up Visit in UDS v3; therefore, **NACCSTYR** focuses on most recent stroke year reported at the Initial Visit to maintain consistency across versions. Upon request, researchers can obtain the stroke year variables collected in UDS v1.2 and v2.0 follow-up visits (up to six possible stroke years were reported in v1.2 and v2.0).

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2a1-2a6 (A5)	N/A		
v2	2a1-2a6 (A5)	N/A		N/A
v3	3a2 (A5)	N/A	3a2 (A5)	N/A
v4	N/A	N/A		

STROKAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent stroke
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of stroke **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent stroke is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a2	3a2		

STROKSTAT

Variable Type	Original UDS question
Short descriptor	Status of stroke symptoms
Data type	Numeric longitudinal
Allowable codes	**0** = Never improved **1** = Partially improved **2** = Improved back to normal **8** = Not applicable, no reported history of stroke **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a3	3a3		

ANGIOCP

Variable Type	Original UDS question
Short descriptor	Carotid artery surgery or stenting
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed or not applicable (no history of carotid artery surgery or stenting) **9** = Unknown / Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In v3, this variable only assessed carotid procedures (angioplasty, endarectomy, or stent) within the past 12 months. In v4, this variable assesses carotid artery surgery or stenting at any point in the participant's health history.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	18 (D2)	18 (D2	18 (D2)	18 (D2)
v4	3a4	3a4		

CAROTIDAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent carotid artery surgery or stenting
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of carotid artery surgery or stenting **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent carotid artery surgery or stenting is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a5	3a5		

CBTIA

Variable Type	Original UDS question
Short descriptor	Transient ischemic attack (TIA)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Please be aware that TIA is a condition that is not well-defined clinically; therefore; the reporting of TIA by participant and Center may be variable.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2b (A5)	2b (A5)		
v2	2b (A5)	2b (A5)		2b (A5)
v3	3b (A5)	N/A	3b (A5)	N/A
v4	3b	3b		

NACCTIYR

Variable Type	NACC derived variable
Short descriptor	Most recently reported year of TIA as of the Initial Visit
Data type	Numeric cross-sectional
Allowable codes	**1900 – current year** **8888** = Not applicable, no reported history of TIA at the Initial Visit **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If a participant was reported to have multiple TIAs, only the most recent TIA year as of the Initial Visit is reported. Note that in UDS v1.2 and v2.0, TIA history was collected at every UDS visit on Form A5, whereas in UDS 3, it is collected only at the Initial Visit. Therefore, to maintain consistency across versions, **NACCTIYR** focuses on most recent TIA year reported at the Initial Visit. Upon request, researchers can obtain the TIA year variables collected in UDS v1.2 and 2.0 follow-up visits (up to six possible TIA years were reported in v1.2 and v2.0).

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	2b1-2b6 (A5)	N/A		
v2	2b1-2b6 (A5)	N/A		N/A
v3	3b2	N/A	3b2	N/A
v4	N/A	N/A		

TIAAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent TIA
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of TIA **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent TIA is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b1	3b1		

TIAMULT

Variable Type	Original UDS question
Short descriptor	More than one TIA reported as of the Initial Visit
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported history of TIA as of the Initial Visit **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in UDS v1.2 and v2.0, this variable was not collected; however, upon request, researchers can obtain the TIA year variables collected in UDS v1.2 and v2.0 and derive a similar variable (up to six possible TIA years were reported in v1.2 and v2.0).

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3b1 (A5)	N/A	3b1 (A5)	N/A
v4	N/A			

PD

Variable Type	Original UDS question
Short descriptor	Parkinson's disease (PD)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it is advisable to use the Parkinson's disease variable collected on Form D1 (Clinician Diagnosis), because Parkinson's disease as reported on Form A5 is collected using mainly participant and coparticipant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	3a (A5)	3a (A5)		
v2	3a (A5)	3a (A5)		3a (A5)
v3	4a (A5)	N/A	4a (A5)	N/A
v4	4a	4a		

PDAGE

Variable Type	Original UDS question
Short descriptor	Age at estimated PD symptom onset
Data type	Numeric cross-sectional
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of PD **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at estimated PD symptom onset is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a1	4a1		

PDYR

Variable Type	Original UDS question
Short descriptor	Year of PD diagnosis
Data type	Numeric longitudinal
Allowable codes	**1900 – current year** **8888** = Not applicable, no reported PD **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3a1 (A5)	3a1 (A5)		
v2	3a1 (A5)	3a1 (A5)		3a1 (A5)
v3	4a1 (A5)	N/A	4a1 (A5)	N/A
v4	N/A	N/A		

PDOTHR

Variable Type	Original UDS question
Short descriptor	Other parkinsonism disorder (e.g., DLB)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3b (A5)	3b (A5)		
v2	3b (A5)	3b (A5)		3b (A5)
v3	4b (A5)	N/A	4b (A5)	N/A
v4	4b	4b		

PDOTHRAGE

Variable Type	Original UDS question
Short descriptor	Age at parkinsonism disorder diagnosis
Data type	Numeric cross-sectional
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of parkinsonism disorder **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at parkinsonism disorder diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4b1	4b1		

PDOTHRYR

Variable Type	Original UDS question
Short descriptor	Year of parkinsonian disorder diagnosis
Data type	Numeric longitudinal
Allowable codes	**1900 – current year** **8888** = Not applicable, other parkinsonian disorder not reported **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3b1 (A5)	3b1 (A5)		
v2	3b1 (A5)	3b1 (A5)		3b1 (A5)
v3	4b1 (A5)	N/A	4b1 (A5)	N/A
v4	N/A	N/A		

SEIZURES

Variable Type	Original UDS question
Short descriptor	Epilepsy and/or history of seizures (excluding childhood febrile seizures)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a (A5)	4a (A5)		
v2	4a (A5)	4a (A5)		4a (A5)
v3	4c (A5)	N/A	4c (A5)	N/A
v4	4c	4c		

SEIZNUM

Variable Type	Original UDS question
Short descriptor	How many seizures has the participant had in the past 12 months?
Data type	Numeric longitudinal
Allowable codes	**0** = None **1** = 1 or 2 **2** = 3 or more **8** = Not applicable, no recent/active seizures **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4c1	4c1		

SEIZAGE

Variable Type	Original UDS question
Short descriptor	Age at first seizure (excluding childhood febrile seizures)
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of seizures **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at first seizure is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4c2	4c2		

HEADACHE

Variable Type	Original UDS question
Short descriptor	Chronic headaches
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4d	4d		

MS

Variable Type	Original UDS question
Short descriptor	Multiple sclerosis
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4e	4e		

HYDROCEPH

Variable Type	Original UDS question
Short descriptor	Normal-pressure hydrocephalus
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4f	4f		

HEADIMP

Variable Type	Original UDS question
Short descriptor	Repetitive head impacts
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For example, from contact sports, intimate partner violence, or military duty, regardless of whether it caused symptoms.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g	4g		

IMPAMFOOT

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: American football
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1a	4g1a		

IMPSOCCER

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Soccer
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1b	4g1b		

IMPHOCKEY

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Ice hockey
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1c	4g1c		

IMPBOXING

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Boxing or mixed martial arts
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1d	4g1d		

IMPSPORT

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Other contact sport
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1e	4g1e		

IMPIPV

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Intimate partner violence
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1f	4g1f		

IMPMILIT

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Military service
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1g	4g1g		

IMPASSAULT

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Physical assault
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1h	4g1h		

IMPOTHER

Variable Type	Original UDS question
Short descriptor	Source of exposure for repeated hits to the head: Other cause
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1i	4g1i		

IMPOTHERX

Variable Type	Original UDS question
Short descriptor	Specify other source of exposure for repeated hits to the head
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another source of exposure for repeated hits to the head is indicated (**IMPOTHER=1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g1i1	4g1i1		

IMPYEARS

Variable Type	Original UDS question
Short descriptor	Years of repetitive head impacts
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of head impacts **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Total length of time in years that the participant was exposed to repeated hits to the head (e.g., playing American football for 7 years)

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g2	4g2		

HEADINJURY

Variable Type	Original UDS question
Short descriptor	Head injury (UDS v4)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.
Description/ derivation	Head injury (e.g., in a vehicle accident, being hit by an object, in a fall, while playing sports or biking, in an assault, or during military service) that resulted in a period of feeling "dazed or confused," being unable to recall details of the injury, or loss of consciousness. If multiple head injuries, most severe episode was reported.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h	4h		

HEADINJUNC

Variable Type	Original UDS question
Short descriptor	Head injury - time unconscious (UDSv4)
Data type	Numeric longitudinal
Allowable codes	**0** = Less than 5 minutes **1** = 5 minutes to less than 30 minutes **2** = 30 minutes to less than 24 hours **3** = 1 day to less than 7 days **4** = 7 days or more **8** = Not applicable, no loss of consciousness **9** = Unknown duration **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	After a head injury, the longest period of time that the participant was unconscious.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h1	4h1		

HEADINJCON

Variable Type	Original UDS question
Short descriptor	Head injury - time "dazed or confused" (UDSv4)
Data type	Numeric longitudinal
Allowable codes	**0** = Less than 5 minutes **1** = 5 minutes to less than 30 minutes **2** = 30 minutes to less than 24 hours **3** = 1 day to less than 7 days **4** = 7 days or more **8** = Not applicable, never dazed or confused **9** = Unknown duration **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	After a head injury, the longest period that the participant was "dazed or confused" or unable to recall details of the injury.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h2	4h2		

HEADINJNUM

Variable Type	Original UDS question
Short descriptor	Total number of head injuries (UDSv4)
Data type	Numeric longitudinal
Allowable codes	**0** = None **1** = 1-2 **2** = 3-5 **3** = 6-12 **4** = 13 or more **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Total number of head injuries in which the participant felt "dazed or confused," unable to recall details of the injury or experienced loss of consciousness.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h3	4h3		

FIRSTTBI

Variable Type	Original UDS question
Short descriptor	Age of first head injury (UDSv4)
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of head injury **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Age of first head injury that resulted in a period of feeling "dazed or confused," being unable to recall details of the injury, or loss of consciousness. For v4 follow-up visits where the age at first head injury is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h4	4h4		

LASTTBI

Variable Type	Original UDS question
Short descriptor	Age of most recent head injury (UDSv4)
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of head injury **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Age of most recent head injury that resulted in a period of feeling "dazed or confused," being unable to recall details of the injury, or loss of consciousness. For year of last TBI in v3, see **TBIYEAR**. For v4 follow-up visits where the age of most recent head injury is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h5	4h5		

NACCTBI

Variable Type	NACC derived variable
Short descriptor	History of traumatic brain injury (TBI)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If any type of TBI is reported at the visit on Form A5 (**HEADINJURY** or **TBI** or **TRAUMBRF** or **TRAUMCHR** or **TRAUMEXT**), **NACCTBI=1**. For v3, it may be advisable to use the **TBI** variable collected on Form D1 (Clinician Diagnosis) , because **TBI** as reported on Form A5 was collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	4b1, 4b2, 4b3 (A5)	4b1, 4b2, 4b3 (A5)		
v2	4b1, 4b2, 4b3 (A5)	4b1, 4b2, 4b3 (A5)		4b1, 4b2, 4b3 (A5)
v3	4d (A5)	N/A	4d (A5)	N/A
v4	4h	4h		

TBI

Variable Type	Original UDS question
Short descriptor	Traumatic brain injury (TBI) (UDSv3)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4d (A5)	N/A	4d (A5)	N/A
v4	N/A	N/A		

TBIBRIEF

Variable Type	Original UDS question
Short descriptor	Traumatic brain injury (TBI) with brief loss of consciousness (UDSv3)
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Single **2** = Repeated/multiple **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	To examine history of TBI with brief loss of consciousness as reported in UDS v1.2 or v2.0, see **TRAUMBRF**, below. For some analyses, it may be advisable to use the **TBI** variable collected on Form D1 (Clinician Diagnosis), because **TBI** as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4d1 (A5)	N/A	4d1 (A5)	N/A
v4	N/A	N/A		

TRAUMBRF

Variable Type	Original UDS question
Short descriptor	Brain trauma – brief unconsciousness (UDSv1.2-v2.0)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	TBI with brief loss of consciousness was not collected in this manner in UDS v2.0. To examine history of TBI with brief loss of consciousness as reported in UDS v3 and subsequent versions, see **TBIBRIEF**, above.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	4b1 (A5)	4b1 (A5)		
v2	4b1 (A5)	4b1 (A5)		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

TBIEXTEN

Variable Type	Original UDS question
Short descriptor	TBI with extended loss of consciousness – 5 minutes or longer (UDSv3)
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Single **2** = Repeated/multiple **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	To examine history of TBI with extended loss of consciousness as reported in UDS v1.2 or v2.0, see **TRAUMEXT**, below. For some analyses, it may be advisable to use the **TBI** variable collected on Form D1 (Clinician Diagnosis), because **TBI** as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4d2 (A5)	N/A	4d2 (A5)	N/A
v4	N/A	N/A		

TRAUMEXT

Variable Type	Original UDS question
Short descriptor	Brain trauma – extended unconsciousness (UDSv1.2-v2.0)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	To examine history of TBI with extended loss of consciousness as reported in UDSv3, see **TBIEXTEN**, above. For some analyses, it may be advisable to use the **TBI** variable collected on Form D1 (Clinician Diagnosis), because **TBI** as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	4b2 (A5)	4b2 (A5)		
v2	4b2 (A5)	4b2 (A5)		4b2 (A5)
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

TBIWOLOS

Variable Type	Original UDS question
Short descriptor	TBI without loss of consciousness – as might result from military detonations or sports injury (UDSv3)
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Single **2** = Repeated/multiple **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For some analyses, it may be advisable to use the **TBI** variable collected on Form D1 (Clinician Diagnosis), because **TBI** as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4d3 (A5)	N/A	4d3 (A5)	N/A
v4	N/A	N/A		

TRAUMCHR

Variable Type	Original UDS question
Short descriptor	Brain trauma – chronic deficit (UDSv1.2-v2.0)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For some analyses, it may be advisable to use the **TBI** variable collected on Form D1 (Clinician Diagnosis), because **TBI** as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	4b3 (A5)	4b3 (A5)		
v2	4b3 (A5)	4b3 (A5)		4b3 (A5)
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

TBIYEAR

Variable Type	Original UDS question
Short descriptor	Year of most recent TBI (UDSv3)
Data type	Numeric cross-sectional
Allowable codes	**1900 – current year** **8888** = Not applicable, no reported TBI **9999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For age of most recent head injury in v4, see **LASTTBI**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4d4 (A5)	N/A	4d4 (A5)	N/A
v4	N/A	N/A		

NCOTHR

Variable Type	Original UDS question
Short descriptor	Other neurological condition
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	4c (A5)	4c (A5)		
v2	4c (A5)	4c (A5)		4c (A5)
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

NCOTHRX

Variable Type	Original UDS question
Short descriptor	Other neurological condition (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another neurological condition is reported, it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	4c1 (A5)	4c1 (A5)		
v2	4c1 (A5)	4c1 (A5)		4c1 (A5)
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

DIABETES

Variable Type	Original UDS question
Short descriptor	Diabetes
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the diabetes variable collected on Form D2 (Clinician-assessed Medical Conditions), because diabetes as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5c (A5)	5c (A5)		
v2	5c (A5)	5c (A5)		5c (A5)
v3	5a (A5)	N/A	5a (A5)	N/A
v4	5a	5a		

DIABET

Variable Type	Original UDS question
Short descriptor	Diabetes present at visit
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, Type 1 **2** = Yes, Type II **3** = Yes, other type **9** = Not assessed or unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **DIABETES**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2 (D2)	2 (D2)	2 (D2)	2 (D2)
v4	N/A	N/A		

DIABTYPE

Variable Type	Original UDS question
Short descriptor	Diabetes type
Data type	Numeric longitudinal
Allowable codes	**1** = Type 1 **2** = Type 2 **3** = Other type (diabetes insipidus, latent autoimmune diabetes/type 1.5, gestational diabetes) **8** = Not applicable, no diabetes reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the diabetes type variable collected on Form D2 (Clinician-assessed Medical Conditions), because diabetes as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5a1 (A5)	N/A	5a1 (A5)	N/A
v4	5a1	5a1		

DIABINS

Variable Type	Original UDS question
Short descriptor	Diabetes treated with: Insulin
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a2a	5a2a		

DIABMEDS

Variable Type	Original UDS question
Short descriptor	Diabetes treated with: Oral medications
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a2b	5a2b		

DIABGLP1

Variable Type	Original UDS question
Short descriptor	Diabetes treated with: GLP-1 receptor agonists
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a2c	5a2c		

DIABRECACT

Variable Type	Original UDS question
Short descriptor	Diabetes treated with: Other non-insulin, non GLP-1 receptor agonist injection medication
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a2d	5a2d		

DIABDIET

Variable Type	Original UDS question
Short descriptor	Diabetes treated with: Diet
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a2e	5a2e		

DIABUNK

Variable Type	Original UDS question
Short descriptor	Diabetes treated with: Unknown
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a2f	5a2f		

DIABAGE

Variable Type	Original UDS question
Short descriptor	Age at diabetes diagnosis
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of diabetes **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at diabetes diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a3	5a3		

HYPERTEN

Variable Type	Original UDS question
Short descriptor	Hypertension (or taking medication for hypertension)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the hypertension variable collected on Form D2 (Clinician-assessed Medical Conditions), because hypertension as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5a (A5)	5a (A5)		
v2	5a (A5)	5a (A5)		5a (A5)
v3	5b (A5)	N/A	5b (A5)	N/A
v4	5b	5b		

HYPERT

Variable Type	Original UDS question
Short descriptor	Hypertension present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **HYPERTEN**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6 (D2)	6 (D2)	6 (D2)	6 (D2)
v4	N/A	N/A		

HYPERTAGE

Variable Type	Original UDS question
Short descriptor	Age at hypertension diagnosis
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of hypertension **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at hypercholesterolemia diagnosis is the same as perviously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5b1	5b1		

HYPERCHO

Variable Type	Original UDS question
Short descriptor	Hypercholesterolemia (or taking medication for high cholesterol)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the hypercholesterolemia variable collected on Form D2 (Clinician-assessed Medical Conditions), because hypercholesterolemia as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5b (A5)	5b (A5)		
v2	5b (A5)	5b (A5)		5b (A5)
v3	5c (A5)	N/A	5c (A5)	N/A
v4	5c	5c		

HYPCHOL

Variable Type	Original UDS question
Short descriptor	Hypercholesterolemia present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **HYPERCHO**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8 (D2)	8 (D2)	8 (D2)	8 (D2)
v4	N/A	N/A		

HYPERCHAGE

Variable Type	Original UDS question
Short descriptor	Age at hypercholesterolemia diagnosis
Data type	Numeric longitudinal
Allowable codes	**10 – 110** **888** = Not applicable, no reported history of hypercholesterolemia **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at hypercholesterolemia diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5c1	5c1		

B12DEF

Variable Type	Original UDS question
Short descriptor	Vitamin B12 deficiency
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the vitamin B12 deficiency variable collected on Form D2 (Clinician-assessed Medical Conditions), because vitamin B12 deficiency as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5d (A5)	5d (A5)		
v2	5d (A5)	5d (A5)		5d (A5)
v3	5d (A5)	N/A	5d (A5)	N/A
v4	5d	5d		

VB12DEF

Variable Type	Original UDS question
Short descriptor	B12 deficiency present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **B12DEF**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9 (D2)	9 (D2)	9 (D2)	9 (D2)
v4	N/A	N/A		

THYROID

Variable Type	Original UDS question
Short descriptor	Thyroid disease
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the thyroid disease variable collected on Form D2 (Clinician-assessed Medical Conditions), because thyroid disease as reported on Form A5 is collected using mainly participant and co-participant report. Please ask a NACC research consultant if you have any questions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5e (A5)	5e (A5)		
v2	5e (A5)	5e (A5)		5e (A5)
v3	5e (A5)	N/A	5e (A5)	N/A
v4	5e	5e		

THYDIS

Variable Type	Original UDS question
Short descriptor	Thyroid disease present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **THYROID**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	10 (D2)	10 (D2)	10 (D2)	10 (D2)
v4	N/A	N/A		

ARTHRIT

Variable Type	Original UDS question
Short descriptor	Arthritis
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the arthritis variable collected on Form D2 (Clinician-assessed Medical Conditions), because arthritis as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f (A5)	N/A	5f (A5)	N/A
v4	5f	5f		

ARTH

Variable Type	Original UDS question
Short descriptor	Arthritis present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **ARTHRIT**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11 (D2)	11 (D2)	11 (D2)	11 (D2)
v4	N/A	N/A		

NACCRHEUM

Variable Type	NACC derived variable
Short descriptor	Type of arthritis: Rheumatoid
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported arthritis **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f1 (A5), 11a (D2)	11a (D2)	5f1 (A5), 11a (D2)	11a (D2)
v4	5f1a, 5f1d	5f1a, 5f1d		

Description/ derivation

In v3, this variable was derived as follows:

If the participant has rheumatoid arthritis (**ARTHTYPE = 1** or **ARTYPE = 1**) then **NACCRHEUM = 1**. If the participant had osteoarthritis or another type (**ARTHTYPE = 2,3** or **ARTYPE = 2,3**), then **NACCRHEUM = 0**. If the type of arthritis is unknown (**ARTHTYPE = 9** and **ARTYPE = 9**) then **NACCRHEUM = 9**. If the participant does not have arthritis (**ARTHRIT = 0** or **ARTH = 0**), then **NACCRHEUM = 8**.

Note that in UDSv4, participants can report multiple types of arthritis. See **NACCOSTEO** and **NACCARTOTH**.

NACCOSTEO

Variable Type	NACC derived variable
Short descriptor	Type of arthritis: Osteoarthritis
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported arthritis **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f1 (A5), 11a (D2)	11a (D2)	5f1 (A5), 11a (D2)	11a (D2)
v4	5f1b, 5f1d	5f1b, 5f1d		

Description/ derivation

In v3, this variable was derived as follows:

If the participant has osteoarthritis (**ARTHTYPE = 2** or **ARTYPE = 2**) then **NACCOSTEO = 1**. If the participant had rheumatoid arthritis or another type (**ARTHTYPE = 1,3** or **ARTYPE = 1,3**), then **NACCOSTEO = 0**. If the type of arthritis is unknown (**ARTHTYPE = 9** and **ARTYPE = 9**) then **NACCOSTEO = 9**. If the participant does not have arthritis (**ARTHRIT = 0** or **ARTH = 0**), then **NACCOSTEO = 8**.

Note that in UDSv4, participants can report multiple types of arthritis. See **NACCRHEUM** and **NACCARTOTH**.

NACCARTOTH

Variable Type	NACC derived variable
Short descriptor	Type of arthritis: Other
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported arthritis **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f1 (A5), 11a (D2)	11a (D2)	5f1 (A5), 11a (D2)	11a (D2)
v4	5f1c, 5f1d	5f1c, 5f1d		

Description/ derivation

In v3, this variable was derived as follows:

If the participant has other type of arthritis (**ARTHTYPE = 3** or **ARTYPE = 3**) then **NACCARTOTH = 1**. If the participant had rheumatoid arthritis or osteoarthritis (**ARTHTYPE = 1,2** or **ARTYPE = 1,2**), then **NACCARTOTH = 0**. If the type of arthritis is unknown (**ARTHTYPE = 9** and **ARTYPE = 9**) then **NACCARTOTH = 9**. If the participant does not have arthritis (**ARTHRIT = 0** or **ARTH = 0**), then **NACCARTOTH = 8**.

Note that in UDSv4, participants can report multiple types of arthritis. See **NACCRHEUM** and **NACCOSTEO.**

In UDSv3 and v4, "other" arthritis type was specified in the following variables: **ARTHTYPX** and **ARTYPEX**.

ARTHTYPE

Variable Type	Original UDS question
Short descriptor	Type of arthritis
Data type	Numeric cross-sectional
Allowable codes	**1** = Rheumatoid **2** = Osteoarthritis **3** = Other **8** = Not applicable, no reported arthritis **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f1 (A5)	N/A	5f1 (A5)	N/A
v4	N/A	N/A		

Description/ derivation

For v3, it may be advisable to use the arthritis type variable collected on Form D2 (Clinician-assessed Medical Conditions), because arthritis as reported on Form A5 is collected using mainly participant and co-participant report.

ARTYPE

Variable Type	Original UDS question
Short descriptor	Arthritis type
Data type	Numeric longitudinal
Allowable codes	**1** = Rheumatoid **2** = Osteoarthritis **3** = Other (specify) **8** = No arthritis reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11a (D2)	11a (D2)	11a (D2)	11a (D2)
v4	N/A	N/A		

Description/ derivation

Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **NACCRHEUM, NACCOSTEO,** and **NACCARTOTH**). However, self-reported medical information is available v3-4 of the UDS from Form A5: Participant Health History and Form A5/D2.

ARTHTYPX

Variable Type	Original UDS question
Short descriptor	Other arthritis - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another type of arthritis is reported, it will be listed here, otherwise, it will be blank. For v3, it may be advisable to use the arthritis type variable collected on Form D2 (Clinician-assessed Medical Conditions), because arthritis as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f1a (A5)	N/A	5f1a (A5)	N/A
v4	5f1c1	5f1c1		

ARTYPEX

Variable Type	Original UDS question
Short descriptor	Other arthritis type specification
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another arthritis type is indicated (**ARTYPE = 3**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11a1 (D2)	11a1 (D2)	11a1 (D2)	11a1 (D2)
v4	N/A	N/A		

ARTHUPEX

Variable Type	Original UDS question
Short descriptor	Arthritis, region affected - upper extremity
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the arthritis region variable collected on Form D2 (Clinician-assessed Medical Conditions), because arthritis as reported on Form A5 is collected mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f2a (A5)	N/A	5f2a (A5)	N/A
v4	5f2a	5f2a		

ARTUPEX

Variable Type	Original UDS question
Short descriptor	Arthritis region affected – upper extremity
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **ARTHUPEX**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11b1 (D2)	11b1 (D2)	11b1 (D2)	11b1 (D2)
v4	N/A	N/A		

ARTHLOEX

Variable Type	Original UDS question
Short descriptor	Arthritis, region affected - lower extremity
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the arthritis region variable collected on Form D2 (Clinician-assessed Medical Conditions), because arthritis as reported on Form A5 is collected mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f2b (A5)	N/A	5f2b (A5)	N/A
v4	5f2b	5f2b		

ARTLOEX

Variable Type	Original UDS question
Short descriptor	Arthritis region affected – lower extremity
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **ARTHLOEX**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11b2 (D2)	11b2 (D2)	11b2 (D2)	11b2 (D2)
v4	N/A	N/A		

ARTHSPIN

Variable Type	Original UDS question
Short descriptor	Arthritis, region affected - spine
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the arthritis region variable collected on Form D2 (Clinician-assessed Medical Conditions), because arthritis as reported on Form A5 is collected mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f2c (A5)	N/A	5f2c (A5)	N/A
v4	5f2c	5f2c		

ARTSPIN

Variable Type	Original UDS question
Short descriptor	Arthritis region affected – spine
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **ARTHSPIN**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11b3 (D2)	11b3 (D2)	11b3 (D2)	11b3 (D2)
v4	N/A	N/A		

ARTHUNK

Variable Type	Original UDS question
Short descriptor	Arthritis region affected - unknown
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the arthritis region variable collected on Form D2 (Clinician-assessed Medical Conditions), because arthritis as reported on Form A5 is collected mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f2d (A5)	N/A	5f2d (A5)	N/A
v4	5f2d	5f2d		

ARTUNKN

Variable Type	Original UDS question
Short descriptor	Arthritis region affected – unknown
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no arthritis reported **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **ARTHUNK**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11b4 (D2)	11b4 (D2)	11b4 (D2)	11b4 (D2)
v4	N/A	N/A		

INCONTU

Variable Type	Original UDS question
Short descriptor	Incontinence – urinary (occurring at least weekly)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the urinary incontinence variable collected on Form D2 (Clinician-assessed Medical Conditions), because urinary incontinence as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5f (A5)	5f (A5)		
v2	5f (A5)	5f (A5)		5f (A5)
v3	5g (A5)	N/A	5g (A5)	N/A
v4	5g	5g		

URINEINC

Variable Type	Original UDS question
Short descriptor	Incontinence present – urinary
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **INCONTU**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12 (D2)	12 (D2)	12 (D2)	12 (D2)
v4	N/A	N/A		

INCONTF

Variable Type	Original UDS question
Short descriptor	Incontinence – bowel (occurring at least weekly)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the bowel incontinence variable collected on Form D2 (Clinician-assessed Medical Conditions), because bowel incontinence as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5g (A5)	5g (A5)		
v2	5g (A5)	5g (A5)		5g (A5)
v3	5h (A5)	N/A	5h (A5)	N/A
v4	5h	5h		

BOWLINC

Variable Type	Original UDS question
Short descriptor	Incontinence present – bowel
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **INCONTF**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	13 (D2)	13 (D2)	13 (D2)	13 (D2)
v4	N/A	N/A		

APNEA

Variable Type	Original UDS question
Short descriptor	Sleep apnea
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the sleep apnea variable collected on Form D2 (Clinician-assessed Medical Condition), because sleep apnea as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5i (A5)	N/A	5i (A5)	N/A
v4	5i	5i		

SLEEPAP

Variable Type	Original UDS question
Short descriptor	Sleep apnea present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **APNEA**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	14 (D2)	14 (D2)	14 (D2)	14 (D2)
v4	N/A	N/A		

CPAP

Variable Type: Original UDS question

Short descriptor: Typical use of breathing machine (e.g., CPAP) at night over the past 12 months

Data type: Numeric longitudinal

Allowable codes:
0 = None
1 = <4 hours a night
2 = >4 hours a night
8 = Not applicable, no recent/active sleep apnea
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5i1	5i1		

APNEAORAL

Variable Type: Original UDS question

Short descriptor: Typical use of an oral device or implanted breathing pacemaker for sleep apnea at night over the past 12 months

Data type: Numeric longitudinal

Allowable codes:
0 = None
1 = <4 hours a night
2 = >4 hours a night
8 = Not applicable, no recent/active sleep apnea
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5i2	5i2		

RBD

Variable Type: Original UDS question

Short descriptor: REM sleep behavior disorder (RBD)

Data type: Numeric longitudinal

Allowable codes:
0 = Absent
1 = Recent/Active
2 = Remote/Inactive
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5j (A5)	N/A	5j (A5)	N/A
v4	5j	5j		

Description/ derivation: For v3, it may be advisable to use the REM sleep behavior disorder variable collected on Form D2 (Clinician-assessed Medical Conditions) and Form B9 (Clinician Judgment of Symptoms), because RBD disorder as reported on Form A5 is collected using mainly participant and co-participant report.

REMDIS

Variable Type: Original UDS question

Short descriptor: REM sleep behavior disorder (RBD) present

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Not assessed
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15 (D2)	15 (D2)	15 (D2)	15 (D2)
v4	N/A	N/A		

Description/ derivation: Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **RBD**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

INSOMN

Variable Type	Original UDS question
Short descriptor	Hyposomnia/insomnia (occurring at least weekly or requiring medication)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the hyposomnia/insomnia variable collected on Form D2 (Clinician-assessed Medical Conditions), because hyposomnia/insomnia as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5k (A5)	N/A	5k (A5)	N/A
v4	5k	5k		

HYPOSOM

Variable Type	Original UDS question
Short descriptor	Hyposomnia/insomnia present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **INSOMN**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	16 (D2)	16 (D2)	16 (D2)	16 (D2)
v4	N/A	N/A		

OTHSLEEP

Variable Type	Original UDS question
Short descriptor	Other sleep disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v3, it may be advisable to use the hyposomnia/insomnia variable collected on Form D2 (Clinician-assessed Medical Conditions), because hyposomnia/insomnia as reported on Form A5 is collected using mainly participant and co-participant report.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5l (A5)	N/A	5l (A5)	N/A
v4	5l	5l		

SLEEPOTH

Variable Type	Original UDS question
Short descriptor	Other sleep disorder present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3 on Form D2: Clinician-assessed Medical Conditions and UDSv4 on Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions (see **OTHSLEEP**). However, self-reported medical information is available for all versions of the UDS from Form A5: Participant Health History and Form A5/D2.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	17 (D2)	17 (D2)	17 (D2)	17 (D2)
v4	N/A	N/A		

OTHSLEEX

Variable Type	Original UDS question
Short descriptor	Other sleep disorder – specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another type of sleep disorder is reported (**OTHSLEEP = 1 or 2**), it will be listed here, otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5I1 (A5)	N/A	5I1 (A5)	N/A
v4	5I1	5I1		

SLEEPOTX

Variable Type	Original UDS question
Short descriptor	Other sleep disorder - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another sleep disorder is indicated as present (**SLEEPOTH = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	17a (D2)	17a (D2)	17a (D2)	17a (D2)
v4	N/A	N/A		

NACCCANCER

Variable Type	NACC derived variable
Short descriptor	Cancer present in the last 12 months (excluding non-melanoma skin cancer)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	This variable was not collected in v1-2. In v3, this variable is derived from the variable **CANCER** in Form D2: Clinician-assessed Medical Conditions. If a participant did not have cancer (**CANCER = 0**), **NACCCANCER = 0**. If the participant had primary/non-metastatic cancer or metastatic cancer (**CANCER = 1 or 2**) then **NACCCANCER = 1**. If it was unknown whether a participant had cancer, **NACCCANCER = 9**. In v4, this variable is derived from the variable **CANCERACTV** in Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions. If a participant did not have cancer (**CANCERACTV = 0**), **NACCCANCER = 0**. If the participant had recent/active or remote/inactive primary or metastatic cancer (**CANCERACTV = 1 or 2**) then **NACCCANCER = 1**. If it was unknown whether a participant had cancer, **NACCCANCER = 9**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1 (D2)	1 (D2	1 (D2)	1 (D2)
v4	5m	5m		

CANCERACTV

Variable Type	Original UDS question
Short descriptor	Cancer, primary or metastatic (excluding non-melanoma skin cancer)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Refer to **NACCCANCER** for harmonization across UDS versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m	5m		

CANCER

Variable Type	Original UDS question
Short descriptor	Cancer present in the last 12 months (excluding non-melanoma skin cancer)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, primary/non-metastatic **2** = Yes, metastatic **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information; in UDSv4, cancer type is assessed in the following variables: **CANCERPRIM**, **CANCERMETA**, **CANCMETBR**, **CANCMETOTH**, **CANCERUNK**. Also refer to **NACCCANCER** for harmonization across UDS versions.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1 (D2)	1 (D2	1 (D2)	1 (D2)
v4	N/A	N/A		

CANCERPRIM

Variable Type	Original UDS question
Short descriptor	Type of cancer: Primary/non-metastatic
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple types of cancer can be reported - review additional cancer type variables: **CANCERMETA**, **CANCMETBR**, **CANCMETOTH**, **CANCERUNK**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m1a	5m1a		

CANCERMETA

Variable Type	Original UDS question
Short descriptor	Type of cancer: Metastatic
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple types of cancer can be reported - review additional cancer type variables: **CANCERPRIM**, **CANCMETBR**, **CANCMETOTH**, **CANCERUNK**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m1b	5m1b		

CANCMETBR

Variable Type	Original UDS question
Short descriptor	Type of metastatic cancer: Metastatic to brain
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple types of cancer can be reported - review additional cancer type variables: **CANCERPRIM**, **CANCERMETA**, **CANCMETOTH**, **CANCERUNK**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m1b1	5m1b1		

CANCMETOTH

Variable Type	Original UDS question
Short descriptor	Type of metastatic cancer: Metastatic to sites other than brain
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple types of cancer can be reported - review additional cancer type variables: **CANCERPRIM**, **CANCERMETA**, **CANCMETBR**, **CANCERUNK**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m1b2	5m1b2		

CANCERUNK

Variable Type	Original UDS question
Short descriptor	Type of cancer: Unknown
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple types of cancer can be reported - review additional cancer type variables: **CANCERPRIM**, **CANCERMETA**, **CANCMETBR**, **CANCMETOTH**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m1c	5m1c		

CANCBLOOD

Variable Type	Original UDS question
Short descriptor	Primary site of cancer: Blood
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in v1-2. In v3, primary cancer site was collected in the **CANCSITE** write-in variable. Note that in UDSv4 multiple cancer sites can be reported - review additional cancer site variables: **CANCBREAST**, **CANCCOLON**, **CANCLUNG**, **CANCPROST**, **CANCOTHER**, **CANCOTHERX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m2a	5m2a		

CANCBREAST

Variable Type	Original UDS question
Short descriptor	Primary site of cancer: Breast
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in v1-2. In v3, primary cancer site was collected in the **CANCSITE** write-in variable. Note that in UDSv4 multiple cancer sites can be reported - review additional cancer site variables: **CANCBLOOD**, **CANCCOLON**, **CANCLUNG**, **CANCPROST**, **CANCOTHER**, **CANCOTHERX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m2b	5m2b		

CANCCOLON

Variable Type	Original UDS question
Short descriptor	Primary site of cancer: Colon
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in v1-2. In v3, primary cancer site was collected in the **CANCSITE** write-in variable. Note that in UDSv4 multiple cancer sites can be reported - review additional cancer site variables: **CANCBLOOD**, **CANCBREAST**, **CANCLUNG**, **CANCPROST**, **CANCOTHER**, **CANCOTHERX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m2c	5m2c		

CANCLUNG

Variable Type	Original UDS question
Short descriptor	Primary site of cancer: Lung
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in v1-2. In v3, primary cancer site was collected in the **CANCSITE** write-in variable. Note that in UDSv4 multiple cancer sites can be reported - review additional cancer site variables: **CANCBLOOD**, **CANCBREAST**, **CANCCOLON**, **CANCPROST**, **CANCOTHER**, **CANCOTHERX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m2d	5m2d		

CANCPROST

Variable Type	Original UDS question
Short descriptor	Primary site of cancer: Prostate
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in v1-2. In v3, primary cancer site was collected in the **CANCSITE** write-in variable. Note that in UDSv4 multiple cancer sites can be reported - review additional cancer site variables: **CANCBLOOD**, **CANCBREAST**, **CANCCOLON**, **CANCLUNG**, **CANCOTHER**, **CANCOTHERX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m2e	5m2e		

CANCOTHER

Variable Type	Original UDS question
Short descriptor	Primary site of cancer: Other
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in v1-2. In v3, primary cancer site was collected in the **CANCSITE** write-in variable. Note that in UDSv4 multiple cancer sites can be reported - review additional cancer site variables: **CANCBLOOD**, **CANCBREAST**, **CANCCOLON**, **CANCLUNG**, **CANCPROST**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m2f	5m2f		

CANCOTHERX

Variable Type	Original UDS question
Short descriptor	Other primary site of cancer - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If other primary site of cancer is indicated (**CANCOTHER = 1**), the site of the cancer will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m2f1	5m2f1		

CANCSITE

Variable Type	Original UDS question
Short descriptor	Cancer primary site - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If cancer is marked as present (**CANCER=1** or **CANCER=2**), the site of the cancer will be listed here; otherwise, this variable will be blank. Note that in UDSv4, primary cancer site is assessed in the following variables: **CANCBLOOD**, **CANCBREAST**, **CANCCOLON**, **CANCLUNG**, **CANCPROST**, **CANCOTHER**, **CANCOTHERX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1a (D2)	1a (D2)	1a (D2)	1a (D2)
v4	N/A	N/A		

CANCRAD

Variable Type	Original UDS question
Short descriptor	Type of cancer treatment: Radiation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple cancer treatments can be reported - review additional cancer treatment variables: **CANCRESECT**, **CANCIMMUNO**, **CANCBONE**, **CANCCHEMO**, **CANCHORM**, **CANCTROTH**, **CANCTROTHX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3a	5m3a		

CANCRESECT

Variable Type	Original UDS question
Short descriptor	Type of cancer treatment: Surgical resection
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple cancer treatments can be reported - review additional cancer treatment variables: **CANCRAD**, **CANCIMMUNO**, **CANCBONE**, **CANCCHEMO**, **CANCHORM**, **CANCTROTH**, **CANCTROTHX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3b	5m3b		

CANCIMMUNO

Variable Type	Original UDS question
Short descriptor	Type of cancer treatment: Immunotherapy
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple cancer treatments can be reported - review additional cancer treatment variables: **CANCRAD**, **CANCRESECT**, **CANCBONE**, **CANCCHEMO**, **CANCHORM**, **CANCTROTH**, **CANCTROTHX**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3c	5m3c		

CANCBONE

Variable Type	Original UDS question
Short descriptor	Type of cancer treatment: Bone marrow transplant
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple cancer treatments can be reported - review additional cancer treatment variables: **CANCRAD**, **CANCRESECT**, **CANCIMMUNO**, **CANCCHEMO**, **CANCHORM**, **CANCTROTH**, **CANCTROTHX**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3d	5m3d		

CANCCHEMO

Variable Type	Original UDS question
Short descriptor	Type of cancer treatment: Chemotherapy
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple cancer treatments can be reported - review additional cancer treatment variables: **CANCRAD**, **CANCRESECT**, **CANCIMMUNO**, **CANCBONE**, **CANCHORM**, **CANCTROTH**, **CANCTROTHX**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3e	5m3e		

CANCHORM

Variable Type	Original UDS question
Short descriptor	Type of cancer treatment: Hormone therapy
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple cancer treatments can be reported - review additional cancer treatment variables: **CANCRAD**, **CANCRESECT**, **CANCIMMUNO**, **CANCBONE**, **CANCCHEMO**, **CANCTROTH**, **CANCTROTHX**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3f	5m3f		

CANCTROTH

Variable Type	Original UDS question
Short descriptor	Type of cancer treatment: Other
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that multiple cancer treatments can be reported - review additional cancer treatment variables: **CANCRAD**, **CANCRESECT**, **CANCIMMUNO**, **CANCBONE**, **CANCCHEMO**, **CANCHORM**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3g	5m3g		

CANCTROTHX

Variable Type	Original UDS question
Short descriptor	Other type of cancer treatment - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	It other type of cancer treatment is indicated (**CANCTROTH = 1**), the type will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m3g1	5m3g1		

CANCERAGE

Variable Type	Original UDS question
Short descriptor	Age at most recent cancer diagnosis.
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of cancer **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at most recent cancer diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5m4	5m4		

COVID19

Variable Type	Original UDS question
Short descriptor	COVID–19 infection
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5n	5n		

COVIDHOSP

Variable Type	Original UDS question
Short descriptor	COVID-19 infection requiring hospitalization
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no reported COVID-19 infection **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5n1	5n1		

PULMONARY

Variable Type	Original UDS question
Short descriptor	Asthma / COPD / pulmonary disease
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5o	5o		

KIDNEY

Variable Type	Original UDS question
Short descriptor	Chronic kidney disease
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5p	5p		

KIDNEYAGE

Variable Type	Original UDS question
Short descriptor	Age at chronic kidney disease diagnosis
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of kidney disease **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at chronic kidney disease diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5p1	5p1		

LIVER

Variable Type	Original UDS question
Short descriptor	Liver disease
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5q	5q		

LIVERAGE

Variable Type	Original UDS question
Short descriptor	Age at liver disease diagnosis
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of liver disease **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at liver disease diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5q1	5q1		

PVD

Variable Type	Original UDS question
Short descriptor	Peripheral vascular disease
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5r	5r		

PVDAGE

Variable Type	Original UDS question
Short descriptor	Age at peripheral vascular disease diagnosis
Data type	Numeric longitudinal
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of peripheral vascular disease **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at peripheral vascular disease diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5r1	5r1		

HIVDIAG

Variable Type	Original UDS question
Short descriptor	Human Immunodeficiency Virus (HIV)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5s	5s		

HIVAGE

Variable Type	Original UDS question
Short descriptor	Age at HIV diagnosis
Data type	Numeric cross-sectional
Allowable codes	**0 – 110** **888** = Not applicable, no reported history of HIV **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at HIV diagnosis is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5s1	5s1		

ANTIENC

Variable Type	Original UDS question
Short descriptor	Antibody-mediated encephalopathy within the past 12 months
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this is clinician-reported health information, which is available only for UDSv3.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	22 (D2)	22 (D2)	22 (D2)	22 (D2)
v4	N/A	N/A		

ANTIENCX

Variable Type	Original UDS question
Short descriptor	Antibody-mediated encephalopathy - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If antibody-mediated encephalopathy is indicated as present (**ANTIENC=1**), the type will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	22a (D2)	22a (D2)	22a (D2)	22a (D2)
v4	N/A	N/A		

NACCOTHCON

Variable Type	NACC derived variable
Short descriptor	Other medical conditions or procedures within the past 12 months
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	This variable was not collected in v1-2. In v3, this variable is derived from Form D2: Clinician-assessed Medical Conditions. If a participant was reported to have another medical condition that was not listed, it is reported as **NACCOTHCON = 1**. If a participant did not have another medical condition, **NACCOTHCON = 0**. In v4, this variable is derived from the variable **OTHERCOND** in Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions. If other medical conditions or procedures were absent or remote/inactive, **NACCOTHCON = 0**. If other medical conditions or procedures were recent/active, **NACCOTHCON = 1**. If it is unknown whether a participant had other medical conditions or procedures, **NACCOTHCON = 9**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	23 (D2)	23 (D2)	23 (D2)	23 (D2)
v4	5t	5t		

OTHERCOND

Variable Type	Original UDS question
Short descriptor	Other medical conditions or procedures
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Refer to **NACCOTHCON** for harmonization across UDS versions.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5t	5t		

OTHCONDX

Variable Type	Original UDS question
Short descriptor	Other medical conditions specification
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another medical condition or procedure is indicated as present (**NACCOTHCON = 1**), the condition or procedure will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	23a (D2)	23a (D2)	23a (D2)	23a (D2)
v4	5t1	5t1		

NACCDEP

Variable Type	NACC derived variable
Short descriptor	Depression (recent or remote)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a, 6b (A5)	6a, 6b (A5)		
v2	6a, 6b (A5)	6a, 6b (A5)		6a, 6b (A5)
v3	7d1, 7d2 (A5)	N/A	7d1, 7d2 (A5)	N/A
v4	6a1, 6a2	6a1, 6a2		

Description/ derivation

In v1-3, this variable is derived from the variables **DEP2YRS** and **DEPOTHR** in Form A5: Participant Health History. For v3, it may be advisable to use the depression variable collected on Form D1 (Clinician Diagnosis), because depression as reported on Form A5 is collected using mainly participant and co-participant report. If a participant had active depression in the last two years or depression episodes from more than two years ago, **NACCDEP = 1**. If the participant did not report any depression, **NACCDEP = 0**. If it is unknown whether a participant had depression, **NACCDEP = 9**.

In v4, this variable is derived from the variables **MAJORDEP** and **OTHERDEP** in Form A5/D2: Participant Health History/Clinician-assessed Medical Conditions. Diagnoses were restricted to those meetings DSM-5-TR criteria. If a participant had recent/active or remote/inactive major depressive disorder or another specified depressive disorder, specified depressive disorder, **NACCDEP = 0**. If it is unknown whether a participant had depression, **NACCDEP = 9**.

MAJORDEP

Variable Type	Original UDS question
Short descriptor	Major depressive disorder (DSM–5–TR criteria)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6a1	6a1		

Description/ derivation

For UDSv1-3, see **DEP2YRS** and **DEPOTHR** for history of depression. Also see **NACCDEP**.

OTHERDEP

Variable Type	Original UDS question
Short descriptor	Other specified depressive disorder (DSM-5-TR criteria)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6a2	6a2		

Description/ derivation

For UDSv1-3, see **DEP2YRS** and **DEPOTHR** for history of depression. Also see **NACCDEP**.

DEP2YRS

Variable Type	Original UDS question
Short descriptor	Active depression in the last two years
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a (A5)	6a (A5)		
v2	6a (A5)	6a (A5)		6a (A5)
v3	7d1 (A5)	N/A	7d1 (A5)	N/A
v4	N/A	N/A		

Description/ derivation: For v3, it may be advisable to use the depression variable collected on Form D1 (Clinician Diagnosis), because depression as reported on Form A5 is collected using mainly participant and co-participant report. For v4, depression was restricted to diagnoses meeting DSM-5-TR criteria. See **MAJORDEP** and **OTHERDEP** for history of depression in v4. Also see **NACCDEP**.

DEPOTHR

Variable Type	Original UDS question
Short descriptor	Depression episodes more than two years ago
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6b (A5)	6b (A5)		
v2	6b (A5)	6b (A5)		6b (A5)
v3	7d2 (A5)	N/A	7d2 (A5)	N/A
v4	N/A	N/A		

Description/ derivation: For v3, it may be advisable to use the depression variable collected on Form D1 (Clinician Diagnosis), because depression as reported on Form A5 is collected using mainly participant and co-participant report. For v4, depression was restricted to diagnoses meeting DSM-5-TR criteria. See **MAJORDEP** and **OTHERDEP** for history of depression in v4. Also see **NACCDEP**.

DEPRTREAT

Variable Type	Original UDS question
Short descriptor	If Recent/Active depressive disorder, choose if treated or untreated
Data type	Numeric longitudinal
Allowable codes	**0** = Untreated **1** = Treated with medication and/or counseling **8** = Not applicable, no recent/active depressive disorder **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6a3	6a3		

BIPOLAR

Variable Type	Original UDS question
Short descriptor	Bipolar disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7b (A5)	N/A	7b (A5)	N/A
v4	6b	6b		

Description/ derivation: Note that this variable was not collected in UDSv1-2; thus, report of this condition may be recorded as "Other psychiatric disorder" for participants assessed using UDSv1-2. For v3, it may be advisable to use the bipolar disorder variable collected on Form D1 (Clinician Diagnosis), because bipolar disorder as reported on Form A5 is collected using mainly participant and co-participant report. For v4, **BIPOLAR** was restricted to diagnoses meeting DSM-5-TR criteria.

SCHIZ

Variable Type	Original UDS question
Short descriptor	Schizophrenia or other psychosis disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in UDSv1-2; thus, report of this condition may be recorded as "Other psychiatric disorder" for participants assessed using UDSv1-2. For v3, it may be advisable to use the schizophrenia variable collected on Form D1 (Clinician Diagnosis), because schizophrenia as reported on Form A5 is collected using mainly participant and co-participant report. For v4, **SCHIZ** was restricted to diagnoses meeting DSM-5-TR criteria.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7c (A5)	N/A	7c (A5)	N/A
v4	6c	6c		

NACCANX

Variable Type	NACC derived variable
Short descriptor	Anxiety disorder (including OCD)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in UDS v1.2-2; thus, report of this condition may be recorded as "Other psychiatric disorder" for participants assessed using UDS v1.2-2. In v3, this variable is derived from the variables **ANXIETY** and **OCD** in Form A5: Participant Health History. For v3, it may be advisable to use the anxiety variable collected on Form D1 (Clinician Diagnosis), because anxiety as reported on Form A5 is collected using mainly participant and co-participant report. In v4, this variable is set equal to **ANXIETY**; OCD is included in the list of anxiety disorders in v4. For v4, **ANXIETY** was restricted to diagnoses meeting DSM-5-TR criteria. If a participant had recent/active anxiety or OCD, **NACCANX = 1**. If a participant had remote/inactive anxiety or OCD, **NACCANX = 2**. If the participant did not report any anxiety or OCD, then NACCANX = 0. If it is unknown whether a participant had anxiety or OCD, **NACCANX = 9**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7e, 7f (A5)	N/A	7e,7f (A5)	N/A
v4	6d	6d		

ANXIETY

Variable Type	Original UDS question
Short descriptor	Anxiety disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in UDSv1-2; thus, report of this condition may be recorded as "Other psychiatric disorder" for participants assessed using UDSv1-2. For v3, it may be advisable to use the anxiety variable collected on Form D1 (Clinician Diagnosis), because anxiety as reported on Form A5 is collected using mainly participant and co-participant report. In v3, OCD was included as a separate variable from **ANXIETY**, while in v4 it is a subset. For v4, **ANXIETY** was restricted to diagnoses meeting DSM-5-TR criteria.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7e (A5)	N/A	7e (A5)	N/A
v4	6d	6d		

GENERALANX

Variable Type	Original UDS question
Short descriptor	Generalized Anxiety Disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **8** = Not applicable, no anxiety disorder **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d1	6d1		

PANICDIS

Variable Type	Original UDS question
Short descriptor	Panic Disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **8** = Not applicable, no anxiety disorder **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d2	6d2		

OCD

Variable Type	Original UDS question
Short descriptor	Obsessive–compulsive disorder (OCD)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **8** = Not applicable, no anxiety disorder **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in v3, this variable was included separately from anxiety disorders. This variable was not collected in UDSv1-2; thus, report of this condition may be recorded as "Other psychiatric disorder" for participants assessed using UDSv1-2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7f (A5)	N/A	7f (A5)	N/A
v4	6d3	6d3		

OTHANXDIS

Variable Type	Original UDS question
Short descriptor	Other anxiety disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **8** = Not applicable, no anxiety disorder **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d4	6d4		

OTHANXDISX

Variable Type	Original UDS question
Short descriptor	Other anxiety disorder - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If an anxiety disorder other than those collected on the form is reported, it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d4a	6d4a		

PTSD

Variable Type	Original UDS question
Short descriptor	Post–traumatic stress disorder (PTSD)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in UDSv1.2-2; thus, report of this condition may be recorded as an "Other psychiatric disorder" for participants assessed using UDSv1.2-2. For v3, it may be advisable to use the PTSD variable collected on Form D1 (Clinician Diagnosis), because PTSD as reported on Form A5 is collected using mainly participant and co-participant report. For v4, **PTSD** was restricted to diagnoses meeting DSM-5-TR criteria.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7a (A5)	N/A	7a (A5)	N/A
v4	6e	6e		

NPSYDEV

Variable Type	Original UDS question
Short descriptor	Developmental neuropsychiatric disorders (e.g., autism spectrum disorder [ASD], attention-deficit hyperactivity disorder [ADHD], dyslexia)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that this variable was not collected in UDS v1.2-2; thus, report of this condition may be recorded as "Other psychiatric disorder" for participants assessed using UDS v1.2-2.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7g (A5)	N/A	7g (A5)	N/A
v4	6f	6f		

PSYCDIS

Variable Type	Original UDS question
Short descriptor	Other psychiatric disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Recent/Active **2** = Remote/Inactive **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7d (A5)	7d (A5)		
v2	7d (A5)	7d (A5)		7d (A5)
v3	7h (A5)	N/A	7h (A5)	N/A
v4	6g	6g		

PSYCDISX

Variable Type	Original UDS question
Short descriptor	If recent/active or remote/inactive psychiatric disorder, specify disorder
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If a psychiatric condition other than those collected on the form is reported, it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7d1 (A5)	7d1 (A5)		
v2	7d1 (A5)	7d1 (A5)		7d1 (A5)
v3	7h1 (A5)	N/A	7h1 (A5)	N/A
v4	6g1	6g1		

MENARCHE

Variable Type	Original UDS question
Short descriptor	Age at first menstrual period
Data type	Numeric longitudinal
Allowable codes	**5–25** **888** = Never had a menstrual period **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a	N/A		

NOMENSAGE

Variable Type	Original UDS question
Short descriptor	Age at last menstrual period
Data type	Numeric longitudinal
Allowable codes	**10–70** **888** = Still menstruating **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at last menstrual period began is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7b	7a		

NOMENSNAT

Variable Type	Original UDS question
Short descriptor	Participant has stopped having menstrual periods due to natural menopause
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c1	7b1		

NOMENSHYST

Variable Type	Original UDS question
Short descriptor	Participant has stopped having menstrual periods due to hysterectomy (surgical removal of uterus)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c2	7b2		

NOMENSSURG

Variable Type	Original UDS question
Short descriptor	Participant has stopped having menstrual periods due to surgical removal of both ovaries
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c3	7b3		

NOMENSCHEM

Variable Type	Original UDS question
Short descriptor	Participant has stopped having menstrual periods due to chemotherapy for cancer or another condition
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c4	7b4		

NOMENSRAD

Variable Type	Original UDS question
Short descriptor	Participant has stopped having menstrual periods due to radiation treatment or other damage/injury to reproductive organs
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c5	7b5		

NOMENSHORM

Variable Type	Original UDS question
Short descriptor	Participant has stopped having menstrual periods due to hormonal supplements (e.g., the Pill, injections, Mirena, HRT)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c6	7b6		

NOMENSESTR

Variable Type	Original UDS question
Short descriptor	Participant has stopped having menstrual periods due to anti-estrogen medication
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c7	7b7		

NOMENSUNK

Variable Type	Original UDS question
Short descriptor	Unsure of reason participant has stopped having menstrual periods
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c8	7b8		

NOMENSOTH

Variable Type	Original UDS question
Short descriptor	Other reason participant has stopped having menstrual periods
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c9	7b9		

NOMENSOTHX

Variable Type	Original UDS question
Short descriptor	Other reason participant has stopped having menstrual periods - specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If the participant has another reason they stopped having menstrual periods than those collected on the form, it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c9a	7b9a		

HRT

Variable Type	Original UDS question
Short descriptor	Has the participant taken female hormone replacement pills or patches (e.g., estrogen)?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7d	7c		

HRTYEARS

Variable Type	Original UDS question
Short descriptor	Total number of years participant has taken female hormone replacement pills
Data type	Numeric longitudinal
Allowable codes	**0–90** **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the total number of years participant has taken female hormone replacement pills is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7d1	7c1		

HRTSTRTAGE

Variable Type	Original UDS question
Short descriptor	Age at first use of female hormone replacement pills
Data type	Numeric cross-sectional
Allowable codes	**10–110** **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at first use of female hormone replacement pills is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7d2	7c2		

HRTENDAGE

Variable Type	Original UDS question
Short descriptor	Age at last use of female hormone replacement pills
Data type	Numeric longitudinal
Allowable codes	**10–110** **888** = Still presently using **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at last use of female hormone replacement pills is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7d3	7c3		

BCPILLS

Variable Type	Original UDS question
Short descriptor	Has the participant ever taken birth control pills?
Data type	Numeric cross-sectional
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7e	7d		

BCPILLSYR

Variable Type	Original UDS question
Short descriptor	Total number of years participant has taken birth control pills
Data type	Numeric longitudinal
Allowable codes	**0–50** **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the total number of years participant has taken birth control pills is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7e1	7d1		

BCSTARTAGE

Variable Type	Original UDS question
Short descriptor	Age at first use of birth control pills
Data type	Numeric longitudinal
Allowable codes	**10–70** **999** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at first use of birth control pills is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7e2	7d2		

BCENDAGE

Variable Type	Original UDS question
Short descriptor	Age at last use of birth control pills
Data type	Numeric longitudinal
Allowable codes	**10–70** **888 =** Still presently using **999 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For v4 follow-up visits where the age at last use of birth control pills is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7e3	7d3		

FORM B1: Evaluation Form – Vital Signs and Anthropometrics

HEIGHT

Variable Type	Original UDS question
Short descriptor	Participant's height (inches)
Data type	Numeric longitudinal
Allowable codes	**36.0 – 87.9** **88.8 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		N/A
v3	1	1	N/A	N/A
v4	1	1		

WEIGHT

Variable Type	Original UDS question
Short descriptor	Participant's weight (lbs)
Data type	Numeric longitudinal
Allowable codes	**50 – 400** **888 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		N/A
v3	2	2	N/A	N/A
v4	2	2		

NACCBMI

Variable Type	NACC derived variable
Short descriptor	Body mass index (BMI)
Data type	Numeric longitudinal
Allowable codes	**10.0 – 100.0** **888.8 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1, 2	1, 2		
v2	1, 2	1, 2		N/A
v3	1, 2	1, 2	N/A	N/A
v4	1, 2	1, 2		

Description/ derivation: Body mass index is derived using variables **HEIGHT** (inches) and **WEIGHT** (lbs). The standardized calculation used is as follows:

BMI = **(WEIGHT**(lbs) x 703) /**HEIGHT**(in)^2

If **HEIGHT** or **WEIGHT** is missing or unknown then **NACCBMI** = 888. If Form B1 was not submitted, then **NACCBMI** = -4.

NACCWAIST

Variable Type	NACC derived variable
Short descriptor	Waist circumference (inches), average of two measurements
Data type	Numeric longitudinal
Allowable codes	**20 – 60** **888 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a, 3b	3a, 3b		

NACCHIP

Variable Type	NACC derived variable
Short descriptor	Hip circumference (inches), average of two measurements
Data type	Numeric longitudinal
Allowable codes	**25-70** **888 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a, 4b	4a, 4b		

NACCBPSYSL

Variable Type	NACC derived variable
Short descriptor	Participant blood pressure (average of two readings), systolic, left arm
Data type	Numeric longitudinal
Allowable codes	**70-230** **888** = Unknown or not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1a1 (B1a)	1a1 (B1a)	N/A	N/A
v4	5a1a, 5a2a	5a1a, 5a2a		

Description/ derivation: In November 2020, a standard procedure for measuring blood pressure was introduced to UDSv3 and subsequent versions. When blood pressure is not measured using the standard protocol, **NACCBPSYSL = -4**.

NACCBPSYSR

Variable Type	NACC derived variable
Short descriptor	Participant blood pressure (average of two readings), systolic, right arm
Data type	Numeric longitudinal
Allowable codes	**70-230** **888** = Unknown or not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1b1 (B1a)	1b1 (B1a)	N/A	N/A
v4	5b1a, 5b2a	5b1a, 5b2a		

Description/ derivation: In November 2020, a standard procedure for measuring blood pressure was introduced to UDSv3 and subsequent versions. When blood pressure is not measured using the standard protocol, **NACCBPSYSR = -4**.

NACCBPDIAL

Variable Type	NACC derived variable
Short descriptor	Participant blood pressure (average of two readings), diastolic, left arm
Data type	Numeric longitudinal
Allowable codes	**30-140** **888** = Unknown or not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1a2 (B1a)	1a2 (B1a)	N/A	N/A
v4	5a1b, 5a2b	5a1b, 5a2b		

Description/ derivation: In November 2020, a standard procedure for measuring blood pressure was introduced to UDSv3 and subsequent versions. When blood pressure is not measured using the standard protocol, **NACCBPDIAL = -4**.

NACCBPDIAR

Variable Type	NACC derived variable
Short descriptor	Participant blood pressure (average of two readings), diastolic, right arm
Data type	Numeric longitudinal
Allowable codes	**30-140** **888** = Unknown or not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1b2 (B1a)	1b2 (B1a)	N/A	N/A
v4	5b1b, 5b2b	5b1b, 5b2b		

BPSYS

Variable Type	Original UDS question
Short descriptor	Participant blood pressure (sitting); systolic
Data type	Numeric longitudinal
Allowable codes	**70 – 230** **777 =** Blood pressure addendum submitted **888 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In November 2020, a standard procedure for measuring blood pressure was introduced to UDSv3 and subsequent versions. When blood pressure is measured using the standard protocol, **BPSYS = 777**. Systolic blood pressure measured separately by arm using the standard protocol is captured in **NACCBPSYSL** and **NACCBPSYSR**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	3a	3a		
v2	3a	3a		N/A
v3	3a	3a	N/A	N/A
v4	N/A	N/A		

BPDIAS

Variable Type	Original UDS question
Short descriptor	Participant blood pressure (sitting); diastolic
Data type	Numeric longitudinal
Allowable codes	**30 – 140** **777 =** Blood pressure addendum submitted **888 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In November 2020, a standard procedure for measuring blood pressure was introduced to UDSv3 and subsequent versions. When blood pressure is measured using the standard protocol, **BPDIAS = 777**. Diastolic blood pressure measured separately by arm using the standard protocol is captured in **NACCBPDIAL** and **NACCBPDIAR**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	3b	3b		
v2	3b	3b		N/A
v3	3b	3b	N/A	N/A
v4	N/A	N/A		

BPDEVICE

Variable Type	Original UDS question
Short descriptor	Blood pressure measured by approved device
Data type	Numeric longitudinal
Allowable codes	**0 =** No **1 =** Yes **9 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	In November 2020, a standard procedure for measuring blood pressure was introduced to UDSv3, and new data collection fields were introduced on Form B1a: Blood Pressure Addendum. When blood pressure is not measured using the standard protocol, **BPDEVICE = -4**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2 (B1a)	2 (B1a)	N/A	N/A
v4	N/A	N/A		

HRATE

Variable Type	Original UDS question
Short descriptor	Participant resting heart rate (pulse)
Data type	Numeric longitudinal
Allowable codes	**33 – 160** **888 =** Unknown or not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	4	4		
v2	4	4		N/A
v3	4	4	N/A	N/A
v4	6	6		

VISION

Variable Type	Original UDS question
Short descriptor	Without corrective lenses is the participant's vision functionally normal?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5	5		
v2	5	5		N/A
v3	5	5	1	N/A
v4	N/A	N/A		

VISCORR

Variable Type	Original UDS question
Short descriptor	Does the participant usually wear corrective lenses?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	6	6		
v2	6	6		N/A
v3	6	6	2	N/A
v4	N/A	N/A		

VISWCORR

Variable Type	Original UDS question
Short descriptor	If the participant usually wears corrective lenses, is the participant's vision functionally normal with corrective lenses?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, does not wear corrective lenses **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	6a	6a		
v2	6a	6a		N/A
v3	6a	6a	2a	N/A
v4	N/A	N/A		

HEARING

Variable Type	Original UDS question
Short descriptor	Without hearing aid(s), is the participant's hearing functionally normal?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7	7		
v2	7	7		N/A
v3	7	7	3	N/A
v4	N/A	N/A		

HEARAID

Variable Type	Original UDS question
Short descriptor	Does the participant usually wear a hearing aid(s)?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	8	8		
v2	8	8		N/A
v3	8	8	4	N/A
v4	N/A	N/A		

HEARWAID

Variable Type	Original UDS question
Short descriptor	If the participant usually wears a hearing aid(s), is the participant's hearing functionally normal with a hearing aid(s)?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, does not wear hearing aid(s) **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a	8a		
v2	8a	8a		N/A
v3	8a	8a	4a	N/A
v4	N/A	N/A		

FORM B2: HIS and CVD

ABRUPT

Variable Type	Original UDS question
Short descriptor	Abrupt onset (re: cognitive status)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **2** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

STEPWISE

Variable Type	Original UDS question
Short descriptor	Stepwise deterioration
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

SOMATIC

Variable Type	Original UDS question
Short descriptor	Somatic complaints
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3	3		
v2	3	3		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

EMOT

Variable Type	Original UDS question
Short descriptor	Emotional incontinence
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4	4		
v2	4	4		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

HXHYPER

Variable Type	Original UDS question
Short descriptor	History or presence of hypertension
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5	5		
v2	5	5		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

HXSTROKE

Variable Type	Original UDS question
Short descriptor	History of stroke
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **2** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6	6		
v2	6	6		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

FOCLSYM

Variable Type	Original UDS question
Short descriptor	Focal neurological symptoms
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **2** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7	7		
v2	7	7		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

FOCLSIGN

Variable Type	Original UDS question
Short descriptor	Focal neurological signs
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **2** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	8		
v2	8	8		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

HACHIN

Variable Type	Original UDS question
Short descriptor	Hachinski Ischemic score
Data type	Numeric longitudinal
Allowable codes	**0–12** **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9	9		
v2	9	9		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

CVDCOG

Variable Type	Original UDS question
Short descriptor	Cerebrovascular disease contributing to cognitive impairment
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	10	10		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

STROKCOG

Variable Type	Original UDS question
Short descriptor	Relationship between stroke and cognitive impairment
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	11	11		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

CVDIMAG

Variable Type	Original UDS question
Short descriptor	Imaging evidence
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	12	12		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

CVDIMAG1

Variable Type	Original UDS question
Short descriptor	Single strategic infarct
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	12a1	12a1		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

CVDIMAG2

Variable Type	Original UDS question
Short descriptor	Multiple infarcts
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	12a2	12a2		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

CVDIMAG3

Variable Type	Original UDS question
Short descriptor	Extensive white matter hyperintensity
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	12a3	12a3		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

CVDIMAG4

Variable Type	Original UDS question
Short descriptor	Other imaging evidence
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	12a4	12a4		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

CVDIMAGX

Variable Type	Original UDS question
Short descriptor	Other imaging evidence – specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If other imaging evidence is indicated (**CVDIMAG4=1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	12a5	12a5		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

FORM B3: Unified Parkinson's Disease Rating Scale (UPDRS) – Motor Exam

PDNORMAL

Variable Type	Original UDS question
Short descriptor	UPDRS normal
Data type	Numeric longitudinal
Allowable codes	**0** = No, not normal **1** = Yes, normal **8** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If at least one of the UPDRS items is marked as not normal, then **PDNORMAL = 0**. If all the items = **0**, then **PDNORMAL = 1**. If the items take values of 0 and 8, then **PDNORMAL = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	0Z	0Z		
v2	G1	G1		N/A
v3	N/A	N/A	N/A	N/A
v4	0	0		

SPEECH

Variable Type	Original UDS question
Short descriptor	Speech
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Slight loss of expression, diction, and/or volume **2** = Monotone, slurred but understandable; moderately impaired **3** = Marked impairment, difficult to understand **4** = Unintelligible **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes respone to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		N/A
v3	N/A	N/A	N/A	N/A
v4	1	1		

SPEECHX

Variable Type	Original UDS question
Short descriptor	Speech; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If speech is marked untestable (**SPEECH = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	1a	1a		N/A
v3	N/A	N/A	N/A	N/A
v4	1a	1a		

FACEXP

Variable Type	Original UDS question
Short descriptor	Facial expression
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Minimal hypomimia, could be normal "poker face" **2** = Slight but definitely abnormal diminution of facial expression **3** = Moderate hypomimia; lips parted some of the time **4** = Masked or fixed facies with severe or complete loss of facial expression; lips parted one-quarter inch or more **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes respone to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		N/A
v3	N/A	N/A	N/A	N/A
v4	2	2		

FACEXPX

Variable Type	Original UDS question
Short descriptor	Facial expression; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If facial expression is marked untestable (**FACEXP = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	2a	2a		N/A
v3	N/A	N/A	N/A	N/A
v4	2a	2a		

TRESTFAC

Variable Type	Original UDS question
Short descriptor	Tremor at rest – face, lips, chin
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight and infrequently present **2** = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently persistent **3** = Moderate in amplitude and present most of the time **4** = Marked in amplitude and present most of the time **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes respone to this question.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	3a	3a		
v2	3a	3a		N/A
v3	N/A	N/A	N/A	N/A
v4	3a	3a		

TRESTFAX

Variable Type	Original UDS question
Short descriptor	Tremor at rest – face, lips, chin; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If tremor at rest in the face, lips, or chin is marked untestable (**TRESTFAC = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	3a1	3a1		N/A
v3	N/A	N/A	N/A	N/A
v4	3a1	3a1		

TRESTRHD

Variable Type	Original UDS question
Short descriptor	Tremor at rest – right hand
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight and infrequently present **2** = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently persistent **3** = Moderate in amplitude and present most of the time **4** = Marked in amplitude and present most of the time **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes respone to this question.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	3b	3b		
v2	3b	3b		N/A
v3	N/A	N/A	N/A	N/A
v4	3b	3b		

TRESTRHX

Variable Type	Original UDS question
Short descriptor	Tremor at rest – right hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If tremor at rest in the right hand is marked untestable (**TRESTRHD = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	3b1	3b1		N/A
v3	N/A	N/A	N/A	N/A
v4	3b1	3b1		

TRESTLHD

Variable Type	Original UDS question
Short descriptor	Tremor at rest – left hand
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight and infrequently present **2** = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently persistent **3** = Moderate in amplitude and present most of the time **4** = Marked in amplitude and present most of the time **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes respone to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3c	3c		
v2	3c	3c		N/A
v3	N/A	N/A	N/A	N/A
v4	3c	3c		

TRESTLHX

Variable Type	Original UDS question
Short descriptor	Tremor at rest – left hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If tremor at rest in the left hand is marked untestable (**TRESTLHD = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	3c1	3c1		N/A
v3	N/A	N/A	N/A	N/A
v4	3c1	3c1		

TRESTRFT

Variable Type	Original UDS question
Short descriptor	Tremor at rest – right foot
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight and infrequently present **2** = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently persistent **3** = Moderate in amplitude and present most of the time **4** = Marked in amplitude and present most of the time **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3d	3d		
v2	3d	3d		N/A
v3	N/A	N/A	N/A	N/A
v4	3d	3d		

TRESTRFX

Variable Type	Original UDS question
Short descriptor	Tremor at rest – right foot; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If tremor at rest in the right foot is marked untestable (**TRESTRFT = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	3d1	3d1		N/A
v3	N/A	N/A	N/A	N/A
v4	3d1	3d1		

TRESTLFT

Variable Type	Original UDS question
Short descriptor	Tremor at rest – left foot
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight and infrequently present **2** = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently persistent **3** = Moderate in amplitude and present most of the time **4** = Marked in amplitude and present most of the time **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3e	3e		
v2	3e	3e		N/A
v3	N/A	N/A	N/A	N/A
v4	3e	3e		

TRESTLFX

Variable Type	Original UDS question
Short descriptor	Tremor at rest – left foot; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If tremor at rest in the left foot is marked untestable (**TRESTLFT = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	3e1	3e1		N/A
v3	N/A	N/A	N/A	N/A
v4	3e1	3e1		

TRACTRHD

Variable Type	Original UDS question
Short descriptor	Action or postural tremor of hands – right hand
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight; present with action **2** = Moderate in amplitude, present with action **3** = Moderate in amplitude with posture holding as well as action **4** = Marked in amplitude; interferes with feeding **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a	4a		
v2	4a	4a		N/A
v3	N/A	N/A	N/A	N/A
v4	4a	4a		

TRACTRHX

Variable Type	Original UDS question
Short descriptor	Action or postural tremor of hands – right hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If an action or postural tremor in the right hand is marked untestable (**TRACTRHD = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	4a1	4a1		N/A
v3	N/A	N/A	N/A	N/A
v4	4a1	4a1		

TRACTLHD

Variable Type	Original UDS question
Short descriptor	Action or postural tremor of hands – left hand
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight; present with action **2** = Moderate in amplitude, present with action **3** = Moderate in amplitude with posture holding as well as action **4** = Marked in amplitude; interferes with feeding **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b	4b		
v2	4b	4b		N/A
v3	N/A	N/A	N/A	N/A
v4	4b	4b		

TRACTLHX

Variable Type	Original UDS question
Short descriptor	Action or postural tremor of hands – left hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If an action or postural tremor in the left hand is marked untestable (**TRACTLHD = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	4b1	4b1		N/A
v3	N/A	N/A	N/A	N/A
v4	4b1	4b1		

RIGDNECK

Variable Type	Original UDS question
Short descriptor	Rigidity – neck
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight or detectable only when activated by mirror or other movements **2** = Mild to moderate **3** = Marked, but full range of motion easily achieved **4** = Severe; range of motion achieved with difficulty **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5a	5a		
v2	5a	5a		N/A
v3	N/A	N/A	N/A	N/A
v4	5a	5a		

RIGDNEX

Variable Type	Original UDS question
Short descriptor	Rigidity – neck; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If neck rigidity is marked untestable (**RIGDNECK = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	5a1	5a1		N/A
v3	N/A	N/A	N/A	N/A
v4	5a1	5a1		

RIGDUPRT

Variable Type	Original UDS question
Short descriptor	Rigidity – right upper extremity
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight or detectable only when activated by mirror or other movements **2** = Mild to moderate **3** = Marked, but full range of motion easily achieved **4** = Severe; range of motion achieved with difficulty **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5b	5b		
v2	5b	5b		N/A
v3	N/A	N/A	N/A	N/A
v4	5b	5b		

RIGDUPRX

Variable Type	Original UDS question
Short descriptor	Rigidity – right upper extremity; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If right upper extremity rigidity is marked untestable (**RIGDUPRT = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	5b1	5b1		N/A
v3	N/A	N/A	N/A	N/A
v4	5b1	5b1		

RIGDUPLF

Variable Type	Original UDS question
Short descriptor	Rigidity – left upper extremity
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight or detectable only when activated by mirror or other movements **2** = Mild to moderate **3** = Marked, but full range of motion easily achieved **4** = Severe; range of motion achieved with difficulty **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5c	5c		
v2	5c	5c		N/A
v3	N/A	N/A	N/A	N/A
v4	5c	5c		

RIGDUPLX

Variable Type	Original UDS question
Short descriptor	Rigidity – left upper extremity; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If left upper extremity rigidity is marked untestable (**RIGDUPLF = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	5c1	5c1		N/A
v3	N/A	N/A	N/A	N/A
v4	5c1	5c1		

RIGDLORT

Variable Type	Original UDS question
Short descriptor	Rigidity – right lower extremity
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight or detectable only when activated by mirror or other movements **2** = Mild to moderate **3** = Marked, but full range of motion easily achieved **4** = Severe; range of motion achieved with difficulty **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5d	5d		
v2	5d	5d		N/A
v3	N/A	N/A	N/A	N/A
v4	5d	5d		

RIGDLORX

Variable Type	Original UDS question
Short descriptor	Rigidity – right lower extremity; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If right lower extremity rigidity is marked untestable (**RIGDLORT = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	5d1	5d1		N/A
v3	N/A	N/A	N/A	N/A
v4	5d1	5d1		

RIGDLOLF

Variable Type	Original UDS question
Short descriptor	Rigidity – left lower extremity
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Slight or detectable only when activated by mirror or other movements **2** = Mild to moderate **3** = Marked, but full range of motion easily achieved **4** = Severe; range of motion achieved with difficulty **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5e	5e		
v2	5e	5e		N/A
v3	N/A	N/A	N/A	N/A
v4	5e	5e		

RIGDLOLX

Variable Type	Original UDS question
Short descriptor	Rigidity – left lower extremity; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If left lower extremity rigidity is marked untestable (**RIGDLOLF = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	5e1	5e1		N/A
v3	N/A	N/A	N/A	N/A
v4	5e1	5e1		

TAPSRT

Variable Type	Original UDS question
Short descriptor	Finger taps – right hand
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a	6a		
v2	6a	6a		N/A
v3	N/A	N/A	N/A	N/A
v4	6a	6a		

TAPSRTX

Variable Type	Original UDS question
Short descriptor	Finger taps – right hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If right hand finger taps is marked untestable (**TAPSRT = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a1	6a1		
v2	6a1	6a1		N/A
v3	N/A	N/A	N/A	N/A
v4	6a1	6a1		

TAPSLF

Variable Type	Original UDS question
Short descriptor	Finger taps – left hand
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6b	6b		
v2	6b	6b		N/A
v3	N/A	N/A	N/A	N/A
v4	6b	6b		

TAPSLFX

Variable Type	Original UDS question
Short descriptor	Finger taps – left hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If left hand finger taps is marked untestable (**TAPSLF = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6b1	6b1		
v2	6b1	6b1		N/A
v3	N/A	N/A	N/A	N/A
v4	6b1	6b1		

HANDMOVR

Variable Type	Original UDS question
Short descriptor	Hand movements – right hand
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7a	7a		
v2	7a	7a		N/A
v3	N/A	N/A	N/A	N/A
v4	7a	7a		

HANDMVRX

Variable Type	Original UDS question
Short descriptor	Hand movements – right hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If right hand movement is marked untestable (**HANDMOVR = 8**), the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7a1	7a1		
v2	7a1	7a1		N/A
v3	N/A	N/A	N/A	N/A
v4	7a1	7a1		

HANDMOVL

Variable Type	Original UDS question
Short descriptor	Hand movements – left hand
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b	7b		
v2	7b	7b		N/A
v3	N/A	N/A	N/A	N/A
v4	7b	7b		

HANDMVLX

Variable Type	Original UDS question
Short descriptor	Hand movements – left hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If left hand movement is marked untestable (**HANDMOVL = 8**), the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b1	7b1		
v2	7b1	7b1		N/A
v3	N/A	N/A	N/A	N/A
v4	7b1	7b1		

HANDALTR

Variable Type	Original UDS question
Short descriptor	Rapid alternating movement of hands – right hand
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a	8a		
v2	8a	8a		N/A
v3	N/A	N/A	N/A	N/A
v4	8a	8a		

HANDATRX

Variable Type	Original UDS question
Short descriptor	Rapid alternating movement of hands – right hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If right hand alternating movement is marked untestable (**HANDALTR = 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a1	8a1		
v2	8a1	8a1		N/A
v3	N/A	N/A	N/A	N/A
v4	8a1	8a1		

HANDALTL

Variable Type	Original UDS question
Short descriptor	Rapid alternating movement of hands – left hand
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8b	8b		
v2	8b	8b		N/A
v3	N/A	N/A	N/A	N/A
v4	8b	8b		

HANDATLX

Variable Type	Original UDS question
Short descriptor	Rapid alternating movement of hands – left hand; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If left hand alternating movement is marked untestable (**HANDALTL= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8b1	8b1		
v2	8b1	8b1		N/A
v3	N/A	N/A	N/A	N/A
v4	8b1	8b1		

LEGRT

Variable Type	Original UDS question
Short descriptor	Leg agility – right leg
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a	9a		
v2	9a	9a		N/A
v3	N/A	N/A	N/A	N/A
v4	9a	9a		

LEGRTX

Variable Type	Original UDS question
Short descriptor	Leg agility – right leg; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If right leg agility is marked untestable (**LEGRT= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a1	9a1		
v2	9a1	9a1		N/A
v3	N/A	N/A	N/A	N/A
v4	9a1	9a1		

LEGLF

Variable Type	Original UDS question
Short descriptor	Leg agility – left leg
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Mild slowing and/or reduction in amplitude **2** = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement **3** = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement **4** = Can barely perform the task **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9b	9b		
v2	9b	9b		N/A
v3	N/A	N/A	N/A	N/A
v4	9b	9b		

LEGLFX

Variable Type	Original UDS question
Short descriptor	Leg agility – left leg; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If left leg agility is marked untestable (**LEGLF= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9b1	9b1		
v2	9b1	9b1		N/A
v3	N/A	N/A	N/A	N/A
v4	9b1	9b1		

ARISING

Variable Type	Original UDS question
Short descriptor	Arising from chair
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Slow; or may need more than one attempt **2** = Pushes self up from arms of seat **3** = Tends to fall back and may have to try more than one time, but can get up without help **4** = Unable to arise without help **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10	10		
v2	10	10		N/A
v3	N/A	N/A	N/A	N/A
v4	10	10		

ARISINGX

Variable Type	Original UDS question
Short descriptor	Arising from chair; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If arising from chair is marked untestable (**ARISING= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10a	10a		
v2	10a	10a		N/A
v3	N/A	N/A	N/A	N/A
v4	10a	10a		

POSTURE

Variable Type	Original UDS question
Short descriptor	Posture
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Not quite erect, slightly stooped posture; could be normal for older person **2** = Moderately stooped posture, definitely abnormal; can be slightly leaning to one side **3** = Severely stooped posture with kyphosis; can be moderately leaning to one side **4** = Marked flexion with extreme abnormality of posture **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11	11		
v2	11	11		N/A
v3	N/A	N/A	N/A	N/A
v4	11	11		

POSTUREX

Variable Type	Original UDS question
Short descriptor	Posture; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If posture is marked untestable (**POSTURE= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11a	11a		
v2	11a	11a		N/A
v3	N/A	N/A	N/A	N/A
v4	11a	11a		

GAIT

Variable Type	Original UDS question
Short descriptor	Gait
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Walks slowly; may shuffle with short steps, but no festination (hastening steps) or propulsion **2** = Walks with difficulty, but requires little or no assistance; may have some festination, short steps, or propulsion **3** = Severe disturbance of gait requiring assistance **4** = Cannot walk at all, even with assistance **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12	12		
v2	12	12		N/A
v3	N/A	N/A	N/A	N/A
v4	12	12		

GAITX

Variable Type	Original UDS question
Short descriptor	Gait; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If gait is marked untestable (**GAIT= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12a	12a		
v2	12a	12a		N/A
v3	N/A	N/A	N/A	N/A
v4	12a	12a		

POSSTAB

Variable Type	Original UDS question
Short descriptor	Posture stability
Data type	Numeric longitudinal
Allowable codes	**0** = Normal erect **1** = Retropulsion, but recovers unaided **2** = Absence of postural response; would fall if not caught by examiner **3** = Very unstable, tends to lose balance spontaneously **4** = Unable to stand without assistance **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13	13		
v2	13	13		N/A
v3	N/A	N/A	N/A	N/A
v4	13	13		

POSSTABX

Variable Type	Original UDS question
Short descriptor	Posture stability; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If posture stability is marked untestable (**POSSTAB= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13a	13a		
v2	13a	13a		N/A
v3	N/A	N/A	N/A	N/A
v4	13a	13a		

BRADYKIN

Variable Type	Original UDS question
Short descriptor	Body bradykinesia and hypokinesia
Data type	Numeric longitudinal
Allowable codes	**0** = None **1** = Minimal slowness, giving movement a deliberate character; could be normal for some persons; possibly reduced amplitude **2** = Mild degree of slowness and poverty of movement which is definitely abnormal. Alternatively, some reduced amplitude **3** = Moderate slowness, poverty or small amplitude of movement **4** = Marked slowness, poverty or small amplitude of movement **8** = Untestable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	14	14		
v2	14	14		N/A
v3	N/A	N/A	N/A	N/A
v4	14	14		

BRADYKIX

Variable Type	Original UDS question
Short descriptor	Body bradykinesia and hypokinesia; untestable – specify reason
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If body bradykinesia and hypokinesia is marked untestable (**BRADYKIN= 8**) the reason will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	14a	14a		N/A
v3	N/A	N/A	N/A	N/A
v4	14a	14a		

TOTALUPDRS

Variable Type	Original UDS question
Short descriptor	Total UPDRS score
Data type	Numeric longitudinal
Allowable codes	**0 - 108** **888 =** One or more items untestable

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15	15		

Description/ derivation: It at least one of the UPDRS items is marked as untestable (=8), then **TOTALUPDRS = 888**. If all UPDRS items are marked as normal (**PDNORMAL = 1**) then **TOTALUPDRS = 0**.

FORM B4: CDR® Dementia Staging Instrument Plus NACC FTLD Behavior & Language Domains (CDR® Plus NACC FTLD)

MEMORY

Variable Type	Original UDS question
Short descriptor	Memory
Data type	Numeric longitudinal
Allowable codes	**0.0** = No impairment **0.5** = Questionable impairment **1.0** = Mild impairment **2.0** = Moderate impairment **3.0** = Severe impairment **99** = Not assessed
Description/ derivation	Participants can only have **MEMORY = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		1
v3	1	1	1	1
v4	1	1		

ORIENT

Variable Type	Original UDS question
Short descriptor	Orientation
Data type	Numeric longitudinal
Allowable codes	**0.0** = No impairment **0.5** = Questionable impairment **1.0** = Mild impairment **2.0** = Moderate impairment **3.0** = Severe impairment **99** = Not assessed
Description/ derivation	Participants can only have **ORIENT = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		2
v3	2	2	2	
v4	2	2		

JUDGMENT

Variable Type	Original UDS question
Short descriptor	Judgment and problem-solving
Data type	Numeric longitudinal
Allowable codes	**0.0** = No impairment **0.5** = Questionable impairment **1.0** = Mild impairment **2.0** = Moderate impairment **3.0** = Severe impairment **99** = Not assessed
Description/ derivation	Participants can only have **JUDGMENT = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3	3		
v2	3	3		3
v3	3	3	3	3
v4	3	3		

COMMUN

Variable Type	Original UDS question
Short descriptor	Community affairs
Data type	Numeric longitudinal
Allowable codes	**0.0** = No impairment **0.5** = Questionable impairment **1.0** = Mild impairment **2.0** = Moderate impairment **3.0** = Severe impairment **99** = Not assessed
Description/ derivation	Participants can only have **COMMUN = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4	4		
v2	4	4		4
v3	4	4	4	4
v4	4	4		

HOMEHOBB

Variable Type	Original UDS question
Short descriptor	Home and hobbies
Data type	Numeric longitudinal
Allowable codes	**0.0** = No impairment **0.5** = Questionable impairment **1.0** = Mild impairment **2.0** = Moderate impairment **3.0** = Severe impairment **99** = Not assessed
Description/ derivation	Participants can only have **HOMEHOBB = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5	5		
v2	5	5		5
v3	5	5	5	5
v4	5	5		

PERSCARE

Variable Type	Original UDS question
Short descriptor	Personal care
Data type	Numeric longitudinal
Allowable codes	**0.0** = No impairment **1.0** = Mild impairment **2.0** = Moderate impairment **3.0** = Severe impairment **99** = Not assessed
Description/ derivation	Participants can only have **PERSCARE = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6	6		
v2	6	6		6
v3	6	6	6	6
v4	6	6		

CDRSUM

Variable Type	Original UDS question
Short descriptor	Standard CDR sum of boxes
Data type	Numeric longitudinal
Allowable codes	**0.0, 0.5, 1.0, 1.5, ..., 18.0** **(**scores of **16.5** and **17.5** not possible**)** **99** = Not assessed
Description/ derivation	Participants can only have **CDRSUM = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7	7		
v2	7	7		7
v3	7	7	7	7
v4	7	7		

CDRGLOB

Variable Type	Original UDS question
Short descriptor	Global CDR
Data type	Numeric longitudinal
Allowable codes	**0.0** = No impairment **0.5** = Questionable impairment **1.0** = Mild impairment **2.0** = Moderate impairment **3.0** = Severe impairment **99** = Not assessed
Description/ derivation	Participants can only have **CDRGLOB = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	8		
v2	8	8		8
v3	8	8	8	8
v4	8	8		

COMPORT

Variable Type	Original UDS question
Short descriptor	Behavior, comportment, and personality
Data type	Numeric longitudinal
Allowable codes	**0.0 =** No impairment **0.5 =** Questionable impairment **1.0 =** Mild impairment **2.0 =** Moderate impairment **3.0 =** Severe impairment **99 =** Not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	Participants can only have **COMPORT = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0. Please note that a very small number of UDS participants receiving UDS v 1.2 have non-missing values for **COMPORT.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	9	9		9
v3	9	9	9	9
v4	9	9		

CDRLANG

Variable Type	Original UDS question
Short descriptor	Language
Data type	Numeric longitudinal
Allowable codes	**0.0 =** No impairment **0.5 =** Questionable impairment **1.0 =** Mild impairment **2.0 =** Moderate impairment **3.0 =** Severe impairment **99 =** Not assessed **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	Participants can only have **CDRLANG = 99** if a Downs Syndrome Module was collected for this participant at the same UDS visit. 99 was not an option in UDS v1.2 and UDS v2.0. Please note that a very small number of UDS participants receiving UDS v 1.2 have non-missing values for **CDRLANG.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	10	10		10
v3	10	10	10	10
v4	10	10		

FORM B5: Neuropsychiatric Inventory Questionnaire (NPI–Q)

NPIQINF

Variable Type	Original UDS question
Short descriptor	NPI–Q co-participant
Data type	Numeric longitudinal
Allowable codes	**1** = Spouse **2** = Child **3** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		1
v3	1	1	1	1
v4	1	1		

NPIQINFX

Variable Type	Original UDS question
Short descriptor	NPI–Q co-participant, other – specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If the NPI–Q co-participant was someone other than a spouse or child (**NPIQINF = 3**), it will be listed here, otherwise it will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1a	1a		
v2	1a	1a		1a
v3	1a	1a	1a	1a
v4	1a	1a		

DEL

Variable Type	Original UDS question
Short descriptor	Delusions in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Unknown** (**DEL = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2a	2a		
v2	2a	2a		2a
v3	2a	2a	2a	2a
v4	2a	2a		

DELSEV

Variable Type	Original UDS question
Short descriptor	Delusions severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no delusions reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**DELSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2b	2b		
v2	2b	2b		2b
v3	2b	2b	2b	2b
v4	2b	2b		

HALL

Variable Type	Original UDS question
Short descriptor	Hallucinations in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Unknown** (**HALL = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3a	3a		
v2	3a	3a		3a
v3	3a	3a	3a	3a
v4	3a	3a		

HALLSEV

Variable Type	Original UDS question
Short descriptor	Hallucinations severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no hallucinations reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**HALLSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3b	3b		
v2	3b	3b		3b
v3	3b	3b	3b	3b
v4	3b	3b		

AGIT

Variable Type	Original UDS question
Short descriptor	Agitation or aggression in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Unknown** (**AGIT = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a	4a		
v2	4a	4a		4a
v3	4a	4a	4a	4a
v4	4a	4a		

AGITSEV

Variable Type	Original UDS question
Short descriptor	Agitation or aggression severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no agitation or aggression reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**AGITSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b	4b		
v2	4b	4b		4b
v3	4b	4b	4b	4b
v4	4b	4b		

DEPD

Variable Type	Original UDS question
Short descriptor	Depression or dysphoria in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5a	5a		
v2	5a	5a		5a
v3	5a	5a	5a	5a
v4	5a	5a		

Description/ derivation: An option of **Unknown** (**DEPD = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

DEPDSEV

Variable Type	Original UDS question
Short descriptor	Depression or dysphoria severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no depression or dysphoria reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5b	5b		
v2	5b	5b		5b
v3	5b	5b	5b	5b
v4	5b	5b		

Description/ derivation: An option of **Unknown** (**DEPDSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

ANX

Variable Type	Original UDS question
Short descriptor	Anxiety in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a	6a		
v2	6a	6a		6a
v3	6a	6a	6a	6a
v4	6a	6a		

Description/ derivation: An option of **Unknown** (**ANX = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

ANXSEV

Variable Type	Original UDS question
Short descriptor	Anxiety severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no anxiety reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6b	6b		
v2	6b	6b		6b
v3	6b	6b	6b	6b
v4	6b	6b		

Description/ derivation: An option of **Unknown** (**ANXSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

ELAT

Variable Type	Original UDS question
Short descriptor	Elation or euphoria in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7a	7a		
v2	7a	7a		7a
v3	7a	7a	7a	7a
v4	7a	7a		

Description/ derivation: An option of **Unknown** (**ELAT = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

ELATSEV

Variable Type	Original UDS question
Short descriptor	Elation or euphoria severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no elation or euphoria reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b	7b		
v2	7b	7b		7b
v3	7b	7b	7b	7b
v4	7b	7b		

Description/ derivation: An option of **Unknown** (**ELATSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

APA

Variable Type	Original UDS question
Short descriptor	Apathy or indifference in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a	8a		
v2	8a	8a		8a
v3	8a	8a	8a	8a
v4	8a	8a		

Description/ derivation: An option of **Unknown** (**APA = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

APASEV

Variable Type	Original UDS question
Short descriptor	Apathy or indifference severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no apathy or indifference reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8b	8b		
v2	8b	8b		8b
v3	8b	8b	8b	8b
v4	8b	8b		

Description/ derivation: An option of **Unknown** (**APASEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

DISN

Variable Type	Original UDS question
Short descriptor	Disinhibition in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Unknown** (**DISN = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a	9a		
v2	9a	9a		9a
v3	9a	9a	9a	9a
v4	9a	9a		

DISNSEV

Variable Type	Original UDS question
Short descriptor	Disinhibition severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no disinhibition reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**DISNSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9b	9b		
v2	9b	9b		9b
v3	9b	9b	9b	9b
v4	9b	9b		

IRR

Variable Type	Original UDS question
Short descriptor	Irritability or lability in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Unknown** (**IRR = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10a	10a		
v2	10a	10a		10a
v3	10a	10a	10a	10a
v4	10a	10a		

IRRSEV

Variable Type	Original UDS question
Short descriptor	Irritability or lability severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no irritability or lability reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**IRRSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10b	10b		
v2	10b	10b		10b
v3	10b	10b	10b	10b
v4	10b	10b		

MOT

Variable Type	Original UDS question
Short descriptor	Motor disturbance in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11a	11a		
v2	11a	11a		11a
v3	11a	11a	11a	11a
v4	11a	11a		

Description/ derivation: An option of **Unknown** (**MOT = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

MOTSEV

Variable Type	Original UDS question
Short descriptor	Motor disturbance severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no motor disturbance reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11b	11b		
v2	11b	11b		11b
v3	11b	11b	11b	11b
v4	11b	11b		

Description/ derivation: An option of **Unknown** (**MOTSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

NITE

Variable Type	Original UDS question
Short descriptor	Nighttime behaviors in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12a	12a		
v2	12a	12a		12a
v3	12a	12a	12a	12a
v4	12a	12a		

Description/ derivation: An option of **Unknown** (**NITE = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

NITESEV

Variable Type	Original UDS question
Short descriptor	Nighttime behaviors severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no nighttime behaviors reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12b	12b		
v2	12b	12b		12b
v3	12b	12b	12b	12b
v4	12b	12b		

Description/ derivation: An option of **Unknown** (**NITESEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

APP

Variable Type	Original UDS question
Short descriptor	Appetite and eating problems in the last month
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13a	13a		
v2	13a	13a		13a
v3	13a	13a	13a	13a
v4	13a	13a		

Description/ derivation: An option of **Unknown** (**APP = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

APPSEV

Variable Type	Original UDS question
Short descriptor	Appetite and eating severity
Data type	Numeric longitudinal
Allowable codes	**1** = Mild (noticeable, but not a significant change) **2** = Moderate (significant, but not a dramatic change) **3** = Severe (very marked or prominent; a dramatic change) **8** = Not applicable, no appetite or eating problems reported **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13b	13b		
v2	13b	13b		13b
v3	13b	13b	13b	13b
v4	13b	13b		

Description/ derivation: An option of **Unknown** (**APPSEV = 9**) was added to UDS v3.0 and subsequent versions. Also note that the wording in v3.0 and subsequent versions changed to be consistent with the way the NPI–Q was originally intended to be completed; the wording changes are not expected to affect the essential meaning of the question.

FORM B6: Geriatric Depression Scale (GDS)

NOGDS

Variable Type	Original UDS question
Short descriptor	Is the participant able to complete the GDS, based on the clinician's best judgment?
Data type	Numeric longitudinal
Allowable codes	**0** = Able to complete the GDS **1** = Not able to complete the GDS **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	0Z	0Z		
v2	G1	G1		N/A
v3	G1	G1	G1	G1
v4	G1	G1		

SATIS

Variable Type	Original UDS question
Short descriptor	Are you basically satisfied with your life?
Data type	Numeric longitudinal
Allowable codes	**0** = Yes **1** = No **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**SATIS = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		N/A
v3	1	1	1	1
v4	1	1		

DROPACT

Variable Type	Original UDS question
Short descriptor	Have you dropped many of your activities and interests?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**DROPACT = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		N/A
v3	2	2	2	2
v4	2	2		

EMPTY

Variable Type	Original UDS question
Short descriptor	Do you feel that your life is empty?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**EMPTY = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3	3		
v2	3	3		N/A
v3	3	3	3	3
v4	3	3		

BORED

Variable Type	Original UDS question
Short descriptor	Do you often get bored?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**BORED = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4	4		
v2	4	4		N/A
v3	4	4	4	4
v4	4	4		

SPIRITS

Variable Type	Original UDS question
Short descriptor	Are you in good spirits most of the time?
Data type	Numeric longitudinal
Allowable codes	**0** = Yes **1** = No **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**SPIRITS = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5	5		
v2	5	5		N/A
v3	5	5	5	5
v4	5	5		

AFRAID

Variable Type	Original UDS question
Short descriptor	Are you afraid that something bad is going to happen to you?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**AFRAID = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6	6		
v2	6	6		N/A
v3	6	6	6	6
v4	6	6		

HAPPY

Variable Type	Original UDS question
Short descriptor	Do you feel happy most of the time?
Data type	Numeric longitudinal
Allowable codes	**0** = Yes **1** = No **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**HAPPY = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7	7		
v2	7	7		N/A
v3	7	7	7	7
v4	7	7		

HELPLESS

Variable Type	Original UDS question
Short descriptor	Do you often feel helpless?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**HELPLESS = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	8		
v2	8	8		N/A
v3	8	8	8	8
v4	8	8		

STAYHOME

Variable Type	Original UDS question
Short descriptor	Do you prefer to stay at home, rather than going out and doing new things?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**STAYHOME = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9	9		
v2	9	9		N/A
v3	9	9	9	9
v4	9	9		

MEMPROB

Variable Type	Original UDS question
Short descriptor	Do you feel you have more problems with memory than most?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**MEMPROB = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10	10		
v2	10	10		N/A
v3	10	10	10	10
v4	10	10		

WONDRFUL

Variable Type	Original UDS question
Short descriptor	Do you think it is wonderful to be alive now?
Data type	Numeric longitudinal
Allowable codes	**0** = Yes **1** = No **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**WONDRFUL = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11	11		
v2	11	11		N/A
v3	11	11	11	11
v4	11	11		

WRTHLESS

Variable Type	Original UDS question
Short descriptor	Do you feel pretty worthless the way you are now?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**WRTHLESS = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12	12		
v2	12	12		N/A
v3	12	12	12	12
v4	12	12		

ENERGY

Variable Type	Original UDS question
Short descriptor	Do you feel full of energy?
Data type	Numeric longitudinal
Allowable codes	**0** = Yes **1** = No **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**ENERGY = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13	13		
v2	13	13		N/A
v3	13	13	13	13
v4	13	13		

HOPELESS

Variable Type	Original UDS question
Short descriptor	Do you feel that your situation is hopeless?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**HOPELESS = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	14	14		
v2	14	14		N/A
v3	14	14	14	14
v4	14	14		

BETTER

Variable Type	Original UDS question
Short descriptor	Do you think that most people are better off than you are?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Did not answer **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	An option of **Did not answer** (**BETTER = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	15	15		
v2	15	15		N/A
v3	15	15	15	15
v4	15	15		

NACCGDS

Variable Type	NACC derived variable
Short descriptor	Total GDS score
Data type	Numeric longitudinal
Allowable codes	**0 – 15** **88 =** Could not be calculated **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	16	16		
v2	16	16		N/A
v3	16	16	16	16
v4	16	16		

Description/ derivation

In earlier versions of the UDS, Centers were not given instructions on how to calculate the total GDS score if three or fewer GDS items were missing. NACC has created a new derived variable for Total GDS score so that participants who were given the GDS in the earlier version of the UDS v1 will have a total GDS score if they skipped three or fewer items on the questionnaire. If the participant was missing more than three of the 15 items on the GDS for any UDS version, **NACCGDS = 88**. The UDS Coding Guidebook for Form B6 provides the algorithm for calculating the GDS score when three or fewer items are missing.

FORM B7: NACC Functional Assessment Scale (FAS)

BILLS

Variable Type
Original UDS question

Short descriptor
In the past four weeks, did the participant have any difficulty or need help with: Writing checks, paying bills, or balancing a checkbook

Data type
Numeric longitudinal

Allowable codes
0 = Normal
1 = Has difficulty, but does by self
2 = Requires assistance
3 = Dependent
8 = Not applicable (e.g. never did)
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		1
v3	1	1	1	1
v4	1	1		

Description/ derivation
An option of **Unknown** (**BILLS = 9**) was added to UDS v3.0 and subsequent versions.

TAXES

Variable Type
Original UDS question

Short descriptor
In the past four weeks, did the participant have any difficulty or need help with: Assembling tax records, business affairs, or other papers

Data type
Numeric longitudinal

Allowable codes
0 = Normal
1 = Has difficulty, but does by self
2 = Requires assistance
3 = Dependent
8 = Not applicable (e.g. never did)
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		2
v3	2	2	2	2
v4	2	2		

Description/ derivation
An option of **Unknown** (**TAXES = 9**) was added to UDS v3.0 and subsequent versions.

SHOPPING

Variable Type
Original UDS question

Short descriptor
In the past four weeks, did the participant have any difficulty or need help with: Shopping alone for clothes, household necessities, or groceries

Data type
Numeric longitudinal

Allowable codes
0 = Normal
1 = Has difficulty, but does by self
2 = Requires assistance
3 = Dependent
8 = Not applicable (e.g. never did)
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3	3		
v2	3	3		3
v3	3	3	3	3
v4	3	3		

Description/ derivation
An option of **Unknown** (**SHOPPING = 9**) was added to UDS v3.0 and subsequent versions.

GAMES

Variable Type	Original UDS question
Short descriptor	In the past four weeks, did the participant have any difficulty or need help with: Playing a game of skill such as bridge or chess, working on a hobby
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Has difficulty, but does by self **2** = Requires assistance **3** = Dependent **8** = Not applicable (e.g. never did) **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**GAMES = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4	4		
v2	4	4		4
v3	4	4	4	4
v4	4	4		

STOVE

Variable Type	Original UDS question
Short descriptor	In the past four weeks, did the participant have any difficulty or need help with: Heating water, making a cup of coffee, turning off the stove
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Has difficulty, but does by self **2** = Requires assistance **3** = Dependent **8** = Not applicable (e.g. never did) **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**STOVE = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5	5		
v2	5	5		5
v3	5	5	5	5
v4	5	5		

MEALPREP

Variable Type	Original UDS question
Short descriptor	In the past four weeks, did the participant have any difficulty or need help with: Preparing a balanced meal
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Has difficulty, but does by self **2** = Requires assistance **3** = Dependent **8** = Not applicable (e.g. never did) **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**MEALPREP = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6	6		
v2	6	6		6
v3	6	6	6	6
v4	6	6		

EVENTS

Variable Type Original UDS question

Short descriptor In the past four weeks, did the participant have any difficulty or need help with: Keeping track of current events

Data type Numeric longitudinal

Allowable codes
0 = Normal
1 = Has difficulty, but does by self
2 = Requires assistance
3 = Dependent
8 = Not applicable (e.g. never did)
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7	7		
v2	7	7		7
v3	7	7	7	7
v4	7	7		

Description/ derivation An option of **Unknown** (**EVENTS = 9**) was added to UDS v3.0 and subsequent versions.

PAYATTN

Variable Type Original UDS question

Short descriptor In the past four weeks, did the participant have any difficulty or need help with: Paying attention to and understanding a TV program, book, or magazine

Data type Numeric longitudinal

Allowable codes
0 = Normal
1 = Has difficulty, but does by self
2 = Requires assistance
3 = Dependent
8 = Not applicable (e.g. never did)
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	8		
v2	8	8		8
v3	8	8	8	8
v4	8	8		

Description/ derivation An option of **Unknown** (**PAYATTN = 9**) was added to UDS v3.0 and subsequent versions.

REMDATES

Variable Type Original UDS question

Short descriptor In the past four weeks, did the participant have any difficulty or need help with: Remembering appointments, family occasions, holidays, medications

Data type Numeric longitudinal

Allowable codes
0 = Normal
1 = Has difficulty, but does by self
2 = Requires assistance
3 = Dependent
8 = Not applicable (e.g. never did)
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9	9		
v2	9	9		9
v3	9	9	9	9
v4	9	9		

Description/ derivation An option of **Unknown** (**REMDATES = 9**) was added to UDS v3.0 and subsequent versions.

TRAVEL

Variable Type	Original UDS question
Short descriptor	In the past four weeks, did the participant have any difficulty or need help with: Traveling out of the neighborhood, driving, or arranging to take public transportation
Data type	Numeric longitudinal
Allowable codes	**0** = Normal **1** = Has difficulty, but does by self **2** = Requires assistance **3** = Dependent **8** = Not applicable (e.g. never did) **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	An option of **Unknown** (**TRAVEL = 9**) was added to UDS v3.0 and subsequent versions.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	10	10		
v2	10	10		10
v3	10	10	10	10
v4	10	10		

FORM B8: Physical/Neurological Exam Findings

NACCNREX

Variable Type	NACC derived variable
Short descriptor	Were all findings unremarkable?
Data type	Numeric longitudinal
Allowable codes	**0** = Abnormal findings **1** = No abnormal findings or findings normal for age **8** = No neurological exam done **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	The first question on abnormal findings on Form B8 differed slightly between UDSv1 – v2, v3, and v4. This derived variable provides a comparable summary of the presence of abnormal findings across UDS versions. See **NEUREXAM** and **NORMEXAM** below for the more detailed information that was collected on abnormal findings in UDSv3 and UDSv4.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		N/A
v3	1	1	1	N/A
v4	2	2		

NEUREXAM

Variable Type	Original UDS question
Short descriptor	What type of neurologic examination was completed?
Data type	Numeric longitudinal
Allowable codes	**0** = No neurologic examination **1** = Comprehensive neurologic examination as suggested in the UDS Coding Guidebook **2** = Focused or partial neurologic examination performed in–person **3** = Focused or partial neurologic examination performed via video **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1	1		

NORMEXAM

Variable Type	Original UDS question
Short descriptor	Were there abnormal neurological exam findings?
Data type	Numeric longitudinal
Allowable codes	**0** = No abnormal findings **1** = Yes – abnormal findings were consistent with syndromes listed in Question 2–8 **2** = Yes – abnormal findings were consistent with age-associated changes or irrelevant to dementing disorders (e.g. Bell's Palsy) **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1	1	1	N/A
v4	N/A	N/A		

NORMNREXAM

Variable Type	Original UDS question
Short descriptor	Were there abnormal neurological exam findings?
Data type	Numeric longitudinal
Allowable codes	**0** = No abnormal findings **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2	2		

FOCLDEF

Variable Type	Original UDS question
Short descriptor	Are focal deficits present indicative of central nervous system disorder?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

GAITDIS

Variable Type	Original UDS question
Short descriptor	Is gait disorder present indicative of central nervous system disorder?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3	3		
v2	3	3		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

EYEMOVE

Variable Type	Original UDS question
Short descriptor	Are there eye movement abnormalities present indicative of central nervous system disorder?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4	4		
v2	4	4		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

PARKSIGN

Variable Type	Original UDS question
Short descriptor	Parkinsonian signs
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that in UDSv4 a skip pattern was introduced and the option of 8 = Not assessed was added for **PARKSIGN**. In UDSv4, if there were no abnormal exam findings (**NORMNREXAM = 0**) then **PARKSIGN = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2	2	2	N/A
v4	3	3		

TREMREST

Variable Type	Original UDS question
Short descriptor	Limb tremor at rest
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **TREMREST = 0**. If Parkinsonian signes were not assessed (**PARKSIGN = 8**), then **TREMREST = 8**. Note that during the UDSv3 neurological exam limb tremor was assessed in the following variables: **RESTTRL**, **RESTTRR**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b	3b		

TREMPOST

Variable Type	Original UDS question
Short descriptor	Limb tremor – postural
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **TREMPOST = 0**. If Parkinsonian signes were not assessed (**PARKSIGN = 8**), then **TREMPOST = 8**. Note that during the UDSv3 neurological exam limb tremor was assessed in the following variables: **RESTTRL**, **RESTTRR**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c	3c		

TREMKINE

Variable Type	Original UDS question
Short descriptor	Limb tremor – kinetic
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **TREMKINE = 0**. If Parkinsonian signes were not assessed (**PARKSIGN = 8**), then **TREMKINE = 8**. Note that during the UDSv3 neurological exam limb tremor was assessed in the following variables: **RESTTRL**, **RESTTRR**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d	3d		

RESTTRL

Variable Type	Original UDS question
Short descriptor	Resting tremor – left arm
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **RESTTRL = 0**. Note that during the UDSv4 neurological exam limb tremor is assessed in the following variables: **TREMREST**, **TREMPOST**, **TREMKINE**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2a1	2a1	2a1	N/A
v4	N/A	N/A		

RESTTRR

Variable Type	Original UDS question
Short descriptor	Resting tremor – right arm
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **RESTTRR = 0**. Note that during the UDSv4 neurological exam limb tremor is assessed in the following variables: **TREMREST**, **TREMPOST**, **TREMKINE**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2a2	2a2	2a2	N/A
v4	N/A	N/A		

SLOWINGFM

Variable Type	Original UDS question
Short descriptor	Slowing of fine motor movements
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **SLOWINGFM = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **SLOWINGFM = 8**. Note that during the UDSv3 neurological exam slowing of fine motor movements is assessed in the following variables: **SLOWINGL**, **SLOWINGR**, **BRADY**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a	3a		

SLOWINGL

Variable Type	Original UDS question
Short descriptor	Slowing of fine motor movements – left side
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **SLOWINGL = 0**. Note that during the UDSv4 neurological exam slowing of fine motor movement is assessed in **SLOWINGFM**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2b1	2b1	2b1	N/A
v4	N/A	N/A		

SLOWINGR

Variable Type	Original UDS question
Short descriptor	Slowing of fine motor movements – right side
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **SLOWINGR = 0**. Note that during the UDSv4 neurological exam slowing of fine motor movement is assessed in **SLOWINGFM**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2b2	2b2	2b2	N/A
v4	N/A	N/A		

BRADY

Variable Type	Original UDS question
Short descriptor	Bradykinesia
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **BRADY = 0**. Note that during the UDSv4 neurological exam slowing of fine motor movements is assessed in **SLOWINGFM**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2d	2d	2d	N/A
v4	N/A	N/A		

RIGIDARM

Variable Type	Original UDS question
Short descriptor	Limb rigidity – arm
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **RIGIDARM = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **RIGIDARM = 8**. Note that during the UDSv3 neurological exam limb rigidity was assessed in the following variables: **RIGIDL**, **RIGIDR.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3e	3e		

RIGIDLEG

Variable Type	Original UDS question
Short descriptor	Limb rigidity – leg
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **RIGIDLEG = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **RIGIDLEG = 8**. Note that during the UDSv3 neurological exam limb rigidity was assessed in the following variables: **RIGIDL**, **RIGIDR.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3f	3f		

RIGIDL

Variable Type	Original UDS question
Short descriptor	Rigidity – left arm
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **RIGIDL = 0**. Note that during the UDSv4 neurological exam limb rigidity was assessed in the following variables: **RIGIDARM**, **RIGIDLEG**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2c1	2c1	2c1	N/A
v4	N/A	N/A		

RIGIDR

Variable Type	Original UDS question
Short descriptor	Rigidity – right arm
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **RIGIDR = 0**. Note that during the UDSv4 neurological exam limb rigidity was assessed in the following variables: **RIGIDARM**, **RIGIDLEG**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2c2	2c2	2c2	N/A
v4	N/A	N/A		

DYSTARM

Variable Type	Original UDS question
Short descriptor	Limb dystonia – arm
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **DYSTARM = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **DYSTARM = 8**. Note that during the UDSv3 neurological exam limb dystonia was assessed in the following variables: **DYSTONL**, **DYSTONR.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3g	3g		

DYSTLEG

Variable Type	Original UDS question
Short descriptor	Limb dystonia – leg
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **DYSTLEG = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **DYSTLEG = 8**. Note that during the UDSv3 neurological exam limb dystonia was assessed in the following variables: **DYSTONL**, **DYSTONR.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3h	3h		

DYSTONL

Variable Type	Original UDS question
Short descriptor	Dystonia consistent with CBS, PSP, or related disorder – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **DYSTONL = 0**. Note that during the UDSv4 neurological exam limb dystonia is assessed in the following variables: **DYSTARM**, **DYSTLEG**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5j1	5j1	5j1	N/A
v4	N/A	N/A		

DYSTONR

Variable Type	Original UDS question
Short descriptor	Dystonia consistent with CBS, PSP, or related disorder – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **DYSTONR = 0**. Note that during the UDSv4 neurological exam limb dystonia is assessed in the following variables: **DYSTARM**, **DYSTLEG**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5j2	5j2	5j2	N/A
v4	N/A	N/A		

CHOREA

Variable Type	Original UDS question
Short descriptor	Chorea
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **CHOREA = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **CHOREA = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3i	3i		

AMPMOTOR

Variable Type	Original UDS question
Short descriptor	Decrement in amplitude of fine motor movements
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **AMPMOTOR = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **AMPMOTOR = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3j	3j		

AXIALRIG

Variable Type	Original UDS question
Short descriptor	Axial rigidity
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **AXIALRIG = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **AXIALRIG = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3k	3k		

POSTINST

Variable Type	Original UDS question
Short descriptor	Postural instability
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In UDSv3, if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **POSTINST = 0**. In UDSv4, if there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **POSTINST = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **POSTINST = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2f	2f	2f	N/A
v4	3l	3l		

MASKING

Variable Type	Original UDS question
Short descriptor	Facial masking
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **MASKING = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **MASKING = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3m	3m		

STOOPED

Variable Type	Original UDS question
Short descriptor	Stooped posture
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **STOOPED = 0**. If Parkinsonian signs were not assessed (**PARKSIGN = 8**), then **STOOPED = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3n	3n		

OTHERSIGN

Variable Type	Original UDS question
Short descriptor	Cortical/Pyramidal/Other Signs
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) then **OTHERSIGN = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4	4		

LIMBAPRAX

Variable Type	Original UDS question
Short descriptor	Limb apraxia
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **LIMBAPRAX = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **LIMBAPRAX = 8**. Note that during the UDSv3 neurological exam limb apraxia was assessed in the following variables: **APRAXL, APRAXR.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a	4a		

APRAXL

Variable Type	Original UDS question
Short descriptor	Apraxia consistent with CBS – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **APRAXL = 0**. Note that during the UDSv4 neurological exam limb apraxia is assessed in **LIMBAPRAX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f1	5f1	5f1	N/A
v4	N/A	N/A		

APRAXR

Variable Type	Original UDS question
Short descriptor	Apraxia consistent with CBS – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **APRAXR = 0**. Note that during the UDSv4 neurological exam limb apraxia is assessed in **LIMBAPRAX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5f2	5f2	5f2	N/A
v4	N/A	N/A		

UMNDIST

Variable Type	Original UDS question
Short descriptor	Face or limb findings in UMN distribution
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **UMNDIST = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **UMNDIST = 8**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4b	4b		

LMNDIST

Variable Type	Original UDS question
Short descriptor	Face or limb findings in an LMN distribution
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **LMNDIST = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **LMNDIST = 8**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4c	4c		

VFIELDCUT

Variable Type	Original UDS question
Short descriptor	Visual field cut
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **VFIELDCUT = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **VFIELDCUT = 8**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4d	4d		

LIMBATAX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4e	4e		

Variable Type: Original UDS question

Short descriptor: Limb ataxia

Data type: Numeric longitudinal

Allowable codes:
0 = Absent
1 = Focal or unilateral
2 = Bilateral & largely symmetric
3 = Bilateral & largely asymmetric
8 = Not assessed
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **LIMBATAX = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **LIMBATAX = 8**.

Note that during the UDSv3 neurological exam ataxia consistent with CBS was assessed in the following variables: **ATAXL**, **ATAXR**.

ATAXL

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5h1	5h1	5h1	N/A
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Ataxia consistent with CBS – left side

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Not assessed
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

Description/ derivation: If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **ATAXL = 0**.

Note that during the UDSv4 neurological exam limb ataxia was assessed in **LIMBATAX**.

ATAXR

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5h2	5h2	5h2	N/A
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Ataxia consistent with CBS – right side

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Not assessed
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

Description/ derivation: If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **ATAXR = 0**.

Note that during the UDSv4 neurological exam limb ataxia was assessed in **LIMBATAX**.

MYOCLON

Variable Type	Original UDS question
Short descriptor	Myoclonus
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Focal or unilateral **2** = Bilateral & largely symmetric **3** = Bilateral & largely asymmetric **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **MYOCLON = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **MYOCLON = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4f	4f		

UNISOMATO

Variable Type	Original UDS question
Short descriptor	Unilateral somatosensory loss (localized to the brain; disregard sensory changes localized to the spinal cord or peripheral nerves)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **UNISOMATO = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **UNISOMATO = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4g	4g		

APHASIA

Variable Type	Original UDS question
Short descriptor	Aphasia (disregard complaints of mild dysnomia if not viewed as reflecting a clinically significant change)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **APHASIA = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **APHASIA = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4h	4h		

ALIENLIMB

Variable Type	Original UDS question
Short descriptor	Alien limb phenomenon
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **ALIENLIMB = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **ALIENLIMB = 8**. Note that during the UDSv3 neurological exam Alien limb consistent with CBS was assessed in the following variables: **ALIENLML**, **ALIENLMR.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4i	4i		

ALIENLML

Variable Type	Original UDS question
Short descriptor	Alien limb consistent with CBS – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **ALIENLML = 0**. Note that during the UDSv4 neurological exam alien limb phenomenon is assessed in **ALIENLIMB**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5i1	5i1	5i1	N/A
v4	N/A	N/A		

ALIENLMR

Variable Type	Original UDS question
Short descriptor	Alien limb consistent with CBS – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **ALIENLMR = 0**. Note that during the UDSv4 neurological exam alien limb phenomenon is assessed in **ALIENLIMB**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5i2	5i2	5i2	N/A
v4	N/A	N/A		

HSPATNEG

Variable Type	Original UDS question
Short descriptor	Hemispatial neglect
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **HSPATNEG = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **HSPATNEG = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4j	4j		

PSPOAGNO

Variable Type	Original UDS question
Short descriptor	Prosopagnosia
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **PSPOAGNO = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **PSPOAGNO = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4k	4k		

SMTAGNO

Variable Type	Original UDS question
Short descriptor	Simultanagnosia
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **SMTAGNO = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **SMTAGNO = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4l	4l		

OPTICATAX

Variable Type	Original UDS question
Short descriptor	Optic ataxia
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **OPTICATAX = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **OPTICATAX = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4m	4m		

APRAXGAZE

Variable Type	Original UDS question
Short descriptor	Apraxia of gaze
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **APRAXGAZE = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **APRAXGAZE = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4n	4n		

VHGAZEPAL

Variable Type	Original UDS question
Short descriptor	Vertical +/- horizontal gaze palsy
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **VHGAZEPAL = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **VHGAZEPAL = 8**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4o	4o		

DYSARTH

Variable Type	Original UDS question
Short descriptor	Dysarthria
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **DYSARTH = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **DYSARTH = 8**. Note that during the UDSv3 neurological exam dysarthria consistent with PSP was assessed in **DYSPSP.**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4p	4p		

DYSPSP

Variable Type	Original UDS question
Short descriptor	Dysarthria rigidity consistent with PSP
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **DYSPSP = 0**. Note that during the UDSv4 neurological exam dysarthria is assessed in **DYSARTH**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5b	5b	5b	N/A
v4	N/A	N/A		

APRAXSP

Variable Type	Original UDS question
Short descriptor	Apraxia of speech
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	In UDSv3, if the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **APRAXSP = 0**. In UDSv4, if there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Cortical/pyramidal/other signs (**OTHERSIGN = 0**), then **APRAXSP = 0**. If Cortical/pyramidal/other signs were not assessed (**OTHERSIGN = 8**), then **APRAXSP = 8**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5e	5e	5e	N/A
v4	4q	4q		

CORTSENL

Variable Type	Original UDS question
Short descriptor	Cortical sensory deficits consistent with CBS – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **CORTSENL = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5g1	5g1	5g1	N/A
v4	N/A	N/A		

CORTSENR

Variable Type	Original UDS question
Short descriptor	Cortical sensory deficits consistent with CBS – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **CORTSENR = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5g2	5g2	5g2	N/A
v4	N/A	N/A		

MYOCLLT

Variable Type	Original UDS question
Short descriptor	Myoclonus consistent with CBS – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **MYOCLLT = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5k1	5k1	5k1	N/A
v4	N/A	N/A		

MYOCLRT

Variable Type	Original UDS question
Short descriptor	Myoclonus consistent with CBS – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **MYOCLRT = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5k2	5k2	5k2	N/A
v4	N/A	N/A		

ALSFIND

Variable Type	Original UDS question
Short descriptor	Findings suggesting ALS (e.g., muscle wasting, fasciculations, upper motor and/or lower motor neuron signs)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6	6	6	N/A
v4	N/A	N/A		

CVDSIGNS

Variable Type	Original UDS question
Short descriptor	Neurological sign considered by examiner to be most likely consistent with cerebrovascular disease
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3	3	3	N/A
v4	N/A	N/A		

CORTDEF

Variable Type	Original UDS question
Short descriptor	Cortical cognitive deficit (e.g., aphasia, apraxia, neglect)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **CORTDEF = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3a	3a	3a	N/A
v4	N/A	N/A		

SIVDFIND

Variable Type	Original UDS question
Short descriptor	Focal or other neurological findings consistent with SIVD (subcortical ischemic vascular dementia)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **SIVDFIND = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3b	3b	3b	N/A
v4	N/A	N/A		

CVDMOTL

Variable Type	Original UDS question
Short descriptor	Motor (may include weakness of combination of face, arm, and leg; reflex changes, etc.) – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **CVDMOTL = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3c1	3c1	3c1	N/A
v4	N/A	N/A		

CVDMOTR

Variable Type	Original UDS question
Short descriptor	Motor (may include weakness of combination of face, arm, and leg; reflex changes, etc.) – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **CVDMOTR = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3c2	3c2	3c2	N/A
v4	N/A	N/A		

CORTVISL

Variable Type	Original UDS question
Short descriptor	Cortical visual field loss – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **CORTVISL = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3d1	3d1	3d1	N/A
v4	N/A	N/A		

CORTVISR

Variable Type	Original UDS question
Short descriptor	Cortical visual field loss – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **CORTVISR = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3d2	3d2	3d2	N/A
v4	N/A	N/A		

SOMATL

Variable Type	Original UDS question
Short descriptor	Somatosensory loss – left side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **SOMATL = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3e1	3e1	3e1	N/A
v4	N/A	N/A		

SOMATR

Variable Type	Original UDS question
Short descriptor	Somatosensory loss – right side
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no CVD signs (**CVDSIGNS = 0**), then **SOMATR = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3e2	3e2	3e2	N/A
v4	N/A	N/A		

POSTCORT

Variable Type	Original UDS question
Short descriptor	Higher cortical visual problem suggesting posterior cortical atrophy (e.g., prosopagnosia, simultagnosia, Balint's syndrome) or apraxia of gaze
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4	4	4	N/A
v4	N/A	N/A		

PSPCBS

Variable Type	Original UDS question
Short descriptor	Findings suggestive of progressive supranuclear palsy (PSP), corticobasal syndrome (CBS), or other related disorders
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5	5	5	N/A
v4	N/A	N/A		

EYEPSP

Variable Type	Original UDS question
Short descriptor	Eye movement changes consistent with PSP
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **EYEPSP = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5a	5a	5a	N/A
v4	N/A	N/A		

AXIALPSP

Variable Type	Original UDS question
Short descriptor	Axial rigidity consistent with PSP
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **AXIALPSP = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5c	5c	5c	N/A
v4	N/A	N/A		

GAITABN

Variable Type	Original UDS question
Short descriptor	Gait
Data type	Numeric longitudinal
Allowable codes	**0** = No abnormal signs in this section are present **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) then **GAITABN = 0**. Note that during the UDSv3 neurological exam abnormal gait findings were assessed in the following variables: **PARKGAIT**, **GAITPSP**, **GAITNPH**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5	5		

GAITFIND

Variable Type	Original UDS question
Short descriptor	Finding
Data type	Numeric longitudinal
Allowable codes	**1** = Hemiparetic gait (spastic) **2** = Foot drop gait (lower motor neuron) **3** = Ataxic gait **4** = Apractic magnetic gait **5** = Hypokinetic/parkinsonian gait **6** = Antalgic gait **7** = Other (specify) **8** = Not applicable **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If there were no abnormal exam findings (**NORMNREXAM = 0**) or if the participant was indicated as having no Gait signs (**GAITABN = 0**), then **GAITFIND = 8**. Note that during the UDSv3 neurological exam abnormal gait findings were assessed in the following variables: **PARKGAIT, GAITPSP, GAITNPH.**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a	5a		

GAITOTHRX

Variable Type	Original UDS question
Short descriptor	Other gait (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another gait finding is indicated (**GAITFIND = 7**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a1	5a1		

PARKGAIT

Variable Type	Original UDS question
Short descriptor	Parkinsonian gait disorder
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If the participant was indicated as having no Parkinsonian signs (**PARKSIGN = 0**), then **PARKGAIT = 0**. Note that during the UDSv4 neurological exam abnormal gait findings are assessed in the following variables: **GAITABN**, **GAITFIND**, **GAITOTHRX**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	2e	2e	2e	N/A
v4	N/A	N/A		

GAITPSP

Variable Type	Original UDS question
Short descriptor	Gait disorder consistent with PSP
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	If the participant was indicated as having no PSP or CBS signs (**PSPCBS = 0**), then **GAITPSP = 0**. Note that during the UDSv4 neurological exam abnormal gait findings are assessed in the following variables: **GAITABN**, **GAITFIND**, **GAITOTHRX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5d	5d	5d	N/A
v4	N/A	N/A		

GAITNPH

Variable Type	Original UDS question
Short descriptor	Normal pressure hydrocephalus – gait apraxia
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**
Description/ derivation	Note that during the UDSv4 neurological exam abnormal gait findings are assessed in the following variables: **GAITABN**, **GAITFIND**, **GAITOTHRX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7	7	7	N/A
v4	N/A	N/A		

OTHNEUR

Variable Type	Original UDS question
Short descriptor	Other findings (e.g., cerebella ataxia, chorea, myoclonus)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question**.**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8	8	8	N/A
v4	N/A	N/A		

OTHNEURX

Variable Type	Original UDS question
Short descriptor	Other findings (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another finding is indicated (**OTHNEUR = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8a	8a	8a	N/A
v4	N/A	N/A		

FORM B9: Clinician Judgment of Symptoms

B9CHG

Variable Type	Original UDS question
Short descriptor	Indicate changes in information reported at previous visit
Data type	Numeric longitudinal
Allowable codes	**1 =** There have been no meaningful changes in the participant's cognition, behavior, or motor function since the previous UDS visit **2 =** At the previous UDS visit, the clinician DID NOT report a decline in the participant's memory, non-memory cognitive abilities, behavior, or motor function. However, there have been meaningful changes since then **3 =** At the previous UDS visit, the clinician DID report a decline in the participant's memory, non-memory cognitive abilities, behavior, or motor function. Since then, there have been additional meaningful changes **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	0Z		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

DECCOG

Variable Type	Original UDS question
Short descriptor	Does the participant report a decline in any cognitive domain (relative to stable baseline prior to onset of current syndrome)?
Data type	Numeric longitudinal
Allowable codes	**0 =** No **1 =** Yes **8 =** Could not be assessed/participant too impaired **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In v1-3, participants were asked to report a decline in memory only in **DECSUB**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1	1		

DECSUB

Variable Type	Original UDS question
Short descriptor	Does the participant report a decline in memory (relative to previously attained abilities)?
Data type	Numeric longitudinal
Allowable codes	**0 =** No **1 =** Yes **8 =** Could not be assessed/participant too impaired **9 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In v4, participants were asked to report a decline in memory in variable **MEMWORS** on Form A1, and a decline in any cognitive symptom in **DECCOG** on Form B9. Note that "Could not be assessed/participant too impaired" (**DECSUB = 8**) was added in UDSv3 and was not an available option in versions 1-2. Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		1
v3	1	1	1	1
v4	N/A	N/A		

DECMOT

Variable Type	Original UDS question
Short descriptor	Does the participant report a decline in any motor domain (relative to stable baseline prior to onset of current syndrome)?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Could not be assessed/participant too impaired **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2	2		

PSYCHSYM

Variable Type	Original UDS question
Short descriptor	Does the participant report the development of any significant neuropsychiatric/behavioral symptoms (relative to stable baseline prior to onset of current syndrome)?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Could not be assessed/participant too impaired **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3	3		

DECCOGIN

Variable Type	Original UDS question
Short descriptor	Does the co-participant report a decline in any cognitive domain (relative to stable baseline prior to onset of current syndrome)?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = There is no co-participant **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	In v1-3, co-participants were asked to report a decline in participant's memory only in **DECIN**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4	4		

DECIN

Variable Type: Original UDS question

Short descriptor: Does the co-participant report a decline in participant's memory (relative to previously attained abilities)?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = There is no co-participant
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		2
v3	2	2	2	2
v4	N/A	N/A		

Description/ derivation: In v4, co-participants were asked to report a decline in the participant's memory in variable **INMEMWORS** on Form A2, and in any cognitive symptom in **DECIN** on Form B9.

Note that "There is no co-participant" (**DECIN = 8**) was added in UDS3 and was not an available option in version 1-2.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

DECMOTIN

Variable Type: Original UDS question

Short descriptor: Does the co-participant report a change in any motor domain (relative to stable baseline prior to onset of current syndrome)?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = There is no co-participant
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5	5		

PSYCHSYMIN

Variable Type: Original UDS question

Short descriptor: Does the co-participant report the development of any significant neuropsychiatric/behavioral symptoms (relative to stable baseline prior to onset of current syndrome)?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = There is no co-participant
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6	6		

DECCLIN

Variable Type	Original UDS question
Short descriptor	Clinician reports neuropsychiatric/behavioral symptoms, decline in any cognitive domains, or changes in any motor domains
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3a	3a		
v2	3a	3a		3a
v3	N/A	N/A	N/A	N/A
v4	7	7		

Description/ derivation

This question assessed possible presence of motor/movement changes in UDSv2.0 but not in UDSv1.2; therefore, participants assessed with UDSv1.2 of this form may have had motor/movement symptoms and would have **DECCLIN = 0** (No). Thus, some participants may have been **DECCLIN = 0** but still have one or more cognitive, behavioral, or motor symptoms reported as present.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

DECCLCOG

Variable Type	Original UDS question
Short descriptor	Based on the clinician's judgment, is the participant currently experiencing meaningful impairment in cognition?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3	3	3	3
v4	8	8		

COGMEM

Variable Type	Original UDS question
Short descriptor	Participant currently is meaningfully impaired, relative to stable baseline, in memory
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a	4a		
v2	4a	4a		4a
v3	4a	4a	4a	4a
v4	9a	9a		

Description/ derivation

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

COGORI

Variable Type: Original UDS question

Short descriptor: Participant currently is meaningfully impaired, relative to stable baseline, in orientation

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
9 = Unknown
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4b	4b	4b	4b
v4	9b	9b		

COGJUDG

Variable Type: Original UDS question

Short descriptor: Participant currently is meaningfully impaired, relative to stable baseline, in executive function - judgment, planning, or problem-solving

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
9 = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b	4b		
v2	4b	4b		4b
v3	4c	4c	4c	4c
v4	9c	9c		

Description/ derivation: Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

COGLANG

Variable Type: Original UDS question

Short descriptor: Participant currently is meaningfully impaired, relative to stable baseline, in language

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
9 = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4c	4c		
v2	4c	4c		4c
v3	4d	4d	4d	4d
v4	9d	9d		

Description/ derivation: Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

COGVIS

Variable Type	Original UDS question
Short descriptor	Participant currently is meaningfully impaired, relative to stable baseline, in visuospatial function
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4d	4d		
v2	4d	4d		4d
v3	4e	4e	4e	4e
v4	9e	9e		

COGATTN

Variable Type	Original UDS question
Short descriptor	Participant currently is meaningfully impaired, relative to stable baseline, in attention or concentration
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4e	4e		
v2	4e	4e		4e
v3	4f	4f	4f	4f
v4	9f	9f		

COGFLUC

Variable Type	Original UDS question
Short descriptor	Participant currently has fluctuating cognition
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	4f	4f		4f
v3	4g	4g	4g	4g
v4	9g	9g		

COGFLAGO

Variable Type	Original UDS question
Short descriptor	At what age did the fluctuating cognition begin?
Data type	Numeric longitudinal
Allowable codes	**15 – 110** **888** = Not applicable, no or unknown fluctuating cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which fluctuating cognition began is the same as previously reported (**COGFLAGO = 777**), the previous value is carried forward to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4g1	4g1	4g1	4g1
v4	N/A	N/A		

COGOTHR

Variable Type	Original UDS question
Short descriptor	Indicate whether the participant currently is meaningfully impaired, relative to previously attained abilities, in other cognitive domains
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4f	4f		
v2	4g	4g		4g
v3	4h	4h	4h	4h
v4	9h	9h		

Description/ derivation

This variable is best viewed as an indicator variable for any other type of cognitive symptoms that the Center chose to report about the participant.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

COGOTHRX

Variable Type	Original UDS question
Short descriptor	Specification of other cognitive impairment
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4f1	4f1		
v2	4g1	4g1		4g1
v3	4h1	4h1	4h1	4h1
v4	9h1	9h1		

Description/ derivation

If other cognitive domains are indicated as impaired (**COGOTHR = 1**), the other cognitive impairment will be listed here, otherwise, it will be blank.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

NACCCOGAGE

Variable Type	NACC derived variable
Short descriptor	Age that participant's cognitive impairment began
Data type	Numeric longitudinal
Allowable codes	**9 – 120** **888** = No impairment in cognition **999** = Age unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3b	3b		
v2	3b	3b		3b
v3	7	7	7	7
v4	9i	9i		

Description/ derivation

For follow-up visits where it is recorded that the age at which cognition symptoms began is the same as previously reported, the previous value is carried forward to facilitate analysis.

Please note that for a few participants the age of onset of cognitive decline is reported inconsistently over time. In this case, the most recently reported age of onset is usually the best data available; however, the first age reported may be more appropriate depending on your study design.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

COGMODE

Variable Type	Original UDS question
Short descriptor	Mode of onset of cognitive impairment
Data type	Numeric longitudinal
Allowable codes	**0** = No impairment in cognition **1** = Gradual **2** = Subacute **3** = Abrupt **4** = Other (specify) **99** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6	6		
v2	6	6		6
v3	6	6	6	6
v4	10	10		

COGMODEX

Variable Type	Original UDS question
Short descriptor	Specification for other mode of onset of cognitive impairment
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another mode of onset of cognitive symptoms is indicated (**COGMODE = 4**), it will be listed here; otherwise, this variable will be blank. Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a	6a		
v2	6a	6a		6a
v3	6a	6a	6a	6a
v4	10a	10a		

NACCCOGF

Variable Type: NACC derived variable

Short descriptor: Predominant symptom first recognized as a decline in the participant's cognition

Data type: Numeric cross-sectional

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5	5		
v2	5	5		5
v3	5	5	5	5
v4	N/A	N/A		

Allowable codes:
0 = No impairment in cognition
1 = Memory
2 = Orientation
3 = Executive function – judgment, planning, problem-solving
4 = Language
5 = Visuospatial function
6 = Attention/concentration
7 = Fluctuating cognition
8 = Other (specify)
99 = Unknown
-4 = Not applicable/not assessed

Description/ derivation: For v3.0 follow-up visits where it is recorded that the predominant symptom that was first recognized as a decline in the participant's cognition is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

Note that the predominant symptom that was first recognized as a decline in the participant's cognition can vary from one visit to another, especially if multiple disease etiologies are recorded. Thus, it is important to relate **NACCCOGF** to the diagnosis of interest.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

NACCCGFX

Variable Type: NACC derived variable

Short descriptor: Specification for other predominant symptom first recognized as a decline in the participant's cognition

Data type: Character longitudinal

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5a	5a		
v2	5a	5a		5a
v3	5a	5a	5a	5a
v4	N/A	N/A		

Allowable codes: **Any text or numbers**

Description/ derivation: If another symptom first recognized as a decline in cognition is indicated (**NACCCOGF = 8**), it will be listed here; otherwise, this variable will be blank.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

DECCLBE

Variable Type	Original UDS question
Short descriptor	Based on clinician's judgment, does the participant manifest clinically meaningful neuropsychiatric symptoms or meaningful change in behavior?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8	8	8	8
v4	11	11		

BEAPATHY

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Apathy, withdrawal
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7a	7a		
v2	7a	7a		7a
v3	9a	9a	9a	9a
v4	12a	12a		

BEDEP

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Depressed mood
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7b	7b		
v2	7b	7b		7b
v3	9b	9b	9b	9b
v4	12b	12b		

BEANX

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Anxiety
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9i	9i	9i	9i
v4	12c	12c		

BEEUPH

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Euphoria
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12d	12d		

BEIRRIT

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Irritability
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7e	7e		
v2	7e	7e		7e
v3	9e	9e	9e	9e
v4	12e	12e		

BEAGIT

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Agitation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7f	7f		
v2	7f	7f		7f
v3	9f	9f	9f	9f
v4	12f			

BEHAGE

Variable Type	Original UDS question
Short descriptor	If any mood-related behavioral symptoms are present, at what age did they begin?
Data type	Numeric longitudinal
Allowable codes	**5 – 120** **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which mood-related behavior symptoms began is the same as previously reported (**BEHAGE = 777**), the previous value is carried forward to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12g	12g		

BEVHALL

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Visual hallucinations
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	7c1	7c1		
v2	7c1	7c1		7c1
v3	9c1	9c1	9c1	9c1
v4	12h	12h		

BEVPATT

Variable Type	Original UDS question
Short descriptor	If yes, do their hallucinations include patterns that are not definite objects, such as pixelation of flat uniform surfaces?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12h1	12h1		

BEVWELL

Variable Type	Original UDS question
Short descriptor	If yes, are the hallucinations well-formed and detailed?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	7c1a	7c1a		7c1a
v3	9c1a	9c1a	9c1a	9c1a
v4	12h2	12h2		

BEVHAGO

Variable Type	Original UDS question
Short descriptor	If well-formed, clear-cut visual hallucinations, at what age did these hallucinations begin?
Data type	Numeric cross-sectional
Allowable codes	**15 – 110** **888** = Not applicable, no well-formed visual hallucinations **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which these hallucinations began is the same as previously reported (**BEVHAGO = 777**), the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9c1b	9c1b	9c1b	9c1b
v4	N/A	N/A		

BEAHALL

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Auditory hallucinations
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7c2	7c2		
v2	7c2	7c2		7c2
v3	9c2	9c2	9c2	9c2
v4	12i			

BEAHSIMP

Variable Type	Original UDS question
Short descriptor	If yes, do the auditory hallucinations include simple sounds like knocks or other simple sounds?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12i1	12i1		

BEAHCOMP

Variable Type	Original UDS question
Short descriptor	If yes, do the auditory hallucinations include complex sounds like voices speaking words, or music
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12i2	12i2		

BEDEL

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Delusions
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7c3	7c3		
v2	7c3	7c3		7c3
v3	9c3	9c3	9c3	9c3
v4	12j	12j		

BEAGGRS

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Aggression
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12k	12k		

PSYCHAGE

Variable Type	Original UDS question
Short descriptor	If any psychosis and impulse control-related behavioral symptoms are present, at what age did they begin?
Data type	Numeric longitudinal
Allowable codes	**5 – 120** **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which psychosis and impulse control-related behavior symptoms began is the same as previously reported (PSYCHAGE = 777), the previous value is carried forward to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12l	12l		

BEDISIN

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Disinhibition
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7d	7d		
v2	7d	7d		7d
v3	9d	9d	9d	9d
v4	12m	12m		

BEPERCH

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Personality change
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7g	7g		
v2	7g	7g		7g
v3	9g	9g	9g	9g
v4	12n	12n		

BEEMPATH

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Loss of empathy
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12o	12o		

BEOBCOM

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Obsessions/compulsions
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12p	12p		

BEANGER

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Explosive anger
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12q	12q		

BESUBAB

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Substance use
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r	12r		

ALCUSE

Variable Type	Original UDS question
Short descriptor	Alcohol use
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r1a	12r1a		

SEDUSE

Variable Type	Original UDS question
Short descriptor	Sedative/hypnotic use
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r1b	12r1b		

OPIATEUSE

Variable Type	Original UDS question
Short descriptor	Opiate use
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r1c	12r1c		

COCAINEUSE

Variable Type	Original UDS question
Short descriptor	Cocaine use
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r1d	12r1d		

CANNABUSE

Variable Type	Original UDS question
Short descriptor	Cannabis use
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r1e	12r1e		

OTHSUBUSE

Variable Type	Original UDS question
Short descriptor	Other substance use
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r1f	12r1f		

OTHSUBUSEX

Variable Type	Original UDS question
Short descriptor	Specify other substance use
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another substance use is indicated (**OTHSUBUSE = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12r1f1	12r1f1		

PERCHAGE

Variable Type	Original UDS question
Short descriptor	If any personality-related behavioral symptoms are present, at what age did they begin?
Data type	Numeric longitudinal
Allowable codes	**5 – 120** **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which the personality-related behavioral symptoms began is the same as previously reported (**PERCHAGE = 777**), the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12s	12s		

BEAGE

Variable Type	Original UDS question
Short descriptor	Based on the clinician's assessment, at what age did the behavioral symptoms begin?
Data type	Numeric cross-sectional
Allowable codes	**15 – 110** **888 =** Not applicable, no behavioral symptoms **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which the behavioral symptoms began is the same as previously reported (**BEAGE = 777**), the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12	12	12	12
v4	N/A	N/A		

BEREM

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – REM sleep behavior disorder
Data type	Numeric longitudinal
Allowable codes	**0 =** No **1 =** Yes **9 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	7h	7h		7h
v3	9h	9h	9h	9h
v4	12t	12t		

BEREMAGO

Variable Type	Original UDS question
Short descriptor	If yes, at what age did the dream enactment behavior begin?
Data type	Numeric cross-sectional
Allowable codes	**5 – 120** **888 =** Not applicable, no REM sleep behavior disorder **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which the REM sleep behavior disorder began is the same as previously reported (**BEREMAGO = 777**), the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9h1	9h1	9h1	9h1
v4	12t1	12t1		

BEREMCONF

Variable Type	Original UDS question
Short descriptor	Was REM sleep behavior disorder confirmed by polysomnography?
Data type	Numeric longitudinal
Allowable codes	**0 =** No **1 =** Yes **9 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12t2	12t2		

BEOTHR

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Other
Data type	Numeric longitudinal
Allowable codes	**0** = No / Unknown **1** = Yes

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7h	7h		
v2	7i	7i		7i
v3	9j	9j	9j	9j
v4	12u	12u		

Description/ derivation

This variable is best viewed as an indicator variable for any other type of behavioral symptoms that the Center chose to report about the participant.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

BEOTHRX

Variable Type	Original UDS question
Short descriptor	Participant currently manifests meaningful change in behavior – Other, specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7h1	7h1		
v2	7i1	7i1		7i1
v3	9j1	9j1	9j1	9j1
v4	12u1	12u1		

Description/ derivation

If another change in behavior is indicated (**BEOTHR = 1**), it will be listed here; otherwise, this variable will be blank.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

BEMODE

Variable Type	Original UDS question
Short descriptor	Mode of onset of behavioral symptoms
Data type	Numeric longitudinal
Allowable codes	**0** = No behavioral symptoms **1** = Gradual **2** = Subacute **3** = Abrupt **4** = Other (specify) **99** = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9	9		
v2	9	9		9
v3	11	11	11	11
v4	13	13		

Description/ derivation

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

BEMODEX

Variable Type	Original UDS question
Short descriptor	Specification of other mode of onset of behavioral symptoms
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a	9a		
v2	9a	9a		9a
v3	11a	11a	11a	11a
v4	13a	13a		

Description/ derivation

If another mode of onset of behavioral symptoms is indicated (**BEMODE = 4**), it will be listed here; otherwise, this variable will be blank.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

NACCBEHF

Variable Type	NACC derived variable
Short descriptor	Predominant symptom first recognized as a decline in the participant's behavior
Data type	Numeric longitudinal
Allowable codes	**0** = No behavioral symptoms **1** = Apathy/withdrawal **2** = Depressed mood **3** = Psychosis **4** = Disinhibition **5** = Irritability **6** = Agitation **7** = Personality change **8** = REM sleep behavior disorder **9** = Anxiety **10** = Other (specify) **99** = Unknown **-4** = Not applicable / not assessed

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	8		
v2	8	8		8
v3	10	10	10	10
v4	N/A	N/A		

Description/ derivation

For v3.0 follow-up visits where it is recorded that the predominant symptom that was first recognized as a decline in the participant's behavior is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

Note that the predominant symptom that was first recognized as a decline in the participant's behavior can vary from one visit to another, especially if multiple disease etiologies are recorded. Thus, it is important to relate **NACCBEHF** to the diagnosis of interest.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

NACCBEFX

Variable Type	NACC derived variable
Short descriptor	Specification of other predominant symptom that was first recognized as a decline in the participant's behavior
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a	8a		
v2	8a	8a		8a
v3	10a	10a	10a	10a
v4	N/A	N/A		

Description/ derivation

If another symptom first recognized as a decline in behavior is indicated (**NACCBEHF = 10**), it will be listed here; otherwise, this variable will be blank.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

DECCLMOT

Variable Type	Original UDS question
Short descriptor	Based on the clinician's judgment, is the participant currently experiencing any meaningful changes in motor function?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	13	13	13	13
v4	14	14		

MOGAIT

Variable Type	Original UDS question
Short descriptor	Participant currently has meaningful changes in motor function - Gait disorder
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10a	10a		
v2	10a	10a		10a
v3	14a	14a	14a	14a
v4	15a	15a		

Description/ derivation

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

MOFALLS

Variable Type	Original UDS question
Short descriptor	Participant currently has meaningful changes in motor function - Falls
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10b	10b		
v2	10b	10b		10b
v3	14b	14b	14b	14b
v4	15b	15b		

Description/ derivation

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

MOSLOW

Variable Type	Original UDS question
Short descriptor	Participant currently has meaningful changes in motor function – Slowness
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10d	10d		
v2	10d	10d		10d
v3	14d	14d	14d	14d
v4	15c	15c		

MOTREM

Variable Type	Original UDS question
Short descriptor	Participant currently has meaningful changes in motor function – Tremor
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10c	10c		
v2	10c	10c		10c
v3	14c	14c	14c	14c
v4	15d	15d		

MOLIMB

Variable Type	Original UDS question
Short descriptor	Participant currently has meaningful changes in motor function – Limb weakness
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15e	15e		

MOFACE

Variable Type	Original UDS question
Short descriptor	Participant currently has meaningful changes in motor function – Change in facial expression
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15f	15f		

MOSPEECH

Variable Type	Original UDS question
Short descriptor	Participant currently has meaningful changes in motor function – Change in speech
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15g	15g		

MOTORAGE

Variable Type	Original UDS question
Short descriptor	If changes in motor function are present, at what age did they begin?
Data type	Numeric longitudinal
Allowable codes	**15 – 120** **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15h	15h		

Description/ derivation: For follow-up visits where it is recorded that the age at which changes in motor function began is the same as previously reported (**MOTORAGE = 777**), the previous value is carried forward in order to facilitate analysis.

MOAGE

Variable Type	Original UDS question
Short descriptor	Based on the clinician's assessment, at what age did the motor changes begin?
Data type	Numeric cross-sectional
Allowable codes	**9 – 110** **888** = Not applicable, No motor changes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	19	19	19	19
v4	N/A	N/A		

Description/ derivation: For follow-up visits where it is recorded that the age at which the behavioral symptoms began is the same as previously reported (**MOAGE = 777**), the previous value is carried forward in order to facilitate analysis.

MOMODE

Variable Type	Original UDS question
Short descriptor	Mode of onset of motor symptoms
Data type	Numeric longitudinal
Allowable codes	**0** = No motor symptoms **1** = Gradual **2** = Subacute **3** = Abrupt **4** = Other (specify) **99** = Unknown

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12	12		
v2	12	12		12
v3	16	16	16	16
v4	16	16		

Description/ derivation: Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

MOMODEX

Variable Type	Original UDS question
Short descriptor	Specification of other mode of onset of motor symptoms
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12x	12x		
v2	12x	12x		12x
v3	16a	16a	16a	16a
v4	16a	16a		

Description/ derivation: If another mode of onset of motor symptoms is indicated (**MOMODE = 4**), it will be listed here; otherwise, this variable will be blank.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

NACCMOTF

Variable Type	NACC derived variable
Short descriptor	Predominant symptom first recognized as a decline in the participant's motor function
Data type	Numeric longitudinal
Allowable codes	**0** = No motor symptoms **1** = Gait disorder **2** = Falls **3** = Tremor **4** = Slowness **99** = Unknown **-4** = Not applicable/not assessed

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11	11		
v2	11	11		11
v3	15	15	15	15
v4	N/A	N/A		

Description/ derivation: For v3.0 follow-up and telephone visits where it is recorded that the predominant symptom that was first recognized as a decline in the participant's motor symptom is the same as previously reported, the previous value is carried forward in order to facilitate analysis.

Note that the predominant symptom that was first recognized as a decline in the participant's behavior can vary from one visit to another, especially if multiple disease etiologies are recorded. Thus, it is important to relate **NACCMOTF** to the diagnosis of interest.

Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

MOMOPARK

Variable Type	Original UDS question
Short descriptor	Were changes in motor function suggestive of Parkinsonism?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no motor changes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	12a	12a		12a
v3	17	17	17	17
v4	17	17		

PARKAGE

Variable Type	Original UDS question
Short descriptor	If yes, at what age did the motor symptoms suggestive of Parkinsonism begin?
Data type	Numeric cross-sectional
Allowable codes	**15 – 110** **888** = Not applicable, no Parkinsonism **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which the behavioral symptoms began is the same as previously reported (**PARKAGE = 777**), the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	17a	17a	17a	17a
v4	N/A	N/A		

MOMOALS

Variable Type	Original UDS question
Short descriptor	Were changes in motor function suggestive of amyotrophic lateral sclerosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no motor function changes **9** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	18	18	18	18
v4	18	18		

ALSAGE

Variable Type	Original UDS question
Short descriptor	If yes, at what age did the motor symptoms suggestive of ALS begin?
Data type	Numeric cross-sectional
Allowable codes	**15 – 110** **888** = Not applicable, no ALS **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	For follow-up visits where it is recorded that the age at which the behavioral symptoms began is the same as previously reported (**ALSAGE = 777**), the previous value is carried forward in order to facilitate analysis.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	18a	18a	18a	18a
v4	N/A	N/A		

COURSE

Variable Type	Original UDS question
Short descriptor	Overall course of decline of cognitive/behavioral/motor syndrome
Data type	Numeric longitudinal
Allowable codes	**1** = Gradually progressive **2** = Stepwise **3** = Static **4** = Fluctuating **5** = Improved **8** = Not applicable **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	13	13		
v2	13	13		13
v3	20	20	20	20
v4	19	19		

FRSTCHG

Variable Type	Original UDS question
Short descriptor	Indicate the predominant domain that was first recognized as changed in the participant
Data type	Numeric longitudinal
Allowable codes	**1** = Cognition **2** = Behavior **3** = Motor function **8** = Not applicable **9** = Unknown
Description/ derivation	Please note that in version 1.2 of the UDS, the follow-up visit form asked for changes since the previous visit. If "No meaningful changes" (**B9CHG = 1**) was selected, the clinician did not complete the rest of the form. In these cases, NACC has brought forward data from the previous visit. In cases where changes were reported on the form, the new data are provided longitudinally as recorded by the clinician. These changes apply only to those participants who had a UDS follow-up visit using version 1.2 of the UDS (2005-2008); data collected using subsequent versions of the UDS are not affected by this change.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	14	14		
v2	14	14		14
v3	21	21	21	21
v4	20	20		

LBDEVAL

Variable Type	Original UDS question
Short descriptor	Is the participant a potential candidate for further evaluation for Lewy body disease?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	22	22	22	22
v4	N/A	N/A		

FTLDEVAL

Variable Type	Original UDS question
Short descriptor	Is the participant a potential candidate for further evaluation for frontotemporal lobar degeneration?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	23	23	23	23
v4	N/A	N/A		

FORMS C1, C2, C2T: Neuropsychological Battery Summary Scores

MMSECOMP

Variable Type: Original UDS question

Short descriptor: Was any part of the MMSE completed?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	1 (C1)	N/A	N/A
v4	N/A	N/A		

MMSELAN

Variable Type: Original UDS question

Short descriptor: Language of MMSE administration

Data type: Numeric longitudinal

Allowable codes:
1 = English
2 = Spanish
3 = Other
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1a1 (C1)	1a1 (C1)		
v2	1a1 (C1)	1a1 (C1)		N/A
v3	N/A	1a1 (C1)	N/A	N/A
v4	N/A	N/A		

MMSELOC

Variable Type: Original UDS question

Short descriptor: Administration of the MMSE was:

Data type: Numeric longitudinal

Allowable codes:
1 = In ADRC/clinic
2 = In home
3 = In person - other
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1a (C1)	1a (C1)		
v2	1a (C1)	1a (C1)		N/A
v3	N/A	1a (C1)	N/A	N/A
v4	N/A	N/A		

MMSELANX

Variable Type: Original UDS question

Short descriptor: Language of MMSE administration - Other (specify)

Data type: Character longitudinal

Allowable codes: **Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1a2 (C1)	1a2 (C1)		
v2	1a2 (C1)	1a2 (C1)		N/A
v3	N/A	1a2 (C1)	N/A	N/A
v4	N/A	N/A		

MMSEVIS

Variable Type: Original UDS question

Short descriptor: Participant was unable to complete one or more sections due to visual impairment

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	1b (C1)	N/A	N/A
v4	N/A	N/A		

MMSEHEAR

Variable Type	Original UDS question
Short descriptor	Participant was unable to complete one or more sections due to hearing impairment
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	1c (C1)	N/A	N/A
v4	N/A	N/A		

MMSEORDA

Variable Type	Original UDS question
Short descriptor	Orientation subscale score - Time
Data type	Numeric longitudinal
Allowable codes	**0-5** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1b1 (C1)	1b1 (C1)		
v2	1b1 (C1)	1b1 (C1)		N/A
v3	N/A	1d1 (C1)	N/A	N/A
v4	N/A	N/A		

MMSEORLO

Variable Type	Original UDS question
Short descriptor	Orientation subscale score - Place
Data type	Numeric longitudinal
Allowable codes	**0-5** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1b2 (C1)	1b2 (C1)		
v2	1b2 (C1)	1b2 (C1)		N/A
v3	N/A	1d2 (C1)	N/A	N/A
v4	N/A	N/A		

PENTAGON

Variable Type	Original UDS question
Short descriptor	Intersecting pentagon subscale score
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	1c (C1)	1c (C1)		N/A
v3	N/A	1e (C1)	N/A	N/A
v4	N/A	N/A		

NACCMMSE

Variable Type	NACC derived variable
Short descriptor	Total MMSE score (using D-L-R-O-W)
Data type	Numeric longitudinal
Allowable codes	**0-30** **88** = Score not calculated; missing at least one MMSE item **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	This derived variable combines the MMSE score variable with the reason variable in v3.0 to mirror how the data were collected in v1.2 and v2.0.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	1c (C1)	1c (C1)		
v2	1d (C1)	1d (C1)		N/A
v3	N/A	1f, 1no (C1)	N/A	N/A
v4	N/A	N/A		

NPSYCLOC

Variable Type	Original UDS question
Short descriptor	Where was the remainder of the battery administered?
Data type	Numeric longitudinal
Allowable codes	**1** = In ADRC/clinic **2** = In home **3** = In person - other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2 is used for all visits.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	2 (C1)	2 (C1)		
v2	2 (C1)	2 (C1)		N/A
v3	2a (C2)	2a (C1 or C2)	N/A	N/A
v4	2a (C2)	2a (C2)		

NPSYLAN

Variable Type	Original UDS question
Short descriptor	Remainder of battery - Language of test administration
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **3** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C2 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included on C1, C2, and C2T, requests for this variable will include, when available, data collected using all three forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	2a (C1)	2a (C1)		
v2	2a (C1)	2a (C1)		N/A
v3	2b (C2)	2 (C1 or C2)	2a (C2T)	v3.2: 2a (C2T)
v4	2b (C2) 2a (C2T)	2b (C2) 2a (C2T)		

NPSYLANX

Variable Type	Original UDS question
Short descriptor	Language of test administration - Other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2a1 (C1)	2a1 (C1)		
v2	2a1 (C1)	2a1 (C1)		N/A
v3	2b1 (C2)	2b1 (C1 or C2)	2a1 (C2T)	v3.2: 2a1 (C2T)
v4	2b1 (C2) 2a1 (C2T)	2b1 (C2) 2a1 (C2T)		

Description/ derivation: If the rest of the neuropsychological test battery was administered in a language other than English or Spanish (**NPSYLAN = 3**), it will be listed here, otherwise, it will be blank. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included on C1, C2, and C2T, requests for this variable will include, when available, data collected using all three forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

LOGIMO

Variable Type	Original UDS question
Short descriptor	If this test has been administered to the participant within the past 3 months, specify the date previously administered (month)
Data type	Numeric longitudinal
Allowable codes	**1-12** **88 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3a1 (C1)	3a1 (C1)		
v2	3amo (C1)	3amo (C1)		N/A
v3	N/A	3amo (C1)	N/A	N/A
v4	N/A	N/A		

LOGIDAY

Variable Type	Original UDS question
Short descriptor	If this test has been administered to the participant within the past 3 months, specify the date previously administered (day)
Data type	Numeric longitudinal
Allowable codes	**1-31** **88 =** Unknown **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3a2 (C1)	3a2 (C1)		
v2	3ady (C1)	3ady (C1)		N/A
v3	N/A	3ady (C1)	N/A	N/A
v4	N/A	N/A		

LOGIYR

Variable Type	Original UDS question
Short descriptor	If this test has been administered to the participant within the past 3 months, specify the date previously administered (day)
Data type	Numeric longitudinal
Allowable codes	**Current year or previous year** **8888** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3a3 (C1)	3a3 (C1)		
v2	3ayr (C1)	3ayr (C1)		N/A
v3	N/A	3ayr (C1)	N/A	N/A
v4	N/A	N/A		

LOGIPREV

Variable Type	Original UDS question
Short descriptor	Total score from the previous test administration
Data type	Numeric longitudinal
Allowable codes	**0-25** **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3b (C1)	3b (C1)		
v2	3a1 (C1)	3a1 (C1)		N/A
v3	N/A	3a1 (C1)	N/A	N/A
v4	N/A	N/A		

LOGIMEM

Variable Type	Original UDS question
Short descriptor	Total number of story units recalled from this current test administration
Data type	Numeric longitudinal
Allowable codes	**0-25** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3c (C1)	3c (C1)		
v2	3b (C1)	3b (C1)		N/A
v3	N/A	3b (C1)	N/A	N/A
v4	N/A	N/A		

MEMUNITS

Variable Type	Original UDS question
Short descriptor	Logical Memory IIA - Delayed - Total number of story units recalled
Data type	Numeric longitudinal
Allowable codes	**0-25** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a (C1)	9a (C1)		
v2	9a (C1)	9a (C1)		N/A
v3	N/A	9a (C1)	N/A	N/A
v4	N/A	N/A		

MEMTIME

Variable Type	Original UDS question
Short descriptor	Logical Memory IIA - Delayed - Time elapsed since Logical Memory IA - Immediate
Data type	Numeric longitudinal
Allowable codes	**0-85** **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9b (C1)	9b (C1)		
v2	9b (C1)	9b (C1)		N/A
v3	N/A	9b (C1)	N/A	N/A
v4	N/A	N/A		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **TAUPETAD = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

UDSBENTC

Variable Type	Original UDS question
Short descriptor	Total score for copy of Benson figure
Data type	Numeric longitudinal
Allowable codes	**0-17** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4a (C2)	4a (C1 or C2)	N/A	N/A
v4	4a (C2)	4a (C2)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 or C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2 is used for all visits.

UDSBENTD

Variable Type	Original UDS question
Short descriptor	Total score for 10- to 15-minute delayed drawing of benson figure
Data type	Numeric longitudinal
Allowable codes	**0-17** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	10a (C2)	10a (C1 or C2)	N/A	N/A
v4	9a (C2)	9a (C2)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 or C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

UDSBENRS

Variable Type: Original UDS question

Short descriptor: Benson Complex Figure Recall - Recognized original stimulus among four options

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	10b (C2)	10b (C1 or C2)	N/A	N/A
v4	9b (C2)	9b (C2)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 or C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

DIGIF

Variable Type: Original UDS question

Short descriptor: Digit span forward trials correct

Data type: Numeric longitudinal

Allowable codes:
0-12
95 = Physical problem
96 = Cognitive/behavior problem
97 = Other problem
98 = Verbal refusal
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a (C1)	4a (C1)		
v2	4a (C1)	4a (C1)		N/A
v3	N/A	5a (C1)	N/A	N/A
v4	N/A	N/A		

DIGIFLEN

Variable Type: Original UDS question

Short descriptor: Digit span forward length

Data type: Numeric longitudinal

Allowable codes:
0-8
95 = Physical problem
96 = Cognitive/behavior problem
97 = Other problem
98 = Verbal refusal
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b (C1)	4b (C1)		
v2	4b (C1)	4b (C1)		N/A
v3	N/A	5b (C1)	N/A	N/A
v4	N/A	N/A		

DIGIB

Variable Type: Original UDS question

Short descriptor: Digit span backward trials correct

Data type: Numeric longitudinal

Allowable codes:
0-12
95 = Physical problem
96 = Cognitive/behavior problem
97 = Other problem
98 = Verbal refusal
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5a (C1)	5a (C1)		
v2	5a (C1)	5a (C1)		N/A
v3	N/A	6a (C1)	N/A	N/A
v4	N/A	N/A		

DIGIBLEN

Variable Type	Original UDS question
Short descriptor	Digit span backward length
Data type	Numeric longitudinal
Allowable codes	**0-8** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5b (C1)	5b (C1)		
v2	5b (C1)	5b (C1)		N/A
v3	N/A	6b (C1)	N/A	N/A
v4	N/A	N/A		

ANIMALS

Variable Type	Original UDS question
Short descriptor	Animals - Total number of animals named in 60 seconds
Data type	Numeric longitudinal
Allowable codes	**0-77** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a (C1)	6a (C1)		
v2	6a (C1)	6a (C1)		N/A
v3	7a (C2)	7a (C1 or C2)	9a (C2T)	v3.2: 9a (C2T)
v4	7a (C2) 8a (C2T)	7a (C2) 8a (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included on C1, C2, and C2T, requests for this variable will include, when available, data collected using all three forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

VEG

Variable Type	Original UDS question
Short descriptor	Vegetables - Total number of vegetables named in 60 seconds
Data type	Numeric longitudinal
Allowable codes	**0-77** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6b (C1)	6b (C1)		
v2	6b (C1)	6b (C1)		N/A
v3	7b (C2)	7b (C1 or C2)	9b (C2T)	v3.2: 9b (C2T)
v4	7b (C2) 8b (C2T)	7b (C2) 8b (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

TRAILA

Variable Type	Original UDS question
Short descriptor	Trail Making Test Part A - Total number of seconds to complete
Data type	Numeric longitudinal
Allowable codes	**0-150** **995 =** Physical problem **996 =** Cognitive/behavior problem **997 =** Other problem **998 =** Verbal refusal **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7a (C1)	7a (C1)		
v2	7a (C1)	7a (C1)		N/A
v3	8a (C2)	8a (C1 or C2)	N/A	N/A
v4	8a (C2)	8a (C2)		

Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

TRAILARR

Variable Type	Original UDS question
Short descriptor	Part A - Number of commission errors
Data type	Numeric longitudinal
Allowable codes	**0-40** **995 =** Physical problem **996 =** Cognitive/behavior problem **997 =** Other problem **998 =** Verbal refusal **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	7a1 (C1)	7a1 (C1)		N/A
v3	8a1 (C2)	8a1 (C1 or C2)	N/A	N/A
v4	8a1 (C2)	8a1 (C2)		

Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

TRAILALI

Variable Type	Original UDS question
Short descriptor	Part A - Number of correct lines
Data type	Numeric longitudinal
Allowable codes	**0-24** **995 =** Physical problem **996 =** Cognitive/behavior problem **997 =** Other problem **998 =** Verbal refusal **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	7a2 (C1)	7a2 (C1)		N/A
v3	8a2 (C2)	8a2 (C1 or C2)	N/A	N/A
v4	8a2 (C2)	8a2 (C2)		

Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

TRAILB

Variable Type	Original UDS question
Short descriptor	Trail Making Test Part B - Total number of seconds to complete
Data type	Numeric longitudinal
Allowable codes	**0-300** **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7b (C1)	7b (C1)		
v2	7b (C1)	7b (C1)		N/A
v3	8b (C2)	8b (C1 or C2)	N/A	N/A
v4	8b (C2)	8b (C2)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

TRAILBRR

Variable Type	Original UDS question
Short descriptor	Part B - Number of commission errors
Data type	Numeric longitudinal
Allowable codes	**0-40** **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	7b1 (C1)	7b1 (C1)		N/A
v3	8b1 (C2)	8b1 (C1 or C2)	N/A	N/A
v4	8b1 (C2)	8b1 (C2)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

TRAILBLI

Variable Type	Original UDS question
Short descriptor	Part B - Number of correct lines
Data type	Numeric longitudinal
Allowable codes	**0-24** **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	7b2 (C1)	7b2 (C1)		N/A
v3	8b2 (C2)	8b2 (C1 or C2)	N/A	N/A
v4	8b2 (C2)	8b2 (C2)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Because this variable is included on both C1 and C2, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits.

WAIS

Variable Type	Original UDS question
Short descriptor	WAIS-R Digit Symbol
Data type	Numeric longitudinal
Allowable codes	**0-93** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a (C1)	8a (C1)		
v2	8a (C1)	8a (C1)		N/A
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

BOSTON

Variable Type	Original UDS question
Short descriptor	Boston Naming Test (30) - Total score
Data type	Numeric longitudinal
Allowable codes	**0-30** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10a (C1)	10a (C1)		
v2	10a (C1)	10a (C1)		N/A
v3	N/A	11a (C1)	N/A	N/A
v4	N/A	N/A		

UDSVERFC

Variable Type	Original UDS question
Short descriptor	Number of correct F-words generated in 1 minute
Data type	Numeric longitudinal
Allowable codes	**0-40** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12a (C2)	12a (C1 or C2)	10a (C2T)	v3.2: 10a (C2T)
v4	11a (C2) 12a (C2T)	11a (C2) 12a (C2T)		

Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERFN

Variable Type	Original UDS question
Short descriptor	Number of F-words repeated in 1 minute
Data type	Numeric longitudinal
Allowable codes	**0-15** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12b (C2)	12b (C1 or C2)	10b (C2T)	v3.2: 10b (C2T)
v4	11b (C2) 12b (C2T)	11b (C2) 12b (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERNF

Variable Type	Original UDS question
Short descriptor	Number of non-F words and rule violation errors in 1 minute
Data type	Numeric longitudinal
Allowable codes	**0-15** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12c (C2)	12c (C1 or C2)	10c (C2T)	v3.2: 10c (C2T)
v4	11c (C2) 12c (C2T)	11c (C2) 12c (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERLC

Variable Type	Original UDS question
Short descriptor	Number of correct L-words generated in 1 minute
Data type	Numeric longitudinal
Allowable codes	**0-40** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12d (C2)	12d (C1 or C2)	10d (C2T)	v3.2: 10d (C2T)
v4	11d (C2) 12d (C2T)	11d (C2) 12d (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERLR

Variable Type	Original UDS question
Short descriptor	Number of L-words repeated in 1 minute
Data type	Numeric longitudinal
Allowable codes	**0-15** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12e (C2)	12e (C1 or C2)	10e (C2T)	v3.2: 10e (C2T)
v4	11e (C2) 12e (C2T)	11e (C2) 12e (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERLN

Variable Type	Original UDS question
Short descriptor	Number of non-L-words and rule violation errors in 1 minute
Data type	Numeric longitudinal
Allowable codes	**0-15** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12f (C2)	12f (C1 or C2)	10f (C2T)	v3.2: 10f (C2T)
v4	11f (C2) 12f (C2T)	11f (C2) 12f (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERTN

Variable Type	Original UDS question
Short descriptor	Total number of correct F-words and L-words
Data type	Character longitudinal
Allowable codes	**0-80** **95 =** Physical problem **96 =** Cognitive/behavior problem **97 =** Other problem **98 =** Verbal refusal **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12g (C2)	12g (C1 or C2)	10g (C2T)	v3.2: 10g (C2T)
v4	11g (C2) 12g (C2T)	11g (C2) 12g (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERTE

Variable Type	Original UDS question
Short descriptor	Total number of F-word and L-word repetition errors
Data type	Numeric longitudinal
Allowable codes	**0-30** **95 =** Physical problem **96 =** Cognitive/behavior problem **97 =** Other problem **98 =** Verbal refusal **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12h (C2)	12h (C1 or C2)	10h (C2T)	v3.2: 10h (C2T)
v4	11h (C2) 12h (C2T)	11h (C2) 12h (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

UDSVERTI

Variable Type	Original UDS question
Short descriptor	Number of non-F/L-words and rule violation errors
Data type	Numeric longitudinal
Allowable codes	**0-30** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	12i (C2)	12i (C1 or C2)	10i (C2T)	v3.2: 10i (C2T)
v4	11i (C2) 12i (C2T)	11i (C2) 12i (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

COGSTAT

Variable Type	Original UDS question
Short descriptor	Per the clinician, based on the UDS neuropsychological examination, the participant's cognitive status is deemed:
Data type	Numeric longitudinal
Allowable codes	**0** = Clinician unable to render opinion **1** = Better than normal for age **2** = Normal for age **3** = One or two test scores abnormal **4** = Three or more scores are abnormal or lower than expected **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	11a (C1)	N/A		
v2	11a (C1)	N/A		N/A
v3	13a (C2)	13a (C1 or C2)	13a (C2T)	v3.2: 13a (C2T)
v4	17a (C2) 15a (C2T)	17a (C2) 15a (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. For follow-up visits, however, Centers could use either Form C2 or the v3 iteration of Form C1 (but never both during one visit for any given participant). Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

NACCC1

Variable Type	NACC derived variable
Short descriptor	Form date discrepancy between UDS Form A1 and Form C1
Data type	Numeric longitudinal
Allowable codes	**0** = UDS Form C1 completed within 90 days of Form A1 **1** = UDS Form C1 completed >90 days before or after Form A1 **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	This variable flags any visit in which the Form C1 date (the date the neuropsychological test battery was conducted) is greater than 90 days before or after the Form A1 (Participant Demographics) date. For all UDS participants, NACC uses the Form A1 date to determine the visit date (**VISITMO, VISITDY, VISITYR**).

MODCOMM

Variable Type	Original UDS question
Short descriptor	Mode of administration of neuropsychological battery
Data type	Numeric longitudinal
Allowable codes	**1** = Telephone **2** = Video-assisted conference **3** = Some combination of the two

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	0a (C2T)	v3.2: 01a (C2T)
v4	N/A	N/A		

MOCACOMP

Variable Type	Original UDS question
Short descriptor	Was any part of MoCA administered?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1a (C2)	1a (C2)	1a (C2T)	v3.2: 1a (C2T)
v4	1a (C2) 1a (C2T)	1a (C2) 1a (C2T)		

Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C1, C2, and C2T, requests for this variable will include, when available, data collected using both forms. In UDSv4, only Form C2/C2T is used for all visits. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAREAS

Variable Type	Original UDS question
Short descriptor	If no part of MoCA administered, reason code
Data type	Numeric longitudinal
Allowable codes	**95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1a1 (C2)	1a1 (C2)	1a1 (C2T)	v3.2: 1a1 (C2T)
v4	1a1 (C2) 1a1 (C2T)	1a1 (C2) 1a1 (C2T)		

Description/ derivation	After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCALOC

Variable Type	Original UDS question
Short descriptor	Where was MoCA administered?
Data type	Numeric longitudinal
Allowable codes	**1** = In ADRC or Clinic **2** = In Home **3** = In-person - other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1b (C2)	1b (C2)	N/A	N/A
v4	1b (C2)	1b (C2)		

MOCALAN

Variable Type	Original UDS question
Short descriptor	Language of MoCA administration
Data type	Numeric longitudinal
Allowable codes	**1** = English **2** = Spanish **3** = Other **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1c (C2)	1c (C2)	1b (C2T)	v3.2: 1b (C2T)
v4	1c (C2) 1b (C2T)	1c (C2) 1b (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCALANX

Variable Type	Original UDS question
Short descriptor	Language of MoCA administration - Other, specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1c1 (C2)	1c1 (C2)	1b1 (C2T)	v3.2: 1b1 (C2T)
v4	1c1 (C2) 1b1 (C2T)	1c1 (C2) 1b1 (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAVIS

Variable Type	Original UDS question
Short descriptor	Participant was unable to complete one or more sections due to visual impairment
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1d (C2)	1d (C2)	N/A	N/A
v4	1d (C2)	1d (C2)		

MOCAHEAR

Variable Type	Original UDS question
Short descriptor	Participant was unable to complete one or more sections due to hearing impairment
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1e (C2)	1e (C2)	1c (C2T)	v3.2: 1c (C2T)
v4	1e (C2) 1c (C2T)	1e (C2) 1c (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCATOTS

Variable Type	Original UDS question
Short descriptor	MoCA Total Raw Score - uncorrected
Data type	Numeric longitudinal
Allowable codes	**0-30** **88** = Item(s) or whole test not administered **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1f (C2)	1f (C2)	N/A	N/A
v4	1f (C2)	1f (C2)		

NACCMOCA

Variable Type	NACC derived variable
Short descriptor	MoCA Total Score - corrected for education
Data type	Numeric longitudinal
Allowable codes	**0-30** **88** = Item(s) or whole test not administered **99** = Years of education missing/unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1f (C2)	1f (C2)	N/A	N/A
v4	1f (C2)	1f (C2)		

Description/ derivation: This variable adds 1 point to the uncorrected MoCA Total Score (**MOCATOTS**) if the participant has 12 years or fewer of formal education reported at their initial UDS visit. Participants with years of education missing or unknown are assigned **NACCMOCA = 99**. The maximum possible score is 30. For participants with the maximum uncorrected MoCA Total Score of 30 and 12 or fewer years of education, no point is added. Note that UDS participants not receiving Form C2 have a value of -4 for **NACCMOCA**.

MOCATRAI

Variable Type	Original UDS question
Short descriptor	MoCA: Visuospatial/executive - Trails
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1g (C2)	1g (C2)	N/A	N/A
v4	1g (C2)	1g (C2)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well.

MOCACUBE

Variable Type	Original UDS question
Short descriptor	MoCA: Visuospatial/executive - Cube
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1h (C2)	1h (C2)	N/A	N/A
v4	1h (C2)	1h (C2)		

MOCACLOC

Variable Type	Original UDS question
Short descriptor	MoCA: Visuospatial/executive - Clock contour
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1i (C2)	1i (C2)	N/A	N/A
v4	1i (C2)	1i (C2)		

MOCACLON

Variable Type	Original UDS question
Short descriptor	MoCA: Visuospatial/executive - Clock numbers
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1j (C2)	1j (C2)	N/A	N/A
v4	1j (C2)	1j (C2)		

MOCACLOH

Variable Type	Original UDS question
Short descriptor	MoCA: Visuospatial/executive - Clock hands
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1k (C2)	1k (C2)	N/A	N/A
v4	1k (C2)	1k (C2)		

MOCANAMI

Variable Type	Original UDS question
Short descriptor	MoCA: Language - Naming
Data type	Numeric longitudinal
Allowable codes	**0-3** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1l (C2)	1l (C2)	N/A	N/A
v4	1l (C2)	1l (C2)		

MOCAREGI

Variable Type	Original UDS question
Short descriptor	MoCA: Memory - Registration (two trials)
Data type	Numeric longitudinal
Allowable codes	**0-10** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1m (C2)	1m (C2)	N/A	N/A
v4	1m (C2)	1m (C2)		

MOCADIGI

Variable Type	Original UDS question
Short descriptor	MoCA: Attention - Digits
Data type	Numeric longitudinal
Allowable codes	**0-2** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1n (C2)	1n (C2)	1e (C2T)	v3.2: 1e (C2T)
v4	1n (C2) 1e (C2T)	1n (C2) 1e (C2T)		

MOCALETT

Variable Type	Original UDS question
Short descriptor	MoCA: Attention - Letter A
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1o (C2)	1o (C2)	1f (C2T)	v3.2: 1f (C2T)
v4	1o (C2) 1f (C2T)	1o (C2) 1f (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCASER7

Variable Type	Original UDS question
Short descriptor	MoCA: Attention - Serial 7s
Data type	Numeric longitudinal
Allowable codes	**0-3** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1p (C2)	1p (C2)	1g (C2T)	v3.2: 1g (C2T)
v4	1p (C2) 1g (C2T)	1p (C2) 1g (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAREPE

Variable Type	Original UDS question
Short descriptor	MoCA: Language - Repetition
Data type	Numeric longitudinal
Allowable codes	**0-2** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1q (C2)	1q (C2)	1h (C2T)	v3.2: 1h (C2T)
v4	1q (C2) 1h (C2T)	1q (C2) 1h (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAFLUE

Variable Type	Original UDS question
Short descriptor	MoCA: Language - Fluency
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1r (C2)	1r (C2)	1i (C2T)	v3.2: 1i (C2T)
v4	1r (C2) 1i (C2T)	1r (C2) 1i (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAABST

Variable Type	Original UDS question
Short descriptor	MoCA: Abstraction
Data type	Numeric longitudinal
Allowable codes	**0-2** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1s (C2)	1s (C2)	1j (C2T)	v3.2: 1j (C2T)
v4	1s (C2) 1j (C2T)	1s (C2) 1j (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCARECN

Variable Type	Original UDS question
Short descriptor	MoCA: Delayed recall - No cue
Data type	Numeric longitudinal
Allowable codes	**0-5** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1t (C2)	1t (C2)	1k (C2T)	v3.2: 1k (C2T)
v4	1t (C2) 1k (C2T)	1t (C2) 1k (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCARECC

Variable Type	Original UDS question
Short descriptor	MoCA: Delayed recall - Category cue
Data type	Numeric longitudinal
Allowable codes	**0-5** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1u (C2)	1u (C2)	1l (C2T)	v3.2: 1l (C2T)
v4	1u (C2) 1l (C2T)	1u (C2) 1l (C2T)		

Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCARECR

Variable Type	Original UDS question
Short descriptor	MoCA: Delayed recall - Recognition
Data type	Numeric longitudinal
Allowable codes	**0-5** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1v (C2)	1v (C2)	1m (C2T)	v3.2: 1m (C2T)
v4	1v (C2) 1m (C2T)	1v (C2) 1m (C2T)		

Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAORDT

Variable Type	Original UDS question
Short descriptor	MoCA: Orientation - Date
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1w (C2)	1w (C2)	1n (C2T)	v3.2: 1n (C2T)
v4	1w (C2) 1n (C2T)	1w (C2) 1n (C2T)		

Description/ derivation	Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAORMO

Variable Type: Original UDS question

Short descriptor: MoCA: Orientation - Month

Data type: Numeric longitudinal

Allowable codes:
0-1
95 = Physical problem
96 = Cognitive/behavior problem
97 = Other problem
98 = Verbal refusal
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1x (C2)	1x (C2)	1o (C2T)	v3.2: 1o (C2T)
v4	1x (C2) 1o (C2T)	1x (C2) 1o (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAORYR

Variable Type: Original UDS question

Short descriptor: MoCA: Orientation - Year

Data type: Numeric longitudinal

Allowable codes:
0-1
95 = Physical problem
96 = Cognitive/behavior problem
97 = Other problem
98 = Verbal refusal
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1y (C2)	1y (C2)	1p (C2T)	v3.2: 1p (C2T)
v4	1y (C2) 1p (C2T)	1y (C2) 1p (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAORDY

Variable Type: Original UDS question

Short descriptor: MoCA: Orientation - Day

Data type: Numeric longitudinal

Allowable codes:
0-1
95 = Physical problem
96 = Cognitive/behavior problem
97 = Other problem
98 = Verbal refusal
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1z (C2)	1z (C2)	1q (C2T)	v3.2: 1q (C2T)
v4	1z (C2) 1q (C2T)	1z (C2) 1q (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAORPL

Variable Type	Original UDS question
Short descriptor	MoCA: Orientation - Place
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1aa (C2)	1aa (C2)	1r (C2T)	v3.2: 1r (C2T)
v4	1aa (C2) 1r (C2T)	1aa (C2) 1r (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MOCAORCT

Variable Type	Original UDS question
Short descriptor	MoCA: Orientation - City
Data type	Numeric longitudinal
Allowable codes	**0-1** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1bb (C2)	1bb (C2)	1s (C2T)	v3.2: 1s (C2T)
v4	1bb (C2) 1s (C2T)	1bb (C2) 1s (C2T)		

Description/ derivation: Note that if the entire MoCA was not administered, the reason for not administering the instrument will be provided for the individual items as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

CRAFTVRS

Variable Type	Original UDS question
Short descriptor	Craft Story 21 Recall (Immediate) - Total story units recalled, verbatim scoring
Data type	Numeric longitudinal
Allowable codes	**0-44** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3a (C2)	3a (C2)	3a (C2T)	v3.2: 3a (C2T)
v4	3a (C2) 3a (C2T)	3a (C2) 3a (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

CRAFTURS

Variable Type	Original UDS question
Short descriptor	Craft Story 21 Recall (Immediate) - Total story units recalled, paraphrase scoring
Data type	Numeric longitudinal
Allowable codes	**0-25** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3b (C2)	3b (C2)	3b (C2T)	v3.2: 3b (C2T)
v4	3b (C2) 3b (C2T)	3b (C2) 3b (C2T)		

Description/ derivation: Note that if Craft Story 21 Recall (Immediate) was not administered, the reason for not administering the instrument will be provided for **CRAFTURS** as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

DIGFORCT

Variable Type	Original UDS question
Short descriptor	Number Span Test: Forward - Number of correct trials
Data type	Numeric longitudinal
Allowable codes	**0-14** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5a (C2)	5a (C2)	5a (C2T)	v3.2: 5a (C2T)
v4	5a (C2) 4a (C2T)	5a (C2) 4a (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

DIGFORSL

Variable Type	Original UDS question
Short descriptor	Number Span Test: Forward - Longest span forward
Data type	Numeric longitudinal
Allowable codes	**0, 3-9** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	5b (C2)	5b (C2)	5b (C2T)	v3.2: 5b (C2T)
v4	5b (C2) 4b (C2T)	5b (C2) 4b (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

DIGBACCT

Variable Type	Original UDS question
Short descriptor	Number Span Test: Backward - Number of correct trials
Data type	Numeric longitudinal
Allowable codes	**0-14** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6a (C2)	6a (C2)	6a (C2T)	v3.2: 6a (C2T)
v4	6a (C2) 5a (C2T)	6a (C2) 5a (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

DIGBACLS

Variable Type	Original UDS question
Short descriptor	Number Span Test: Backward - Longest span backward
Data type	Numeric longitudinal
Allowable codes	**0, 2-8** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6b (C2)	6b (C2)	6b (C2T)	v3.2: 6b (C2T)
v4	6b (C2) 5b (C2T)	6b (C2) 5b (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

CRAFTDVR

Variable Type	Original UDS question
Short descriptor	Craft Story 21 Recall (Delayed) - Total story units recalled, verbatim scoring
Data type	Numeric longitudinal
Allowable codes	**0-44** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9a (C2)	9a (C2)	8a (C2T)	v3.2: 9a (C2T)
v4	10a (C2) 11a (C2T)	10a (C2) 11a (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

CRAFTDRE

Variable Type	Original UDS question
Short descriptor	Craft Story 21 Recall (Delayed) - Total story units recalled, paraphrase scoring
Data type	Numeric longitudinal
Allowable codes	**0-25** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9b (C2)	9b (C2)	8b (C2T)	v3.2: 8b (C2T)
v4	10b (C2) 11b (C2T)	10b (C2) 11b (C2T)		

Description/ derivation: Note that if Craft Story 21 Recall (Delayed) was not administered or not completed, the reason for not administering the instrument will be provided for **CRAFTDRE** as well. After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

CRAFTDTI

Variable Type	Original UDS question
Short descriptor	Craft Story 21 Recall (Delayed) - Delay time
Data type	Numeric longitudinal
Allowable codes	**0-85** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9c (C2)	9c (C2)	8c (C2T)	v3.2: 8c (C2T)
v4	10c (C2) 11c (C2T)	10c (C2) 11c (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

CRAFTCUE

Variable Type	Original UDS question
Short descriptor	Craft Story 21 Recall (Delayed) - Cue (boy) needed
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9d (C2)	9d (C2)	8d (C2T)	v3.2: 8d (C2T)
v4	10d (C2) 11d (C2T)	10d (C2) 11d (C2T)		

Description/ derivation: After UDSv3 implementation, Form C2 was required, replacing C1 for all initial visits. Additionally, Form C2T was introduced in the TIP and TFP in 2020 to meet the need to administer neuropsychological tests remotely. Because this variable is included in both C2 and C2T, requests for this variable will include, when available, data collected using both forms. Since the modality of test administration can vary from in-person, telephone, or video-conference, use caution when including this variable in your analyses.

MINTTOTS

Variable Type	Original UDS question
Short descriptor	Multilingual Naming Test (MINT) - Total Score
Data type	Numeric longitudinal
Allowable codes	**0-32** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11a (C2)	11a (C2)	N/A	N/A
v4	16a (C2)	16a (C2)		

MINTTOTW

Variable Type	Original UDS question
Short descriptor	Multilingual Naming Test (MINT) - Total correct without semantic cue
Data type	Numeric longitudinal
Allowable codes	**0-32** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the MINT was not administered or not completed, the reason for not administering the instrument will be provided for **MINTTOTW** as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11b (C2)	11b (C2)	N/A	N/A
v4	16b (C2)	16b (C2)		

MINTSCNG

Variable Type	Original UDS question
Short descriptor	Multilingual Naming Test (MINT) - Semantic cues: Number given
Data type	Numeric longitudinal
Allowable codes	**0-32** **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the MINT was not administered or not completed, the reason for not administering the instrument will be provided for **MINTSCNG** as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11c (C2)	11c (C2)	N/A	N/A
v4	16c (C2)	16c (C2)		

MINTSCNC

Variable Type	Original UDS question
Short descriptor	Multilingual Naming Test (MINT) - Semantic cues: Number correct with cue
Data type	Numeric longitudinal
Allowable codes	**0-32** **88** = Not applicable, no semantic cues given **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the MINT was not administered or not completed, the reason for not administering the instrument will be provided for **MINTSCNC** as well.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11d (C2)	11d (C2)	N/A	N/A
v4	16d (C2)	16d (C2)		

MINTPCNG

Variable Type	Original UDS question
Short descriptor	Multilingual Naming Test (MINT) - Phonemic cues: Number given
Data type	Numeric longitudinal
Allowable codes	**0-32** **95 =** Physical problem **96 =** Cognitive/behavior problem **97 =** Other problem **98 =** Verbal refusal **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the MINT was not administered or not completed, the reason for not administering the instrument will be provided for **MINTPCNG** as well.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11e (C2)	11e (C2)	N/A	N/A
v4	16e (C2)	16e (C2)		

MINTPCNC

Variable Type	Original UDS question
Short descriptor	Multilingual Naming Test (MINT) - Phonemic cues: Number correct with cue
Data type	Numeric longitudinal
Allowable codes	**0-32** **88 =** Not applicable, no phonemic cues given **95 =** Physical problem **96 =** Cognitive/behavior problem **97 =** Other problem **98 =** Verbal refusal **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Note that if the MINT was not administered or not completed, the reason for not administering the instrument will be provided for **MINTPCNC** as well.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	11f (C2)	11f (C2)	N/A	N/A
v4	16f (C2)	16f (C2)		

NACCC2

Variable Type	NACC derived variable
Short descriptor	Form date discrepancy between UDS Form A1 and Form C2
Data type	Numeric longitudinal
Allowable codes	**0 =** UDS Form C2 completed within 90 days of Form A1 **1 =** UDS Form C2 completed >90 days before or after Form A1 **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	This variable flags any visit in which the Form C2 date (the date the neuropsychological test battery was conducted) is greater than 90 days before or after the Form A1 (Participant Demographics) date. For all UDS participants, NACC uses the Form A1 date to determine the visit date (**VISITMO, VISITDY, VISITYR**).

MOCBTOTS

Variable Type	Original UDS question
Short descriptor	MoCA - Blind Total Raw Score - uncorrected
Data type	Numeric longitudinal
Allowable codes	**0-22** **88 =** Item(s) or whole test not administered **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	1d (C2T)	v3.2: 1d (C2T)
v4	1d (C2T)	1d (C2T)		

NACCMOCB

Variable Type	NACC derived variable
Short descriptor	MoCA - Blind Total Score - corrected for education
Data type	Numeric longitudinal
Allowable codes	**0-22** **88** = Item(s) or whole test not administered **99** = Years of education missing/unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	1d (C2T)	v3.2: 1d (C2T)
v4	1d (C2T)	1d (C2T)		

Description/ derivation: This variable adds 1 point to the uncorrected MoCA - Blind Total Score (**MOCBTOTS**) if the participant has 12 years or fewer of formal education reported at their initial UDS visit. Participants with years of education missing or unknown are assigned **NACCMOCB = 99**. The maximum possible score is 22. For participants with the maximum uncorrected MoCA-Blind Total Score of 22 and 12 or fewer years of education, no point is added. Note that UDS participants not receiving Form C2T have a value of -4 for **NACCMOCB**.

VERBALTEST

Variable Type	Original UDS question
Short descriptor	Which verbal learning test was administered?
Data type	Numeric longitudinal
Allowable codes	**1** = Rey AVLT **2** = CERAD **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12 (C2) 6 (C2T)	12 (C2) 6 (C2T)		

REY1REC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 1 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4a (C2T)	v3.2: 4a (C2T)
v4	12a (C2) 6a (C2T)	12a (C2) 6a (C2T)		

REY1INT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 1 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4b (C2T)	v3.2: 4b (C2T)
v4	12b (C2) 6b (C2T)	12b (C2) 6b (C2T)		

REY2REC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 2 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4c (C2T)	v3.2: 4c (C2T)
v4	12c (C2) 6c (C2T)	12c (C2) 6c (C2T)		

REY2INT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 2 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4d (C2T)	v3.2: 4d (C2T)
v4	12d (C2) 6d (C2T)	12d (C2) 6d (C2T)		

REY3REC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 3 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4e (C2T)	v3.2: 4e (C2T)
v4	12e (C2) 6e (C2T)	12e (C2) 6e (C2T)		

REY3INT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 3 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4f (C2T)	v3.2: 4f (C2T)
v4	12f (C2) 6f (C2T)	12f (C2) 6f (C2T)		

REY4REC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 4 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4g (C2T)	v3.2: 4g (C2T)
v4	12g (C2) 6g (C2T)	12g (C2) 6g (C2T)		

REY4INT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 4 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4h (C2T)	v3.2: 4h (C2T)
v4	12h (C2) 6h (C2T)	12h (C2) 6h (C2T)		

REY5REC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 5 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4i (C2T)	v3.2: 4i (C2T)
v4	12i (C2) 6i (C2T)	12i (C2) 6i (C2T)		

REY5INT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 5 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4j (C2T)	v3.2: 4j (C2T)
v4	12j (C2) 6j (C2T)	12j (C2) 6j (C2T)		

REYBREC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) List B Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12k (C2) 6k (C2T)	12k (C2) 6k (C2T)		

REYBINT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) List B Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	12l (C2) 6l (C2T)	12l (C2) 6l (C2T)		

REY6REC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 6 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4k (C2T)	v3.2: 4k (C2T)
v4	12m (C2) 6m (C2T)	12m (C2) 6m (C2T)		

REY6INT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Immediate) Trial 6 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	4l (C2T)	v3.2: 4l (C2T)
v4	12n (C2) 6n (C2T)	12n (C2) 6n (C2T)		

OTRAILA

Variable Type	Original UDS question
Short descriptor	Oral Trail Making Test Part A - Total number of seconds to complete
Data type	Numeric longitudinal
Allowable codes	**0-100** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	7a (C2T)	v3.2: 7a (C2T)
v4	10a (C2T)	10a (C2T)		

OTRLARR

Variable Type	Original UDS question
Short descriptor	Oral Trail Making Test Part A - Number of commission errors
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	7a1 (C2T)	v3.2: 7a1 (C2T)
v4	10a1 (C2T)	10a1 (C2T)		

OTRLALI

Variable Type	Original UDS question
Short descriptor	Oral Trail Making Test Part A - Number of correct lines
Data type	Numeric longitudinal
Allowable codes	**0-25** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	7a2 (C2T)	v3.2: 7a2 (C2T)
v4	10a2 (C2T)	10a2 (C2T)		

OTRAILB

Variable Type	Original UDS question
Short descriptor	Oral Trail Making Test Part B - Total number of seconds to complete
Data type	Numeric longitudinal
Allowable codes	**0-300** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	7b (C2T)	v3.2: 7b (C2T)
v4	10b (C2T)	10b (C2T)		

OTRLBRR

Variable Type	Original UDS question
Short descriptor	Oral Trail Making Test Part B - Number of commission errors
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	7b1 (C2T)	v3.2: 7b1 (C2T)
v4	10b1 (C2T)	10b1 (C2T)		

OTRLBLI

Variable Type	Original UDS question
Short descriptor	Oral Trail Making Test Part B - Number of correct lines
Data type	Numeric longitudinal
Allowable codes	**0-25** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	7b2 (C2T)	v3.2: 7b2 (C2T)
v4	10b2 (C2T)	10b2 (C2T)		

REYDREC

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Delayed) Total recall
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	11a (C2T)	v3.2: 11a (C2T)
v4	13a (C2) 13a (C2T)	13a (C2) 13a (C2T)		

REYBINT

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Delayed) Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **995** = Physical problem **996** = Cognitive/behavior problem **997** = Other problem **998** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	11b (C2T)	v3.2: 11b (C2T)
v4	13b (C2) 13b (C2T)	13b (C2) 13b (C2T)		

REYDTI

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Delayed) - Delay time (minutes)
Data type	Numeric longitudinal
Allowable codes	**0-85** **88** = Not assessed, optional **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	13c (C2) 13c (C2T)	13c (C2) 13c (C2T)		

REYMETHOD

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Delayed) - Method of recognition test administration
Data type	Numeric longitudinal
Allowable codes	**1** = List shown **2** = List read **88** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	13d (C2)	13d (C2)		

REYTCOR

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Delayed) Total correct
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	11c (C2T)	v3.2: 11c (C2T)
v4	13e (C2) 13d (C2T)	13e (C2) 13d (C2T)		

REYFPOS

Variable Type	Original UDS question
Short descriptor	Rey Auditory Verbal Learning (Delayed) Recognition - Total false positive
Data type	Numeric longitudinal
Allowable codes	**0-15** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	11d (C2T)	v3.2: 11d (C2T)
v4	13f (C2) 13e (C2T)	13f (C2) 13e (C2T)		

CERAD1REC

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 1 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14a (C2) 7a (C2T)	14a (C2) 7a (C2T)		

CERAD1READ

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 1 Can't read
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14b (C2)	14b (C2)		

CERAD1INT

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 1 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14c (C2) 7b (C2T)	14c (C2) 7c (C2T)		

CERAD2REC

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 2 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14d (C2) 7c (C2T)	14d (C2) 7d (C2T)		

CERAD2READ

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 2 Can't read
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14e (C2)	14e (C2)		

CERAD2INT

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 2 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14f (C2) 7d (C2T)	14f (C2) 7f (C2T)		

CERAD3REC

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 3 Total recall
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14g (C2) 7e (C2T)	14g (C2) 7g (C2T)		

CERAD3READ

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 3 Can't read
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14h (C2)	14h (C2)		

CERAD3INT

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Immediate) Trial 3 Intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14i (C2) 7f (C2T)	14i (C2) 7i (C2T)		

CERADDTI

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Delayed) Delay time (minutes)
Data type	Numeric longitudinal
Allowable codes	**0-85** **88** = Not assessed, optional **99** = Unknown **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15a (C2) 9a (C2T)	15a (C2) 9a (C2T)		

CERADJ6REC

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Delayed) J6 Word List Recall: Total number of words correctly recalled
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15b (C2) 9b (C2T)	15b (C2) 9b (C2T)		

CERADJ6INT

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Delayed) J6 Word List Recall: Total number of intrusions
Data type	Numeric longitudinal
Allowable codes	**0-99** **888** = Not assessed, optional **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15c (C2) 9c (C2T)	15c (C2) 9c (C2T)		

CERADJ7YES

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Delayed) J7 Word List Recognition: Total YES correct
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15d (C2) 9d (C2T)	15d (C2) 9d (C2T)		

CERADJ7NO

Variable Type	Original UDS question
Short descriptor	CERAD Verbal Learning (Delayed) J7 Word List Recognition: Total NO correct
Data type	Numeric longitudinal
Allowable codes	**0-10** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	15e (C2) 9e (C2T)	15e (C2) 9e (C2T)		

VNTTOTW

Variable Type	Original UDS question
Short descriptor	Verbal Naming Test - Total correct without cue
Data type	Numeric longitudinal
Allowable codes	**0-50** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	12a (C2T)	v3.2: 12a (C2T)
v4	14a (C2T)	14a (C2T)		

VNTPCNC

Variable Type	Original UDS question
Short descriptor	Verbal Naming Test - Total correct with a phonemic cue
Data type	Numeric longitudinal
Allowable codes	**0-50** **88** = Not assessed, optional **95** = Physical problem **96** = Cognitive/behavior problem **97** = Other problem **98** = Verbal refusal **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	12b (C2T)	v3.2: 12b (C2T)
v4	14b (C2T)	14b (C2T)		

RESPVAL

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses
Data type	Numeric longitudinal
Allowable codes	**1** = Very valid, probably accurate indication of participant's cognitive abilities **2** = Questionably valid, possibly inaccurate indication of participant's cognitive abilities **3** = Invalid, probably inaccurate indication of participant's cognitive abilities **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14a (C2T)	v3.2: 14a (C2T)
v4	18a (C2) 16a (C2T)	18a (C2) 16a (C2T)		

RESPHEAR

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Hearing impairment
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b1 (C2T)	v3.2: 14b1 (C2T)
v4	18b1 (C2) 16b1 (C2T)	18b1 (C2) 16b1 (C2T)		

RESPDIST

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Distractions
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b2 (C2T)	v3.2: 14b2 (C2T)
v4	18b2 (C2) 16b2 (C2T)	18b2 (C2) 16b2 (C2T)		

RESPINTR

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Interruptions
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b3 (C2T)	v3.2: 14b3 (C2T)
v4	18b3 (C2) 16b3 (C2T)	18b3 (C2) 16b3 (C2T)		

RESPDISN

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Lack of effort or disinterest
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b4 (C2T)	v3.2: 14b4 (C2T)
v4	18b4 (C2) 16b4 (C2T)	18b4 (C2) 16b4 (C2T)		

RESPFATG

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Fatigue
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b5 (C2T)	v3.2: 14b5 (C2T)
v4	18b5 (C2) 16b5 (C2T)	18b5 (C2) 16b5 (C2T)		

RESPEMOT

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Emotional issues
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b6 (C2T)	v3.2: 14b6 (C2T)
v4	18b6 (C2) 16b6 (C2T)	18b6 (C2) 16b6 (C2T)		

RESPASST

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Unapproved assistance
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b7 (C2T)	v3.2: 14b7 (C2T)
v4	18b7 (C2) 16b7 (C2T)	18b7 (C2) 16b7 (C2T)		

RESPOTH

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Other
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b8 (C2T)	v3.2: 14b8 (C2T)
v4	18b8 (C2) 16b8 (C2T)	18b8 (C2) 16b8 (C2T)		

RESPOTHX

Variable Type	Original UDS question
Short descriptor	Validity of participant's responses - Other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	14b9 (C2T)	v3.2: 14b9 (C2T)
v4	18b8a (C2) 16b8a (C2T)	18b8a (C2) 16b8a (C2T)		

FORM D1a: Clinical Syndrome

WHODIDDX

Variable Type	Original UDS question
Short descriptor	Who did diagnosis
Data type	Numeric longitudinal
Allowable codes	**1** = Single clinician **2** = Consensus diagnosis **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	1	1		
v2	1	1		1
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: Participants who were diagnosed by a single clinician have **WHODIDDX = 1**. Participants who were diagnosed after a formal consensus panel met to vote or come to consensus on the diagnosis have **WHODIDDX = 2**. Please note that in UDSv3 and v4, a similar question about diagnosis method was asked but the possible answers were different (refer to **DXMETHOD**) from those in v1.2 and v2; therefore participants with visits completed using v3 and v4 of the UDS have **WHODIDDX = -4**.

DXMETHOD

Variable Type	Original UDS question
Short descriptor	Diagnosis method
Data type	Numeric longitudinal
Allowable codes	**1** = A single clinician **2** = A formal consensus panel **3** = Other (e.g., two or more clinicians or other informal group) **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	1	1	1	1
v4	1	1		

Description/ derivation: Participants who were diagnosed by a single clinician have **DXMETHOD = 1**. Participants who were diagnosed after a formal consensus panel met to vote or come to consensus on the diagnosis have **DXMETHOD = 2**. Participants who were diagnosed via an informal group of two or more clinicians or another informal or ad hoc group have **DXMETHOD = 3**. Please note that in UDS version 1.2 and v2, a similar question about diagnosis method was asked but the possible answers were different than those in v3 and subsequent versions (refer to **WHODIDDX**); therefore participants with visits completed using v1.2 or v2 of the UDS have **DXMETHOD = -4**.

NORMCOG

Variable Type	Original UDS question
Short descriptor	Normal cognition and behavior
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		2
v3	2	2	2	2
v4	2	2		

Description/ derivation: Participants who were determined by the clinician(s) to have normal cognition and behavior have **NORMCOG = 1**. If the clinician(s) determined that the participant had a clinically significant impairment in cognition or behavior, then **NORMCOG = 0**.

SCD

Variable Type	Original UDS question
Short descriptor	Subjective cognitive decline (SCD)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2a	2a		

Description/ derivation: Participants who report 1) significant concerns about changes in cognition AND 2) no neuropsychological evidence of decline AND 3) no functional decline have **SCD = 1**. Also see the participant's response to concerns about changes in cognition on UDSv4 Form A1: Participant Demographics (**MEMWORS**, **MEMTROUB**, **MEMTEN**) and UDS Form B9: Clinician Judgment of Symptoms (**DECSUB** in UDSv3 and **DECCOG** in UDSv4).

SCDDXCONF

Variable Type: Original UDS question

Short descriptor: As a clinician, are you confident that the subjective cognitive decline is clinically meaningful?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Not applicable, no SCD
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2b	2b		

DEMENTED

Variable Type: Original UDS question

Short descriptor: Met criteria for dementia

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3	3		
v2	3	3		3
v3	3	3	3	3
v4	3			

Description/ derivation: Participants who met the criteria for all-cause dementia have **DEMENTED = 1**. Participants with normal cognition (**NORMCOG = 1**) or cognitive or behavioral impairment who did not meet the criteria for dementia have **DEMENTED = 0**.

Please note that the criteria for dementia changed over UDS versions and the UDS Coding Guidebooks (accessed under UDS Forms and Documentation) should be reviewed to determine the version differences. Briefly, in v1.2 and v2, specific diagnostic criteria were not provided for assessing the presence of dementia, although most Centers were likely using DSM–IV criteria for dementia, or something similar to DSM–IV. In v3 and v4, however, the diagnostic criteria for dementia is explicitly provided on Form D1/Form D1a and in the UDS Coding Guidebooks.

MCICRITCLN

Variable Type: Original UDS question

Short descriptor: MCI criteria - Clinical concern about decline in cognition

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a1	4a1		

Description/ derivation: Clinicians are asked to check all MCI criteria that apply to the participant. Refer to the additional criteria in **MCICRITIMP** and **MCICRITFUN**. If all 3 are met, the participant meets the criteria for MCI (amnestic or non-amnestic).

MCICRITIMP

Variable Type: Original UDS question

Short descriptor: MCI criteria - Impairment in one or more cognitive domains or supported by objective longitudinal neuropsychological evidence of decline

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a2	4a2		

Description/ derivation: Clinicians are asked to check all MCI criteria that apply to the participant. Refer to the additional criteria in **MCICRITCLN** and **MCICRITFUN**. If all 3 are met, the participant meets the criteria for MCI (amnestic or non-amnestic).

MCICRITFUN

Variable Type	Original UDS question
Short descriptor	MCI criteria - Largely preserved functional independence or functional dependence that is not related to cognitive decline
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians are asked to check all MCI criteria that apply to the participant. Refer to the additional criteria in **MCICRITCLN** and **MCICRITIMP**. If all 3 are met, the participant meets the criteria for MCI (amnestic or non-amnestic).

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a3	4a3		

MCI

Variable Type	Original UDS question
Short descriptor	Met criteria for MCI (amnestic or non-amnestic)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians are asked to check all MCI criteria that apply to the participant. Refer to the additional criteria in **MCICRITIMP**, **MCICRITIMP,** and **MCICRITFUN**. If all 3 are met, the participant meets the criteria for MCI (amnestic or non-amnestic) and **MCI = 1**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4b	4b		

IMPNOMCIFU

Variable Type	Original UDS question
Short descriptor	Cognitively impaired, not MCI reason - Evidence of functional impairment but available cognitive testing is judged to be normal
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians are asked to check all impaired, not MCI criteria that apply to the participant. Refer to the additional criteria in **IMPNOMCICG**, **IMPNOMCLCD**, **IMPNOMCIO**, and **IMPNOMCIOX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a1	5a1		

IMPNOMCICG

Variable Type	Original UDS question
Short descriptor	Cognitively impaired, not MCI reason - Cognitive testing is abnormal but no clinical concern or functional decline
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians are asked to check all impaired, not MCI criteria that apply to the participant. Refer to the additional criteria in **IMPNOMCIFU**, **IMPNOMCLCD**, **IMPNOMCIO**, and **IMPNOMCIOX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a2	5a2		

IMPNOMCLCD

Variable Type	Original UDS question
Short descriptor	Cognitively impaired, not MCI reason - Longstanding cognitive difficulties, not representing a change from their usual function
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians are asked to check all impaired, not MCI criteria that apply to the participant. Refer to the additional criteria in **IMPNOMCIFU**, **IMPNOMCICG**, **IMPNOMCIO**, and **IMPNOMCIOX**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a3	5a3		

IMPNOMCIO

Variable Type	Original UDS question
Short descriptor	Cognitively impaired, not MCI reason - Other
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians are asked to check all impaired, not MCI criteria that apply to the participant. Refer to the additional criteria in **IMPNOMCIFU**, **IMPNOMCICG**, and **IMPNOMCLCD**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a4	5a4		

IMPNOMCIOX

Variable Type	Original UDS question
Short descriptor	Cognitively impaired, not MCI reason - Other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another criteria for cognitively impaired, not MCI is indicated (**IMPNOMCIO = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5a4a	5a4a		

IMPNOMCI

Variable Type	Original UDS question
Short descriptor	Cognitively impaired, not MCI
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes
Description/ derivation	Participants with normal cognition, dementia, or MCI have **IMPNOMCI = 0**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4e	4e		
v2	4e	4e		4e
v3	5e	5e	5e	5e
v4	5b	5b		

NACCUDSD

Variable Type: NACC derived variable

Short descriptor: Cognitive status at UDS visit

Data type: Numeric longitudinal

Allowable codes:
1 = Normal cognition
2 = Impaired-not-MCI
3 = MCI
4 = Dementia
8 = No cognitive impairment, only behavioral impairment

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2, 3, 4a-4e	2, 3, 4a-4e		
v2	2, 3, 4a-4e	2, 3, 4a-4e		2, 3, 4a-4e
v3	2, 3, 5a-5e	2, 3, 5a-5e	2, 3, 5a-5e	2, 3, 5a-5e
v4	2, 3, 4b, 5b	2, 3, 4b, 5b		

Description/ derivation: The participant's cognitive status is determined at every visit. Participants with a clinical diagnosis of normal cognition and behavior have **NACCUDSD = 1**. Participants with either amnestic or non-amnestic MCI have **NACCUDSD = 3** and those with a diagnosis of dementia have **NACCUDSD = 4**. Participants who are cognitively impaired but who do not meet the criteria for MCI have **NACCUDSD = 2**. Participants who are not cognitively impaired but are behaviorally impaired have **NACCUDSD = 8**. See the MBI variable for additional information.

NACCTMCI

Variable Type: NACC derived variable

Short descriptor: Mild cognitive impairment (MCI) type

Data type: Numeric longitudinal

Allowable codes:
1 = Amnestic MCI - single domain
2 = Amnestic MCI - multiple domain
3 = Non-amnestic MCI - single domain
4 = Non-amnestic MCI - multiple domain
8 = No diagnosis of MCI

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a, 4b, 4c, 4d	4a, 4b, 4c, 4d		
v2	4a, 4b, 4c, 4d	4a, 4b, 4c, 4d		4a, 4b, 4c, 4d
v3	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d
v4	6a-6e, 6g	6a-6e, 6g		

Description/ derivation: Clinicians were asked to designate the type of cognitive impairment for participants who do not have normal cognition and who are not demented. If the participant had normal cognition or dementia, or was diagnoses as impaired, not MCI, then **NACCTMCI = 8**.

NACCMCIM

Variable Type: NACC derived variable

Short descriptor: MCI domain affected - memory

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Not diagnosed with MCI

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a, 4b, 4c, 4d	4a, 4b, 4c, 4d		
v2	4a, 4b, 4c, 4d	4a, 4b, 4c, 4d		4a, 4b, 4c, 4d
v3	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d
v4	4b, 6a	4b, 6a		

Description/ derivation: Participants with MCI who were indicated as being affected in the memory domain have **NACCMCIM = 1**. Participants with MCI who are not affected in the memory domain have **NACCMCIM = 0**. Participants who do not have MCI (have normal cognition, dementia, or impaired, not MCI) have **NACCMCIM = 8**.

NACCMCIL

Variable Type	NACC derived variable
Short descriptor	MCI domain affected - language
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not diagnosed with MCI
Description/ derivation	Participants with MCI who were indicated as being affected in the language domain have **NACCMCIL = 1**. Participants with MCI who are not affected in the language domain have **NACCMCIL = 0**. Participants who do not have MCI (have normal cognition, dementia, or impaired, not MCI) have **NACCMCIL = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b1, 4c1, 4d1	4b1, 4c1, 4d1		
v2	4b1, 4c1, 4d1	4b1, 4c1, 4d1		4b1, 4c1, 4d1
v3	5b1, 5c1, 5d1	5b1, 5c1, 5d1	5b1, 5c1, 5d1	5b1, 5c1, 5d1
v4	4b, 6b	4b, 6b		

NACCMCIA

Variable Type	NACC derived variable
Short descriptor	MCI domain affected - attention
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not diagnosed with MCI
Description/ derivation	Participants with MCI who were indicated as being affected in the attention domain have **NACCMCIA = 1**. Participants with MCI who are not affected in the attention domain have **NACCMCIA = 0**. Participants who do not have MCI (have normal cognition, dementia, or impaired, not MCI) have **NACCMCIA = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b2, 4c2, 4d2	4b2, 4c2, 4d2		
v2	4b2, 4c2, 4d2	4b2, 4c2, 4d2		4b2, 4c2, 4d2
v3	5b2, 5c2, 5d2	5b2, 5c2, 5d2	5b2, 5c2, 5d2	5b2, 5c2, 5d2
v4	4b, 6c	4b, 6c		

NACCMCIE

Variable Type	NACC derived variable
Short descriptor	MCI domain affected - executive function
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not diagnosed with MCI
Description/ derivation	Participants with MCI who were indicated as being affected in the executive function domain have **NACCMCIE = 1**. Participants with MCI who are not affected in the executive function domain have **NACCMCIE = 0**. Participants who do not have MCI (have normal cognition, dementia, or impaired, not MCI) have **NACCMCIE = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b3, 4c3, 4d3	4b3, 4c3, 4d3		
v2	4b3, 4c3, 4d3	4b3, 4c3, 4d3		4b3, 4c3, 4d3
v3	5b3, 5c3, 5d3	5b3, 5c3, 5d3	5b3, 5c3, 5d3	5b3, 5c3, 5d3
v4	4b, 6d	4b, 6d		

NACCMCIV

Variable Type	NACC derived variable
Short descriptor	MCI domain affected - visuospatial
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not diagnosed with MCI
Description/ derivation	Participants with MCI who were indicated as being affected in the visuospatial domain have **NACCMCIV = 1**. Participants with MCI who are not affected in the visuospatial domain have **NACCMCIV = 0**. Participants who do not have MCI (have normal cognition, dementia, or impaired, not MCI) have **NACCMCIV = 8**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4b4, 4c4, 4d4	4b4, 4c4, 4d4		
v2	4b4, 4c4, 4d4	4b4, 4c4, 4d4		4b4, 4c4, 4d4
v3	5b4, 5c4, 5d4	5b4, 5c4, 5d4	5b4, 5c4, 5d4	5b4, 5c4, 5d4
v4	4b, 6e	4b, 6e		

NACCMCIAPX

Variable Type	NACC derived variable
Short descriptor	MCI domain affected - apraxia
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not diagnosed with MCI **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4b, 6g	4b, 6g		

Description/ derivation: Participants with MCI who were indicated as being affected in the apraxia domain have **NACCMCIAPX = 1**. Participants with MCI who are not affected in the apraxia domain have **NACCMCIAPX = 0**. Participants who do not have MCI (have normal cognition, dementia, or impaired, not MCI) have **NACCMCIAPX = 8**.

NACCNORM

Variable Type	NACC derived variable
Short descriptor	Normal cognition at all visits to date
Data type	Numeric cross-sectional
Allowable codes	**0** = Had a diagnosis other than normal cognition (impaired but not MCI, MCI, or dementia) for at least one UDS visit **1** = Normal cognition at all UDS visits

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2	2		
v2	2	2		2
v3	2	2	2	2
v4	2	2		

Description/ derivation: Participants diagnosed with normal cognition at all UDS visits have **NACCNORM = 1**. Participants with at least one visit where the diagnosis was impaired not MCI, MCI, or dementia have **NACCNORM = 0**. Note that although this variable is listed for all visits, its value does not change across visits; it is cross-sectional.

NACCIDEM

Variable Type	NACC derived variable
Short descriptor	Incident dementia during UDS follow-up
Data type	Numeric cross-sectional
Allowable codes	**0** = Did not progress to dementia **1** = Progressed to dementia **8** = Initial visit only or diagnosed with dementia at initial visit

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3	3		
v2	3	3		3
v3	3	3	3	3
v4	3	3		

Description/ derivation: Participants with normal cognition, impaired not MCI, or MCI at the initial visit who have at least one follow-up visit with a dementia diagnosis will have **NACCIDEM = 1**. Participants who do not have a follow-up visit with a dementia diagnosis will have **NACCIDEM = 0**. Those with incident dementia who later revert to normal cognition or MCI will still have **NACCIDEM = 1**. Participants who have dementia at the initial visit will have **NACCIDEM = 8**. Note that although this variable is listed for all visits, its value does not change across visits; it is cross-sectional.

NACCMCII

Variable Type	NACC derived variable
Short descriptor	Incident MCI during UDS follow-up
Data type	Numeric cross-sectional
Allowable codes	**0** = Did not progress to MCI **1** = Progressed to MCI **8** = Initial visit only, or had a diagnosis of MCI or dementia at initial UDS visit, or progressed directly to dementia

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	4a, 4b, 4c, 4d	4a, 4b, 4c, 4d		
v2	4a, 4b, 4c, 4d	4a, 4b, 4c, 4d		
v3	5a, 5b, 5c 5d	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d	5a, 5b, 5c, 5d
v4	4b	4b		

Description/ derivation: Participants diagnosed with normal cognition or impaired not MCI at the initial UDS visit who have at least one follow-up visit with a diagnosis of MCI have **NACCMCII = 1**. Participants with normal cognition or impaired not MCI at every visit have **NACCMCII = 0**. Those who have an incident MCI visit but subsequently revert to normal cognition or impaired not MCI will still have **NACCMCII = 1**. Participants who have MCI or dementia at the initial visit have **NACCMCII = 8**. Participants who progress directly to dementia without an MCI diagnosis will also have **NACCMCII = 8**. Note that although this variable is listed for all visits, its value does not change across visits; it is cross-sectional.

CDOMMEM

Variable Type	Original UDS question
Short descriptor	Dementia and MCI affected domains - Memory
Data type	Numeric longitudinal
Allowable codes	**0** = Unimpaired in memory domain **1** = Impaired **8** = Not applicable, no diagnosis of MCI or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Only participants with MCI or dementia or assessed for affected domains. Clinicians can select multiple affected domains including memory, language, attention, executive, visuospatial, behavioral, and apraxia. Refer to the additional domains in: **CDOMLANG**, **CDOMATTN**, **CDOMEXEC**, **CDOMVISU**, **CDOMBEH**, **CDOMAPRAX**. Also see **NACCMCIM** for information about MCI domains affected across versions of the UDS.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6a	6a		

CDOMLANG

Variable Type	Original UDS question
Short descriptor	Dementia and MCI affected domains - Language
Data type	Numeric longitudinal
Allowable codes	**0** = Unimpaired in language domain **1** = Impaired **8** = Not applicable, no diagnosis of MCI or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Only participants with MCI or dementia or assessed for affected domains. Clinicians can select multiple affected domains including memory, language, attention, executive, visuospatial, behavioral, and apraxia. Refer to the additional domains in: **CDOMMEM**, **CDOMATTN**, **CDOMEXEC**, **CDOMVISU**, **CDOMBEH**, **CDOMAPRAX**. Also see **NACCMCIL** for information about MCI domains affected across versions of the UDS.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6b	6b		

CDOMATTN

Variable Type	Original UDS question
Short descriptor	Dementia and MCI affected domains - Attention
Data type	Numeric longitudinal
Allowable codes	**0** = Unimpaired in attention domain **1** = Impaired **8** = Not applicable, no diagnosis of MCI or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Only participants with MCI or dementia or assessed for affected domains. Clinicians can select multiple affected domains including memory, language, attention, executive, visuospatial, behavioral, and apraxia. Refer to the additional domains in: **CDOMMEM**, **CDOMLANG**, **CDOMEXEC**, **CDOMVISU**, **CDOMBEH**, **CDOMAPRAX**. Also see **NACCMCIA** for information about MCI domains affected across versions of the UDS.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6c	6c		

CDOMEXEC

Variable Type	Original UDS question
Short descriptor	Dementia and MCI affected domains - Executive
Data type	Numeric longitudinal
Allowable codes	**0** = Unimpaired in executive domain **1** = Impaired **8** = Not applicable, no diagnosis of MCI or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Only participants with MCI or dementia or assessed for affected domains. Clinicians can select multiple affected domains including memory, language, attention, executive, visuospatial, behavioral, and apraxia. Refer to the additional domains in: **CDOMMEM**, **CDOMLANG**, **CDOMATTN**, **CDOMVISU**, **CDOMBEH**, **CDOMAPRAX**. Also see **NACCMCIE** for information about MCI domains affected across versions of the UDS.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d	6d		

CDOMVISU

Variable Type	Original UDS question
Short descriptor	Dementia and MCI affected domains - Visuospatial
Data type	Numeric longitudinal
Allowable codes	**0** = Unimpaired in visuospatial domain **1** = Impaired **8** = Not applicable, no diagnosis of MCI or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Only participants with MCI or dementia or assessed for affected domains. Clinicians can select multiple affected domains including memory, language, attention, executive, visuospatial, behavioral, and apraxia. Refer to the additional domains in: **CDOMMEM**, **CDOMLANG**, **CDOMATTN**, **CDOMEXEC**, **CDOMBEH**, **CDOMAPRAX**. Also see **NACCMCIV** for information about MCI domains affected across versions of the UDS.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6e	6e		

CDOMBEH

Variable Type	Original UDS question
Short descriptor	Dementia and MCI affected domains - Behavioral
Data type	Numeric longitudinal
Allowable codes	**0** = Unimpaired in behavioral domain **1** = Impaired **8** = Not applicable, no diagnosis of MCI or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Only participants with MCI or dementia or assessed for affected domains. Clinicians can select multiple affected domains including memory, language, attention, executive, visuospatial, behavioral, and apraxia. Refer to the additional domains in: **CDOMMEM**, **CDOMLANG**, **CDOMATTN**, **CDOMEXEC**, **CDOMVISU**, **CDOMAPRAX**. This question is for participants with dementia only. For participants with behavioral changes in the context of an MCI (or as an isolated) symptom, clinicians should consider a diagnosis of MBI in the next section.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6f	6f		

CDOMAPRAX

Variable Type	Original UDS question
Short descriptor	Dementia and MCI affected domains - Apraxia
Data type	Numeric longitudinal
Allowable codes	**0** = Unimpaired in apraxia domain **1** = Impaired **8** = Not applicable, no diagnosis of MCI or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Only participants with MCI or dementia or assessed for affected domains. Clinicians can select multiple affected domains including memory, language, attention, executive, visuospatial, behavioral, and apraxia. Refer to the additional domains in: **CDOMMEM**, **CDOMLANG**, **CDOMATTN**, **CDOMEXEC**, **CDOMVISU**, **CDOMBEH**. Also see **NACCMCIAPX** for information about MCI domains affected across versions of the UDS.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6g	6g		

MBI

Variable Type	Original UDS question
Short descriptor	Met criteria for MBI
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, diagnosis of normal cognition or dementia **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	If participant meets criteria for dementia an MBI diagnosis is excluded.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7	7		

BDOMMOT

Variable Type	Original UDS question
Short descriptor	MBI affected domains - Motivation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a	7a		

Description/ derivation: Participants with MBI are assessed for MBI affected domains. Clinicians can select multiple affected domains including motivation, affective regulation, impulse control, social appropriateness, and thought/content perception. Refer to the additional domains in: **BDOMAFREG**, **BDOMIMP**, **BDOMSOCIAL**, and **BDOMTHTS**.

Participants with motivation as an affected domain may also have apathy symptoms on Form B9: Clinician Judgment of Symptoms.

BDOMAFREG

Variable Type	Original UDS question
Short descriptor	MBI affected domains - Affective regulation
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7b	7b		

Description/ derivation: Participants with MBI are assessed for MBI affected domains. Clinicians can select multiple affected domains including motivation, affective regulation, impulse control, social appropriateness, and thought/content perception. Refer to the additional domains in: **BDOMMOT**, **BDOMIMP**, **BDOMSOCIAL**, and **BDOMTHTS**.

Participants with affective regulation as an affected domain may also have anxiety, irritability, depression, and/or euphoria symptoms on Form B9: Clinician Judgment of Symptoms.

BDOMIMP

Variable Type	Original UDS question
Short descriptor	MBI affected domains - Impulse control
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7c	7c		

Description/ derivation: Participants with MBI are assessed for MBI affected domains. Clinicians can select multiple affected domains including motivation, affective regulation, impulse control, social appropriateness, and thought/content perception. Refer to the additional domains in: **BDOMMOT**, **BDOMAFREG**, **BDOMSOCIAL**, and **BDOMTHTS**.

Participants with impulse control as an affected domain may also have obsessions/compulsions, personality change, and/or substance abuse symptoms on Form B9: Clinician Judgment of Symptoms.

BDOMSOCIAL

Variable Type	Original UDS question
Short descriptor	MBI affected domains - Social appropriateness
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7d	7d		

Description/ derivation

Participants with MBI are assessed for MBI affected domains. Clinicians can select multiple affected domains including motivation, affective regulation, impulse control, social appropriateness, and thought/content perception. Refer to the additional domains in: **BDOMMOT**, **BDOMAFREG**, **BDOMIMP**, and **BDOMTHTS**.

Participants with social appropriateness as an affected domain may also have disinhibition, personality change, and/or loss of empathy symptoms on Form B9: Clinician Judgment of Symptoms.

BDOMTHTS

Variable Type	Original UDS question
Short descriptor	MBI affected domains - Thought content/perception
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7e	7e		

Description/ derivation

Participants with MBI are assessed for MBI affected domains. Clinicians can select multiple affected domains including motivation, affective regulation, impulse control, social appropriateness, and thought/content perception. Refer to the additional domains in: **BDOMMOT**, **BDOMAFREG**, **BDOMIMP**, and **BDOMSOCIAL**.

Participants with thought content/perception as an affected domain may also have delusions and/or hallucinations symptoms on Form B9: Clinician Judgment of Symptoms.

PREDOMSYN

Variable Type	Original UDS question
Short descriptor	Predominant clinical syndrome present
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8	8		

AMNDEM

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Amnestic predominant dementia syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no clinical syndrome present **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3, 4a	3, 4a	3, 4a	3, 4a
v4	8a	8a		

Description/ derivation

Participants with an amnestic multidomain clinical syndrome have **AMNDEM = 1**. Participants with cognitive or behavioral impairment that is not amnestic, multidomain syndrome have **AMNDEM = 0**. Participants without cognitive or behavioral impairment have **AMNDEM = 8**.

Note that in UDSv3 only participants with dementia were assessed for dementia syndromes, while in UDSv4 participants with cognitive or behavioral impairment (MCI, dementia, MBI) were assessed for clinical syndromes.

AMNDEM was assessed as amnestic multidomain syndrome in UDSv3, which changed to amnestic predominant syndrome in UDSv4.

Additionally, note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**). In UDSv3, diagnosis of the dementia syndromes should have also been based exclusively on clinical symptoms, not on biomarkers or imaging; however, we do not have information regarding whether biomarker data was known for UDSv3.

The UDSv1.2 and v2 forms did not assess amnestic multidomain clinical syndrome; therefore, participants with visits completed using v1.2 or v2 have **AMNDEM = -4**.

DYEXECSYN

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Dysexecutive predominant syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8b	8b		

Description/ derivation

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and dysexecutive predominant syndrome have **DYEXECSYN = 1**. Participants with cognitive or behavioral impairment but without a dysexecutive predominant syndrome have **DYEXECSYN = 0**. Participants who are cognitively impaired but do not have a predominant clinical syndrome have **DYEXECSYN = 7**. Participants without cognitive or behavioral impairment have **DYEXECSYN = 8**.

Note that in UDSv4, clinicians should use clinical information and cogntive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

NAMNDEM

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4f	4f	4f	4f
v4	8g	8g		

Variable Type
Original UDS question

Short descriptor
Clinical syndrome - Non-amnestic multidomain syndrome, not PCA, PPA, bvFTD, or DLB syndrome

Data type
Numeric longitudinal

Allowable codes
0 = No
1 = Yes
7 = Cognitively impaired but no clinical syndrome present
8 = No diagnosis of cognitive or behavioral impairment
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
Participants with non-amnestic multidomain syndrome (not PCA, PPA, bvFTD, or DLB syndrome) have **NAMNDEM = 1**. Participants with cognitive or behavioral impairment (MCI, dementia, MBI) but with another type of clinical syndrome have **NAMNDEM = 0**. Participants without cognitive or behavioral impairment have **NAMNDEM = 8**.

Note that in UDSv3 only participants with dementia were assessed for dementia syndromes, while in UDSv4 participants with cognitive or behavioral impairment (MCI, dementia, MBI) were assessed for clinical syndromes.

Additionally, note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**). In UDSv3, diagnosis of the dementia syndromes should have also been based exclusively on clinical symptoms, not on biomarkers or imaging; however, we do not have information regarding whether biomarker data was known for UDSv3.

Data were not collected for this specific type of clinical syndrome in UDSv1.2 and v2; therefore, **NAMNDEM = -4** for participants with visits completed using v1.2 or v2 of the UDS.

PCA

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	3, 4b	3, 4b	3, 4b	3, 4b
v4	8c	8c		

Variable Type Original UDS question

Short descriptor Clinical syndrome - Posterior cortical atrophy syndrome (or primary visual presentation)

Data type Numeric longitudinal

Allowable codes
0 = No
1 = Yes
7 = Cognitively impaired but no clinical syndrome present
8 = No diagnosis of cognitive or behavioral impairment
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation

UDS version 1.2 or 2: Data were not collected on PCA; therefore, **PCA = -4** for participants assessed using versions 1-2.

It is important to note that there are subtle differences in how PCA as a clinical syndrome was assessed across versions of the UDS. Please refer to the UDS coding guidebookss for additional information about these different criteria. Additionally, note that in UDSv3 only participants with dementia were assessed for dementia syndromes, while in UDSv4 participants with cognitive or behavioral impairment (MCI, dementia, MBI) were assessed for clinical syndromes.

UDS version 3: Participants with dementia (**DEMENTED = 1**) and posterior cortical atrophy (PCA) syndrome have **PCA = 1**. Participants with dementia but without a PCA syndrome have **PCA = 0**. Participants without dementia have **PCA = 8**.

UDS version 4: Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and primary visual presentation (such as posterior cortical atrophy (PCA) syndrome) have **PCA = 1**. Participants with cognitive or behavioral impairment but without a PCA syndrome have **PCA = 0**. Participants without cognitive or behavioral impairment have **PCA = 8**.

Additionally, note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**). In UDSv3, diagnosis of the dementia syndromes should have also been based exclusively on clinical symptoms, not on biomarkers or imaging; however, we do not have information regarding whether biomarker data was known for UDSv3.

NACCPPA

Variable Type	NACC derived variable
Short descriptor	Clinical syndrome - Primary progressive aphasia (PPA)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	2, 4a-4d, 12	3, 4a-4d, 12		
v2	3, 4a-4d, 13	3, 4a-4d, 13		3, 4a-4d, 13
v3	3, 4c	3, 4c	3, 4c	3, 4c
v4	2, 8, 8d	2, 8, 8d		

Description/ derivation

Please note that the use of the term PPA in the context of the continuum of MCI and dementia has never been explicitly addressed by experts in the field, so that in UDSv1.2, v2, and v3, participants meeting criteria for PPA could be assigned syndromic diagnoses of either MCI or dementia. The NACCPPA variable combines participants diagnosed with PPA having any level of cognitive impairment (impaired not MCI, MCI, or dementia). To determine whether the participant was cognitively impaired, not MCI, or had MCI or dementia, refer to the NACCUDSD variable.

Please note that in UDSv1.2 and v2 PPA was assessed as a suspected underlying etiologic diagnosis (see PPAPH and PPAPHIF). In UDSv3 and v4, PPA is no longer collected as an etiologic diagnosis, but instead as a clinical syndrome.

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and primary progressive aphasia (PPA) syndrome have NACCPPA = 1. Participants with cognitive or behavioral impairment but without PPA syndrome have NACCPPA = 0. Participants who are cognitively impaired but do not have clinical syndrome present have NACCPPA = 7. Participants without cognitive or behavioral impairment have NACCPPA = 8.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

NACCPPAG

Variable Type	NACC derived variable
Short descriptor	Clinical syndrome - Primary progressive aphasia (PPA) subtype according to the criteria outlined by Gorno-Tempini et al. 2011
Data type	Numeric longitudinal
Allowable codes	**1** = Meets criteria for semantic PPA **2** = Meets criteria for logpenic PPA **3** = Meets criteria for nonfluent/agrammatic PPA **4** = PPA other/not otherwise specified **5** = Primary progressive apraxia of speech **7** = Cognitively impaired but no primary progressive aphasia (PPA) syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	4c1	4c1	4c1	4c1
v4	8d1	8d1		

Description/ derivation

Participants with a PPA dementia syndrome but who were assessed using UDSv1.2 or v2 (PPA subtype were not assessed according to the Gorno-Tempini criteria in UDSv1.2-v2) will have NACCPPAG = -4. Please note that some participants assessed with UDSv2 also had an FTLD Module completed at that visit; the FTLD module data can be requested from NACC for these participants to obtain their PPA subtype as definied by the Gorno-Tempini criteria.

Please note that only in UDSv1.2 and v2 should clinicians indicate that a participant had MCI with a suspected underlying etiologic diagnosis of PPA (PPAPHIF). These participants can be identified by referring to the MCI (NACCTMCI) and PPA (PPAPHIF) variables, and their PPA subtype can be determined referring to the NACCPPAG variable. In UDSv3, PPA subtype is no longer collected for participants with MCI.

NACCPPME

Variable Type	NACC derived variable
Short descriptor	Primary progressive aphasia (PPA) subtype according to older criteria outlined by Mesulam et al. 2001 and 2003
Data type	Numeric longitudinal
Allowable codes	**1** = Meets criteria for progressive nonfluent PPA **2** = Meets criteria for semantic dementia - anomia plus word comprehension **3** = Meets criteria for semantic dementia - agnostic variant **4** = PPA other/not otherwise specified (logopenic, anomic, transcortical, word deafness, syntactic comprehension, motor speech disorder) **6** = Participant had MCI but missing information on presence / absence of PPA **7** = Participant was cognitively impaired but did not have PPA **8** = No cognitive impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12a1, 12a2, 12a3, 12a4	12a1, 12a2, 12a3, 12a4		
v2	13a1, 13a2, 13a3, 13a4	13a1, 13a2, 13a3, 13a4		13a1, 13a2, 13a3, 13a4
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation

Participants with MCI or impaired not MCI but who are missing information on whether it was related to PPA or not have **NACCPPME = 6**. Participants without cognitive impairment (impaired not MCI, MCI, or dementia) and participants with cognitive impairment but without a PPA syndrome have **NACCPPME = 8** and **NACCPPME = 7**, respectively. Participants with a PPA dementia syndrome but who were assessed using UDSv3 or v3 have **NACCPPME = -4** (PPA subtype were not assessed according to the Mesulam criteria; refer to **NACCPPAG** instead). Please note that some participants assessed with UDSv2 also had an FTLD Module completed at that visit; the FTLD Module data can be requested for these participants to obtain their PPA subtype as defined by the Gorno-Tempini criteria.

NACCBVFT

Variable Type	NACC derived variable
Short descriptor	Clinical syndrome - behavioral variant FTD syndrome (bvFTD)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3, 11	3, 11		
v2	3, 12	3, 12		3, 12
v3	4d	4d	4d	4d
v4	8e	8e		

Description/ derivation

Please note that in UDSv1.2 and v2 bvFTD was assessed as a suspected underlying etiologic diagnosis (see **FTD** and **FTDIF**). In UDSv3 and v4, bvFTD is no longer collected as an etiologic diagnosis, but instead as a clinical syndrome. To determine whether the participant was cognitively impaired, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and behavioral variant frontotemporal (bvFTD) syndrome have **NACCBVFT = 1**. Participants with cognitive or behavioral impairment but without bvFTD syndrome have **NACCBVFT = 0**. Participants who are cognitively impaired but do not have clinical syndrome present have **NACCBVFT = 7**. Participants without cognitive or behavioral impairment have **NACCBVFT = 8**.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

NACCLBDS

Variable Type	NACC derived variable
Short descriptor	Clinical syndrome - Lewy body dementia syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	3, 7	3, 7		
v2	3, 7	3, 7		3, 7
v3	4e	4e	4e	4e
v4	8f	8f		

Description/ derivation

Please note that in UDSv1.2 and v2, Lewy body disease was assessed as a suspected underlying etiologic diagnosis (see **NACCLBDE** and **NACCLBDP**). In UDSv3 and v4, Lewy body disease is assessed both as a clinical syndrome and an etiologic diagnosis. **NACCLBDS** combines information across versions for participants with cognitive impairment. To determine whether the participant was cognitively impaired, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and Lewy body syndrome have **NACCLBDS = 1**. Participants with cognitive or behavioral impairment but without Lewy body syndrome have **NACCLBDS = 0**. Participants who are cognitively impaired but do not have clinical syndrome present have **NACCLBDS = 7**. Participants without cognitive or behavioral impairment have **NACCLBDS = 8**.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

LBDSYNT

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Lewy body syndrome - type
Data type	Numeric longitudinal
Allowable codes	**1** = Dementia with Lewy bodies **2** = Parkinson's disease **3** = Parkinson's disease dementia syndrome **7** = Cognitively impaired but no Lewy body syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8f1	8f1		

PSPSYN

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Primary supranuclear palsy (PSP) syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8h	8h		

Description/ derivation

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and primary supranuclear palsy (PSP) syndrome have **PSPSYN = 1**. Participants with cognitive or behavioral impairment but without a PSP syndrome have **PSPSYN = 0**. Participants who are cognitively impaired but do not have a predominant clincal syndrome have **PSPSYN = 7**. Participants without cognitive or behavioral impairment have **PSPSYN = 8**.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

PSPSYNT

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Primary supranuclear palsy (PSP) syndrome - type
Data type	Numeric longitudinal
Allowable codes	**1** = Richardson's syndrome criteria **2** = Non-Richardson's **7** = Cognitively impaired but no primary supranuclear palsy (PSP) syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8h1	8h1		

CTESYN

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Traumatic encephalopathy syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8i	8i		

Description/ derivation

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and traumatic encephalopathy syndrome have **CTESYN = 1**. Participants with cognitive or behavioral impairment but without a traumatic encephalopathy syndrome have **CTESYN = 0**. Participants who are cognitively impaired but do not have a predominant clinical syndrome have **CTESYN = 7**. Participants without cognitive or behavioral impairment have **CTESYN = 8**.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

CBSSYN

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Corticobasal syndrome (CBS)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8j	8j		

Description/ derivation

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and corticobasal syndrome (CBS) have **CBSSYN = 1**. Participants with cognitive or behavioral impairment but without a CBS have **CBSSYN = 0**. Participants who are cognitively impaired but do not have a predominant clinical syndrome have **CBSSYN = 7**. Participants without cognitive or behavioral impairment have **CBSSYN = 8**.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

MSASYN

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Multiple system atrophy (MSA) syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8k	8k		

Description/ derivation

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and multiple system atrophy (MSA) syndrome have **MSASYN = 1**. Participants with cognitive or behavioral impairment but without a MSA syndrome have **MSASYN = 0**. Participants who are cognitively impaired but do not have a predominant clinical syndrome have **MSASYN = 7**. Participants without cognitive or behavioral impairment have **MSASYN = 8**.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

MSASYNT

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Multiple system atrophy (MSA) syndrome - type
Data type	Numeric longitudinal
Allowable codes	**1** = MSA-predominant cerebellar ataxia (MSA-C) **2** = MSA-predominant Parkinsonism (MSA-P) **3** = MSA-predominant dysautonomia **7** = Cognitively impaired but no multiple system atrophy (MSA) syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8k1	8k1		

OTHSYN

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Other syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8l	8l		

Description/ derivation

Participants with cognitive or behavioral impairment (MCI, dementia, MBI) and another clinical syndrome have **OTHSYN = 1**. Participants with cognitive or behavioral impairment but without another clinical syndrome have **OTHSYN = 0**. Participants who are cognitively impaired but do not have a predominant clinical syndrome have **OTHSYN = 7**. Participants without cognitive or behavioral impairment have **OTHSYN = 8**.

Note that in UDSv4, clinicians should use clinical information and cognitive/neuropsychological testing to fill out the predominant clinical syndrome, ideally without reference to biomarker data (which is incorporated into the Etiological Diagnoses section in Form D1b). This is not always possible and thus Q9 allows centers to record when biomarker data is known and may have influenced the clinical diagnosis (see **SYNINFCLIN**, **SYNINFCTST**, **SYNINFBIOM**).

OTHSYNX

Variable Type	Original UDS question
Short descriptor	Clinical syndrome - Other syndrome (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another predominant clinical syndrome not listed as indicated (**OTHSYN = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8I1	8I1		

SYNINFCLIN

Variable Type	Original UDS question
Short descriptor	Source of information used to assign the clinical syndrome - Clinical information
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians can indicate multiple sources of information used to assign the clinical syndrome. Refer to **SYNINFCTST** and **SYNINFBIOM** for additional source of information. If biomarker data is known and may have influenced the clinical diagnosis, this will be recorded in **SYNINFBIOM**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9a	9a		

SYNINFCTST

Variable Type	Original UDS question
Short descriptor	Source of information used to assign the clinical syndrome - Cognitive testing
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians can indicate multiple sources of information used to assign the clinical syndrome. Refer to **SYNINFCLIN** and **SYNINFBIOM** for additional source of information. If biomarker data is known and may have influenced the clinical diagnosis, this will be recorded in **SYNINFBIOM**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9b	9b		

SYNINFBIOM

Variable Type	Original UDS question
Short descriptor	Source of information used to assign the clinical syndrome - Biomarkers
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **7** = Cognitively impaired but no predominant clinical syndrome **8** = No diagnosis of cognitive or behavioral impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Clinicians can indicate multiple sources of information used to assign the clinical syndrome. Refer to **SYNINFCLIN** and **SYNINFCTST** for additional source of information. If biomarker data is known and may have influenced the clinical diagnosis, this will be recorded here.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9c	9c		

NACCDEPD

Variable Type	NACC derived variable
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Depression (v1-4)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	19	19		
v2	20	20		20
v3	26	26	26	26
v4	10, 11	10, 11		

Description/ derivation: In v4, this variable is derived from the variables **MAJDEPDX** and **OTHDEPDX**, which are restricted to major depressive disorder or other depressive disorder diagnoses meeting DSM-5-TR criteria. In v1-3, this variable is derived using the variable **DEP** which assesses depression as an etiologic diagnosis. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for depression on Form D1a. Refer to the **NACCDEP** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has depression.

NACCDEPDIF

Variable Type	NACC derived variable
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Depression (v1-4)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no depression diagnosis **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	19a	19a		
v2	20a	20a		20a
v3	26a	26a	26a	26a
v4	10a, 11a	10a, 11a		

Description/ derivation: In v4, this variable is derived from the variables **MAJDEPDX** and **OTHDEPDX**, which are restricted to major depressive disorder or other depressive disorder diagnoses meeting DSM-5-TR criteria. In v1-3, this variable is derived using the variable **DEP** which assesses depression as an etiologic diagnosis. Participants who are cognitively impaired without depression have **NACCDEPDIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **NACCDEPDIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for depression on Form D1a. Refer to the **NACCDEP** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has depression.

MAJDEPDX

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Major depressive disorder
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10	10		

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for major depressive disorder on Form D1a. Refer to the **MAJORDEP** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has major depressive disorder.

For v4, depression is restricted to diagnoses meeting DSM-5-TR criteria. See **DEP** and **DEPIF** for a diagnosis of depression as an etiologic diagnosis in v1-3. Also see **NACCDEPD** and **NACCDEPIF**.

MAJDEPDIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10a	10a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Major depressive disorder

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no major depressive disorder diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cognitively impaired without major depressive disorder have **MAJDEPDIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **MAJDEPDIF = 8**. To determine whether the participant was cognitively impaired not MCI, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for major depressive disorder on Form D1a. Refer to the **MAJORDEP** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has major depressive disorder.

For v4, depression is restricted to diagnoses meeting DSM-5-TR criteria. See **DEP** and **DEPIF** for a diagnosis of depression as an etiologic diagnosis in v1-3. Also see **NACCDEPD** and **NACCDEPIF**.

OTHDEPDX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	11	11		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other specified depressive disorder

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participant was cognitively impaired not MCI, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for other specified depressive disorder on Form D1a. Refer to the **OTHERDEP** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has another specified depressive disorder.

For v4, depression is restricted to diagnoses meeting DSM-5-TR criteria. See **DEP** and **DEPIF** for a diagnosis of depression as an etiologic diagnosis in v1-3. Also see **NACCDEPD** and **NACCDEPIF**.

OTHDEPDIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	11a	11a		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Other specified depressive disorder

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no other depressive disorder diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants who are cognitively impaired without other specified depressive disorder have **OTHDEPDIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **OTHDEPDIF = 8**. To determine whether the participant was cognitively impaired not MCI, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for major depressive disorder on Form D1a. Refer to the **OTHERDEP** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has another specified depressive disorder.

For v4, depression is restricted to diagnoses meeting DSM-5-TR criteria. See **DEP** and **DEPIF** for a diagnosis of depression as an etiologic diagnosis in v1-3. Also see **NACCDEPD** and **NACCDEPIF**.

DEP

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	19	19		
v2	20	20		20
v3	26	26	26	26
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Presumptive etiologic diagnosis - Depression

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

For v4, depression is restricted to diagnoses meeting DSM-5-TR criteria. See **MAJDEPDX** and **OTHDEPDX** for a diagnosis of depression as a non-neurodegenerative or non-CVD conditions affecting cognitive impairment in v4. Also see **NACCDEPD**.

DEPIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	19a	19a		
v2	20a	20a		20a
v3	26a	26a	26a	26a
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cogntivite impairment - Depression

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no depression diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants with cognitive impairment without an etiologic diagnosis of depression and those with normal cognition have **DEPIF = 7** and **DEPIF = 8**, respectively. To determine whether the participant was cognitively impaired not MCI, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

For v4, depression is restricted to diagnoses meeting DSM-5-TR criteria. See **MAJDEPDX** and **OTHDEPDX** for a diagnosis of depression as a non-neurodegenerative or non-CVD conditions affecting cognitive impairment in v4. Also see **NACCDEPDIF**.

DEPTREAT

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	26b	26b	26b	26b
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Depression - Treated or untreated

Data type: Numeric longitudinal

Allowable codes:
0 = Untreated
1 = Treated
8 = No diagnosis of depression
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants without an etiologic diagnosis of depression have **DEPTREAT = 8**. To determine whether the participant was cognitively impaired not MCI, not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2, v2, or v4; therefore participants with visits using v1.2, v2, or v4 of the UDS forms will have **DEPTREAT = -4**.

For v4, Form D1a: Clinical Syndrome no longer includes information on whether depression is treated or untreated. Refer to the **DEPRTREAT** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with reports being treated for depression.

BIPOLDX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	27	27	27	27
v4	12	12		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Bipolar disorder

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **BIPOLDX = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for bipolar disorder on Form D1a. Refer to the **BIPOLAR** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has bipolar disorder.

Additionally, in UDSv4 Form D1a, bipolar disorder is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, bipolar disorder is restricted to diagnoses meeting DSM-5-TR criteria.

BIPOLDIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	27a	27a	27a	27a
v4	12a	12a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Bipolar disorder

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no bipolar disorder diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cognitively impaired without bipolar disorder have **BIPOLDIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **BIPOLDIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **BIPOLDX = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for bipolar disorder on Form D1a. Refer to the **BIPOLAR** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has bipolar disorder.

Additionally, in UDSv4 Form D1a, bipolar disorder is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, bipolar disorder is restricted to diagnoses meeting DSM-5-TR criteria.

SCHIZOP

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	28	28	28	28
v4	13	13		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Schizophrenia or other psychosis

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **SCHIZOP = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for schizophrenia or other psychosis on Form D1a. Refer to the **SCHIZ** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has schizophrenia or other psychosis.

Additionally, in UDSv4 Form D1a, schizophrenia or other psychosis is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, schizophrenia or other psychosis is restricted to diagnoses meeting DSM-5-TR criteria.

SCHIZOIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	28a	28a	28a	28a
v4	13a	13a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Schizophrenia or other psychosis

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no schizophrenia diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cognitively impaired without schizophrenia or other psychosis have **SCHIZOIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **SCHIZOIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **SCHIZOIF = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for schizophrenia or othe psychosis on Form D1a. Refer to the **SCHIZ** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has schizophrenia or other psychosis.

Additionally, in UDSv4 Form D1a, schizophrenia or other psychosis is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, schizophrenia or other psychosis is restricted to diagnoses meeting DSM-5-TR criteria.

ANXIET

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	29	29	29	29
v4	14	14		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Anxiety

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **ANXIET = -4**. However, it is important to note participants may have anxiety written in as an "other etiologic diagnosis" for v1.2-2; refer to the **COGOTH**, **COGOTH2**, and **COGOTH3** variables.

Note that in UDSv4 participants with normal cognition do not get assessed for anxiety disorder on Form D1a. Refer to the **ANXIETY** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has anxiety disorder.

Additionally, in UDSv4 Form D1a, anxiety disorder is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, anxiety disorder is restricted to diagnoses meeting DSM-5-TR criteria.

ANXIETIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	29a	29a	29a	29a
v4	14a	14a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Anxiety

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no anxiety disorder
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
Participants who are cognitively impaired without anxiety disorder have **ANXIETIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **ANXIETIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **ANXIETIF = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for anxiety disorder on Form D1a. Refer to the **ANXIETY** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has anxiety disorder.

Additionally, in UDSv4 Form D1a, anxiety disorder is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, anxiety disorder is restricted to diagnoses meeting DSM-5-TR criteria.

GENANX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14b	14b		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Generalized anxiety disorder

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
7 = Cognitively impaired but no anxiety disorder diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
Participants who are cognitively impaired without an anxiety disorder have **GENANX = 7**. Unimpaired participants will have **GENANX = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for generalized anxiety disorder on Form D1a. Refer to the **GENERALANX** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has generalized anxiety disorder.

PANICDISDX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14c	14c		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Panic disorder

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
7 = Cognitively impaired but no anxiety disorder diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants who are cognitively impaired without an anxiety disorder have **PANICDISDX = 7**. Unimpaired participants will have **PANICDISDX = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for panic disorder on Form D1a. Refer to the **PANICDIS** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has panic disorder.

OCDDX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14d	14d		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Obsessive-compulsive disorder (OCD)

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
7 = Cognitively impaired but no anxiety disorder diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants who are cognitively impaired without an anxiety disorder have **OCDDX = 7**. Unimpaired participants will have **OCDDX = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for obsessive-compulsive disorder on Form D1a. Refer to the **OCD** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has obsessive-compulsive disorder.

OTHANXD

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14e	14e		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other anxiety disorder

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
7 = Cognitively impaired but no anxiety disorder diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants who are cognitively impaired without an anxiety disorder have **OTHANXD = 7**. Unimpaired participants will have **OTHANXD = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for other anxiety disorders on Form D1a. Refer to the **OTHANXDIS** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has another anxiety disorder.

OTHANXDX

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other anxiety disorder (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another anxiety disorder is indicated (**OTHANXD = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14e1	14e1		

PTSDDX

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Post-traumatic stress disorder (PTSD)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **PTSDDX = -4**. Note that in UDSv4 participants with normal cognition do not get assessed for post-traumatic stress disorder (PTSD) on Form D1a. Refer to the **PTSD** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has PTSD. Additionally, in UDSv4 Form D1a, post-traumatic stress disorder (PTSD) is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome. For v4, post-traumatic stress disorder (PTSD) is restricted to diagnoses meeting DSM-5-TR criteria.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	31	31	31	31
v4	15	15		

PTSDDXIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	31a	31a	31a	31a
v4	15a	15a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - PTSD

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no PTSD diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
Participants who are cognitively impaired without post-traumatic stress disorder (PTSD) have **PTSDDXIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **PTSDDXIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **PTSDDXIF = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for PTSD on Form D1a. Refer to the **PTSD** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has PTSD.

Additionally, in UDSv4 Form D1a, PTSD is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, PTSD is restricted to diagnoses meeting DSM-5-TR criteria.

NDEVDIS

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	16	16		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Developmental neuropsychiatric disorders

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for developmental neuropsychiatric disorders (e.g., autism spectrum disorder (ASD), attention-deficit hyperactivity disorder (ADHD), dyslexia) on Form D1a. Refer to the **NPSYDEV** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has developmental neuropsychiatric disorders.

NDEVDISIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	16a	16a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Developmental neuropsychiatric disorders

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no developmental neuropsychiatric disorders diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cognitively impaired without developmental neuropsychiatric disorders have **NDEVDISIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **NDEVDISIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for developmental neuropsychiatric disorders (e.g., autism spectrum disorder (ASD), attention-deficit hyperactivity disorder (ADHD), dyslexia) on Form D1a. Refer to the **NPSYDEV** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has developmental neuropsychiatric disorders.

DELIR

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	30	30	30	30
v4	17	17		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Delirium

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **DELIR = -4**. Information concerning the presence of delirium is available on Form B5: Neuropsychiatric Inventory.

Additionally, in UDSv4 Form D1a, delirium is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, delirium is restricted to diagnoses meeting DSM-5-TR criteria.

DELIRIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	30a	30a	30a	30a
v4	17a	17a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Delirium

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no delirium diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cognitively impaired without delirium have **DELIRIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **DELIRIF = 8.** To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **DELIRIF = -4**.

Additionally, in UDSv4 Form D1a, delirium is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, delirium is restricted to diagnoses meeting DSM-5-TR criteria.

OTHPSY

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	20	20		
v2	21	21		21
v3	32	32	32	32
v4	18	18		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other psychiatric disorder

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the list of diagnoses indicated as "other psychiatric disorders" will be different in v1-2 and v3. For example, PTSD was not collected in v1-2 so it would be listed as an "other psychiatric disorder" here in v1-2 but not in v3.

Note that in UDSv4 participants with normal cognition do not get assessed for other psychiatric disorders on Form D1a. Refer to the **PSYCDIS** and **PSYCDISX** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has other psychiatric disorders not listed.

Additionally, in UDSv4 Form D1a, other psychiatric disorders is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

For v4, other psychiatric disorders is restricted to diagnoses meeting DSM-5-TR criteria.

OTHPSYIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Other psychiatric disorder
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no diagnosis of other psychiatric disease **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants who are cognitively impaired without other psychiatric disorders have **OTHPSYIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **OTHPSYIF = 8.** To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. Note that in UDSv4 participants with normal cognition do not get assessed for other psychiatric disorders on Form D1a. Refer to the **PSYCDIS** and **PSYCDISX** variable from Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has other psychiatric disorders not listed. Additionally, in UDSv4 Form D1a, other psychiatric disorders is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS (v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome. For v4, other psychiatric disorders is restricted to diagnoses meeting DSM-5-TR criteria.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	20a	20a		
v2	21a	21a		21a
v3	32a	32a	32a	32a
v4	18a	18a		

OTHPSYX

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other psychiatric disease (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another psychiatric disorder is indicated (**OTHPSY = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	32b	32b	32b	32b
v4	18b	18b		

NACCTBIDX

Variable Type	NACC derived variable
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Traumatic brain injury (TBI) (v1-4)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Diagnosis of normal cognition
Description/ derivation	In v4, this variable is derived from the variable **TBIDX** which assesses TBI as a non-neurodegenerative or non-CVD condition affecting cognitive impairment. In v1-3, this variable is derived using the variable **BRNINJ** which assesses TBI as an etiologic diagnosis. TBI as an etiologic diagnosis was defined using the Menon criteria in UDSv3, which is no longer used in UDSv4. For UDS visits conducted using v4 of the UDS forms and therefore the most current criteria, please refer to the **CTE** and **CTEIF** variables in Form D1b for etiologic diagnosis. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. Note that in UDSv4 participants with normal cognition do not get assessed for traumatic brain injury on Form D1a. Refer to the **NACCTBI** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has traumatic brain injury.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	25	25		
v2	26	26		26
v3	20	20	20	20
v4	19	19		

NACCTBIDXIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	25a	25a		
v2	26a	26a		26a
v3	20a	20a	20a	20a
v4	19a	19a		

Variable Type NACC derived variable

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Traumatic brain injury (TBI) (v1-4)

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no TBI
8 = Diagnosis of normal cognition

Description/ derivation

In v4, this variable is derived from the variable **TBIDXIF** which assesses TBI as a non-neurodegenerative or non-CVD condition affecting cognitive impairment. In v1-3, this variable is derived using the variable **BRNINJIF** which assesses TBI as an etiologic diagnosis. TBI as an etiologic diagnosis was defined using the Menon criteria in UDSv3, which is no longer used in UDSv4. For UDS visits conducted using v4 of the UDS forms and therefore the most current criteria, please refer to the **CTE** and **CTEIF** variables in Form D1b for etiologic diagnosis.

Participants who are cognitively impaired without TBI have **NACCTBIDXIF = 7**. Unimpaired participants are not assesseed for primary, contributing, or non-contributing cause of cognitive impairment and will have **NACCTBIDXIF = 8**. To determine whether the participant waas cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for TBI on Form D1a. Refer to the **NACCTBI** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has traumatic brain injury.

TBIDX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	19	19		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Traumatic brain injury

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation

To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

For TBI diagnosis across all versions of the UDS, refer to **NACCTBIDX** and **NACCTBIDXIF**.

Note that in UDSv4 participants with normal cognition do not get assessed for traumatic brain injury on Form D1a. Refer to the **NACCTBI** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has traumatic brain injury.

TBIDXIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	19a	19a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Traumatic brain injury

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no traumatic brain injury
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cognitively impaired without traumatic brain injury have **TBIDXIF = 7**. Unimpaired participants are not assesseed for primary, contributing, or non-contributing cause of cognitive impairment and will have **TBIDXIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

For TBI diagnosis across all versions of the UDS, refer to **NACCTBIDX** and **NACCTBIDXIF**.

Note that in UDSv4 participants with normal cognition do not get assessed for traumatic brain injury on Form D1a. Refer to the **NACCTBI** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has traumatic brain injury.

BRNINJ

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	25	25		
v2	26	26		26
v3	20	20	20	20
v4	N/A	N/A		

Variable Type Original UDS question

Short descriptor Presumptive etiologic diagnosis - Traumatic brain injury (TBI)

Data type Numeric longitudinal

Allowable codes
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participnat was cognitively impaired not MCI, MCI or dementia, refer to the **NACCUDSD** variable.

For TBI diagnosis across all versions of the UDS, refer to **NACCTBIDX** and **NACCTBIDXIF**. Note that TBI as an etiologic diagnosis was defined using the Menon criteria in UDSv3, which is no longer used in UDSv4. For UDS visits conducted using v4 of the UDS forms and therefore the most current criteria, please refer to the **CTE** and **CTEIF** variables in Form D1b for TBI as an etioloigc diagnosis.

In UDSv4, TBI is assessed as a non-neurodegenerative or non-CVD conditions affecting cognitive impairment in the variable **TBIDXIF**. Note that in UDSv4 participants with normal cognition do not get assessed for traumatic brain injury on Form D1a. Refer to the **NACCTBI** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has traumatic brain injury.

BRNINJIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	25a	25a		
v2	26a	26a		26a
v3	20a	20a	20a	20a
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Traumatic brain injury (TBI)

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no diagnosis of TBI
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants with cognitive impairment without an etiologic diagnosis of TBI and those with normal cognition have **BRNINJIF = 7** and **BRNINJIF = 8**, respecitively. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

For TBI diagnosis across all versions of the UDS, refer to **NACCTBIDX** and **NACCTBIDXIF**. Note that TBI as an etiologic diagnosis was defined using the Menon criteria in UDSv3, which is no longer used in UDSv4. For UDS visits conducted using v4 of the UDS forms and therefore the most current criteria, please refer to the **CTE** and **CTEIF** variables in Form D1b for TBI as an etiologic diagnosis.

In UDSv4, TBI is assessed as a non-neurodegenerative or non-CVD conditions affecting cognitive impairment in the variable **TBIDXIF**. Note that in UDSv4 participants with normal cognition do not get assessed for traumatic brain injury on Form D1a. Refer to the **NACCTBI** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has traumatic brain injury.

BRNINCTE

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	20b	20b	20b	20b
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Symptoms consistent with chronic traumatic encephalopathy (CTE)

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
9 = Unknown
8 = No TBI diagnosis
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants without an etiologic diagnosis of TBI will have **BRNINCTE = 8**. To determine whether the participant was cognitively impaired not MCI, o had normal cognition, MCI, or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2, v2, or v4; therefore participants with visits using v1.2, v2, or v4 of the UDS forms will have **BRNINCTE = -4**.

Note that TBI as an etiologic diagnosis was defined using the Menon criteria in UDSv3, which is no longer used in UDSv4. For UDS visits conducted using v4 of the UDS forms and therefore the most current criteria, please refer to the **CTE** and **CTEIF** variables in Form D1b.

EPILEP

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	22	22	22	22
v4	20	20		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Epilepsy

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have **EPILEP = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for epilepsy on Form D1a. Refer to the **SEIZURES** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has epilepsy and/or history of seizures.

Additionally, in UDSv4 Form D1a, epilepsy is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

EPILEPIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	22a	22a	22a	22a
v4	20a	20a		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Epilepsy

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no epilepsy diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants who are cogntively impaired without epilepsy have **EPILEPIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **EPILEPIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have **EPILEPIF = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for epilepsy on Form D1a. Refer to the **SEIZURES** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has epilepsy and/or history of seizures.

Additionally, in UDSv4 Form D1a, epilepsy is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

HYCEPH

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	24	24		
v2	25	25		25
v3	21	21	21	21
v4	21	21		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Normal-pressure hydrocephalus (NPH)

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for normal-pressure hydrocephalus (NPH) on Form D1a. Refer to the **HYDROCEPH** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has NPH.

Additionally, in UDSv4 Form D1a, NPH is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

HYCEPHIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	24a	24a		
v2	25a	25a		25a
v3	21a	21a	21a	21a
v4	21a	21a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Normal-pressure hydrocephalus (NPH)

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no hydrocephalus diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cogntively impaired without NPH have **HYCEPHIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **HYCEPHIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for normal-pressure hydrocephalus (NPH) on Form D1a. Refer to the **HYDROCEPH** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has NPH.

Additionally, in UDSv4 Form D1a, NPH is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

NEOP

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - CNS neoplasm
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	26	26		
v2	27	27		27
v3	23	23	23	23
v4	22	22		

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for CNS neoplasm on Form D1a. Refer to the **CANCERACTV** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has a history of cancer diagnosis.

Additionally, in UDSv4 Form D1a, CNS neoplasm is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

NEOPIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - CNS neoplasm
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no CNS neoplasm diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	26a	26a		
v2	27a	27a		27a
v3	23a	23a	23a	23a
v4	22a	22a		

Description/ derivation: Participants who are cogntively impaired without CNS neoplasm have **NEOPIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **NEOPIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for CNS neoplasm on Form D1a. Refer to the **CANCERACTV** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has a history of cancer diagnosis.

Additionally, in UDSv4 Form D1a, CNS neoplasm is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

NEOPSTAT

Variable Type	Original UDS question
Short descriptor	CNS neoplasm - benign or malignant
Data type	Numeric longitudinal
Allowable codes	**1** = Benign **2** = Malignant **8** = No diagnosis of CNS neoplasm **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	23b	23b	23b	23b
v4	22b	22b		

Description/ derivation: Participants without a diagnosis of CNS neoplasm have **NEOPSTAT = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have **NEOPSTAT = -4**.

HIV

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	24	24	24	24
v4	23	23		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Human immunodeficiency virus (HIV)

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have **HIV = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for human immunodeficiency virus (HIV) on Form D1a. Refer to the **HIVDIAG** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has HIV.

Additionally, in UDSv4 Form D1a, HIV is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

HIVIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	24a	24a	24a	24a
v4	23a	23a		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contirbuting cause of cognitive impairment - HIV

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no HIV diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants who are cogntively impaired without HIV have **HIVIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **HIVIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have **HIVIF = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for HIV on Form D1a. Refer to the **HIVDIAG** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has HIV.

Additionally, in UDSv4 Form D1a, HIV is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

POSTC19

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	24	24		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Post COVID-19 cognitive impairment

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for post COVID-19 cognitive impairment on Form D1a. Refer to the **COVID19** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has a history of COVID-19.

POSTC19IF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	24a	24a		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing of cognitive impairment - Post COVID-19 cognitive impairment

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no post COVID-19 cognitive impairment
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants who are cogntively impaired without post COVID-19 cognitive impairment have **POSTC19IF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **POSTC19IF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for post COVID-19 cognitive impairment on Form D1a. Refer to the **COVID19** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has a history of COVID-19.

APNEADX

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	25	25		

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Sleep apnea

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for sleep apnea (i.e., obstructive, central, mixed, or complex sleep apnea) on Form D1a. Refer to the **APNEA** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has sleep apnea.

APNEADXIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	25a	25a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Sleep apnea

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no sleep apnea
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
Participants who are cogntively impaired without sleep apnea have **APNEADXIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **APNEADXIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for sleep apnea (i.e., obstructive, central, mixed, or complex sleep apnea) on Form D1a. Refer to the **APNEA** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has sleep apnea.

OTHCOGILL

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	26	26		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Cognitive impairment due to other neurologic, genetic, infectious conditions, or systemic disease/medical illness

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

In UDSv1-3, cognitive impairment due to systemic disease/medical illness and cognitive impairment due to other neurologic, genetic, infectious conditions were assessed in separate variables. See the **DYSILL**, **DYSILLIF**, **OTHCOG**, **OTHCOGIF**, and **OTHCOGX** variables for visits in UDSv1-3.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other neurologic, genetic, infectious conditions (not listed), or systemic disease/medical illness (as indicated on Form A5/D2) on Form D1a. Refer to the **OTHERCOND** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has other medical conditions.

OTHCILLIF

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Cognitive impairment due to other neurologic, genetic, infectious conditions, or systemic disease/medical illness

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no cognitive impairment due to other neurologic, genetic, infectious conditions, or systemic disease/medical illness
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	26a	26a		

Description/ derivation: Participants who are cogntively impaired without cognitive impairment due to other medical conditions have **OTHCILLIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **OTHCILLIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

In UDSv1-3, cognitive impairment due to systemic disease/medical illness and cognitive impairment due to other neurologic, genetic, infectious conditions were assessed in separate variables. See the **DYSILL**, **DYSILLIF**, **OTHCOG**, **OTHCOGIF**, and **OTHCOGX** variables for visits in UDSv1-3.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other neurologic, genetic, infectious conditions (not listed), or systemic disease/medical illness (as indicated on Form A5/D2) on Form D1a. Refer to the **OTHERCOND** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has other medical conditions.

OTHCOGILLX

Variable Type: Original UDS question

Short descriptor: Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Specify cognitive impairment due to other neurologic, genetic, infectious conditions, or systemic disease

Data type: Character longitudinal

Allowable codes: **Any text or numbers**

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	26b	26b		

Description/ derivation: If another cognitive impairment due to other medical condition is indicated (**OTHCILLIF = 1**), it will be listed here; otherwise, this variable will be blank.

DYSILL

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	18	18		
v2	19	19		19
v3	35	35	35	35
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Presumptive etiologic diagnosis of the cognitive disorder - Cognitive impairment due to systemic disease/medical illness

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

In UDSv4, cognitive impairment due to systemic disease/medical illness was combined with cognitive impairment due to other neurologic, genetic, infectious conditions. See the **OTHCOGILL, OTHCILLIF**, and **OTHCOGILLX** variables for visits in UDSv4.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other neurologic, genetic, infectious conditions (not listed), or systemic disease/medical illness (as indicated on Form A5/D2) on Form D1a. Refer to the **OTHERCOND** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has other medical conditions.

DYSILLIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	18a	18a		
v2	19a	19a		19a
v3	35a	35a	35a	35a
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - systemic disease/medical illness

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no diagnosis of impairment due to other systemic disease/medical illness
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Participants with normal cognition or who are cogntively impaired without an etiologic diagnosis of systemic disease/medical illness **DYSILLIF = 8** and **DYSILLIF = 7,** respectively. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

In UDSv4, cognitive impairment due to systemic disease/medical illness was combined with cognitive impairment due to other neurologic, genetic, infectious conditions. See the **OTHCOGILL, OTHCILLIF**, and **OTHCOGILLX** variables for visits in UDSv4.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other neurologic, genetic, infectious conditions (not listed), or systemic disease/medical illness (as indicated on Form A5/D2) on Form D1a. Refer to the **OTHERCOND** variable on Form A5/D2 (collected using mainly participant and co-participant report) to determine whether a participant with normal cognition has other medical conditions.

ALCDEM

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9	9		
v2	10	10		10
v3	33	33	33	33
v4	27	27		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Cognitive impairment due to alcohol abuse

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to alcohol abuse on Form D1a. Refer to the **ALCFREQYR, ALCDRINKS**, and **ALCBINGE** variables from Form A5/D2 (collected using mainly participant and co-participant report) to determine a participant with normal cognition's history of alcohol abuse.

Additionally, in UDSv4 Form D1a, cognitive impairment due to alcohol abuse is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

ALCDEMIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	9a	9a		
v2	10a	10a		10a
v3	33a	33a	33a	33a
v4	27a	27a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Alcohol abuse

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no diagnosis of impairment due to alcohol abuse
8 = Diagnosis of normal cognition

Description/ derivation Participants who are cogntively impaired without cognitive impairment due to alcohol abuse have **ALCDEMIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **ALCDEMIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to alcohol abuse on Form D1a. Refer to the **ALCFREQYR, ALCDRINKS**, and **ALCBINGE** variables from Form A5/D2 (collected using mainly participant and co-participant report) to determine a participant with normal cognition's history of alcohol abuse.

Additionally, in UDSv4 Form D1a, cognitive impairment due to alcohol abuse is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

ALCABUSE

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	33b	33b	33b	33b
v4	N/A	N/A		

Variable Type Original UDS question

Short descriptor Current alcohol abuse

Data type Numeric longitudinal

Allowable codes
0 = No
1 = Yes
9 = Unknown
8 = No diagnosis of impairment due to alcohol abuse
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants with normal cognition or who are cognitively impaired without an etiologic diagnosis of alcohol abuse have **ALCABUSE = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to alcohol abuse on Form D1a. Refer to the **ALCFREQYR, ALCDRINKS**, and **ALCBINGE** variables from Form A5/D2 (collected using mainly participant and co-participant report) to determine a participant with normal cognition's history of alcohol abuse.

IMPSUB

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	34	34	34	34
v4	28	28		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Cognitive impairment due to other substance abuse

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected specifically in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **IMPSUB = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other substance abuse on Form D1a. Refer to the **SUBSTYEAR, SUBSTPAST**, and **CANNABIS** variables from Form A5/D2 (collected using mainly participant and co-participant report) to determine a participant with normal cognition's history of other substance abuse.

Additionally, in UDSv4 Form D1a, cognitive impairment due to other substance abuse is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

IMPSUBIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	34a	34a	34a	34a
v4	28a	28a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Other substance abuse

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no diagnosis of impairment due to substance abuse
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation
Participants who are cogntively impaired without cognitive impairment due to other substance abuse have **IMPSUBIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **IMPSUBIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected specifically in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS forms will have **IMPSUBIF = -4**.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other substance abuse on Form D1a. Refer to the **SUBSTYEAR, SUBSTPAST**, and **CANNABIS** variables from Form A5/D2 (collected using mainly participant and co-participant report) to determine a participant with normal cognition's history of other substance abuse.

Additionally, in UDSv4 Form D1a, cognitive impairment due to other substance abuse is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

MEDS

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	17	17		
v2	18	18		18
v3	36	36	36	36
v4	29	29		

Variable Type Original UDS question

Short descriptor Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Cognitive impairment due to medications

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition

Description/ derivation
To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other substance abuse on Form D1a.

Additionally, in UDSv4 Form D1a, cognitive impairment due to medications is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

MEDSIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	17a	17a		
v2	18a	18a		18a
v3	36a	36a	36a	36a
v4	29a	29a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - medications

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no diagnosis of impairment due to medications
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants who are cogntively impaired without cognitive impairment due to medications have **MEDSIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **MEDSIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Note that in UDSv4 participants with normal cognition do not get assessed for cognitive impairment due to other substance abuse on Form D1a.

Additionally, in UDSv4 Form D1a, cognitive impairment due to medications is no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

DEMUN

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10	10		
v2	11	11		11
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Variable Type Original UDS question

Short descriptor Presumptive etiologic diagnosis of the cognitive disorder - Undetermined etiology

Data type Numeric longitudinal

Allowable codes
0 = No (assumed assessed and found not present)
1 = Yes
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected specifically in UDSv3 or v4; therefore participants with visits using v3 or v4 of the UDS forms will have **DEMUN = -4**.

DEMUNIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	10a	10a		
v2	11a	11a		11a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Undetermined etiology

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no diagnosis of dementia due to undetermined etiology
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants with normal cognition or who are cogntively impaired without an etiologic diagnosis of cognitive impairment due to undetermined etiology have **DEMUNIF = 8** and **DEMUNIF = 7,** respectively. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected specifically in UDSv3 or v4; therefore participants with visits using v3 or v4 of the UDS forms will have **DEMUNIF = -4**.

COGOTH

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other 1 (specify)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	27	27		
v2	28	28		28
v3	37	37	37	37
v4	30	30		

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the list of diagnoses indicated as "non-neurodegenerative or non-CVD conditions affecting cognitive impairment" will be different in v1-2 and v3-4. For example, cognitive impairment due to other substance abuse was not collected in v1-2 so it would be listed as an "non-neurodegenerative or non-CVD conditions affecting cognitive impairment" here in v1-2 but not in v3-4.

Additionally, in UDSv4 Form D1a, other non-neurodegenerative or non-CVD conditions affecting cognitive impairment are no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

COGOTHIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Other 1 (specify)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no other conditions affecting cognitive impairment **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	27a	27a		
v2	28a	28a		28a
v3	37a	37a	37a	37a
v4	30a	30a		

Description/ derivation: Participants who are cogntively impaired without a non-neurodegenerative or non-CVD condition affecting cognitive impairment that is not listed have **COGOTHIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **COGOTHIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Additionally, in UDSv4 Form D1a, other non-neurodegenerative or non-CVD conditions affecting cognitive impairment are no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

COGOTHX

Variable Type	Original UDS question
Short descriptor	Other presumptive non-neurodegenerative or non-CVD condition affecting cognitive impairment 1, specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	27b	27b		
v2	28b	28b		28b
v3	37b	37b	37b	37b
v4	30b	30b		

Description/ derivation: If a non-neurodegenerative or non-CVD condition affecting cognitive impairment was written in (**COGOTH = 1**), it will be listed here; otherwise, this variable will be blank.

COGOTH2

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other 2 (specify)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	29	29		29
v3	38	38	38	38
v4	31	31		

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the list of diagnoses indicated as "non-neurodegenerative or non-CVD conditions affecting cognitive impairment" will be different in v1-2 and v3-4. For example, cognitive impairment due to other substance abuse was not collected in v1-2 so it would be listed as an "non-neurodegenerative or non-CVD conditions affecting cognitive impairment" here in v1-2 but not in v3-4.

Additionally, in UDSv4 Form D1a, other non-neurodegenerative or non-CVD conditions affecting cognitive impairment are no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

COGOTH2F

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Other 2 (specify)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no other conditions affecting cognitive impairment **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	29a	29a		29a
v3	38a	38a	38a	38a
v4	31a	31a		

Description/ derivation: Participants who are cogntively impaired without a non-neurodegenerative or non-CVD condition affecting cognitive impairment that is not listed have **COGOTH2F = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **COGOTH2F = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Additionally, in UDSv4 Form D1a, other non-neurodegenerative or non-CVD conditions affecting cognitive impairment are no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

COGOTH2X

Variable Type	Original UDS question
Short descriptor	Other presumptive non-neurodegenerative or non-CVD condition affecting cognitive impairment 2, specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	29b	29b		29b
v3	38b	38b	38b	38b
v4	31b	31b		

Description/ derivation: If a non-neurodegenerative or non-CVD condition affecting cognitive impairment was written in (**COGOTH2 = 1**), it will be listed here; otherwise, this variable will be blank.

COGOTH3

Variable Type	Original UDS question
Short descriptor	Non-neurodegenerative or non-CVD conditions affecting cognitive impairment - Other 3 (specify)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	30	30		30
v3	39	39	39	39
v4	32	32		

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the list of diagnoses indicated as "non-neurodegenerative or non-CVD conditions affecting cognitive impairment" will be different in v1-2 and v3-4. For example, cognitive impairment due to other substance abuse was not collected in v1-2 so it would be listed as an "non-neurodegenerative or non-CVD conditions affecting cognitive impairment" here in v1-2 but not in v3-4.

Additionally, in UDSv4 Form D1a, other non-neurodegenerative or non-CVD conditions affecting cognitive impairment are no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

COGOTH3F

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Other 3 (specify)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no other conditions affecting cognitive impairment **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	30a	30a		30
v3	39a	39a	39a	39a
v4	32a	32a		

Description/ derivation: Participants who are cogntively impaired without a non-neurodegenerative or non-CVD condition affecting cognitive impairment that is not listed have **COGOTH3F = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and will have **COGOTH3F = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Additionally, in UDSv4 Form D1a, other non-neurodegenerative or non-CVD conditions affecting cognitive impairment are no longer collected as an etiologic diagnosis as it was in previous versions of the UDS(v1-3), but instead as a non-neurodegenerative or non-CVD condition that may be contributing to the clinical syndrome.

COGOTH3X

Variable Type	Original UDS question
Short descriptor	Other presumptive non-neurodegenerative or non-CVD condition affecting cognitive impairment 3, specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	30b	30b		30b
v3	39b	39b	39b	39b
v4	32b	32b		

Description/ derivation: If a non-neurodegenerative or non-CVD condition affecting cognitive impairment was written in (**COGOTH3 = 1**), it will be listed here; otherwise, this variable will be blank.

FORM D1b: Etiological Diagnosis and Biomarker Support

BIOMARKDX

Variable Type	Original UDS question
Short descriptor	Biomarker results used to support the current etiological diagnosis
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	1	1		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **BIOMARKDX = -4**. If biomarkers were used to support the etiological diagnosis at a visit, **BIOMARKDX = 1**. If biomarkers were not used to support the etiological diagnosis at the visit, **BIOMARKDX = 0**.

FLUIDBIOM

Variable Type	Original UDS question
Short descriptor	Fluid biomarkers used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, only blood-based biomarkers were used **2** = Yes, only CSF-based biomarkers were used **3** = Yes, both blood- and CSF-based biomarkers were used **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	2	2		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **FLUIDBIOM = -4**. If fluid biomarkers were used to support the etiological diagnosis at a visit, **FLUIDBIOM = 1, 2, or 3** depending on whether blood, CSF, or both were used. If biomarkers were not used in the diagnosis on UDSv4 (**BIOMARKDX = 0**), or if fluid biomarkers were not used to support the etiological diagnosis at the visit, **FLUIDBIOM = 0**.

BLOODAD

Variable Type	Original UDS question
Short descriptor	Blood-based biomarkers - Consistent with AD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3a	3a		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BLOODAD = -4**. Additionally, if fluid biomarkers, or, more specifically, blood biomarkers were not used (**FLUIDBIOM = 0 or 2**), **BLOODAD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BLOODFTLD

Variable Type	Original UDS question
Short descriptor	Blood-based biomarkers - Consistent with FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3b	3b		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BLOODFTLD = -4**. Additionally, if fluid biomarkers, or, more specifically, blood biomarkers were not used (**FLUIDBIOM = 0 or 2**), **BLOODFTLD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BLOODLBD

Variable Type	Original UDS question
Short descriptor	Blood-based biomarkers - Consistent with LBD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BLOODLBD = -4**. Additionally, if fluid biomarkers, or, more specifically, blood biomarkers were not used (**FLUIDBIOM = 0 or 2**), **BLOODLBD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3c	3c		

BLOODOTH

Variable Type	Original UDS question
Short descriptor	Blood-based biomarkers - Consistent with other etiology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BLOODOTH = -4**. Additionally, if fluid biomarkers, or, more specifically, blood biomarkers were not used (**FLUIDBIOM = 0 or 2**), **BLOODOTH = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d	3d		

BLOODOTHX

Variable Type	Original UDS question
Short descriptor	Blood-based biomarkers - Consistent with other etiology (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another biomarker finding is indicated (**BLOODOTH = 0, 1, or 9**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	3d1	3d1		

CSFAD

Variable Type	Original UDS question
Short descriptor	CSF-based biomarkers - Consistent with AD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **CSFAD = -4**. Additionally, if fluid biomarkers, or, more specifically, CSF biomarkers were not used (**FLUIDBIOM = 0 or 1**), **CSFAD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4a	4a		

CSFFTLD

Variable Type	Original UDS question
Short descriptor	CSF-based biomarkers - Consistent with FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **CSFFTLD = -4**. Additionally, if fluid biomarkers, or, more specifically, CSF biomarkers were not used (**FLUIDBIOM = 0 or 1**), **CSFFTLD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4b	4b		

CSFLBD

Variable Type	Original UDS question
Short descriptor	CSF-based biomarkers - Consistent with LBD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **CSFLBD = -4**. Additionally, if fluid biomarkers, or, more specifically, CSF biomarkers were not used (**FLUIDBIOM = 0 or 1**), **CSFLBD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4c	4c		

CSFOTH

Variable Type	Original UDS question
Short descriptor	CSF-based biomarkers - Consistent with other etiology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **CSFOTH = -4**. Additionally, if fluid biomarkers, or, more specifically, CSF biomarkers were not used (**FLUIDBIOM = 0 or 1**), **CSFOTH = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4d	4d		

CSFOTHX

Variable Type	Original UDS question
Short descriptor	CSF-based biomarkers - Consistent with other etiology (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another biomarker finding is indicated (**CSFOTH = 0, 1, or 9**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	4d1	4d1		

AMYLCSF

Variable Type	Original UDS question
Short descriptor	Abnormally low amyloid in CSF
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **AMYLCSF = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6b	6b	6b	6b
v4	N/A	N/A		

CSFTAU

Variable Type	Original UDS question
Short descriptor	Abnormally elevated CSF Tau or pTau
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **CSFTAU = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6f	6f	6f	6f
v4	N/A	N/A		

IMAGINGDX

Variable Type	Original UDS question
Short descriptor	Imaging used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, only PET/SPECT imaging was used **2** = Yes, only MR imaging was used **3** = Yes, both PET/SPECT and MR imaging were used **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **IMAGINGDX = -4**. If imaging was used to support the etiological diagnosis at a visit, **IMAGINGDX = 1, 2, or 3** depending on whether PET/SPECT, MR imaging, or both were used. If biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if imaging was not used to support the etiological diagnosis at the visit, **IMAGINGDX = 0**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	5	5		

PETDX

Variable Type	Original UDS question
Short descriptor	Tracer-based PET measures used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **PETDX = -4**. Additionally, if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), **PETDX = 0**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6a	6a		

AMYLPET

Variable Type	Original UDS question
Short descriptor	Abnormally elevated amyloid on PET
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2 or v2 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **AMYLPET = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), **AMYLPET = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center. Note that in UDSv4, an "Indeterminate" option was added to the form. Participants with an "Indeterminate" finding will have **AMYLPET = 9**.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6a	6a	6a	6a
v4	6a1	6a1		

TAUPET

Variable Type	Original UDS question
Short descriptor	Elevated tau pathology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **TAUPET = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), **TAUPET = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6a2	6a2		

TAUPETAD

Variable Type	Original UDS question
Short descriptor	Tau PET evidence for AD
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **TAUPETAD = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6e	6e	6e	6e
v4	N/A	N/A		

TPETFTLD

Variable Type	Original UDS question
Short descriptor	Tau PET evidence for FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **TPETFTLD = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6h	6h	6h	6h
v4	N/A	N/A		

FDGPETDX

Variable Type	Original UDS question
Short descriptor	FDG PET data or information used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6b	6b		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **FDGPETDX = -4**. Additionally, if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), **FDGPETDX = 0**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

FDGAD

Variable Type	Original UDS question
Short descriptor	FDG-PET pattern of AD
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6c	6c	6c	6c
v4	6b1	6b1		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2 or v2, or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **FDGAD = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if FDG PET was not used to support the diagnosis (**FDGPETDX = 0**), then **FDGAD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

Note that in UDSv4, an "Indeterminate" option was added to the form. Participants with an "Indeterminate" finding will have **FDGAD = 9**.

FDGFTLD

Variable Type	Original UDS question
Short descriptor	FDG-PET evidence for frontal or anterior temporal hypometabolism for FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6g	6g	6g	6g
v4	6b2	6b2		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2 or v2, or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **FDGFTLD = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if FDG PET was not used to support the diagnosis (**FDGPETDX = 0**), then **FDGFTLD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

Note that in UDSv4, an "Indeterminate" option was added to the form. Participants with an "Indeterminate" finding will have **FDGFTLD = 9**.

MRFTLD

Variable Type	Original UDS question
Short descriptor	Structural MR evidence for frontal or anterior temporal atrophy for FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **MRFTLD = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6i	6i	6i	6i
v4	N/A	N/A		

FDGLBD

Variable Type	Original UDS question
Short descriptor	FDG PET - Consistent with LBD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **FDGLBD = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if FDG PET was not used to support the diagnosis (**FDGPETDX = 0**), then **FDGLBD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6b3	6b3		

FDGOTH

Variable Type	Original UDS question
Short descriptor	FDG PET - Consistent with other etiology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **FDGOTH = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if FDG PET was not used to support the diagnosis (**FDGPETDX = 0**), then **FDGOTH = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6b4	6b4		

FDGOTHX

Variable Type	Original UDS question
Short descriptor	FDG PET - Consistent with other etiology (specify)
Data type	Character longitudinal
Allowable codes	**Any text or number**
Description/ derivation	If another FDG PET finding is indicated (**FDGOTH = 0, 1, or 9**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6b4a	6b4a		

HIPPATR

Variable Type	Original UDS question
Short descriptor	Hippocampal atrophy
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **HIPPATR = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6d	6d	6d	6d
v4	N/A	N/A		

DATSCANDX

Variable Type	Original UDS question
Short descriptor	DAT Scan data or information used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **DATSCANDX = -4.** Additionally, if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if imaging, or, more specifically, PET/ SPECT was not used (**IMAGINGDX = 0 or 2**), **DATSCANDX = 0**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6c	6c		

DATSCAN

Variable Type	Original UDS question
Short descriptor	Dopamine transporter scan (DATscan) evidence for Lewy body disease
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **DATSCAN = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6j	6j	6j	6j
v4	N/A	N/A		

TRACOTHDX

Variable Type	Original UDS question
Short descriptor	Other tracer-based imaging used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **TRACOTHDX = -4.** Additionally, if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if imaging, or, more specifically, PET/ SPECT was not used (**IMAGINGDX = 0 or 2**), **TRACOTHDX = 0**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d	6d		

TRACOTHDXX

Variable Type	Original UDS question
Short descriptor	Other tracer-based imaging used in the etiological diagnosis? (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another tracer-based imaging finding is indicated (**TRACOTHDX = 1 or 2**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d1a	6d1a		

TRACERAD

Variable Type	Original UDS question
Short descriptor	Other tracer-based imaging - Consistent with AD
Data type	Numeric longitudinal
Allowable codes	**0 =** Not consistent **1 =** Yes, consistent **8 =** Not assessed **9 =** Indeterminate **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **TRACERAD = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if another tracer-based imaging finding was not used to support the diagnosis (**TRACOTHDX = 0**), then **TRACERAD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d1	6d1		

TRACERFTLD

Variable Type	Original UDS question
Short descriptor	Other tracer-based imaging - Consistent with FTLD
Data type	Numeric longitudinal
Allowable codes	**0 =** Not consistent **1 =** Yes, consistent **8 =** Not assessed **9 =** Indeterminate **-4 =** Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **TRACERFTLD = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if another tracer-based imaging finding was not used to support the diagnosis (**TRACOTHDX = 0**), then **TRACERFTLD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d2	6d2		

TRACERLBD

Variable Type	Original UDS question
Short descriptor	Other tracer-based imaging - Consistent with LBD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **TRACERLBD = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if another tracer-based imaging finding was not used to support the diagnosis (**TRACOTHDX = 0**), then **TRACERLBD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d3	6d3		

TRACEROTH

Variable Type	Original UDS question
Short descriptor	Other tracer-based imaging - Consistent with other etiology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **TRACEROTH = -4**. Additionally, if imaging, or more specifically, PET/SPECT was not used (**IMAGINGDX = 0 or 2**), or if another tracer-based imaging finding was not used to support the diagnosis (**TRACOTHDX = 0**), then **TRACEROTH = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d4	6d4		

TRACEROTHX

Variable Type	Original UDS question
Short descriptor	Other tracer-based imaging - Consistent with other etiology (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another tracer-based imaging finding is consistent with an "other" etiology (**TRACEROTH = 0, 1, or 9**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	6d4a	6d4a		

STRUCTDX

Variable Type	Original UDS question
Short descriptor	Structural imaging data or information used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **STRUCTDX = -4.** Additionally, if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if imaging, more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), **STRUCTDX = 0**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a	7a		

STRUCTAD

Variable Type	Original UDS question
Short descriptor	Atrophy pattern consistent with AD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **STRUCTAD = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**), then **STRUCTAD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a1	7a1		

STRUCTFTLD

Variable Type	Original UDS question
Short descriptor	Atrophy pattern consistent with FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **STRUCTFTLD = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**), then **STRUCTFTLD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a2	7a2		

STRUCTCVD

Variable Type	Original UDS question
Short descriptor	Consistent with cerebrovascular disease (CVD)
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **STRUCTCVD = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**), then **STRUCTCVD = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a3	7a3		

IMAGLINF

Variable Type	Original UDS question
Short descriptor	Large vessel infarct(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7a	7a	7a	7a
v4	7a3a	7a3a		

Description/ derivation

Participants with UDS visits conducted using UDSv1.2 or v2 forms or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **IMAGLINF = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**) or if there is not evidence of CVD on imaging, then **IMAGLINF = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

Note that in UDSv4, an "Indeterminate" option was added to the form. Participants with an "Indeterminate" finding will have **IMAGLINF = 9**.

IMAGLAC

Variable Type	Original UDS question
Short descriptor	Lacunar infarct(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7b	7b	7b	7b
v4	7a3b	7a3b		

Description/ derivation

Participants with UDS visits conducted using UDSv1.2 or v2 forms or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **IMAGLAC = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**) or if there is not evidence of CVD on imaging, then **IMAGLAC = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

Note that in UDSv4, an "Indeterminate" option was added to the form. Participants with an "Indeterminate" finding will have **IMAGLAC = 9**.

IMAGMACH

Variable Type	Original UDS question
Short descriptor	Macrohemorrhage(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7c	7c	7c	7c
v4	7a3c	7a3c		

Description/ derivation

Participants with UDS visits conducted using UDSv1.2 or v2 forms or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **IMAGMACH = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**) or if there is not evidence of CVD on imaging, then **IMAGMACH = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

Note that in UDSv4, an "Indeterminate" option was added to the form. Participants with an "Indeterminate" finding will have **IMAGMACH = 9**.

IMAGMICH

Variable Type	Original UDS question
Short descriptor	Microhemorrhage(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7d	7d	7d	7d
v4	7a3d	7a3d		

Description/ derivation

Participants with UDS visits conducted using UDSv1.2 or v2 forms or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **IMAGMICH = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**) or if there is not evidence of CVD on imaging, then **IMAGMICH = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

Note that in UDSv4, an "Indeterminate" option was added to the form. Participants with an "Indeterminate" finding will have **IMAGMICH = 9**.

IMAGWMH

Variable Type	Original UDS question
Short descriptor	White-matter hyperintensity
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	7a3e	7a3e		

Description/ derivation

Participants with UDS visits conducted using UDSv1.2, v2, or v3 forms or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **IMAGWMH = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**) or if there is not evidence of CVD on imaging, then **IMAGWMH = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

NACCWMHSEV

Variable Type	NACC derived variable
Short descriptor	White-matter hyperintensity severity
Data type	Numeric longitudinal
Allowable codes	**1** = Moderate white-matter hyperintensity (CHS score 5-6) **2** = Extensive white-matter hyperintensity (CHS score 7-8+) **7** = No white-matter hyperintensity **8** = Unknown/not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	7c-7d	7c-7d	7c-7d	7c-7d
v4	7a3e1	7a3e1		

Description/ derivation

Participants with UDS visits conducted using UDSv1.2 or v2 forms will have **NACCWMHSEV = -4**. Additionally, if imaging, or more specifically, MR imaging was not used (**IMAGINGDX = 0 or 1**), or if structural imaging findings were not used to support the diagnosis (**STRUCTDX = 0**) or if there is not evidence of CVD on imaging, then **NACCWMHSEV = -4**.

OTHBIOM1

Variable Type	Original UDS question
Short descriptor	Other biomarker modality used in the etiological diagnosis
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8	8		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **OTHBIOM1 = -4**. If another biomarker modality was used to support the etiological diagnosis at visit, **OTHBIOM1 = 1 or 2**. If biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if another biomarker modality was not used to support the etiological diagnosis at the visit, **OTHBIOM1 = 0**.

OTHBIOMX1

Variable Type	Original UDS question
Short descriptor	Other biomarker modality used in the etiological diagnosis? (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8a1	8a1		

Description/ derivation: If another biomarker modality is indicated (**OTHBIOM1 = 1 or 2**), it will be listed here; otherwise, this variable will be blank.

BIOMAD1

Variable Type	Original UDS question
Short descriptor	Other biomarker modality - Consistent with AD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8a	8a		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMAD1 = -4**. Additionally, if imaging, or more specifically, another biomarker modality was not used to support the diagnosis (**OTHBIOM1 = 0**), then **BIOMAD1 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BIOMFTLD1

Variable Type	Original UDS question
Short descriptor	Other biomarker modality - Consistent with FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8b	8b		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMFTLD1 = -4**. Additionally, if imaging, or more specifically, another biomarker modality was not used to support the diagnosis (**OTHBIOM1 = 0**), then **BIOMFTLD1 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BIOMLBD1

Variable Type	Original UDS question
Short descriptor	Other biomarker modality - Consistent with LBD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8c	8c		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMLBD1 = -4**. Additionally, if imaging, or more specifically, another biomarker modality was not used to support the diagnosis (**OTHBIOM1 = 0**), then **BIOMLBD1 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BIOMOTH1

Variable Type	Original UDS question
Short descriptor	Other biomarker modality - Consistent with other etiology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8d	8d		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMOTH1 = -4**. Additionally, if imaging, or more specifically, another biomarker modality was not used to support the diagnosis (**OTHBIOM1 = 0**), then **BIOMOTH1 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BIOMOTHX1

Variable Type	Original UDS question
Short descriptor	Other biomarker modality - Consistent with other etiology (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	8d1	8d1		

Description/ derivation: If another biomarker modality consistent with another etiology is indicated (**BIOMOTH1 = 0, 1, or 9**), it will be listed here; otherwise, this variable will be blank.

OTHBIOM2

Variable Type	Original UDS question
Short descriptor	Second "other" biomarker modality used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9	9		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **OTHBIOM2 = -4**. If a second "other" biomarker modality was used to support the etiological diagnosis at a visit, **OTHBIOM2 = 1 or 2**. If biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if a second "other" biomarker modality was not used to support the etiological diagnosis at the visit, **OTHBIOM2 = 0**.

OTHBIOMX2

Variable Type	Original UDS question
Short descriptor	Second "other" used in the etiological diagnosis? (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9a1	9a1		

Description/ derivation: If a second "other" biomarker modality is indicated (**OTHBIOM2 = 1 or 2**), it will be listed here; otherwise, this variable will be blank.

BIOMAD2

Variable Type	Original UDS question
Short descriptor	Second "other" biomarker modality - Consistent with AD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9a	9a		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMAD2 = -4**. Additionally, if imaging, or more specifically, a second "other" biomarker modality was not used to support the diagnosis (**OTHBIOM2 = 0**), then **BIOMAD2 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BIOMFTLD2

Variable Type	Original UDS question
Short descriptor	Second "other" biomarker modality - Consistent with FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9b	9b		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMFTLD2 = -4**. Additionally, if imaging, or more specifically, a second "other" biomarker modality was not used to support the diagnosis (**OTHBIOM2 = 0**), then **BIOMFTLD2 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BIOMLBD2

Variable Type	Original UDS question
Short descriptor	Second "other" biomarker modality - Consistent with LBD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9c	9c		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMLBD2 = -4**. Additionally, if imaging, or more specifically, a second "other" biomarker modality was not used to support the diagnosis (**OTHBIOM2 = 0**), then **BIOMLBD2 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

BIOMOTH2

Variable Type	Original UDS question
Short descriptor	Second "other" biomarker modality - Consistent with other etiology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMOTH2 = -4**. Additionally, if imaging, or more specifically, a second "other" biomarker modality was not used to support the diagnosis (**OTHBIOM2 = 0**), then **BIOMOTH2 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9d	9d		

BIOMOTHX2

Variable Type	Original UDS question
Short descriptor	Second "other" biomarker modality - Consistent with other etiology (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If a second "other" biomarker modality consistent with another etiology is indicated (**BIOMOTH2 = 0, 1, or 9**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	9d1	9d1		

OTHBIOM3

Variable Type	Original UDS question
Short descriptor	Third "other" biomarker modality used in the etiological diagnosis?
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes, results were normal or abnormal **2** = Yes, results were indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **OTHBIOM3 = -4**. If a third "other" biomarker modality was used to support the etiological diagnosis at a visit, **OTHBIOM3 = 1 or 2**. If biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), or if a third "other" biomarker modality was not used to support the etiological diagnosis at the visit, **OTHBIOM3 = 0**.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10	10		

OTHBIOMX3

Variable Type	Original UDS question
Short descriptor	Third "other" used in the etiological diagnosis? (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If a third "other" biomarker modality is indicated (**OTHBIOM3 = 1 or 2**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10a1	10a1		

BIOMAD3

Variable Type	Original UDS question
Short descriptor	Third "other" biomarker modality - Consistent with AD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMAD3 = -4**. Additionally, if imaging, or more specifically, a third "other" biomarker modality was not used to support the diagnosis (**OTHBIOM3 = 0**), then **BIOMAD3 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10a	10a		

BIOMFTLD3

Variable Type	Original UDS question
Short descriptor	Third "other" biomarker modality - Consistent with FTLD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMFTLD3 = -4**. Additionally, if imaging, or more specifically, a third "other" biomarker modality was not used to support the diagnosis (**OTHBIOM3 = 0**), then **BIOMFTLD3 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10b	10b		

BIOMLBD3

Variable Type	Original UDS question
Short descriptor	Third "other" biomarker modality - Consistent with LBD
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMLBD3 = -4**. Additionally, if imaging, or more specifically, a third "other" biomarker modality was not used to support the diagnosis (**OTHBIOM3 = 0**), then **BIOMLBD3 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10c	10c		

BIOMOTH3

Variable Type	Original UDS question
Short descriptor	Third "other" biomarker modality - Consistent with other etiology
Data type	Numeric longitudinal
Allowable codes	**0** = Not consistent **1** = Yes, consistent **8** = Not assessed **9** = Indeterminate **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v3 or if biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**) will have **BIOMOTH3 = -4**. Additionally, if imaging, or more specifically, a third "other" biomarker modality was not used to support the diagnosis (**OTHBIOM3 = 0**), then **BIOMOTH3 = -4**. Centers answer this question based on local standards; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10d	10d		

BIOMOTHX3

Variable Type	Original UDS question
Short descriptor	Third "other" biomarker modality - Consistent with other etiology (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If a third "other" biomarker modality consistent with another etiology is indicated (**BIOMOTH3 = 0, 1, or 9**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	10d1	10d1		

OTHBIOM

Variable Type	Original UDS question
Short descriptor	Biomarker findings - Other
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **OTHBIOM = -4**. Centers answer this question based on local standards for positivity; methods of evaluation and cutoffs may vary by Center.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6k	6k	6k	6k
v4	N/A	N/A		

OTHBIOMX

Variable Type	Original UDS question
Short descriptor	Biomarker findings - Other (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**
Description/ derivation	If another biomarker finding is indicated (**OTHBIOM = 1**), it will be listed here; otherwise, this variable will be blank.

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	6k1	6k1	6k1	6k1
v4	N/A	N/A		

AUTDOMMUT

Variable Type: Original UDS question

Short descriptor: Autosomal dominant pathogenic variant supporting the etiological diagnosis

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
9 = Unknown/Not disclosed
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	11	11		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v3 will have **AUTDOMMUT = -4**. If biomarkers were not used in the diagnosis in UDSv4 (**BIOMARKDX = 0**), **AUTDOMMUT = 0**.

OTHMUT

Variable Type: Original UDS question

Short descriptor: Does the participant have a hereditary mutation other than an AD or FTLD mutation?

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
9 = Unknown/not assessed
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	10	10	10	10
v4	N/A	N/A		

Description/ derivation: Participants with UDS visits conducted using UDSv1.2, v2, or v4 will have **OTHMUT = -4**.

OTHMUTX

Variable Type: Original UDS question

Short descriptor: Other mutation (specify)

Data type: Character longitudinal

Allowable codes: **Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	10a	10a	10a	10a
v4	N/A	N/A		

Description/ derivation: If a mutation other than an AD or FTLD mutation is indicated (**OTHMUT = 1**), it will be listed here; otherwise, this variable will be blank.

NACCADMU

Variable Type: NACC derived variable

Short descriptor: Does the participant have a dominantly inherited AD mutation?

Data type: Numeric cross-sectional

Allowable codes:
0 = No/unknown
1 = Yes

Description/ derivation: This derived variable combines data across all UDSv3 visits and the Neuropathology data, if available. If the participant reported evidence of an AD mutation at any visit (UDS Form D1 Question 8 = 1) or if evidence of an AD mutation is determined at autopsy (NPv1, 8, 9 Question 19 = 1-3; v10 Question 18p = 1; v11 Question 19p = 1), then the presence will be indicated in **NACCADMU**.

QUESTION # BY PACKET/VERSION

Uniform Data Set (UDS)

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	8	8	8	8
v4	N/A	N/A		

Neuropathology Data

v1	**v8**	**v9**	**v10**	**v11**
19	19	19	18p	18p

NACCFTDM

Variable Type	NACC derived variable
Short descriptor	Does the participant have a hereditary FTLD mutation?
Data type	Numeric cross-sectional
Allowable codes	**0 =** No/unknown **1 =** Yes
Description/ derivation	This derived variable combines data across all UDSv3 visits and the Neuropathology data, if available. If the participant reported evidence of an FTLD mutation at any visit (UDS Form D1 Question 9 = 1) or if evidence of an FTLD mutation is determined at autopsy (NPv1, 8, 9 Question 19 = 4; v10 Question 18q = 1; v11 Question 19q = 1), then the presence will be indicated in **NACCFTDM**.

QUESTION # BY PACKET/VERSION

Uniform Data Set (UDS)

	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	9	9	9	9
v4	N/A	N/A		

Neuropathology Data

v1	**v8**	**v9**	**v10**	**v11**
19	19	19	18q	19q

NACCALZD

Variable Type	NACC derived variable
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Alzheimer's disease
Data type	Numeric longitudinal
Allowable codes	**0 =** No (assumed assessed and found not present) **1 =** Yes **8 =** No cognitive impairment

QUESTION # BY PACKET/VERSION

	IVP	FVP	TIP	TFP
v1	5, 6	5, 6		
v2	5, 6	5, 6		5, 6
v3	11	11	11	11
v4	12	12		

Description/ derivation

Participants with normal cognition have **NACCALZD = 8**. Participants with any cognitive impairment (dementia, MCI, or impaired not MCI) and Alzheimer's disease indicated as the etiologic diagnosis have **NACCALZD = 1**. Participants with cognitive impairment and no Alzheimer's disease etiologic diagnosis have **NACCALZD = 0**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of Alzheimer's disease is different across versions of the UDS:

- In v1.2 and v2 the NINCDS/ADRDA criteria were applied
- In v3 and v4 the NIA-AA criteria for AD dementia are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that variables indicating a diagnosis of probable and possible AD (NINCDS/ADRDA criteria) were collected in UDSv1.2 and v2 and are no longer collected in UDSv3.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 and v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variables: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

NACCALZP

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5a, 6a	5a, 6a		
v2	5a, 6a	5a, 6a		5a, 6a
v3	11a	11a	11a	11a
v4	12a	12a		

Variable Type NACC derived variable

Short descriptor Primary, contributing, or non-contributing cause of observed cognitive impairment - Alzheimer's disease (AD)

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but not AD diagnosis
8 = Diagnosis of normal cognition

Description/ derivation Participants who are cognitively impaired without an etiologic diagnosis of AD have **NACCALZP = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **NACCALZP = 8**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of Alzheimer's disease is different across versions of the UDS:

- In v1.2 and v2 the NINCDS/ADRDA criteria were applied
- In v3 and v4 the NIA-AA criteria for AD dementia are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

PROBAD

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5	5		
v2	5	5		5
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Variable Type Original UDS question

Short descriptor Presumptive etiologic diagnosis of the cognitive disorder - Probable Alzheimer's disease

Data type Numeric longitudinal

Allowable codes
0 = No
1 = Yes
8 = No cognitive impairment
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation Participants with normal cognition have **PROBAD = 8**. Participants with any cognitive impairment (dementia, MCI, or impaired not MCI) and Probable Alzheimer's disease (NINCDS/ADRDA) indicated as the etiologic diagnosis have **PROBAD = 1**. Particpants with cognitive impairment and no probable Alzheimer's disease etiologic diagnosis have **PROBAD = 0**. To determine whether the particpant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

Please note that the presence of probable and possible AD were collected in UDSv1.2 and v2 and were no longer collected in UDSv3 or v4.

PROBADIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Probable Alzheimer's disease
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but not AD diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with normal cognition or who are cognitively impaired without an etiologic diagnosis of AD have **PROBADIF = 8** and **PROBADIF = 7**, respectively. Please note that the presence of probable and possible AD were collected in UDSv1.2 and v2 and were no longer collected in UDSv3 or v4.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	5a	5a		
v2	5a	5a		5a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

POSSAD

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Possible Alzheimer's disease
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = No cognitive impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with normal cognition have **POSSAD = 8**. Participants with any cognitive impairment (dementia, MCI, or impaired not MCI) and possible Alzheimer's disease (NINCDS/ADRDA) indicated as the etiologic diagnosis have **POSSAD = 1**. Participants with cognitive impairment and no possible Alzheimer's disease etiologic diagnosis have **POSSAD = 0**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer the the NACCUDSD variable. Please note that the presence of probable and possible AD were collected in UDSv1.2 and v2 and were no longer collected in UDSv3 or v4.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6	6		
v2	6	6		6
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

POSSADIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Possible Alzheimer's disease
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no AD diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants with normal cognition or who are cognitively impaired without an etiologic diagnosis of AD have **POSSADIF = 8** and **POSSADIF = 7**, respectively. Please note that the presence of probable and possible AD were collected in UDSv1.2 and v2 and were no longer collected in UDSv3 or v4.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	6a	6a		
v2	6a	6a		6a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

NACCLBDE

Variable Type	NACC derived variable
Short descriptor	Presumptive etiologic diagnosis - Lewy body disease
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **8** = No cognitive impairment

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7, 22	7, 22		
v2	7, 23	7, 23		7, 23
v3	12	12	12	12
v4	13	13		

Description/ derivation

Participants with Lewy body disease indicated as the etiologic diagnosis (DLB or Parkinson's disease) have **NACCLBDE = 1**. Participants with normal cognition and no Lewy body disease indicated as the etiologic diagnosis (DLB or Parkinson's disease) have **NACCLBDE = 8**. Note that in UDSv4, Parkinson's disease is not assessed as an etiologic diagnosis. To focus on individuals with Parkinson's disease in UDSv1-3, refer the the variable **PARK**. In UDSv4, refer to **NACCLBDS** and **LBDSYNT** to determine whether participants have Parkinson's disease as a clinical syndrome.

Participants with any cognitive impairment (dementia, MCI, or impaired not MCI) and Lewy body disease indicated as the etiologic diagnosis (DLB or Parkinson's disease) have **NACCLBDE = 1**. Participants with cognitive impairment and no Lewy body disease as an etiologic diagnosis have **NACCLBDE = 0**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of Lewy body disease is different across versions of the UDS:

- In v1.2 and v2 the McKeith 2005 criteria were applied
- In v3 and v4 the McKeith 2017 are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

NACCLBDP

Variable Type	NACC derived variable
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Lewy body disease (LBD)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no LBD diagnosis **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	7a, 22a	7a, 22a		
v2	7a, 23a	7a, 23a		7a, 23a
v3	12a	12a	12a	12a
v4	13a	13a		

Description/ derivation

Participants who are cognitively impaired without an etiologic diagnosis of Lewy body disease have **NACCLBDP = 7**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **NACCLBDP = 8**. Participants with any cognitive impairment (dementia, MCI, or impaired not MCI) and Lewy body disease indicated as the etiologic diagnosis (DLB or Parkinson's disease) will have **NACCLBDP = 1, 2, or 3**. To determine whether the participant was cognitively impaired not MCI, or had MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of Lewy body disease is different across versions of the UDS:

- In v1.2 and v2 the McKeith 2005 criteria were applied
- In v3 and v4 the McKeith 2017 are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

PARK

Variable Type	Original UDS question
Short descriptor	Parkinson's disease present
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	22	22		
v2	23	23		23
v3	12b	12b	12b	12b
v4	N/A	N/A		

Description/ derivation

Participants with a diagnosis of Parkinson's disease, regardless of cognitive status, have **PARK = 1**. Otherwise, **PARK = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable. To determine whether Parkinson's disease was the primary or contributing cause of any observed cognitive impairment, use the **NACCLBDP** variable.

Please note that Parkinson's disease diagnosis was collected in UDSv1.2, v2, and v3 and is no longer collected in v4.

Note that among cognitively impaired participants who had visits assessed using UDSv3, their clinical syndrome(s) during that particular UDS visit can be determined by examing the following variables: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

FTLD

Variable Type	Original UDS question
Short descriptor	Presence of Frontotemporal lobar degeneration (FTLD)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent (assumed assessed and found not present) **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	14	14		

Description/ derivation

This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **FTLD = -4**. (See variables, **PSP, CORT, FTLDMO**, and **FTLDNOS**.) Participants with an FTLD etiologic diagnosis indicated as the etiologic diagnosis in v4 have **FTLD = 1**. Participants without FTLD have **FTLD = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv4, their clinical syndrome(s) during that particular UDS visit can be determined by examing the following variables: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

PSP

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - primary supranuclear palsy (PSP)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13	13		
v2	14	14		14
v3	14a	14a	14a	14a
v4	14a	14a		

Description/ derivation

Participants with PSP indicated as the etiologic diagnosis have **PSP = 1**. In UDSv1-3, participants with no diagnosis of PSP have **PSP = 0**. In UDSv4, participants who do not have Frontotemporal lobar degeneration (FTLD) selected as "Present" will have **PSP = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of PSP is different across versions of the UDS:

- In v1.2 and v2 the Litvan criteria were applied
- In v3 the Bensimon criteria were applied
- In v4 the Höglinger criteria are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

PSPIF

Variable Type	Original UDS question
Short descriptor	Primary, non-contributing, or non-contributing cause of cognitive impairment - Primary supranuclear palsy (PSP)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no PSP diagnosis **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	13a	13a		
v2	14a	14a		14a
v3	14a1	14a1	14a1	14a1
v4	14a1	14a1		

Description/ derivation

Participants who are cognitively impaired without an etiologic diagnosis of FTLD, or, specifcally, PSP have **PSPIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **PSPIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of PSP is different across versions of the UDS:

- In v1.2 and v2 the Litvan criteria were applied
- In v3 the Bensimon criteria were applied
- In v4 the Höglinger criteria are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

CORT

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Corticobasal degeneration (CBD)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	14	14		
v2	15	15		15
v3	14b	14b	14b	14b
v4	14b	14b		

Description/ derivation

Participants with CBD indicated as the etiologic diagnosis have **CORT = 1**. In UDSv1-3, participants with no diagnosis of CBD have **CORT = 0**. In UDSv4, participants who do not have Frontotemporal lobar degeneration (FTLD) selected as "Present" will have **CBD = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of CBD is different across versions of the UDS:
- In v1.2 and v2 the Litvan criteria were applied
- In v3 and v4 the Armstrong criteria are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

CORTIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Corticobasal degeneration (CBD)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no CBD diagnosis **8** = Diagnosis of normal cognition

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	14a	14a		
v2	15a	15a		15a
v3	14b1	14b1	14b1	14b1
v4	14b1	14b1		

Description/ derivation

Participants who are cognitively impaired without an etiologic diagnosis of FTLD, or, specifcally, CBD have **CORTIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **CORTIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of CBD is different across versions of the UDS:
- In v1.2 and v2 the Litvan criteria were applied
- In v3 and v4 the Armstrong criteria are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

FTLDMO

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	14c	14c	14c	14c
v4	14c	14c		

Variable Type: Original UDS question

Short descriptor: Presumptive etiologic diagnosis - FTLD with motor neuron disease (MND)

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: This variable was not collected in UDSv1.2 and v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **FTLDMO = -4**. Participants with FTLD with motor neuron disease (MND) indicated as the etiologic diagnosis have **FTLDMO = 1**. In UDSv1-3, participants without FTLD with MND as an etiologic diagnosis have **FTLDMO = 0**. In UDSv4, participants who do not have Frontotemporal lobar degeneration (FTLD) selected as "Present" will have **FTLDMO = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

FTLDMOIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	14c1	14c1	14c1	14c1
v4	14c1	14c1		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - FTLD with motor neuron disease (MND)

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no FTLD with MND diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: This variable was not collected in UDSv1.2 and v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **FTLDMOIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of FTLD, or, specifcally, FTLD with motor neuron disease (MND) have **FTLDMOIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **FTLDMOIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

FTLDNOS

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - FTLD not otherwise specified (NOS)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	14d	14d	14d	14d
v4	14d	14d		

Description/ derivation: This variable was not collected in UDSv1.2 and v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **FTLDNOS = -4**. Participants with any cognitive impairment (dementia, MCI, or impaired not MCI) and FTLD NOS indicated as the etiologic diagnosis have **FTLDNOS = 1**. In UDSv1-3, participants without FTLD NOS as an etiologic diagnosis have **FTLDMO = 0**. In UDSv4, participants who do not have Frontotemporal lobar degeneration (FTLD) selected as "Present" will have **FTLDMO = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

FTLDNOIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contirbuting cause of cognitive impairment - FTLD not otherwise specified (NOS)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no FTLD NOS diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	14d1	14d1	14d1	14d1
v4	14d1	14d1		

Description/ derivation: This variable was not collected in UDSv1.2 and v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **FTLDNOIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of FTLD, or, specifcally, FTLD NOS have **FTLDNOIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **FTLDNOIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

FTLDSUBT

Variable Type	Original UDS question
Short descriptor	FTLD subtype
Data type	Numeric longitudinal
Allowable codes	**1** = Tauopathy **2** = TDP-43 proteinopathy **3** = Other **7** = Cognitively impaired but no FTLD diagnosis **9** = Unknown subtype **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	14e	14e	14e	14e
v4	14e	14e		

Description/ derivation: This variable was not collected in UDSv1.2 or v2; therefore, participants with visits assessed using UDSv1.2 or v2 will have **FTLDSUBT = -4**. Participants who are cognitively impaired without an etiologic diagnosis of FTLD have **FTLDSUBT = 7**.

FTLDSUBX

Variable Type	Original UDS question
Short descriptor	Other FTLD subtype, specify
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	14e1	14e1	14e1	14e1
v4	14e1	14e1		

Description/ derivation: If a subtype other than a Tauopathy or TDP-43 proteinopathy is indicated (**FTLDSUBT = 3**), it will be listed here; otherwise, this variable will be blank.

FTD

Variable Type	Original UDS question
Short descriptor	Presence of behavioral frontotemporal dementia (bvFTD)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent **1** = Present **8** = No cognitive impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11	11		
v2	12	12		12
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: This variable was not collected in UDSv3 or v4; therefore, participants with visits assessed using UDSv3 or v4 forms will have **FTD = -4**. Participants with normal cognition have **FTD = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

FTDIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - behavioral frontotemporal dementia (bvFTD)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **7** = Cognitively impaired but no bvFTD diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	11a	11a		
v2	12a	12a		12a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: This variable was not collected in UDSv3 or v4; therefore, participants with visits assessed using UDSv3 or v4 forms will have **FTDIF = -4**. Participants with normal cognition or who are cognitively impaired without an etiologic diagnosis of bvFTD have **FTDIF = 8** and **FTDIF = 7**, respectively. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

PPAPH

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Primary progressive aphasia (PPA)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = No cognitive impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12	12		
v2	13	13		13
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: This variable was not collected in UDSv3 or v4; therefore, participants with visits assessed using UDSv3 or v4 forms will have **PPAPH = -4**. Participants with normal cognition or who are cognitively impaired without an etiologic diagnosis of PPA have **PPAPH = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

PPAPHIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - primary progressive aphasia (PPA)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **7** = Cognitively impaired but no PPA diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	12a	12a		
v2	13a	13a		13a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: This variable was not collected in UDSv3 or v4; therefore, participants with visits assessed using UDSv3 or v4 forms will have **PPAPHIF = -4**. Participants with normal cognition or who are cognitively impaired without an etiologic diagnosis of PPA have **PPAPHIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

MSA

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Multiple system atrophy (MSA)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	13	13	13	13
v4	16	16		

Description/ derivation: This variable was not collected in UDSv1.2 or v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **MSA = -4**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of MSA is different across versions of the UDS:

- In v3 the Gilman criteria were applied
- In v4 the Wenning criteria were applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

MSAIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Multiple system atrophy (MSA)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no MSA diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	13a	13a	13a	13a
v4	16a	16a		

Description/ derivation

This variable was not collected in UDSv1.2 or v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **MSAIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of MSA have **MSAIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **MSAIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

It is important to note that the criteria for an etiologic diagnosis of MSA is different across versions of the UDS:

- In v3 the Gilman criteria were applied
- In v4 the Wenning criteria are applied

While these criteria are quite similar, they do have subtle differences. Please refer to the UDS coding guidebooks for additional information about these different criteria.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

CVD

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Vascular brain injury (VBI)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15	15	15	15
v4	15	15		

Description/ derivation

This variable was not collected in UDSv1.2 or v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **CVD = -4**. Participants with vascular brain injury (VBI) indicated as the etiologic diagnosis in v3 or v4 have **CVD = 1**. Participants with no VBI as an etiologic diagnosis in v3 or v4 have **CVD = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the NACCUDSD variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

Vascular dementia was diagnosed using the NINDS/AIREN possible and probable criteria in UDSv1.2 and v2, and is no longer used in UDSv3 and v4. For UDS visits conducted using v1.2 and v2 of the UDS forms, please refer to the **VASC**, **VASCIF**, **VASCPS**, and **VASCPSIF** variables. Additionally, in v1.2 and v2, clinicians could indicate stroke and whether stroke was the primary or contributing cause of the cognitive impairment; please refer to the **STROKE** and **STROKIF** variables for v1.2 and v2.

CVDIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15a	15a	15a	15a
v4	15a	15a		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Vascular brain injury (VBI)

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no VBI diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: This variable was not collected in UDSv1.2 or v2; therefore, participants with visits assessed using UDSv1.2 or v2 forms will have **CVDIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of VBI have **CVDIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **CVDIF = 8.** To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the NACCUDSD variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv3 or v4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

Vascular dementia was diagnosed using the NINDS/AIREN possible and probable criteria in UDSv1.2 and v2, and is no longer used in UDSv3 and v4. For UDS visits conducted using v1.2 and v2 of the UDS forms, please refer to the **VASC**, **VASCIF**, **VASCPS**, and **VASCPSIF** variables.

PREVSTK

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15b	15b	15b	15b
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Previous symptomatic stroke

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: This variable was not collected in UDSv1.2, v2, and v4; therefore, participants with visits assessed using UDSv1.2, v2, or v4 forms will have **PREVSTK = -4**. Participants with **CVD = 0** in UDSv3 will have **PREVSTK = 0**.

STROKDEC

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15b1	15b1	15b1	15b1
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Temporal relationship between stroke and cognitive decline

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Participant did not have a previous symptomatic stroke
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: This variable was not collected in UDSv1.2, v2, and v4; therefore, participants with visits assessed using UDSv1.2, v2, and v4 of the UDS forms will have **STROKDEC = -4**. Participants with previous vascular brain injury but who had no previous symptomatic stroke reported have **STROKDEC = 8**. Participants with no vascular brain injury have **STROKDEC = -4**. Note that for participants with visits using UDSv2, a similar question was asked on Form B2; refer to **STROKCOG**.

STKIMAG

Variable Type	Original UDS question
Short descriptor	Confirmation of stroke by neuroimaging
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Participant did not have a previous symptomatic stroke **9** = Unknown, no relevant imaging data available **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15b2	15b2	15b2	15b2
v4	N/A	N/A		

Description/ derivation: This variable was not collected in UDSv1.2, v2, and v4; therefore, participants with visits assessed using UDSv1.2, v2, or v4 forms will have **STKIMAG = -4**. Participants who had no previous symptomatic stroke reported have **STKIMAG = 8**. Participants with no vascular brain injury have **STKIMAG = -4**.

INFNETW

Variable Type	Original UDS question
Short descriptor	Imaging evidence of cystic infarction in cognitive network(s)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown, no relevant imaging data available **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15c	15c	15c	15c
v4	N/A	N/A		

Description/ derivation: This variable was not collected in UDSv1.2, v2, and v4; therefore, participants with visits assessed using UDSv1.2, v2, or v4 forms will have **INFNETW = -4**. Participants with **CVD = 0** in UDSv3 will have **INFNETW = 9** as imaging may or may not have been performed.

INFWMH

Variable Type	Original UDS question
Short descriptor	Imaging evidence of cystic infarction, imaging evidence of extensive white matter hyperintensity (CHS grade 7-8+), and impairment in executive function
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **9** = Unknown, no relevant imaging data available **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	15d	15d	15d	15d
v4	N/A	N/A		

Description/ derivation: This variable was not collected in UDSv1.2, v2, and v4; therefore, participants with visits assessed using UDSv1.2, v2, or v4 forms will have **INFWMH = -4**. Participants with **CVD = 0** in UDSv3 will have **INFWMH = 9** as imaging may or may not have been performed.

VASC

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8	8		
v2	8	8		8
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Presumptive etiologic diagnosis of the cognitive disorder - Probable vascular dementia (NINDS/AIREN criteria)

Data type: Numeric longitudinal

Allowable codes:
0 = No
1 = Yes
8 = Not applicable, no cognitive impairment
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **VASC = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Vascular dementia was diagnosed using the NINDS/AIREN probable criteria in UDSv1.2 and v2, and is no longer used in UDSv3 and v4. For UDS visits conducted using v3 or v4 of the UDS forms and therefore the most current criteria, please refer to the **CVD** and **CVDIF** variables.

VASCIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	8a	8a		
v2	8a	8a		8a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Probable vascular dementia (NINDS/AIREN criteria)

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
7 = Cognitively impaired but not diagnosed with primary probable vascular dementia
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation: This variable was not collected in UDSv3 or v4; therefore, participants with visits assessed using UDSv3 and v4 forms will have **VASCIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of probable vascular dementia have **VASCIF = 7**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **VASCIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Vascular dementia was diagnosed using the NINDS/AIREN probable criteria in UDSv1.2 and v2, and is no longer used in UDSv3 and v4. For UDS visits conducted using v3 or v4 of the UDS forms and therefore the most current criteria, please refer to the **CVD** and **CVDIF** variables.

VASCPS

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Possible vascular dementia (NINDS/AIREN criteria)
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **8** = Not applicable, no cognitive impairment **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	9	9		9
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: This variable was only collected in UDSv2; therefore, participants with visits assessed using UDSv1.2, v3, or v4 forms will have **VASCPS = -4**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **VASCPS = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Vascular dementia was diagnosed using the NINDS/AIREN probable criteria in UDSv1.2 and v2, and is no longer used in UDSv3 and v4. For UDS visits conducted using v3 or v4 of the UDS forms and therefore the most current criteria, please refer to the **CVD** and **CVDIF** variables.

VASCPSIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - possible vascular dementia (NINDS/AIREN criteria)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **7** = Cognitively impaired but not diagnosed with primary possible vascular dementia **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	9a	9a		9a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: This variable was only collected in UDSv2; therefore, participants with visits assessed using UDSv1.2, v3, or v4 forms will have **VASCPSIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of possible vascular dementia have **VASCPSIF = 7**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **VASCPSIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Vascular dementia was diagnosed using the NINDS/AIREN possible criteria in UDSv1.2 and v2, and is no longer used in UDSv3 and v4. For UDS visits conducted using v3 or v4 of the UDS forms and therefore the most current criteria, please refer to the **CVD** and **CVDIF** variables.

STROKE

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Stroke
Data type	Numeric longitudinal
Allowable codes	**0** = No **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	23	23		
v2	24	24		24
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: Both silent and symptomatic stroke were captured with this variable in UDSv1.2 and v2. This variable was not collected in UDSv3 or v4; therefore, participants with visits assessed using UDSv3 or v4 forms will have **STROKE = -4**; to determine whether the participant had a previous symptomatic stroke indicated in UDSv3, please refer to **PREVSTK**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

STROKIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - stroke
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no stroke diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	23a	23a		
v2	24a	24a		24a
v3	N/A	N/A	N/A	N/A
v4	N/A	N/A		

Description/ derivation: Both silent and symptomatic stroke were captured with this variable in UDSv1.2 and v2. This variable was not collected in UDSv3 or v4; therefore, participants with visits assessed using UDSv3 or v4 forms will have **STROKIF = -4**. To determine if the participant had a previous symptomatic stroke indicated in UDSv3, please refer to **PREVSTK**. Participants who are cognitively impaired without an etiologic diagnosis of stroke have **STROKIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **STROKIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

ESSTREM

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Essential tremor
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	16	16	16	16
v4	N/A	N/A		

Description/ derivation: Participants without an etiologic diagnosis of essential tremor have **ESSTREM = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable. Essential tremor was not collected specifically in UDSv1.2, v2, or v4; therefore participants with visits using v1.2, v2, and v4 of the UDS forms will have **ESSTREM = -4**.

ESSTREIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Essential tremor
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no diagnosis of essential tremor **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	16a	16a	16a	16a
v4	N/A	N/A		

Description/ derivation: Participants who are cognitively impaired without an etiologic diagnosis of essential tremor have **ESSTREIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **ESSTREIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable. Essential tremor was not collected specifically in UDSv1.2, v2, or v4; therefore participants with visits using v1.2, v2, and v4 of the UDS forms will have **ESSTREIF = -4**.

DOWNS

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Down syndrome
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes
Description/ derivation	To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	21	21		
v2	22	22		22
v3	17	17	17	17
v4	18	18		

DOWNSIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Down syndrome
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no Down syndrome diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants who are cognitively impaired without an etiologic diagnosis of Down Syndrome have **DOWNSIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **DOWNSIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	21a	21a		
v2	22a	22a		22a
v3	17a	17a	17a	17a
v4	18a	18a		

HUNT

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Huntington's disease
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes
Description/ derivation	To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	15	15		
v2	16	16		16
v3	18	18	18	18
v4	19	19		

HUNTIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Huntington's disease
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no Huntington's disease diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants who are cognitively impaired without an etiologic diagnosis of Huntington's disease have **HUNTIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **HUNTIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	15a	15a		
v2	16a	16a		16a
v3	18a	18a	18a	18a
v4	19a	19a		

PRION

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Prion disease (CJD, other)
Data type	Numeric longitudinal
Allowable codes	**0** = No (assumed assessed and found not present) **1** = Yes
Description/ derivation	To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	16	16		
v2	17	17		17
v3	19	19	19	19
v4	20	20		

PRIONIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Prion disease (CJD, other)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no Prion disease diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	Participants who are cognitively impaired without an etiologic diagnosis of Prion disease have **PRIONIF = 7**. Unimpaired participants are not assessed for primary, contributing, or non-contributing cause of cognitive impairment and have **PRIONIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	16a	16a		
v2	17a	17a		17a
v3	19a	19a	19a	19a
v4	20a	20a		

CTE

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Chronic traumatic encephalopathy (CTE)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent (assumed assessed and found not present) **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question
Description/ derivation	This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **CTE = -4**. Participants with chronic traumatic encephalopathy (CTE) indicated as the etiologic diagnosis in v4 have **CTE = 1**. Participants without CTE have **CTE = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable. Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**. Note that in UDSv3, clinicians could indicate whether a participant with an etiologic diagnosis of TBI had symptoms consistent with CTE using the McKee and Stern criteria. In UDSv4, CTE was assessed separately as an etiologic diagnosis using the Katz criteria in Form D1b, while TBI was assessed as a non-degenerative/non-CVD condition on Form D1a using the Menon definition. Refer to the **TBIDX, TBIDXIF, BRNINJ, BRNINJIF, BRNINCTE**, and **NACCTBIDX** variables.

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	17	17		

CTEIF

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	17a	17a		

Variable Type Original UDS question

Short descriptor Primary, contributing, or non-contributing cause of cognitive impairment - Chronic traumatic encephalopathy (CTE)

Data type Numeric longitudinal

Allowable codes
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no CTE diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **CTEIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of CTE have **CTEIF = 7**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **CTEIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

Note that in UDSv3, clinicians could indicate whether a participant with an etiologic diagnosis of TBI had symptoms consistent with CTE using the McKee and Stern criteria. In UDSv4, CTE was assessed separately as an etiologic diagnosis using the Katz criteria in Form D1b, while TBI was assessed as a non-degenerative/non-CVD condition on Form D1a using the Menon definition. Refer to the **TBIDX, TBIDXIF, BRNINJ, BRNINJIF, BRNINCTE**, and **NACCTBIDX** variables.

CTECERT

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	17b	17b		

Variable Type Original UDS question

Short descriptor CTE certainty

Data type Numeric longitudinal

Allowable codes
1 = Suggestive CTE
2 = Possible CTE
3 = Probable CTE
4 = Indeterminate
7 = Cognitively impaired but no CTE diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

Description/ derivation This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **CTECERT = -4**. Participants who are cognitively impaired without an etiologic diagnosis of CTE have **CTECERT = 7**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **CTECERT = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

Note that among cognitively or behaviorally impaired participants who had visits assessed using UDSv4, their clinical syndrome(s) during that particular UDS visit can be determined by examining the following variable: **DYEXECSYN, AMNDEM, PCA, NACCPPA, NACCBVFT, NACCLBDS, PSPSYN, CTESYN, CBSSYN, MSASYN, NAMNDEM, OTHSYN**.

Note that in UDSv3, clinicians could indicate whether a participant with an etiologic diagnosis of TBI had symptoms consistent with CTE using the McKee and Stern criteria. In UDSv4, CTE was assessed separately as an etiologic diagnosis using the Katz criteria in Form D1b, while TBI was assessed as a non-degenerative/non-CVD condition on Form D1a using the Menon definition. Refer to the **TBIDX, TBIDXIF, BRNINJ, BRNINJIF, BRNINCTE**, and **NACCTBIDX** variables.

CAA

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Cerebral amyloid angiopathy (CAA)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent (assumed assessed and found not present) **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	21	21		

Description/ derivation: This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **CAA = -4**. Participants with cerebral amyloid angiopathy (CAA) indicated as the etiologic diagnosis in v4 have **CAA = 1**. Participants without CAA have **CAA = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

CAAIF

Variable Type	Original UDS question
Short descriptor	Primary, contributing, or non-contributing cause of cognitive impairment - Cerebral amyloid angiopathy (CAA)
Data type	Numeric longitudinal
Allowable codes	**1** = Primary **2** = Contributing **3** = Non-contributing **7** = Cognitively impaired but no CAA diagnosis **8** = Diagnosis of normal cognition **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	21a	21a		

Description/ derivation: This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **CAAIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of CAA have **CAAIF = 7**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **CAAIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

LATE

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis - Limbic-predominant age-related TDP-43 encephalopathy (LATE)
Data type	Numeric longitudinal
Allowable codes	**0** = Absent (assumed assessed and found not present) **1** = Present **-4** = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	22	22		

Description/ derivation: This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **LATE = -4**. Participants with limbic-predominant age-related TDP-43 encephalopahty (LATE) indicated as the etiologic diagnosis in v4 have **LATE = 1**. Participants without LATE have **LATE = 0**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

LATEIF

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Limbic-predominant age-related TDP-43 encephalopathy (LATE)

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no LATE diagnosis
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	N/A	N/A	N/A	N/A
v4	22a	22a		

Description/ derivation: This variable was not collected in UDSv1.2, v2, or v3; therefore, participants with visits assessed using UDSv1.2, v2, or v3 forms will have **LATEIF = -4**. Participants who are cognitively impaired without an etiologic diagnosis of LATE have **LATEIF = 7**. Unimpaired participants are not assessed for primary, contributing, non-contributing cause of cognitive impairment and have **LATEIF = 8**. To determine whether the participant was cognitively impaired not MCI, or had normal cognition, MCI or dementia, refer to the **NACCUDSD** variable.

OTHCOG

Variable Type: Original UDS question

Short descriptor: Presumptive etiologic diagnosis - Other neurological, genetic, or infectious condition

Data type: Numeric longitudinal

Allowable codes:
0 = No (assumed assessed and found not present)
1 = Yes
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	25	25	25	25
v4	23	23		

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected specifically in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have **OTHCOG = -4**; however, other neurological, genetic, or infectious conditions may have been provided in **COGOTH**, **COGOTH2**, and **COGOTH3** in v1.1 and v2.

OTHCOGIF

Variable Type: Original UDS question

Short descriptor: Primary, contributing, or non-contributing cause of cognitive impairment - Other neurological, genetic, or infectious condition

Data type: Numeric longitudinal

Allowable codes:
1 = Primary
2 = Contributing
3 = Non-contributing
7 = Cognitively impaired but no diagnosis of other neurological, genetic, or infectious condition
8 = Diagnosis of normal cognition
-4 = Not available: UDS form submitted did not collect data in this way, or a skip pattern precludes response to this question

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	25a	25a	25a	25a
v4	23a	23a		

Description/ derivation: To determine whether the participant was cognitively impaired not MCI, MCI or dementia, refer to the **NACCUDSD** variable. This variable was not collected specifically in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have **OTHCOGIF = -4**; however, other neurological, genetic, or infectious conditions may have been provided in **COGOTHIF, COGOTH2F,** and **COGOTH3F** in v1.1 and v2.

OTHCOGX

Variable Type	Original UDS question
Short descriptor	Presumptive etiologic diagnosis of the cognitive disorder - Other neurological, genetic, or infectious condition (specify)
Data type	Character longitudinal
Allowable codes	**Any text or numbers**

QUESTION # BY PACKET/VERSION				
	IVP	FVP	TIP	TFP
v1	N/A	N/A		
v2	N/A	N/A		N/A
v3	25b	25b	25b	25b
v4	23b	23b		

Description/ derivation: If another neurological, genetic, or infectious condition is indicated (**OTHCOG = 1**), it will be listed here; otherwise, this variable will be blank.

This variable was not collected specifically in UDSv1.2 or v2; therefore participants with visits using v1.2 or v2 of the UDS will have blank values for **OTHCOGX**; however, other neurological, genetic, or infectious conditions may have been provided in **COGOTHX**, **COGOTH2X**, and **COGOTH3X** in v1.1 and v2.

NACCETPR

Variable Type	NACC derived variable
Short descriptor	Primary etiologic diagnosis (MCI; impaired not MCI; or dementia)
Data type	Numeric longitudinal
Allowable codes	**1** = Alzheimer's disease (AD) **2** = Lewy body disease (LBD) **3** = Multiple system atrophy (MSA) **4** = Progressive supranucelar palsy (PSP) **5** = Corticobasal degeneration (CBD) **6** = FTLD with motor neuron disease (e.g., ALS) **7** = FTLD, other **8** = Vascular brain injury or vascular dementia including stroke **9** = Essential tremor **10** = Down syndrome **11** = Huntington's disease **12** = Prion disease (CJD, other) **13** = Traumatic brain injury (TBI) **14** = Normal-pressure hydrocephalus (NPH) **15** = Epilepsy **16** = CNS neoplasm **17** = Human immunodeficiency virus (HIV) **18** = Other neurologic, genetic, or infectious condition, or systemic disease/medical illness **19** = Depression **20** = Bipolar disorder **21** = Schizophrenia or other psychosis **22** = Anxiety disorder **23** = Delirium **24** = Post-traumatic stress disorder **25** = Other psychiatric disease **26** = Cognitive impairment due to alcohol abuse **27** = Cognitive impairment due to other substance abuse **28** = Cognitive impairment due to systemic disease or medical illness **29** = Cognitive impairment due to medications **30** = Cognitive impairment for other specified reasons (i.e., written-in values) **31** = Developmental neuropsychiatric disorders (e.g., autism spectrum disorder (ASD), attention-deficit hyperactivity disorder (ADHD), dyslexia) **32** = Chronic traumatic encephalopathy (CTE) **33** = Cerebral amyloid angiopathy (CAA) **34** = Limbic-predominant age-related TDP-43 Encephalopathy (LATE) **88** = Not applicable, not cognitively impaired **99** = Missing/unknown

Description/ derivation

This variable is a categorical summary of the primary etiologic diagnoses or primary non-degenerative or non-CVD conditions assessed as part of the UDS exam. It is derived from UDS Form D1 (v1-3) and Form D1a and D1b in v4. In UDSv1-3, clinicians were asked to mark only one condition on Form D1 as primary to the observed cognitive impairment. In UDSv4, clinicians can mark a primary non-degenerative or non-CVD conditions in Form D1a and a primary etiologic diagnosis on Form D1b at the same visit.

If you wish to focus on participants with dementia, please be sure to restrict to **DEMENTED = 1** in your analyses when using this variable, otherwise you will be including participants who have a diagnosis of MCI or cognitively impaired not MCI.

Participants completing visits using v1.2 or v2 of the UDS who had bvFTD or PPA indicated as their primary etiologic diagnosis will have **NACCETPR = 7**. If the participant was not cognitively impaired, then **NACCETPR = 88**. If the participant was cognitively impaired but does not have an etiologic diagnosis, then **NACCETPR = 99**.

Vascular dementia, stroke, and vascular brain injury were collected differently between v1.2-v2, and v3-v4. For the purpose of this variable, participants reported as having either a stroke, possible vascular dementia, or probable vascular dementia (v1.2-v2) or any significant vascular brain injury (symptomatic stroke; cystic infarct in cognitive networks; and/or cystic infarct in cognitive networks, extensive white matter hyperintensity, and executive dysfunction) (v3-4) as the primary cause of the observed cognitive impairment will have **NACCETPR = 8**.

Note that the following conditions were assessed as primary etiologic diagnoses in UDSv1-3, while in UDSv4 these are assessed as primary non-degenerative or non-CVD conditions. Consider these differences when conducting your analyses.

- **NACCETPR = 13** Traumatic brain injury (TBI)
- **NACCETPR = 14** Normal-pressure hydrocephalus (NPH)
- **NACCETPR = 15** Epilepsy
- **NACCETPR = 16** CNS neoplasm
- **NACCETPR = 17** Human immunodeficiency virus (HIV)
- **NACCETPR = 18** Other neurologic, genetic, or infectious condition, or systemic disease/medical illness
- **NACCETPR = 19** Depression
- **NACCETPR = 20** Bipolar disorder
- **NACCETPR = 21** Schizophrenia or other psychosis
- **NACCETPR = 22** Anxiety disorder
- **NACCETPR = 23** Delirium
- **NACCETPR = 24** Post-traumatic stress disorder (PTSD)
- **NACCETPR = 25** Other psychiatric disease
- **NACCETPR = 26** Cognitive impairment due to alcohol abuse
- **NACCETPR = 27** Cognitive impairment due to other substance abuse
- **NACCETPR = 29** Cognitive impairment due to medications
- **NACCETPR = 30** Cognitive impairment for other specified reasons (i.e., written-in values)

It is important to note that diagnoses indicated as "other psychiatric disease" and "other etiologic diagnosis" will be different in v1-2 and v3-4. For example, cognitive impairment due to other substance abuse was not collected in v1-2 so it will be listed as a "Cognitive impairment due to other specified reasons" (**NACCETPR = 30**) in v1-2 but would be indicated as a primary etiologic diagnosis of "Cognitive impairment due to other substance abuse" (**NACCETPR = 27**) in v3-4.

Careful consideration of the appropriate comparison group to be used in analysis should precede any data requests for this derived diagnosis variable.