

HF Controls Ltd

100 Albert Drive, Glasgow, G41 2SJ

www.hf-group.co.uk

Call 0800 783 9480

Glasgow

Edinburgh

Manchester

Belfast

Aberdeen

PROJECT: RSGT

PROJECT LOCATION: LIVERPOOL

PROJECT REFERENCE NUMBER: 291926

CLIENT: PEEL PORTS

CLIENT ADDRESS: MARITIME CENTRE PORT OF LIVERPOOL

CLIENT ORDER NUMBER: ????

CONTROL SYSTEM DETAILS & SPECIFICATION

SYSTEM TYPE:	SAFE AREA
--------------	-----------

ENCLOSURE MATERIAL: MILD STEEL

RATED VOLTAGE:	400V AC
----------------	---------

RATED FREQUENCY:	50 Hz
------------------	-------

RATED AMPERE:	??A
---------------	-----

CONTROL VOLTAGE: 24V DC

DEGREE OF PROTECTION: IP 55

PAINT FINISH: POWDER COATED RAL7035

YEAR OF MANUFACTURE:	2022
----------------------	------



HF Controls Ltd
100 Albert Drive, Glasgow, G41 2SJ

100 Albert Drive, Glasgow, G41 2SJ

Call 800 783 9480

www.hf-group.co.uk



Glasgow © COPYRIGHT HE CONTROLS LTD 2011 Aberdeen

REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY		
00	13/02/24	AS FITTED			DRAWN	D.BALDOCK		
01					CHECKED	M.WRIGHT		
02			INSTALL	RSGT LIVERPOOL	DATE	10/10/2022		
03					TITLE	MCC2C WIRING SCHEMATICS	DRG. No.: 284595_0211	
04							DRAWING REVISION : 00	PAGE No.: 01 OF 40
05								
06								
07								

A	B	C	D	E	F																																																
<table><tr><td>CURRENT CIRCUIT</td><td>CONDUCTOR</td><td>WIRING COLOUR</td><td>MINIMUM CROSS-SECTION</td></tr><tr><td>3-PHASE POWER</td><td>L1</td><td>BROWN</td><td>2.5mm2</td></tr><tr><td>3-PHASE POWER</td><td>L2</td><td>BLACK</td><td>2.5mm2</td></tr><tr><td>3-PHASE POWER</td><td>L3</td><td>GREY</td><td>2.5mm2</td></tr><tr><td>3-PHASE NEUTRAL</td><td>N</td><td>LIGHT BLUE</td><td>2.5mm2</td></tr><tr><td>1-PHASE POWER</td><td>L1</td><td>BROWN</td><td>1.5mm2</td></tr><tr><td>1-PHASE POWER</td><td>N</td><td>LIGHT BLUE</td><td>1.5mm2</td></tr><tr><td>24VDC</td><td>+</td><td>DARK BLUE</td><td>0.75mm2</td></tr><tr><td>24VDC</td><td>-</td><td>DARK BLUE</td><td>0.75mm2</td></tr><tr><td>MEASURING</td><td>+/-</td><td>GREY</td><td>0.5mm2</td></tr><tr><td>EXTERNAL VOLTAGE</td><td></td><td>ORANGE</td><td>1.5mm2</td></tr><tr><td>PROTECTIVE EARTH CONDUCTOR</td><td>PE</td><td>GREEN/YELLOW</td><td>1.5mm2</td></tr></table>						CURRENT CIRCUIT	CONDUCTOR	WIRING COLOUR	MINIMUM CROSS-SECTION	3-PHASE POWER	L1	BROWN	2.5mm2	3-PHASE POWER	L2	BLACK	2.5mm2	3-PHASE POWER	L3	GREY	2.5mm2	3-PHASE NEUTRAL	N	LIGHT BLUE	2.5mm2	1-PHASE POWER	L1	BROWN	1.5mm2	1-PHASE POWER	N	LIGHT BLUE	1.5mm2	24VDC	+	DARK BLUE	0.75mm2	24VDC	-	DARK BLUE	0.75mm2	MEASURING	+/-	GREY	0.5mm2	EXTERNAL VOLTAGE		ORANGE	1.5mm2	PROTECTIVE EARTH CONDUCTOR	PE	GREEN/YELLOW	1.5mm2
CURRENT CIRCUIT	CONDUCTOR	WIRING COLOUR	MINIMUM CROSS-SECTION																																																		
3-PHASE POWER	L1	BROWN	2.5mm2																																																		
3-PHASE POWER	L2	BLACK	2.5mm2																																																		
3-PHASE POWER	L3	GREY	2.5mm2																																																		
3-PHASE NEUTRAL	N	LIGHT BLUE	2.5mm2																																																		
1-PHASE POWER	L1	BROWN	1.5mm2																																																		
1-PHASE POWER	N	LIGHT BLUE	1.5mm2																																																		
24VDC	+	DARK BLUE	0.75mm2																																																		
24VDC	-	DARK BLUE	0.75mm2																																																		
MEASURING	+/-	GREY	0.5mm2																																																		
EXTERNAL VOLTAGE		ORANGE	1.5mm2																																																		
PROTECTIVE EARTH CONDUCTOR	PE	GREEN/YELLOW	1.5mm2																																																		

MEASURING LINES:


TYPE OF CONNECTION:

WIRE MARKING:


SPECIFICS:

CONSTRUCTION NOTES:


CODE OF ELECTRICAL SYMBOLS




Q = MAIN ISOLATING SWITCH




QFM = ISOLATING CIRCUIT BREAKER
(3 POLE)




QFM = ISOLATING CIRCUIT BREAKER
(2 POLE)




QFM = ISOLATING CIRCUIT BREAKER
(1 POLE)



CONTACT (POWER)
NORMALLY OPENED



CONTACT-THERMOSTAT
NORMALLY CLOSED



FU = OVERLOAD PROTECTIVE DEVICE
(3 POLE)



SF = SELECTOR SWITCH
2 POSITION / STAY PUT



SF = PUSH BUTTON / SPRING RETURN
NORMALLY OPEN



SF = PUSH BUTTON / SPRING RETURN
NORMALLY CLOSED



Kx = CONTROL COIL



PLC INPUT



PLC OUTPUT




INDICATION LED




HEATER




RESISTOR




PSU = AC TO DC POWER CONVERSION



MAINS INCOMING SUPPLY 3PH/N/E 433VAC 800A		CORE BALANCE CT (TD CELL B2)		POWER MONITORING DISPLAY								
				POWER SUPPLY FUSES	PROFINET CONNECTION RJ45			AC VOLTAGE MONITORING ISOLATION MPCB				
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk CELL A1 MAIN INCOMER Glasgow Edinburgh Manchester Belfast Aberdeen				REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY		
				00	13/02/24	AS FITTED			DRAWN	D.BALDOCK		
				01					CHECKED	M.WRIGHT		
				02			INSTALL	RSGT LIVERPOOL	DATE	10/10/2022		
				03					DRG. No.:	284595_0211		
				04								
				05			TITLE	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:		
				06					00	04 OF 40		
				07								



MAIN SUPPLY MCCB		CONVEYOR BB3		PROFINET CONNECTION RJ45 (INTERNAL)	SAFE TORQUE OFF REMOTE CONNECTION (LINK TERMINAL IF NOT IN USE)	SPARE	SPARE		SAFETY CIRCUIT HEALTHY FROM EXTERNAL I/O PANEL	SAFETY CONTACTOR COIL			
3-PHASE SUPPLY FROM BUSBAR	110VAC SUPPLY FROM CELL B2	MILL FEED MOTOR 132KW FLC=xxxA	MOTOR THERMISTOR										
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk		CELL A2 BASEMENT BELT CONVEYOR BB3		REV	DATE	DETAIL	CLIENT	PEEL PORT		ENGINEERED	B.DUFFY		
				00	13/02/24	AS FITTED				DRAWN	D.BALDOCK		
				01						CHECKED	M.WRIGHT		
				02						DATE	10/10/2022		
				03			INSTALL	RSGT LIVERPOOL		DRG. No.:		284595_0211	
				04									
				05									
				06			TITLE	MCC2C WIRING SCHEMATICS		DRAWING REVISION :		PAGE No.:	
				07									
Glasgow Edinburgh Manchester Belfast Aberdeen								00	05	OF 40			



MAIN SUPPLY ISOLATOR		M218 STARTER FEEDER	ISOLATOR STATUS FEEDBACK
3-PHASE SUPPLY FROM BUSBAR	24VDC SUPPLY FROM CELL B2		




HF Controls Ltd
100 Albert Drive, Glasqow, G41 2SJ
Call 0800 783 9480



www.hf-group.co.uk

CELL A3
M218 STARTER FEEDER

REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY
00	13/02/24	AS FITTED			DRAWN	D.BALDOCK
01			INSTALL	RSGT LIVERPOOL	CHECKED	M.WRIGHT
02					DATE	10/10/2022
03					DRG. No.: 284595_0211	
04						
05			TITLE	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	
06					PAGE No.:	
07					00	06 OF 40




A		B		C		D		E		F																																																
09F L1 09F L2 09F L3 09F N BUSBAR CHAMBER FUNCTIONAL CELL L1 I1A L2 I1A L3 I1A N I1A BUSBAR CHAMBER FUNCTION CELL																																																										
CELL C3 SPARE NO EQUIPMENT																																																										
PANEL FIELD																																																										
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk CELL C3 SPARE - NO EQUIPMENT <table><tr><td>REV</td><td>DATE</td><td>DETAIL</td><td rowspan="4">CLIENT</td><td rowspan="4">PEEL PORT</td><td>ENGINEERED</td><td>B.DUFFY</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td><td>DRAWN</td><td>D.BALDOCK</td></tr><tr><td>01</td><td></td><td></td><td>CHECKED</td><td>M.WRIGHT</td></tr><tr><td>02</td><td></td><td></td><td>DATE</td><td>10/10/2022</td></tr><tr><td>03</td><td></td><td></td><td rowspan="3">INSTALL</td><td rowspan="3">RSGT LIVERPOOL</td><td colspan="2">DRG. No.: 284595_0211</td></tr><tr><td>04</td><td></td><td></td></tr><tr><td>05</td><td></td><td></td></tr><tr><td>06</td><td></td><td></td><td rowspan="2">TITLE</td><td rowspan="2">MCC2C WIRING SCHEMATICS</td><td>DRAWING REVISION :</td><td>PAGE No.:</td></tr><tr><td>07</td><td></td><td></td><td>00</td><td>10 OF 40</td></tr></table>												REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY	00	13/02/24	AS FITTED	DRAWN	D.BALDOCK	01			CHECKED	M.WRIGHT	02			DATE	10/10/2022	03			INSTALL	RSGT LIVERPOOL	DRG. No.: 284595_0211		04			05			06			TITLE	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:	07			00	10 OF 40
REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY																																																				
00	13/02/24	AS FITTED			DRAWN	D.BALDOCK																																																				
01					CHECKED	M.WRIGHT																																																				
02					DATE	10/10/2022																																																				
03			INSTALL	RSGT LIVERPOOL	DRG. No.: 284595_0211																																																					
04																																																										
05																																																										
06			TITLE	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:																																																				
07					00	10 OF 40																																																				


A		B		C		D		E		F																																																		
11F L1										L1 13A																																																		
11F L2										L2 13A																																																		
11F L3										L3 13A																																																		
11F N										N 13A																																																		
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL																																																		
CELL D1 SPARE NO EQUIPMENT																																																												
PANEL FIELD												PANEL FIELD																																																
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen <table><tr><td>REV</td><td>DATE</td><td>DETAIL</td><td rowspan="4">CLIENT</td><td rowspan="4">PEEL PORT</td><td>ENGINEERED</td><td>B.DUFFY</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td><td>DRAWN</td><td>D.BALDOCK</td></tr><tr><td>01</td><td></td><td></td><td>CHECKED</td><td>M.WRIGHT</td></tr><tr><td>02</td><td></td><td></td><td>DATE</td><td>10/10/2022</td></tr><tr><td>03</td><td></td><td></td><td rowspan="3">INSTALL</td><td rowspan="3">RSGT LIVERPOOL</td><td rowspan="3">DRG. No.:</td><td rowspan="3">284595_0211</td></tr><tr><td>04</td><td></td><td></td></tr><tr><td>05</td><td></td><td></td></tr><tr><td>06</td><td></td><td></td><td rowspan="2">TITLE</td><td rowspan="2">MCC2C WIRING SCHEMATICS</td><td rowspan="2">DRAWING REVISION :</td><td rowspan="2">PAGE No.:</td></tr><tr><td>07</td><td></td><td></td><td>00</td><td>12 OF 40</td></tr></table>														REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY	00	13/02/24	AS FITTED	DRAWN	D.BALDOCK	01			CHECKED	M.WRIGHT	02			DATE	10/10/2022	03			INSTALL	RSGT LIVERPOOL	DRG. No.:	284595_0211	04			05			06			TITLE	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:	07			00	12 OF 40
REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY																																																						
00	13/02/24	AS FITTED			DRAWN	D.BALDOCK																																																						
01					CHECKED	M.WRIGHT																																																						
02					DATE	10/10/2022																																																						
03			INSTALL	RSGT LIVERPOOL	DRG. No.:	284595_0211																																																						
04																																																												
05																																																												
06			TITLE	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:																																																						
07							00	12 OF 40																																																				

A		B		C		D		E		F																									
12F L1 12F L2 12F L3 12F N BUSBAR CHAMBER FUNCTIONAL CELL												L1 14A L2 14A L3 14A N 14A BUSBAR CHAMBER FUNCTION CELL																							
CELL D2 SPARE NO EQUIPMENT																																			
PANEL FIELD																																			
PANEL FIELD																																			
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk GlasgowEdinburghManchesterBelfastAberdeen												REV DATE DETAIL CLIENT INSTALL TITLE 00 13/02/24 AS FITTED 01 02 03 04 05 06 07												PEEL PORT RSGT LIVERPOOL MCC2C WIRING SCHEMATICS										ENGINEERED B.DUFFY DRAWN D.BALDOCK CHECKED M.WRIGHT DATE 10/10/2022 DRG. No.: 284595_0211 DRAWING REVISION : 00 PAGE No.: 13 OF 40	
CELL D2 SPARE																																			


[illegible]



MAIN SUPPLY ISOLATOR		ROUTING VALVE SB2 V1		PROFINET CONNECTION RJ45	SPARE	SPARE	ENABLE CIRCUITS				VALVE LIMIT SWITCHES		
3-PHASE SUPPLY FROM BUSBAR	110VAC SUPPLY FROM CELL A1	VALVE MOTOR 11 KW FLC=xxxA	MOTOR THERMISTOR				MOTOR FWD COIL (OPEN)	MOTOR REV COIL (CLOSE)	SAFETY CONTACTOR COIL	24VDC SUPPLY	OPEN LIMIT SWITCH	CLOSED LIMIT SWITCH	
 HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen 		CELL E1 SURGE BIN 2 VALVE 1				REV	DATE	DETAIL	CLIENT	PEEL PORT		ENGINEERED	B.DUFFY
						00	13/02/24	AS FITTED				DRAWN	D.BALDOCK
						01						CHECKED	M.WRIGHT
						02			INSTALL	RSGT LIVERPOOL		DATE	10/10/2022
						03							
						04							
						05			TITLE	MCC2C WIRING SCHEMATICS		DRG. No.:	
						06						284595_0211	
						07							
						DRAWING REVISION :		PAGE No.:					
						00		20 OF 40					



ROUTING VALVE SB2 V2		PROFINET CONNECTION RJ45	SPARE	SPARE	ENABLE CIRCUITS			24VDC SUPPLY FROM CELL B2	VALVE LIMIT SWITCHES			
VALVE MOTOR 11 KW FLC=xxxxA	MOTOR THERMISTOR				MOTOR FWD COIL (OPEN)	MOTOR REV COIL (CLOSE)	SAFETY CONTACTOR COIL		OPEN LIMIT SWITCH	CLOSED LIMIT SWITCH		
 HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480  www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen					REV	DATE	DETAIL	CLIENT	PEEL PORT		ENGINEERED	B.DUFFY
					00	13/02/24	AS FITTED				DRAWN	D.BALDOCK
					01						CHECKED	M.WRIGHT
					02						DATE	10/10/2022
					03			INSTALL	RSGT LIVERPOOL		DRG. No. : 284595_0211	
					04							
					05							
06			TITLE	MCC2C WIRING SCHEMATICS		DRAWING REVISION : 00		PAGE No. : 21 OF 40				
07												



		ROUTING VALVE BB1 V1			PROFINET CONNECTION RJ45		SPARE	SPARE		ENABLE CIRCUITS				VALVE LIMIT SWITCHES		
		VALVE MOTOR 11 KW FLC=xxxxA	MOTOR THERMISTOR							MOTOR FWD COIL	MOTOR REV COIL	SAFETY CONTACTOR COIL	24VDC SUPPLY	OPEN LIMIT SWITCH	CLOSED LIMIT SWITCH	
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen							REV	DATE	DETAIL	CLIENT	PEEL PORT		ENGINEERED	B.DUFFY		
							00	13/02/24	AS FITTED				DRAWN	D.BALDOCK		
							01						CHECKED	M.WRIGHT		
							02						DATE	10/10/2022		
							03			INSTALL	RSGT LIVERPOOL		DRG. No.:		284595_0211	
							04									
							05									
							06									
07			TITLE	MCC2C WIRING SCHEMATICS		DRAWING REVISION :		PAGE No.:								
CELL E1 BASEMENT BELT 1 VALVE 1									00	22 OF 40						

A		B		C		D		E		F																																															
25F L1										L1 27A																																															
25F L2										L2 27A																																															
25F L3										L3 27A																																															
25F N										N 27A																																															
BUSBAR CHAMBER FUNCTIONAL CELL												BUSBAR CHAMBER FUNCTION CELL																																													
CELL E3 SPARE NO EQUIPMENT																																																									
PANEL FIELD												PANEL FIELD																																													
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen CELL E4 SPARE - NO EQUIPMENT <table><tr><td>REV</td><td>DATE</td><td>DETAIL</td><td rowspan="5">CLIENT</td><td rowspan="5">PEEL PORT</td><td>ENGINEERED</td><td colspan="2">B.DUFFY</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td><td>DRAWN</td><td colspan="2">D.BALDOCK</td></tr><tr><td>01</td><td></td><td></td><td>CHECKED</td><td colspan="2">M.WRIGHT</td></tr><tr><td>02</td><td></td><td></td><td>DATE</td><td colspan="2">10/10/2022</td></tr><tr><td>03</td><td></td><td></td><td>DRG. No.:</td><td colspan="2">284595_0211</td></tr><tr><td>04</td><td></td><td></td><td rowspan="3">INSTALL</td><td rowspan="3">RSGT LIVERPOOL</td><td rowspan="3">DRAWING REVISION :</td><td rowspan="3">00</td><td rowspan="3">PAGE No.:</td><td rowspan="3">26 OF 40</td></tr><tr><td>05</td><td></td><td></td></tr><tr><td>06</td><td></td><td></td></tr><tr><td>07</td><td></td><td></td><td>TITLE</td><td>MCC2C WIRING SCHEMATICS</td><td></td><td></td><td></td><td></td></tr></table>		REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY		00	13/02/24	AS FITTED	DRAWN	D.BALDOCK		01			CHECKED	M.WRIGHT		02			DATE	10/10/2022		03			DRG. No.:	284595_0211		04			INSTALL	RSGT LIVERPOOL	DRAWING REVISION :	00	PAGE No.:	26 OF 40	05			06			07			TITLE	MCC2C WIRING SCHEMATICS				
REV	DATE	DETAIL	CLIENT	PEEL PORT			ENGINEERED	B.DUFFY																																																	
00	13/02/24	AS FITTED					DRAWN	D.BALDOCK																																																	
01							CHECKED	M.WRIGHT																																																	
02							DATE	10/10/2022																																																	
03					DRG. No.:	284595_0211																																																			
04			INSTALL	RSGT LIVERPOOL	DRAWING REVISION :	00	PAGE No.:	26 OF 40																																																	
05																																																									
06																																																									
07			TITLE	MCC2C WIRING SCHEMATICS																																																					

A		B		C		D		E		F																																												
27F L1										L1 29A																																												
27F L2										L2 29A																																												
27F L3										L3 29A																																												
27F N										N 29A																																												
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL																																												
CELL F2 SPARE NO EQUIPMENT																																																						
PANEL FIELD										PANEL FIELD																																												
HF HF Controls Ltd 100 Albert Drive, Glasqow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen  <td colspan="2">CELL F2 SPARE - NO EQUIPMENT</td> <td><table><tr><td>REV</td><td>DATE</td><td>DETAIL</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td></tr><tr><td>01</td><td></td><td></td></tr><tr><td>02</td><td></td><td></td></tr><tr><td>03</td><td></td><td></td></tr><tr><td>04</td><td></td><td></td></tr><tr><td>05</td><td></td><td></td></tr><tr><td>06</td><td></td><td></td></tr><tr><td>07</td><td></td><td></td></tr></table></td> <td><table><tr><td>CLIENT</td><td rowspan="4">PEEL PORT</td><td>ENGINEERED</td><td>B.DUFFY</td></tr><tr><td rowspan="3">INSTALL</td><td>DRAWN</td><td>D.BALDOCK</td></tr><tr><td>CHECKED</td><td>M.WRIGHT</td></tr><tr><td>DATE</td><td>10/10/2022</td></tr><tr><td rowspan="2">TITLE</td><td>RSGT LIVERPOOL</td><td>DRG. No.:</td><td>284595_0211</td></tr><tr><td>MCC2C WIRING SCHEMATICS</td><td>DRAWING REVISION :</td><td>PAGE No.:</td></tr><tr><td></td><td></td><td>00</td><td>28 OF 40</td></tr></table></td>		CELL F2 SPARE - NO EQUIPMENT		<table><tr><td>REV</td><td>DATE</td><td>DETAIL</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td></tr><tr><td>01</td><td></td><td></td></tr><tr><td>02</td><td></td><td></td></tr><tr><td>03</td><td></td><td></td></tr><tr><td>04</td><td></td><td></td></tr><tr><td>05</td><td></td><td></td></tr><tr><td>06</td><td></td><td></td></tr><tr><td>07</td><td></td><td></td></tr></table>	REV	DATE	DETAIL	00	13/02/24	AS FITTED	01			02			03			04			05			06			07			<table><tr><td>CLIENT</td><td rowspan="4">PEEL PORT</td><td>ENGINEERED</td><td>B.DUFFY</td></tr><tr><td rowspan="3">INSTALL</td><td>DRAWN</td><td>D.BALDOCK</td></tr><tr><td>CHECKED</td><td>M.WRIGHT</td></tr><tr><td>DATE</td><td>10/10/2022</td></tr><tr><td rowspan="2">TITLE</td><td>RSGT LIVERPOOL</td><td>DRG. No.:</td><td>284595_0211</td></tr><tr><td>MCC2C WIRING SCHEMATICS</td><td>DRAWING REVISION :</td><td>PAGE No.:</td></tr><tr><td></td><td></td><td>00</td><td>28 OF 40</td></tr></table>	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY	INSTALL	DRAWN	D.BALDOCK	CHECKED	M.WRIGHT	DATE	10/10/2022	TITLE	RSGT LIVERPOOL	DRG. No.:	284595_0211	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:			00	28 OF 40
REV	DATE	DETAIL																																																				
00	13/02/24	AS FITTED																																																				
01																																																						
02																																																						
03																																																						
04																																																						
05																																																						
06																																																						
07																																																						
CLIENT	PEEL PORT	ENGINEERED	B.DUFFY																																																			
INSTALL		DRAWN	D.BALDOCK																																																			
		CHECKED	M.WRIGHT																																																			
		DATE	10/10/2022																																																			
TITLE	RSGT LIVERPOOL	DRG. No.:	284595_0211																																																			
	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:																																																			
		00	28 OF 40																																																			

A		B		C		D		E		F																																												
28F L1										L1 30A																																												
28F L2										L2 30A																																												
28F L3										L3 30A																																												
28F N										N 30A																																												
BUSBAR CHAMBER FUNCTIONAL CELL												BUSBAR CHAMBER FUNCTION CELL																																										
CELL F3 SPARE NO EQUIPMENT																																																						
PANEL FIELD												PANEL FIELD																																										
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen  <td colspan="2">CELL F3 SPARE - NO EQUIPMENT</td> <td><table><tr><td>REV</td><td>DATE</td><td>DETAIL</td><td rowspan="2">CLIENT</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td></tr><tr><td>01</td><td></td><td></td><td rowspan="4">INSTALL</td></tr><tr><td>02</td><td></td><td></td></tr><tr><td>03</td><td></td><td></td></tr><tr><td>04</td><td></td><td></td></tr><tr><td>05</td><td></td><td></td><td rowspan="3">TITLE</td></tr><tr><td>06</td><td></td><td></td></tr><tr><td>07</td><td></td><td></td></tr></table></td> <td><table><tr><td rowspan="4">PEEL PORT</td><td>ENGINEERED</td><td>B.DUFFY</td></tr><tr><td>DRAWN</td><td>D.BALDOCK</td></tr><tr><td>CHECKED</td><td>M.WRIGHT</td></tr><tr><td>DATE</td><td>10/10/2022</td></tr><tr><td rowspan="2">RSGT LIVERPOOL</td><td colspan="2">DRG. No.: 284595_0211</td></tr><tr><td colspan="2"></td></tr><tr><td rowspan="2">MCC2C WIRING SCHEMATICS</td><td>DRAWING REVISION :</td><td>PAGE No.:</td></tr><tr><td>00</td><td>29 OF 40</td></tr></table></td>		CELL F3 SPARE - NO EQUIPMENT		<table><tr><td>REV</td><td>DATE</td><td>DETAIL</td><td rowspan="2">CLIENT</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td></tr><tr><td>01</td><td></td><td></td><td rowspan="4">INSTALL</td></tr><tr><td>02</td><td></td><td></td></tr><tr><td>03</td><td></td><td></td></tr><tr><td>04</td><td></td><td></td></tr><tr><td>05</td><td></td><td></td><td rowspan="3">TITLE</td></tr><tr><td>06</td><td></td><td></td></tr><tr><td>07</td><td></td><td></td></tr></table>	REV	DATE	DETAIL	CLIENT	00	13/02/24	AS FITTED	01			INSTALL	02			03			04			05			TITLE	06			07			<table><tr><td rowspan="4">PEEL PORT</td><td>ENGINEERED</td><td>B.DUFFY</td></tr><tr><td>DRAWN</td><td>D.BALDOCK</td></tr><tr><td>CHECKED</td><td>M.WRIGHT</td></tr><tr><td>DATE</td><td>10/10/2022</td></tr><tr><td rowspan="2">RSGT LIVERPOOL</td><td colspan="2">DRG. No.: 284595_0211</td></tr><tr><td colspan="2"></td></tr><tr><td rowspan="2">MCC2C WIRING SCHEMATICS</td><td>DRAWING REVISION :</td><td>PAGE No.:</td></tr><tr><td>00</td><td>29 OF 40</td></tr></table>	PEEL PORT	ENGINEERED	B.DUFFY	DRAWN	D.BALDOCK	CHECKED	M.WRIGHT	DATE	10/10/2022	RSGT LIVERPOOL	DRG. No.: 284595_0211				MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:	00	29 OF 40
REV	DATE	DETAIL	CLIENT																																																			
00	13/02/24	AS FITTED																																																				
01			INSTALL																																																			
02																																																						
03																																																						
04																																																						
05			TITLE																																																			
06																																																						
07																																																						
PEEL PORT	ENGINEERED	B.DUFFY																																																				
	DRAWN	D.BALDOCK																																																				
	CHECKED	M.WRIGHT																																																				
	DATE	10/10/2022																																																				
RSGT LIVERPOOL	DRG. No.: 284595_0211																																																					
MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:																																																				
	00	29 OF 40																																																				

A		B		C		D		E		F																																						
29F L1										L1 31A																																						
29F L2										L2 31A																																						
29F L3										L3 31A																																						
29F N										N 31A																																						
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL																																						
CELL F4 SPARE NO EQUIPMENT																																																
PANEL FIELD										PANEL FIELD																																						
HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen 		CELL F4 SPARE - NO EQUIPMENT		<table><tr><td>REV</td><td>DATE</td><td>DETAIL</td></tr><tr><td>00</td><td>13/02/24</td><td>AS FITTED</td></tr><tr><td>01</td><td></td><td></td></tr><tr><td>02</td><td></td><td></td></tr><tr><td>03</td><td></td><td></td></tr><tr><td>04</td><td></td><td></td></tr><tr><td>05</td><td></td><td></td></tr><tr><td>06</td><td></td><td></td></tr><tr><td>07</td><td></td><td></td></tr></table>	REV	DATE	DETAIL	00	13/02/24	AS FITTED	01			02			03			04			05			06			07			<table><tr><td>CLIENT</td><td rowspan="4">PEEL PORT</td><td rowspan="4">ENGINEERED B.DUFFY</td></tr><tr><td rowspan="3">INSTALL</td><td>DRAWN D.BAL DOCK</td></tr><tr><td>CHECKED M.WRIGHT</td></tr><tr><td>DATE 10/10/2022</td></tr><tr><td>TITLE</td><td>RSGT LIVERPOOL</td><td>DRG. No.: 284595_0211</td></tr><tr><td></td><td>MCC2C WIRING SCHEMATICS</td><td>DRAWING REVISION : 00</td></tr><tr><td></td><td></td><td>PAGE No.: 30 OF 40</td></tr></table>	CLIENT	PEEL PORT	ENGINEERED B.DUFFY	INSTALL	DRAWN D.BAL DOCK	CHECKED M.WRIGHT	DATE 10/10/2022	TITLE	RSGT LIVERPOOL	DRG. No.: 284595_0211		MCC2C WIRING SCHEMATICS	DRAWING REVISION : 00			PAGE No.: 30 OF 40
REV	DATE	DETAIL																																														
00	13/02/24	AS FITTED																																														
01																																																
02																																																
03																																																
04																																																
05																																																
06																																																
07																																																
CLIENT	PEEL PORT	ENGINEERED B.DUFFY																																														
INSTALL			DRAWN D.BAL DOCK																																													
			CHECKED M.WRIGHT																																													
			DATE 10/10/2022																																													
TITLE	RSGT LIVERPOOL	DRG. No.: 284595_0211																																														
	MCC2C WIRING SCHEMATICS	DRAWING REVISION : 00																																														
		PAGE No.: 30 OF 40																																														

A		B		C		D		E		F				
30F R										R 32A				
30F S										S 32A				
30F T										T 32A				
30F N										N 32A				
BUSBAR CHAMBER FUNCTIONAL CELL												BUSBAR CHAMBER FUNCTION CELL		
CELL F5 SPARE NO EQUIPMENT														
PANEL FIELD														
PANEL FIELD														
										PSU 1 HEALTHY	PSU 2 HEALTHY	24VDC CONTROL ON		
 HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk  Glasgow Edinburgh Manchester Belfast Aberdeen		CELL F5 SPARE				REV	DATE	DETAIL	CLIENT	PEEL PORT		ENGINEERED	B.DUFFY	
						00	13/02/24	AS FITTED				DRAWN	D.BALDOCK	
						01						CHECKED	M.WRIGHT	
						02						DATE	10/10/2022	
						03			INSTALL	RSGT LIVERPOOL		DRG. No.:	284595_0211	
						04								
						05								
06			TITLE	MCC2C WIRING SCHEMATICS		DRAWING REVISION :	PAGE No.:							
07														

33F

R

33F

S

33F

T

33F

N

R

35A

S

35A

T

35A

N

35A

BUSBAR
CHAMBER
FUNCTIONAL
CELL


BUSBAR
CHAMBER
FUNCTION
CELL

CELL F8
SPARE

NO EQUIPMENT

PANEL
FIELD

PANEL
FIELD



POWER SUPPLY #1 PRIMARY & SECONDARY MCB'S		POWER SUPPLY #1 STATUS TO PLC PANEL		POWER SUPPLY #2 PRIMARY & SECONDARY MCB'S		POWER SUPPLY #2 STATUS TO PLC PANEL		24VDC REDUNDANCY UNIT OUTPUT MCB		24VDC REDUNDANCY UNIT STATUS TO PLC PANEL		POWER SUPPLY #1 HEALTHY LED (WHITE)		POWER SUPPLY #2 HEALTHY LED (WHITE)		110VAC TX1 POWER HEALTHY LED (GREEN)		110VAC TX2 POWER HEALTHY LED (GREEN)		FAULT RESET RELAY RESET COMMAND		EARTH LEAKAGE MONITORING RELAY TEST COMMAND		EARTH LEAKAGE MONITORING CT CELL A1		EARTH LEAKAGE MONITORING RELAY FAULT TO PLC PANEL																													
HF HF Controls Ltd 100 Albert Drive, Glasqow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk CELL B2 PLC CONTROL SECTION - 24VDC POWER SUPPLIES REV DATE DETAIL CLIENT INSTALL TITLE <tr><td>00</td><td>13/02/24</td><td>AS FITTED</td><td colspan="2" rowspan="3">PEEL PORT</td><td colspan="2" rowspan="3">ENGINEERED DRAWN CHECKED DATE</td><td colspan="2" rowspan="3">B.DUFFY D.BALDOCK M.WRIGHT 10/10/2022</td></tr> <tr><td>01</td><td></td><td></td></tr> <tr><td>02</td><td></td><td></td></tr> <tr><td>03</td><td></td><td></td><td colspan="2" rowspan="3">RSGT LIVERPOOL</td><td colspan="2" rowspan="3">DRG. No.:</td><td colspan="2" rowspan="3">284595_0211</td></tr> <tr><td>04</td><td></td><td></td></tr> <tr><td>05</td><td></td><td></td></tr> <tr><td>06</td><td></td><td></td><td colspan="2" rowspan="2">MCC2C WIRING SCHEMATICS</td><td colspan="2" rowspan="2">DRAWING REVISION :</td><td colspan="2" rowspan="2">PAGE No.:</td></tr> <tr><td>07</td><td></td><td></td></tr>														00	13/02/24	AS FITTED	PEEL PORT		ENGINEERED DRAWN CHECKED DATE		B.DUFFY D.BALDOCK M.WRIGHT 10/10/2022		01			02			03			RSGT LIVERPOOL		DRG. No.:		284595_0211		04			05			06			MCC2C WIRING SCHEMATICS		DRAWING REVISION :		PAGE No.:		07		
														00	13/02/24	AS FITTED							PEEL PORT		ENGINEERED DRAWN CHECKED DATE		B.DUFFY D.BALDOCK M.WRIGHT 10/10/2022																												
														01																																									
														02																																									
														03			RSGT LIVERPOOL		DRG. No.:		284595_0211																																		
														04																																									
														05																																									
														06			MCC2C WIRING SCHEMATICS		DRAWING REVISION :		PAGE No.:																																		
														07																																									


Glasgow

Edinburgh

Manchester

Belfast

Aberdeen



1

2

3

4

5

6

7

8

24V1

24V2

SEL1200 8CH OUTPUT
6EP4438-7F800-3DXX0

COM

TD2

TD1

CONTROL LOGIC

0V1

0V2

13

14

NF

RST

K3607

31F 24V+

31F 0V

1A

1B

2B

3B

4B

5B

6B

7B

8B

9B

10B

11B

24V3

24V4

0V

24V5

0V

24V6

0V

24V7

0V

24V8

0V

-X37A

-X37B

X6-1

X20A-1

X20A-2


X24A-1

X24A-2

PANEL
FIELD

PANEL
FIELD

HF HF Controls Ltd 100 Albert Drive, Glasgow, G41 2SJ Call 0800 783 9480 www.hf-group.co.uk Glasgow Edinburgh Manchester Belfast Aberdeen		DISTRIBUTION FAULT STATUS		24VDC CONTROL VOLTAGE SUPPLY																
		TO PLC PANEL		24VDC TO CELL A3	24VDC TO CELL E1	24VDC TO CELL E2	SPARE	SPARE	SPARE											
CELL B2 PLC CONTROL SECTION - 24VDC POWER DISTRIBUTION											REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY			
											00	13/02/24	AS FITTED			DRAWN	D.BALDOCK			
											01					CHECKED	M.WRIGHT			
											02			INSTALL	RSGT LIVERPOOL	DATE	10/10/2022			
											03					DRG. No.:				
											04									
											05			TITLE	MCC2C WIRING SCHEMATICS		DRAWING REVISION :	PAGE No.:		
											06									
07																				
											00		37 OF 40							



A	B	C	D	E	F	
39F R 39F S 39F T 39F N						R 41A S 41A T 41A N 41A

BUSBAR
CHAMBER
FUNCTIONAL
CELL

BUSBAR
CHAMBER
FUNCTION
CELL

BLANK
PAGE

PANEL
FIELD

PANEL
FIELD



HF Controls Ltd
100 Albert Drive, Glasqow, G41 2SJ
Call 0800 783 9480



www.hf-group.co.uk

CELL B2
PLC CONTROL SECTION - DIGITAL OUTPUTS SLOT 3

REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGINEERED	B.DUFFY
00	13/02/24	AS FITTED			DRAWN	D.BALDOCK
01					CHECKED	M.WRIGHT
02					DATE	10/10/2022
03			INSTALL	RSGT LIVERPOOL	DRG. No.:	284595_0211
04						
05						
06			TITLE	MCC2C WIRING SCHEMATICS	DRAWING REVISION :	PAGE No.:
07						