


HF CONTROLS



100 ALBERT DRIVE
GLASGOW G41 2SJ

TEL: +44 141 429 2277
EMAIL: hfcontrols.co.uk

PROJECT: RSGT

PROJECT LOCATION: LIVERPOOL

PROJECT REFERENCE NUMBER: 291926

CLIENT: PEEL PORTS

CLIENT ADDRESS: MARITIME CENTRE PORT OF LIVERPOOL

CLIENT ORDER NUMBER: ????

CONTROL SYSTEM DETAILS & SPECIFICATION

SYSTEM TYPE:	SAFE AREA
ENCLOSURE MATERIAL:	MILD STEEL
RATED VOLTAGE:	400V AC
RATED FREQUENCY:	50 Hz
RATED AMPERE:	??A
CONTROL VOLTAGE:	24V DC
DEGREE OF PROTECTION:	IP 55
PAINT FINISH:	POWDER COATED RAL7035
YEAR OF MANUFACTURE:	2022

DRAWING STATUS

FIRST DRAFT

FOR MANUFACTURE

SIGNED..... DATED.....

☒

☐

REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
00	05/07/22	FIRST ISSUE			DRAWN. M.WRIGHT	
01	12/02/25	MC2 DUST PLANT FAN ADDED			CHECK B.DUFFY	
02			INSTALL	RSGT LIVERPOOL	DATE 12/02/25	
03						
04						
05			TITLE	MCC2A WIRING SCHEMATICS	DRG. No.:	
06					284595 / 1001 / 01	
07						

A	B	C	D	E	F																																																
<table><tr><th>CURRENT CIRCUIT</th><th>CONDUCTOR</th><th>WIRING COLOUR</th><th>MINIMUM CROSS-SECTION</th></tr><tr><td>3-PHASE POWER</td><td>L1</td><td>BROWN</td><td>2.5mm2</td></tr><tr><td>3-PHASE POWER</td><td>L2</td><td>BLACK</td><td>2.5mm2</td></tr><tr><td>3-PHASE POWER</td><td>L3</td><td>GREY</td><td>2.5mm2</td></tr><tr><td>3-PHASE NEUTRAL</td><td>N</td><td>LIGHT BLUE</td><td>2.5mm2</td></tr><tr><td>1-PHASE POWER</td><td>L1</td><td>BROWN</td><td>1.5mm2</td></tr><tr><td>1-PHASE POWER</td><td>N</td><td>LIGHT BLUE</td><td>1.5mm2</td></tr><tr><td>24VDC</td><td>+</td><td>DARK BLUE</td><td>0.75mm2</td></tr><tr><td>24VDC</td><td>-</td><td>DARK BLUE</td><td>0.75mm2</td></tr><tr><td>MEASURING</td><td>+/-</td><td>GREY</td><td>0.5mm2</td></tr><tr><td>EXTERNAL VOLTAGE</td><td></td><td>ORANGE</td><td>1.5mm2</td></tr><tr><td>PROTECTIVE EARTH CONDUCTOR</td><td>PE</td><td>GREEN/YELLOW</td><td>1.5mm2</td></tr></table>						CURRENT CIRCUIT	CONDUCTOR	WIRING COLOUR	MINIMUM CROSS-SECTION	3-PHASE POWER	L1	BROWN	2.5mm2	3-PHASE POWER	L2	BLACK	2.5mm2	3-PHASE POWER	L3	GREY	2.5mm2	3-PHASE NEUTRAL	N	LIGHT BLUE	2.5mm2	1-PHASE POWER	L1	BROWN	1.5mm2	1-PHASE POWER	N	LIGHT BLUE	1.5mm2	24VDC	+	DARK BLUE	0.75mm2	24VDC	-	DARK BLUE	0.75mm2	MEASURING	+/-	GREY	0.5mm2	EXTERNAL VOLTAGE		ORANGE	1.5mm2	PROTECTIVE EARTH CONDUCTOR	PE	GREEN/YELLOW	1.5mm2
CURRENT CIRCUIT	CONDUCTOR	WIRING COLOUR	MINIMUM CROSS-SECTION																																																		
3-PHASE POWER	L1	BROWN	2.5mm2																																																		
3-PHASE POWER	L2	BLACK	2.5mm2																																																		
3-PHASE POWER	L3	GREY	2.5mm2																																																		
3-PHASE NEUTRAL	N	LIGHT BLUE	2.5mm2																																																		
1-PHASE POWER	L1	BROWN	1.5mm2																																																		
1-PHASE POWER	N	LIGHT BLUE	1.5mm2																																																		
24VDC	+	DARK BLUE	0.75mm2																																																		
24VDC	-	DARK BLUE	0.75mm2																																																		
MEASURING	+/-	GREY	0.5mm2																																																		
EXTERNAL VOLTAGE		ORANGE	1.5mm2																																																		
PROTECTIVE EARTH CONDUCTOR	PE	GREEN/YELLOW	1.5mm2																																																		

MEASURING LINES: ☒ SINGLE CONDUCTOR
☐ TWISTED PAIRS
☒ ANALOGUE SIGNAL IN SHIELDED PAIRS

WIRE MARKING: ☐ NONE
☐ WIRE DESIGNATION, SEMI OPEN
☐ WIRE TARGET DESTINATION
☒ CURRENT PATH DESIGNATION


CONSTRUCTION NOTES:
1. TERMINALS:
POWER WDU4
INSTRUMENT WDU2.5

TYPE OF CONNECTION: ☒ WIRE END BOOTLACE CRIMP
☐ WIRE END PIN CRIMP
☐ FORK TYPE CRIMP
☐ ISOLATED
☐ NO CRIMP


SPECIFICS: ☐ HALOGEN FREE
☒ IP20 FOR INFEED TERMINALS
☒ BUS-BAR PE

DRAWING STATUS		REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk			
FIRST DRAFT	☒	00	05/07/22	FIRST ISSUE			DRAWN. M.WRIGHT				
FOR MANUFACTURE	☐	01	12/02/25	MC2 DUST PLANT FAN ADDED			CHECK B.DUFFY				
SIGNED.....	DATED.....	02			INSTALL	RSGT LIVERPOOL	DATE 12/02/25				
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		03					DRG. No.: 284595 / 1001 / 02				
		04									
		05			TITLE	MCC2A WIRING SCHEMATICS					
		06									
		07									


CODE OF ELECTRICAL SYMBOLS




Q = MAIN ISOLATING SWITCH



QFM = ISOLATING CIRCUIT BREAKER
(3 POLE)



QFM = ISOLATING CIRCUIT BREAKER
(2 POLE)



QFM = ISOLATING CIRCUIT BREAKER
(1 POLE)



CONTACT (POWER)
NORMALLY OPENED



CONTACT-THERMOSTAT
NORMALLY CLOSED



FU = OVERLOAD PROTECTIVE DEVICE
(3 POLE)



SF = SELECTOR SWITCH
2 POSITION / STAY PUT



SF = PUSH BUTTON / SPRING RETURN
NORMALLY OPEN



SF = PUSH BUTTON / SPRING RETURN
NORMALLY CLOSED



Kx = CONTROL COIL



PLC INPUT



PLC OUTPUT




INDICATION LED



HEATER




RESISTOR




PSU = AC TO DC POWER CONVERSION

DRAWING STATUS		REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
		00	05/07/22	FIRST ISSUE			DRAWN. M.WRIGHT	
FIRST DRAFT ☒ FOR MANUFACTURE ☐ SIGNED..... DATED.....		01	12/02/25	MC2 DUST PLANT FAN ADDED	INSTALL	RSGT LIVERPOOL	CHECK B.DUFFY	
		02					DATE 12/02/25	
		03						
		04						
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		05			TITLE	MCC2A WIRING SCHEMATICS	DRG. No.:	284595 / 1001 / 03
		06						
		07						




MAIN SUPPLY ISOLATOR				CONVEYOR MC1		CONVEYOR MC1 EMERGENCY STOP CONTROL						CONVEYOR MC1 COMMANDS		SAFETY CONTACTOR START COMMAND			
3-PHASE SUPPLY FROM BUSBAR	24VDC SUPPLY FROM CELL B2	110VAC SUPPLY FROM CELL A1		MILL FEED MOTOR 55KW FLC=xxxA	MOTOR THERMISTOR		FAIL SAFE ENABLE		ESTOP CHANNEL 1	ESTOP CHANNEL 2		ESTOP FEEDBACK TO PLC	RESET		START MOTOR	SAFETY CONTACTOR	
DRAWING STATUS			CELL A2 MILL FEED CONVEYOR MC1						REV	DATE	DETAIL		CLIENT	PEEL PORT		ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
FIRST DRAFT ☒									00	05/07/22	FIRST ISSUE						
FOR MANUFACTURE ☐									01	12/02/25	MC2 DUST PLANT FAN ADDED						
SIGNED..... DATED.....									02								
									03								
									04								
									05								
									06								
			07					TITLE	MCC2A WIRING SCHEMATICS		DRG. No.: 284595 / 1001 / 05						



DRAWING STATUS		REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk			
FIRST DRAFT	☒		00	05/07/22			FIRST ISSUE		INSTALL	RSGT LIVERPOOL	DRAWN. M.WRIGHT
FOR MANUFACTURE	☐		01	12/02/25			MC2 DUST PLANT FAN ADDED				CHECK B.DUFFY
SIGNED.....	DATED.....		02			TITLE	MCC2A WIRING SCHEMATICS		DATE 12/02/25		
			03						DRG. No.:		
			04						284595 / 1001 / 09		
			05								
			06								
		07									
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL C2 FEEDER TO EXISTING MCC2A									

A		B		C		D		E		F	
09F L1										L1 11A	
09F L2										L2 11A	
09F L3										L3 11A	
09F N										N 11A	
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL	
CELL C3 SPARE NO EQUIPMENT											
PANEL FIELD										PANEL FIELD	
DRAWING STATUS											
FIRST DRAFT ☒										ENGRD. M.WRIGHT	
FOR MANUFACTURE ☐										DRAWN. M.WRIGHT	
SIGNED..... DATED.....										CHECK B.DUFFY	
										DATE 12/02/25	
										DRG. No.:	
										284595 / 1001 / 10	
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL C3 SPARE - NO EQUIPMENT		REV		DATE		DETAIL		CLIENT	
				00		05/07/22		FIRST ISSUE		PEEL PORT	
				01		12/02/25		MC2 DUST PLANT FAN ADDED		RSGT LIVERPOOL	
				02						MCC2A WIRING SCHEMATICS	
				03							
				04							
				05							
				06							
				07							



MAIN SUPPLY ISOLATOR

3-PHASE SUPPLY FROM BUSBAR

24VDC SUPPLY FROM CELL B2

110VAC SUPPLY FROM CELL A1

MC2 DUST PLANT FAN

MILL FEED MOTOR
xxKW
FLC=xxxA

MOTOR THERMISTOR

PROFINET CONNECTION

RJ45

E-STOP CIRCUITS

EMERGENCY STOP CHANNEL 1

EMERGENCY STOP CHANNEL 2

ENABLE CIRCUITS

MOTOR RUN COIL

SAFETY CONTACTOR COIL

SYSTEM COMMAND SIGNALS

SYSTEM RESET RELAY

FAN RUN COMMAND

FAN STOP COMMAND

FEEDBACK STATUS

FAN RUNNING

SAFETY CONTACTOR ENABLED

DRAWING STATUS

FIRST DRAFT ☒

FOR MANUFACTURE ☐

SIGNED..... DATED.....

HF CONTROLS LTD.
© COPYRIGHT HF CONTROLS LTD. 2022

CELL D3
MC2 DUST PLANT FAN

REV	DATE	DETAIL
00	05/07/22	FIRST ISSUE
01	12/02/25	MC2 DUST PLANT FAN ADDED
02		
03		
04		
05		
06		
07		

CLIENT

INSTALL

TITLE

PEEL PORT

RSGT LIVERPOOL

MCC2A WIRING SCHEMATICS

ENGRD.
M.WRIGHT


DRAWN.
M.WRIGHT

CHECK
B.DUFFY


DATE
12/02/25

DRG. No.:
284595 / 1001 / 14

HF Controls Ltd
100 Albert Drive, Glasgow G41 2SJ
Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054
email: hf@hfcontrols.co.uk www.hf-group.co.uk



MAIN SUPPLY ISOLATOR				CHAIN CONVEYOR LXCC1		PROFINET CONNECTION RJ45	E-STOP CIRCUITS		ENABLE CIRCUITS			SYSTEM COMMAND SIGNALS				FEEDBACK STATUS	
3-PHASE SUPPLY FROM BUSBAR	24VDC SUPPLY FROM CELL B2	110VAC SUPPLY FROM CELL A1	MILL FEED MOTOR xxKW FLC=xxxA	MOTOR THERMISTOR	EMERGENCY STOP CHANNEL 1		EMERGENCY STOP CHANNEL 2	MOTOR FWD COIL	MOTOR REV COIL		SAFETY CONTACTOR COIL	SYSTEM RESET RELAY	CONVEYOR FWD COMMAND	CONVEYOR STOP COMMAND	CONVEYOR RUNNING	SAFETY CONTACTOR ENABLED	
DRAWING STATUS							REV	DATE	DETAIL			CLIENT	PEEL PORT		ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk	
FIRST DRAFT ☒							00	05/07/22	FIRST ISSUE				INSTALL	RSGT LIVERPOOL			DRAWN. M.WRIGHT
FOR MANUFACTURE ☐							01	12/02/25	MC2 DUST PLANT FAN ADDED			TITLE					CHECK B.DUFFY
SIGNED..... DATED.....							02								DATE 12/02/25		
							03										
							04										
							05										
							06										
							07										
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022						CELL D4 LORRY WEIGHTBACK CHAIN CONVEYOR LWCC1											




MAIN SUPPLY ISOLATOR		CONVEYOR MC3		PROFINET CONNECTION RJ45	E-STOP CIRCUITS		ENABLE CIRCUITS		SYSTEM COMMAND SIGNALS			FEEDBACK STATUS				
3-PHASE SUPPLY FROM BUSBAR	24VDC SUPPLY FROM CELL B2	110VAC SUPPLY FROM CELL A1	MILL FEED MOTOR xxkW FLC=xxxA		MOTOR THERMISTOR	EMERGENCY STOP CHANNEL 1	EMERGENCY STOP CHANNEL 2	MOTOR FWD COIL	MOTOR REV COIL	SAFETY CONTACTOR COIL	SYSTEM RESET RELAY	CONVEYOR FWD COMMAND	CONVEYOR STOP COMMAND	CONVEYOR RUNNING	SAFETY CONTACTOR ENABLED	
DRAWING STATUS					REV	DATE	DETAIL		CLIENT	PEEL PORT		ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk			
					00	05/07/22	FIRST ISSUE					DRAWN. M.WRIGHT				
FIRST DRAFT ☒		FOR MANUFACTURE ☐		01	12/02/25	MC2 DUST PLANT FAN ADDED		INSTALL		RSGT LIVERPOOL		CHECK B.DUFFY				
SIGNED..... DATED.....				02								DATE 12/02/25				
				03								TITLE		MCC2A WIRING SCHEMATICS		DRG. No.:
				04												284595 / 1001 / 15
				05												
				06												
				07												

**HF CONTROLS LTD.**
© COPYRIGHT HF CONTROLS LTD. 2022

CELL D5
LORRY WEIGHBACK CHAIN CONVEYOR LWCC2

A		B		C		D		E		F		
16F L1		L1 18A										
16F L2		L2 18A										
16F L3		L3 18A										
16F N		N 18A										
BUSBAR CHAMBER FUNCTIONAL CELL		BUSBAR CHAMBER FUNCTION CELL										
CELL D6 SPARE NO EQUIPMENT												
PANEL FIELD		PANEL FIELD										
DRAWING STATUS						REV	DATE	DETAIL	CLIENT INSTALL TITLE	PEEL PORT	ENGRD. M.WRIGHT DRAWN. M.WRIGHT CHECK B.DUFFY DATE 12/02/25	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
FIRST DRAFT ☒						00	05/07/22	FIRST ISSUE		RSGT LIVERPOOL		
FOR MANUFACTURE ☐						01	12/02/25	MC2 DUST PLANT FAN ADDED				
SIGNED..... DATED.....						02						
						03						
						04						
						05						
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL D6 SPARE - NO EQUIPMENT				06			MCC2A WIRING SCHEMATICS	DRG. No.: 284595 / 1001 / 17		
						07						

A		B		C		D		E		F																																														
17F L1										L1 19A																																														
17F L2										L2 19A																																														
17F L3										L3 19A																																														
17F N										N 19A																																														
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL																																														
CELL D7 SPARE NO EQUIPMENT																																																								
PANEL FIELD												PANEL FIELD																																												
DRAWING STATUS FIRST DRAFT ☒ FOR MANUFACTURE ☐ SIGNED..... DATED.....  HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022 CELL D7 SPARE - NO EQUIPMENT <table><tr><td>REV</td><td>DATE</td><td>DETAIL</td><td>CLIENT</td><td rowspan="5">PEEL PORT</td><td>ENGRD. M.WRIGHT</td><td rowspan="5">  HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk </td></tr><tr><td>00</td><td>05/07/22</td><td>FIRST ISSUE</td><td rowspan="4">INSTALL</td><td>DRAWN. M.WRIGHT</td></tr><tr><td>01</td><td>12/02/25</td><td>MC2 DUST PLANT FAN ADDED</td><td rowspan="3">RSGT LIVERPOOL</td><td>CHECK B.DUFFY</td></tr><tr><td>02</td><td></td><td></td><td>DATE 12/02/25</td></tr><tr><td>03</td><td></td><td></td><td>DRG. No.: 284595 / 1001 / 18</td></tr><tr><td>04</td><td></td><td></td><td rowspan="3">TITLE</td><td rowspan="3">MCC2A WIRING SCHEMATICS</td></tr><tr><td>05</td><td></td><td></td></tr><tr><td>06</td><td></td><td></td></tr><tr><td>07</td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>														REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk	00	05/07/22	FIRST ISSUE	INSTALL	DRAWN. M.WRIGHT	01	12/02/25	MC2 DUST PLANT FAN ADDED	RSGT LIVERPOOL	CHECK B.DUFFY	02			DATE 12/02/25	03			DRG. No.: 284595 / 1001 / 18	04			TITLE	MCC2A WIRING SCHEMATICS	05			06			07						
REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk																																																		
00	05/07/22	FIRST ISSUE	INSTALL		DRAWN. M.WRIGHT																																																			
01	12/02/25	MC2 DUST PLANT FAN ADDED			RSGT LIVERPOOL		CHECK B.DUFFY																																																	
02							DATE 12/02/25																																																	
03							DRG. No.: 284595 / 1001 / 18																																																	
04			TITLE	MCC2A WIRING SCHEMATICS																																																				
05																																																								
06																																																								
07																																																								



BUSBAR
CHAMBER
FUNCTIONAL
CELL

BUSBAR
CHAMBER
FUNCTION
CELL

PANEL
FIELD

PANEL
FIELD

DRAWING STATUS

FIRST DRAFT

FOR MANUFACTURE

SIGNED..... DATED.....

 HF CONTROLS LTD.
© COPYRIGHT HF CONTROLS LTD. 2022

CELL D8
SPARE - NO EQUIPMENT

REV	DATE	DETAIL	
00	05/07/22	FIRST ISSUE	CLIENT
01	12/02/25	MC2 DUST PLANT FAN ADDED	
02			INSTALL
03			
04			
05			
06			TITLE
07			

PEEL PORT

RSGT
LIVERPOOL

MCC2A
WIRING SCHEMATICS

ENGRD.
M.WRIGHT
DRAWN.
M.WRIGHT
CHECK
B.DUFFY
DATE
12/02/25


HF Controls Ltd
100 Albert Drive, Glasgow G41 2SJ
Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054
email: hf@hfcontrols.co.uk www.hf-group.co.uk

DRG. No.:
284595 / 1001 / 19

A		B		C		D		E		F			
21F L1										L1 23A			
21F L2										L2 23A			
21F L3										L3 23A			
21F N										N 23A			
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL			
CELL E3 SPARE NO EQUIPMENT													
PANEL FIELD												PANEL FIELD	
DRAWING STATUS						REV	DATE	DETAIL	CLIENT	PEEL PORT		ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
FIRST DRAFT ☒						00	05/07/22	FIRST ISSUE	INSTALL	RSGT LIVERPOOL		DRAWN. M.WRIGHT	
FOR MANUFACTURE ☐						01	12/02/25	MC2 DUST PLANT FAN ADDED				CHECK B.DUFFY	
SIGNED..... DATED.....						02						DATE 12/02/25	
						03							
						04							
						05							
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL E3 SPARE - NO EQUIPMENT				06			TITLE	MCC2A WIRING SCHEMATICS		DRG. No.: 284595 / 1001 / 22	
						07							

A		B		C		D		E		F	
22F L1										L1 24A	
22F L2										L2 24A	
22F L3										L3 24A	
22F N										N 24A	
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL	
CELL F1 SPARE NO EQUIPMENT											
PANEL FIELD											
PANEL FIELD											
DRAWING STATUS						REV		DATE		DETAIL	
FIRST DRAFT ☒						00		05/07/22		FIRST ISSUE	
FOR MANUFACTURE ☐						01		12/02/25		MC2 DUST PLANT FAN ADDED	
SIGNED..... DATED.....						02					
						03					
						04					
						05					
						06					
						07					
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL F1 SPARE - NO EQUIPMENT				CLIENT		INSTALL		TITLE	
						PEEL PORT		RSGT LIVERPOOL		MCC2A WIRING SCHEMATICS	
						ENGRD. M.WRIGHT		DRAWN. M.WRIGHT		CHECK B.DUFFY	
						DATE 12/02/25		DRG. No.:		284595 / 1001 / 23	
										 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk	

A		B		C		D		E		F	
23F L1										L1 25A	
23F L2										L2 25A	
23F L3										L3 25A	
23F N										N 25A	
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL	
CELL F2 SPARE NO EQUIPMENT											
PANEL FIELD										PANEL FIELD	
DRAWING STATUS				REV		DATE		DETAIL		CLIENT	
FIRST DRAFT ☒				00		05/07/22		FIRST ISSUE		PEEL PORT	
FOR MANUFACTURE ☐				01		12/02/25		MC2 DUST PLANT FAN ADDED		MCC2A WIRING SCHEMATICS	
SIGNED..... DATED.....				02						RSGT LIVERPOOL	
				03						ENGRD. M.WRIGHT	
				04						DRAWN. M.WRIGHT	
				05						CHECK B.DUFFY	
				06						DATE 12/02/25	
				07						DRG. No.: 284595 / 1001 / 24	
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL F2 SPARE - NO EQUIPMENT								 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk	


A		B		C		D		E		F		
24F L1		L1 I1A										
24F L2		L2 I1A										
24F L3		L3 I1A										
24F N		N I1A										
BUSBAR CHAMBER FUNCTIONAL CELL		BUSBAR CHAMBER FUNCTION CELL										
CELL F3 SPARE NO EQUIPMENT												
PANEL FIELD		PANEL FIELD										
DRAWING STATUS						REV	DATE	DETAIL	CLIENT	PEEL PORT	ENGRD. M.WRIGHT DRAWN. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
FIRST DRAFT ☒						00	05/07/22	FIRST ISSUE	INSTALL	RSGT LIVERPOOL	CHECK B.DUFFY	
FOR MANUFACTURE ☐						01	12/02/25	MC2 DUST PLANT FAN ADDED			DATE 12/02/25	
SIGNED..... DATED.....						02						
						03						
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022						04			TITLE	MCC2A WIRING SCHEMATICS	DRG. No.:	
						05					284595 / 1001 / 25	
						06						
						07						


A		B		C		D		E		F									
25F L1										L1 27A									
25F L2										L2 27A									
25F L3										L3 27A									
25F N										N 27A									
BUSBAR CHAMBER FUNCTIONAL CELL												BUSBAR CHAMBER FUNCTION CELL							
CELL F4 SPARE NO EQUIPMENT																			
PANEL FIELD																			
PANEL FIELD																			
DRAWING STATUS						REV		DATE		DETAIL		CLIENT		PEEL PORT		ENGRD. M.WRIGHT DRAWN. M.WRIGHT		HF HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk	
FIRST DRAFT ☒						00		05/07/22		FIRST ISSUE		INSTALL		RSGT LIVERPOOL		CHECK B.DUFFY			
FOR MANUFACTURE ☐						01		12/02/25		MC2 DUST PLANT FAN ADDED						DATE 12/02/25			
SIGNED..... DATED.....						02													
						03													
						04													
						05													
HF HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL F4 SPARE - NO EQUIPMENT				06						TITLE		MCC2A WIRING SCHEMATICS		DRG. No.:			
						07								284595 / 1001 / 26					

A		B		C		D		E		F			
26F L1										L1 28A			
26F L2										L2 28A			
26F L3										L3 28A			
26F N										N 28A			
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL			
CELL F5 SPARE NO EQUIPMENT													
PANEL FIELD													
PANEL FIELD													
DRAWING STATUS						REV	DATE	DETAIL	CLIENT INSTALL TITLE	PEEL PORT		ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
FIRST DRAFT ☒						00	05/07/22	FIRST ISSUE		RSGT LIVERPOOL		DRAWN. M.WRIGHT	
FOR MANUFACTURE ☐						01	12/02/25	MC2 DUST PLANT FAN ADDED				CHECK B.DUFFY	
SIGNED..... DATED.....						02						DATE 12/02/25	
						03						DRG. No.:	
						04						284595 / 1001 / 27	
						05							
						06							
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL F5 SPARE - NO EQUIPMENT				07			MCC2A WIRING SCHEMATICS				


A		B		C		D		E		F	
28F L1										L1 30A	
28F L2										L2 30A	
28F L3										L3 30A	
28F N										N 30A	
BUSBAR CHAMBER FUNCTIONAL CELL										BUSBAR CHAMBER FUNCTION CELL	
CELL F7 SPARE NO EQUIPMENT											
PANEL FIELD											
PANEL FIELD											
DRAWING STATUS						REV		DATE		DETAIL	
FIRST DRAFT ☒						00		05/07/22		FIRST ISSUE	
FOR MANUFACTURE ☐						01		12/02/25		MC2 DUST PLANT FAN ADDED	
SIGNED..... DATED.....						02					
						03					
						04					
						05					
						06					
						07					
HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL F7 SPARE - NO EQUIPMENT				CLIENT		PEEL PORT		ENGRD. M.WRIGHT DRAWN. M.WRIGHT	
						INSTALL		RSGT LIVERPOOL		CHECK B.DUFFY DATE 12/02/25	
						TITLE		MCC2A WIRING SCHEMATICS		DRG. No.: 284595 / 1001 / 29	
										 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk	


A		B		C		D		E		F							
29F L1										L1 31A							
29F L2										L2 31A							
29F L3										L3 31A							
29F N										N 31A							
BUSBAR CHAMBER FUNCTIONAL CELL												BUSBAR CHAMBER FUNCTION CELL					
CELL F8 SPARE NO EQUIPMENT																	
PANEL FIELD																	
PANEL FIELD																	
DRAWING STATUS						REV		DATE		DETAIL		CLIENT		ENGRD.		HF HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk	
FIRST DRAFT ☒						00		05/07/22		FIRST ISSUE		INSTALL		M.WRIGHT			
FOR MANUFACTURE ☐						01		12/02/25		MC2 DUST PLANT FAN ADDED		INSTALL		M.WRIGHT			
SIGNED..... DATED.....						02						INSTALL		CHECK			
						03						INSTALL		B.DUFFY			
						04						TITLE		DATE		12/02/25	
						05										DRG. No.:	
						06										284595 / 1001 / 30	
						07											
HF HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022		CELL F8 SPARE - NO EQUIPMENT										MCC2A WIRING SCHEMATICS					







										24VDC CONTROL VOLTAGE SUPPLY																																				
										SPARE	SPARE	SPARE	24VDC TO CELL E1	24VDC TO CELL E2	SPARE	SPARE	SPARE											SPARE	SPARE	SPARE	SPARE	SPARE														
DRAWING STATUS										CELL B2 PLC CONTROL SECTION - 24VDC DISTRIBUTION										REV	DATE	DETAIL	CLIENT	PEEL PORT										ENGRD. M.WRIGHT		 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk										
FIRST DRAFT ☒																				00	05/07/22	FIRST ISSUE												DRAWN. M.WRIGHT												
FOR MANUFACTURE ☐																				01	12/02/25	MC2 DUST PLANT FAN ADDED												CHECK B.DUFFY												
SIGNED..... DATED.....																				02				INSTALL	RSGT LIVERPOOL										DATE 12/02/25											
																				03																										
																				04																										
																				05																										
										06																																				
										07			TITLE	MCC2A WIRING SCHEMATICS										DRG. No.:																						
										284595 / 1001 / 33																																				





TYPE: DI32
MODEL: 6ES7 521-1BL00-0AB0
RACK: 0
SLOT: 1



24VDC POWER DISTRIBUTION										110VAC POWER DISTRIBUTION										LORRY WEIGHBACK PONY MOTOR		
POWER SUPPLY #1 HEALTHY	POWER SUPPLY #2 HEALTHY	DIODE DECOUPLER HEALTHY	DIGITAL FUSE CONTROLLER #1 HEALTHY	DIGITAL FUSE CONTROLLER #2 HEALTHY	DIGITAL FUSE CONTROLLER #3 HEALTHY	DIGITAL FUSE CONTROLLER #4 HEALTHY	TX1 SUPPLY HEALTHY	TX2 SUPPLY HEALTHY	EMERGENCY STOP RELAY HEALTHY	LORRY LOADING SCALE ISOLATOR STATUS	EMERGENCY STOP RELAY HEALTHY	EMERGENCY STOP RELAY HEALTHY	MOTOR ISOLATOR STATUS	MOTOR RUNNING STATUS	MOTOR OVERLOAD STATUS							
									CELL A2	CELL A3	CELL B1	CELL C1	CELL D1	CELL D1	CELL D1							
DRAWING STATUS FIRST DRAFT ☒ FOR MANUFACTURE ☐ SIGNED..... DATED..... HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022 CELL B2 PLC CONTROL SECTION - DIGITAL INPUTS SLOT 1										REV	DATE	DETAIL	CLIENT	PEEL PORT		ENGRD. M.WRIGHT						
										00	05/07/22	FIRST ISSUE				DRAWN. M.WRIGHT						
										01	12/02/25	MC2 DUST PLANT FAN ADDED				CHECK B.DUFFY						
										02						DATE 12/02/25						
										03			INSTALL	RSGT LIVERPOOL		DRG. No.: 284595 / 1001 / 35						
										04												
										05												
										06												
										07			TITLE	MCC2A WIRING SCHEMATICS								


HF


HF Controls Ltd

100 Albert Drive, Glasgow G41 2SJ

Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054

email: hf@hfcontrols.co.uk www.hf-group.co.uk





A

B

C

D

E

F

37F L1

37F L2

37F L3

37F N

BUSBAR CHAMBER FUNCTIONAL CELL

BUSBAR CHAMBER FUNCTION CELL

37F 24V1

37F 24V2

37F 0V

L1 39A

L2 39A

L3 39A

N 39A

24V1 39A

24V2 39A

0V 39A

TYPE: DI32
MODEL: 6ES7 521-1BL00-0AB0
RACK: 0
SLOT: 2

PANEL FIELD

X060

X061

X062

X063

X064

X065

X066

X067

X070

X071

X072

X073

X074

X075

X076

X077

PANEL FIELD

-X38

1

2

3

4

5

6

7

8

9

10

11

12



13

14

15

16

	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>	SPARE <DIGITAL INPUT>						
DRAWING STATUS										REV		DATE		DETAIL		CLIENT	PEEL PORT		ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk		
FIRST DRAFT ☒										00		05/07/22		FIRST ISSUE			INSTALL	RSGT LIVERPOOL			DRAWN. M.WRIGHT	
FOR MANUFACTURE ☐										01		12/02/25		MC2 DUST PLANT FAN ADDED				TITLE			CHECK B.DUFFY	
SIGNED..... DATED.....										02									MCC2A WIRING SCHEMATICS		DATE 12/02/25	
 HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022										03												
										04												
										05												
										06												
CELL B2 PLC CONTROL SECTION - DIGITAL INPUTS SLOT 2										07								DRG. No.: 284595 / 1001 / 38				



39F L1

39F L2

39F L3

39F N

BUSBAR
CHAMBER
FUNCTIONAL
CELL

L1 41A

L2 41A

L3 41A

N 41A

BUSBAR
CHAMBER
FUNCTION
CELL

39F 24V1

39F 24V2


39F 0V

24V1 41A

24V2 41A

0V 41A

TYPE: DQ32
MODEL: 6ES7 522-1BL01-0AB0
RACK: 0
SLOT: 3



LORRY WEIGHBACK CHAIN CONVEYOR LWCC1				LORRY WEIGHBACK CHAIN CONVEYOR LWCC2				SURGE & BASEMENT BELT - VALVE STARTER				MILL BIN 1 - VALVE STARTER			
FAULT RESET	START MOTOR	MOTOR STOP	SPARE DIGITAL OUTPUT	FAULT RESET	START MOTOR	MOTOR STOP	SPARE DIGITAL OUTPUT	FAULT RESET	START MOTOR FORWARD	MOTOR STOP	START MOTOR REVERSE	FAULT RESET	START MOTOR	MOTOR STOP	START MOTOR REVERSE
CELL D4	CELL D4	CELL D4		CELL D5	CELL D5	CELL D5		CELL E1	CELL E1	CELL E1	CELL E1	CELL E2	CELL E2	CELL E2	CELL E2

DRAWING STATUS

FIRST DRAFT ☒

FOR MANUFACTURE ☐

SIGNED..... DATED.....

 HF CONTROLS LTD.
© COPYRIGHT HF CONTROLS LTD. 2022

CELL B2
PLC CONTROL SECTION - DIGITAL OUTPUTS SLOT 3



REV	DATE	DETAIL	CLIENT
00	05/07/22	FIRST ISSUE	PEEL PORT
01	12/02/25	MC2 DUST PLANT FAN ADDED	
02			
03			
04			
05			
06			
07			

INSTALL	RSGT LIVERPOOL
TITLE	MCC2A WIRING SCHEMATICS

ENGRD.
M.WRIGHT
DRAWN.
M.WRIGHT
CHECK
B.DUFFY
DATE
12/02/25


HF Controls Ltd
100 Albert Drive, Glasgow G41 2SJ
Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054
email: hf@hfcontrols.co.uk www.hf-group.co.uk

DRG. No.:
284595 / 1001 / 40



MC2 DUST PLANT FAN

FAULT RESET

CELL D3

START MOTOR

CELL D3

MOTOR STOP

CELL D3

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

SPARE DIGITAL OUTPUT

DRAWING STATUS

FIRST DRAFT

FOR MANUFACTURE

SIGNED..... DATED.....

HF CONTROLS LTD.

© COPYRIGHT HF CONTROLS LTD. 2022

CELL B2

PLC CONTROL SECTION - DIGITAL OUTPUTS SLOT 4

REV

DATE

DETAIL

CLIENT

INSTALL

TITLE

00

05/07/22

FIRST ISSUE

01

12/02/25

MC2 DUST PLANT FAN ADDED

02

03

04

05

06

07

PEEL PORT

RSGT LIVERPOOL

MCC2A WIRING SCHEMATICS

ENGRD. M.WRIGHT

DRAWN. M.WRIGHT

CHECK B.DUFFY

DATE 12/02/25

DRG. No.: 284595 / 1001 / 41


HF

HF Controls Ltd


100 Albert Drive, Glasgow G41 2SJ

Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054


email: hf@hfcontrols.co.uk www.hf-group.co.uk





TYPE: DQ32
MODEL: 6ES7 522-1BL01-0AB0
RACK: 0
SLOT: 4



	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT	SPARE DIGITAL OUTPUT			
DRAWING STATUS			CELL B2 PLC CONTROL SECTION - DIGITAL OUTPUTS SLOT 4								REV	DATE	DETAIL		CLIENT	PEEL PORT		ENGRD. M.WRIGHT	HF HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
FIRST DRAFT		☒									00	05/07/22	FIRST ISSUE					M.WRIGHT	
FOR MANUFACTURE		☐									01	12/02/25	MC2 DUST PLANT FAN ADDED						
SIGNED..... DATED.....											02				INSTALL	RSGT LIVERPOOL		CHECK B.DUFFY	
											03							DATE 12/02/25	
											04								
											05				TITLE	MCC2A WIRING SCHEMATICS		DRG. No.:	
											06							284595 / 1001 / 42	
											07								



TYPE: F-DI16
MODEL: 6ES7 526-1BH00 0AB0
RACK: 0
SLOT: 5



	MILL FEED CONVEYOR MC1 E-STOP RELAY STATUS CELL A2	BASEMENT BELT CONVEYOR BB1 E-STOP RELAY STATUS CELL B1	BASEMENT BELT CONVEYOR BB2 E-STOP RELAY STATUS CELL C1	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	
--	--	--	--	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	--

DRAWING STATUS

FIRST DRAFT ☒

FOR MANUFACTURE ☐


SIGNED..... DATED.....

HF CONTROLS LTD.
© COPYRIGHT HF CONTROLS LTD. 2022



CELL B2
PLC CONTROL SECTION - SAFETY INPUTS SLOT 5

REV	DATE	DETAIL	CLIENT
00	05/07/22	FIRST ISSUE	PEEL PORT
01	12/02/25	MC2 DUST PLANT FAN ADDED	
02			
03			
04			
05			RSGT LIVERPOOL
06			
07			
			MCC2A WIRING SCHEMATICS

ENGRD. M.WRIGHT	 HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
DRAWN. M.WRIGHT	
CHECK B.DUFFY	
DATE 12/02/25	DRG. No.: 284595 / 1001 / 43



TYPE: F-DI16
MODEL: 6ES7 526-1BH00 0AB0
RACK: 0
SLOT: 6



	SPARE DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT	SPARE SAFETY DIGITAL INPUT				
DRAWING STATUS		CELL B2 PLC CONTROL SECTION - SAFETY INPUTS SLOT 6										REV	DATE	DETAIL		CLIENT	PEEL PORT		ENGRD. M.WRIGHT	HF HF Controls Ltd 100 Albert Drive, Glasgow G41 2SJ Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054 email: hf@hfcontrols.co.uk www.hf-group.co.uk
FIRST DRAFT	☒											00	05/07/22	FIRST ISSUE					INSTALL	
FOR MANUFACTURE	☐											01	12/02/25	MC2 DUST PLANT FAN ADDED						
SIGNED.....	DATED.....											02								
												03				TITLE	MCC2A WIRING SCHEMATICS		CHECK B.DUFFY	
												04							DATE 12/02/25	
												05								
HF CONTROLS LTD. © COPYRIGHT HF CONTROLS LTD. 2022				06				DRG. No.:		284595 / 1001 / 44										
				07																

44F L1

44F L2

44F L4

44F N


BUSBAR
CHAMBER
FUNCTIONAL
CELL

24V1

24V2

0V

BUSBAR
CHAMBER
FUNCTION
CELL



MILL FEED
CONVEYOR MC1
SOFTSTART
SAFETY ENABLE
SIGNAL
CELL A2

BASEMENT BELT
CONVEYOR BB1
SOFTSTART
SAFETY ENABLE
SIGNAL
CELL B1

BASEMENT BELT
CONVEYOR BB2
SOFTSTART
SAFETY ENABLE
SIGNAL
CELL C1

SPARE
SAFETY
DIGITAL
OUTPUT

SPARE
SAFETY
DIGITAL
OUTPUT

SPARE
SAFETY
DIGITAL
OUTPUT

SPARE
SAFETY
DIGITAL
OUTPUT

SPARE
SAFETY
DIGITAL
OUTPUT

DRAWING STATUS

FIRST DRAFT ☒
FOR MANUFACTURE ☐
SIGNED..... DATED.....

HF CONTROLS LTD.

© COPYRIGHT HF CONTROLS LTD. 2022

CELL B2
PLC CONTROL SECTION - SAFETY OUTPUTS SLOT 7

REV

DATE

DETAIL

00

05/07/22

FIRST ISSUE

01

12/02/25

MC2 DUST PLANT FAN ADDED

02

03

04

05

06

07

CLIENT

INSTALL

TITLE

PEEL PORT

RSGT
LIVERPOOL

MCC2A
WIRING SCHEMATICS

ENGRD.
M.WRIGHT
DRAWN.
M.WRIGHT
CHECK
B.DUFFY
DATE
12/02/25

DRG. No.:
284595 / 1001 / 45

HF

HF Controls Ltd

100 Albert Drive, Glasgow G41 2SJ
Tel: +44 (0)141 429 5575 Fax: +44 (0)141 420 1054
email: hf@hfcontrols.co.uk www.hf-group.co.uk

