



# The James Hutton Institute

## Information & Computational Sciences



### Changelog/Migration Documentation

Version 3.3.2

November, 2016

Developers:

Sebastian Raubach  
Toby Philp  
Paul Shaw

## Contents

<b>Version 3.3.2</b>	<b>2</b>
New/Changed features . . . . .	2
Migration from 3.3.1 to 3.3.2 . . . . .	2
<b>Version 3.3.1</b>	<b>3</b>
New/Changed features . . . . .	3
Migration from 3.3.0 to 3.3.1 . . . . .	3
<b>Version 3.3.0</b>	<b>4</b>
New/Changed features . . . . .	4
Migration from 3.2.0a to 3.3.0 . . . . .	4
<b>Version 3.2.0a</b>	<b>5</b>
New/Changed features . . . . .	5
Migration from 3.2.0 to 3.2.0a . . . . .	5

## Version 3.3.2

### New/Changed features

**FIX** Fixed unescaped apostrophe in the il8n properties file.

**CHG** Added option to give a reason for rejecting a user registration request.

### Migration from 3.3.1 to 3.3.2

- No changes required.

## Version 3.3.1

### New/Changed features

**FIX** Fixed automatic user registration email missing the activation link.

**ADD** Added form to add a new database system to the database systems page.

### Migration from 3.3.0 to 3.3.1

- No changes required

## Version 3.3.0

### New/Changed features

**CHG** Complete re-write of the web interface.

**ADD** Added user search feature to user list.

**ADD** Added internationalization.

**FIX** Fixed minor bugs.

### Migration from 3.2.0a to 3.3.0

- No changes required

## Version 3.2.0a

### New/Changed features

**ADD** Added option to delete user requests without notifying the user.

**ADD** Enabled storing of login credentials by the browser.

**CHG** Updated sql template with missing table.

### Migration from 3.2.0 to 3.2.0a

- Run this against the database:

```
DROP TABLE IF EXISTS `access_requests`;
CREATE TABLE `access_requests` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL,
  `database_system_id` int(11) NOT NULL,
  `has_been_rejected` tinyint(1) NOT NULL DEFAULT '0',
  `activation_key` varchar(36) DEFAULT NULL,
  `created_on` timestamp NULL DEFAULT NULL ON UPDATE CURRENT_TIMESTAMP,
  PRIMARY KEY (`id`),
  KEY `access_requests_ibfk1` (`user_id`) USING BTREE,
  KEY `access_requests_ibfk2` (`database_system_id`) USING BTREE,
  CONSTRAINT `access_requests_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON
    DELETE CASCADE ON UPDATE CASCADE,
  CONSTRAINT `access_requests_ibfk_2` FOREIGN KEY (`database_system_id`) REFERENCES `
    database_systems` (`id`) ON DELETE CASCADE ON UPDATE CASCADE
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

## References