RWorksheet_Somosera#3b

2023-10-10

```
HouseData <- data.frame (
  Respondents = 1:20,
  Sex = c(2, 2, 1, 2, 2, 2, 2, 2, 2, 2, 1, 2, 2, 2, 2, 2, 2, 2, 1, 2),
  Fathers_Occupation = c(1, 3, 3, 3, 1, 2, 3, 1, 1, 1, 3, 2, 1, 3, 3, 1, 3, 1, 2, 1),
  Person_at_Home = c(5, 7, 3, 8, 5, 9, 6, 7, 8, 4, 7, 5, 4, 7, 8, 8, 3, 11, 7, 6),
  Siblings_at_school = c(6, 4, 4, 1, 2, 1, 5, 3, 1, 2, 3, 2, 5, 5, 2, 1, 2, 5, 3, 2),
  Types_of_houses = c(1, 2, 3, 1, 1, 3, 3, 1, 2, 3, 2, 3, 2, 2, 3, 3, 3, 3, 3, 2)
)
HouseData
```

```
##    Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1            1   2                  1             5                  6
## 2            2   2                  3             7                  4
## 3            3   1                  3             3                  4
## 4            4   2                  3             8                  1
## 5            5   2                  1             5                  2
## 6            6   2                  2             9                  1
## 7            7   2                  3             6                  5
## 8            8   2                  1             7                  3
## 9            9   2                  1             8                  1
## 10          10   2                  1             4                  2
## 11          11   1                  3             7                  3
## 12          12   2                  2             5                  2
## 13          13   2                  1             4                  5
## 14          14   2                  3             7                  5
## 15          15   2                  3             8                  2
## 16          16   2                  1             8                  1
## 17          17   2                  3             3                  2
## 18          18   2                  1            11                  5
## 19          19   1                  2             7                  3
## 20          20   2                  1             6                  2
##    Types_of_houses
## 1                1
## 2                2
## 3                3
## 4                1
## 5                1
## 6                3
## 7                3
## 8                1
## 9                2
## 10               3
## 11               2
## 12               3
## 13               2
## 14               2
```

```
## 15              3
## 16              3
## 17              3
## 18              3
## 19              3
## 20              2
```

```
str(HouseData)
## 'data.frame':    20 obs. of  6 variables:
##  $ Respondents       : int  1 2 3 4 5 6 7 8 9 10 ...
##  $ Sex               : num  2 2 1 2 2 2 2 2 2 2 ...
##  $ Fathers_Occupation: num  1 3 3 3 1 2 3 1 1 1 ...
##  $ Person_at_Home    : num  5 7 3 8 5 9 6 7 8 4 ...
##  $ Siblings_at_school: num  6 4 4 1 2 1 5 3 1 2 ...
##  $ Types_of_houses   : num  1 2 3 1 1 3 3 1 2 3 ...
summary(HouseData)
##   Respondents         Sex       Fathers_Occupation Person_at_Home
##  Min.   : 1.00   Min.   :1.00   Min.   :1.00       Min.   : 3.0
##  1st Qu.: 5.75   1st Qu.:2.00   1st Qu.:1.00       1st Qu.: 5.0
##  Median :10.50   Median :2.00   Median :2.00       Median : 7.0
##  Mean   :10.50   Mean   :1.85   Mean   :1.95       Mean   : 6.4
##  3rd Qu.:15.25   3rd Qu.:2.00   3rd Qu.:3.00       3rd Qu.: 8.0
##  Max.   :20.00   Max.   :2.00   Max.   :3.00       Max.   :11.0
##  Siblings_at_school Types_of_houses
##  Min.   :1.00       Min.   :1.0
##  1st Qu.:2.00       1st Qu.:2.0
##  Median :2.50       Median :2.5
##  Mean   :2.95       Mean   :2.3
##  3rd Qu.:4.25       3rd Qu.:3.0
##  Max.   :6.00       Max.   :3.0
```

```
mean_siblings <- mean(HouseData$Siblings_at_school)
mean_siblings == 5
## [1] FALSE
```

```
Sub1 <- HouseData[1:2, ]
Sub1
##   Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1           1   2                  1              5                  6
## 2           2   2                  3              7                  4
##   Types_of_houses
## 1               1
## 2               2
```

```
Sub2 <- HouseData[c(3, 5), c(2, 4)]
Sub2
##   Sex Person_at_Home
## 3   1              3
## 5   2              5
```

```
types_houses <- HouseData$Types_of_houses
types_houses
##  [1] 1 2 3 1 1 3 3 1 2 3 2 3 2 2 3 3 3 3 3 2
```

```
MaleFarmer <- subset(HouseData, Sex == 1 & Fathers_Occupation == 1)
MaleFarmer
```

```
## [1] Respondents        Sex                Fathers_Occupation Person_at_Home
## [5] Siblings_at_school Types_of_houses
## <0 rows> (or 0-length row.names)
```

```
FemRespondent <- subset(HouseData, Sex == 2 & Siblings_at_school >= 5)
FemRespondent
##    Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1            1   2                  1              5                  6
## 7            7   2                  3              6                  5
## 13          13   2                  1              4                  5
## 14          14   2                  3              7                  5
## 18          18   2                  1             11                  5
##    Types_of_houses
## 1                1
## 7                3
## 13               2
## 14               2
## 18               3
```

```
df = data.frame(Ints=integer(),

Doubles=double(), Characters=character(),
Logicals=logical(),
Factors=factor(),
stringsAsFactors=FALSE)

print("Structure of the empty dataframe:")
## [1] "Structure of the empty dataframe:"
print(str(df))
## 'data.frame':    0 obs. of  5 variables:
##  $ Ints      : int
##  $ Doubles   : num
##  $ Characters: chr
##  $ Logicals  : logi
##  $ Factors   : Factor w/ 0 levels:
## NULL
#The results shows that data frame has 0 observations and 5 variables
```

```
household_data <- data.frame (
  Respondents = 1:10,
  Sex = c("Male", "Female", "Female", "Male", "Male", "Female", "Female", "Male", "Female", "Male"),
  Fathers_Occupation = c(1,2,3,3,1,2,2,3,1,3),
  Person_at_Home = c(5,7,3,8,6,4,4,2,11,6),
  Siblings_at_school = c(2,3,0,5,2,3,1,2,6,2),
  Types_of_houses = c("Wood", "Congrete", "Congrete", "Wood", "Semi-Congrete", "Semi-Congrete", "Wood",
)
household_data
##    Respondents    Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1            1   Male                  1              5                  2
## 2            2 Female                  2              7                  3
## 3            3 Female                  3              3                  0
## 4            4   Male                  3              8                  5
## 5            5   Male                  1              6                  2
## 6            6 Female                  2              4                  3
```

```
## 7            7 Female                  2              4                   1
## 8            8   Male                  3              2                   2
## 9            9 Female                  1             11                   6
## 10          10   Male                  3              6                   2
##    Types_of_houses
## 1             Wood
## 2         Congrete
## 3         Congrete
## 4             Wood
## 5    Semi-Congrete
## 6    Semi-Congrete
## 7             Wood
## 8    Semi-Congrete
## 9    Semi-Congrete
## 10        Congrete
```

```
write.csv(household_data, file = "HouseholdData.csv", row.names = FALSE)

household_data<- read.csv("HouseholdData.csv")
household_data
```

```
##    Respondents    Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1            1   Male                  1              5                   2
## 2            2 Female                  2              7                   3
## 3            3 Female                  3              3                   0
## 4            4   Male                  3              8                   5
## 5            5   Male                  1              6                   2
## 6            6 Female                  2              4                   3
## 7            7 Female                  2              4                   1
## 8            8   Male                  3              2                   2
## 9            9 Female                  1             11                   6
## 10          10   Male                  3              6                   2
##    Types_of_houses
## 1             Wood
## 2         Congrete
## 3         Congrete
## 4             Wood
## 5    Semi-Congrete
## 6    Semi-Congrete
## 7             Wood
## 8    Semi-Congrete
## 9    Semi-Congrete
## 10        Congrete
```

```
household_data$Sex <- factor(household_data$Sex)
household_data$Sex <- as.integer(factor(household_data$Sex,
                                 levels = c("Male", "Female"),
                                    labels = c(1, 2)))
household_data
```

```
##    Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1            1   1                  1              5                   2
## 2            2   2                  2              7                   3
## 3            3   2                  3              3                   0
## 4            4   1                  3              8                   5
## 5            5   1                  1              6                   2
## 6            6   2                  2              4                   3
```

```
## 7            7   2                  2              4                   1
## 8            8   1                  3              2                   2
## 9            9   2                  1             11                   6
## 10          10   1                  3              6                   2
##    Types_of_houses
## 1             Wood
## 2         Congrete
## 3         Congrete
## 4             Wood
## 5    Semi-Congrete
## 6    Semi-Congrete
## 7             Wood
## 8    Semi-Congrete
## 9    Semi-Congrete
## 10        Congrete
```

```
household_data$Types_of_houses <- factor(household_data$Types_of_houses)
household_data$Types_of_houses <- as.integer(factor(household_data$Types_of_houses,
                                          levels = c("Wood", "Congrete", "Semi-Congrete"),
                                                labels = c(1, 2, 3)))
household_data
```

```
##    Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1            1   1                  1              5                   2
## 2            2   2                  2              7                   3
## 3            3   2                  3              3                   0
## 4            4   1                  3              8                   5
## 5            5   1                  1              6                   2
## 6            6   2                  2              4                   3
## 7            7   2                  2              4                   1
## 8            8   1                  3              2                   2
## 9            9   2                  1             11                   6
## 10          10   1                  3              6                   2
##    Types_of_houses
## 1                1
## 2                2
## 3                2
## 4                1
## 5                3
## 6                3
## 7                1
## 8                3
## 9                3
## 10               2
```

```
household_data$Fathers_Occupation <- factor(household_data$Fathers_Occupation)
household_data$Fathers_Occupation <- as.character(factor(household_data$Fathers_Occupation,

                                          levels = c(1, 2, 3),
                                          labels = c("Farmer", "Driver", "Others")))
household_data
```

```
##    Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 1            1   1             Farmer              5                   2
## 2            2   2             Driver              7                   3
## 3            3   2             Others              3                   0
```

```
## 4             4   1             Others               8                   5
## 5             5   1             Farmer               6                   2
## 6             6   2             Driver               4                   3
## 7             7   2             Driver               4                   1
## 8             8   1             Others               2                   2
## 9             9   2             Farmer              11                   6
## 10           10   1             Others               6                   2
##    Types_of_houses
## 1                1
## 2                2
## 3                2
## 4                1
## 5                3
## 6                3
## 7                1
## 8                3
## 9                3
## 10               2
```

```
FemDrv <- subset(household_data, Sex == 2 & Fathers_Occupation == "Driver")
FemDrv
##   Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 2           2   2             Driver               7                   3
## 6           6   2             Driver               4                   3
## 7           7   2             Driver               4                   1
##   Types_of_houses
## 2               2
## 6               3
## 7               1
```

```
Sibling <- subset(household_data, Siblings_at_school >= 5)
Sibling
##   Respondents Sex Fathers_Occupation Person_at_Home Siblings_at_school
## 4           4   1             Others               8                   5
## 9           9   2             Farmer              11                   6
##   Types_of_houses
## 4               1
## 9               3
```