



hung.pq.  
1962@aptechlearning.ed  
TH-7023-Sem2-Fundamentals of Java's  
report

Submitted on Sep 07 2022 12:47:41 IST

**5.0 (25%)**

scored out of 20

**Failed**

in the assignment (Cut-off score 40%)

**16**

problems attempted out of 16

## Test time analysis

**10m 40s**

time taken for completion

**Sep 04 2022 19:34:31 IST**

test invite time

**Sep 07 2022 12:37:00 IST**

test start time

**Sep 07 2022 12:47:41 IST**

test end time

## Performance summary

**5**

solutions accepted

**11**

solutions rejected

## Solutions

Problem Name	Problem Type	Status	Score
FUNDAMENTALOFJAVA	MCQ	ACCEPTED	1.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 1
FUNDAMENTALOFJAVA	MCQ	ACCEPTED	1.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 1
FUNDAMENTALOFJAVA	MCQ	ACCEPTED	1.0 / 1
FUNDAMENTALOFJAVA	MCQ	ACCEPTED	1.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 1
FUNDAMENTALOFJAVA	MCQ	ACCEPTED	1.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 1
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 2
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 2
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 2
FUNDAMENTALOFJAVA	MCQ	REJECTED	0.0 / 2

# Detailed Report

**Problem 1 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

A \_\_\_\_\_ object is a text component that allows editing of multiple lines of text.

**Solution**

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
JTextArea	
JTextField	
JFileChooser	
JComboBox	

**Problem 2 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

\_\_\_\_\_ creates a color chooser pane with an initial color of white.

**Solution**

REJECTED

SCORE: 0.0 / 1

`Jcolorchooser()``JColorChooser(colorinitialise)``JColorChooser()`**CORRECT ANSWER****CANDIDATE'S ANSWER**`JColorChooser(Color)`

**Problem 3 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

Java Swing is a part of \_\_\_\_\_ used for creating desktop applications with GUI features.

**Solution**

REJECTED

SCORE: 0.0 / 1

JFC	CORRECT ANSWER
JVM	
CANDIDATE'S ANSWER JDK	
Java API	

**Problem 4 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

Math.PI is a constant \_\_\_\_\_ that contains a value closest to PI.

**Solution**

ACCEPTED

SCORE: 1.0 / 1

int

CANDIDATE'S ANSWER

double

CORRECT ANSWER

long

float



**Problem 5 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

In how many ways can the Math.abs() method be overloaded?

**Solution**

REJECTED

SCORE: 0.0 / 1

1

CANDIDATE'S ANSWER

2

3

CORRECT ANSWER

4

**Problem 6 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

What is recursion?

**Solution**

REJECTED

SCORE: 0.0 / 1

**CORRECT ANSWER**

A method calling itself repeatedly

A method calling other methods repeatedly

A chain of methods repeatedly calling each other in cyclic way

**CANDIDATE'S ANSWER**

Defining methods with a class

**Problem 7 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

Java supports concurrency through \_\_\_\_\_.

**Solution**

REJECTED

SCORE: 0.0 / 1

**CANDIDATE'S ANSWER**

Interfaces

java.extend function

CompletableFuture class

**CORRECT ANSWER**

ScriptEngineManager class

**Problem 8 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

Functional interface has \_\_\_\_\_ abstract methods and \_\_\_\_\_ default methods.

**Solution**

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
one, zero	
zero, one	
two, one	
two, zero	

**Problem 9 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

A stream containing \_\_\_\_\_ intermediate operators has no limitations.

**Solution**

ACCEPTED

SCORE: 1.0 / 1

5

10

15

CANDIDATE'S ANSWER

CORRECT ANSWER

n

**Problem 10 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

Which of the following classes contains the method `splitAsStream(CharSequence)` used to generate streams?

**Solution**

REJECTED

SCORE: 0.0 / 1

Stream	
Pattern	CORRECT ANSWER
CANDIDATE'S ANSWER Collection	
BufferedReader	

**Problem 11 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

What are default methods also known as?

- a. Virtual extension methods
- b. Defender methods
- c. Extension methods

**Solution**

ACCEPTED

SCORE: 1.0 / 1

a

a and c

CANDIDATE'S ANSWER

a and b

CORRECT ANSWER

b and c

**Problem 12 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 1

In functional programming, identify the symbol that is used to represent the method reference.

**Solution**

REJECTED

SCORE: 0.0 / 1

:

**CANDIDATE'S ANSWER**

-&gt;

**CORRECT ANSWER**

::

-



**Problem 13 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 2

Identify the name of the default layout manager that will position the components, in case a layout manager is not specified.

**Solution**

REJECTED

SCORE: 0.0 / 2

LayoutManager	
JFileChooser	
FlowLayout	CORRECT ANSWER
CANDIDATE'S ANSWER	
LayoutComponent	

**Problem 14 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 2

What is JComponent?

**Solution**

REJECTED

SCORE: 0.0 / 2

**CORRECT ANSWER**

A base class for all Swing UI components

**CANDIDATE'S ANSWER**

An abstract base class

Contains other Swing components

Contains all the core visual components

**Problem 15 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 2

What are the two parameters of Stage in JavaFX divided as?

**Solution**

REJECTED

SCORE: 0.0 / 2

**CORRECT ANSWER**

Content Area and Decorations

**CANDIDATE'S ANSWER**

Decorated and Undecorated

Content Area and Unified

Utility and Transparent

**Problem 16 : FUNDAMENTALOFJAVA**

MCQ

SCORE: 2

How are text-only labels aligned by default in the display area?

**Solution**

REJECTED

SCORE: 0.0 / 2

Vertically	CORRECT ANSWER
Leading edge aligned	
Horizontally center aligned	
CANDIDATE'S ANSWER	
Not aligned at all	