



hung.pq.  
1962@aptechlearning.ed

TH-7023-Sem 4-Enterprise Application  
development in Java EE's report

Submitted on Sep 27 2023 08:09:30 IST

**7.0 (35%)**

scored out of 20

**Failed**in the assignment (Cut-off score  $\geq$  40%)**16**

problems attempted out of 16

## Test time analysis

**21m 19s**

time taken for completion

**Sep 25 2023 21:07:40 IST**

test invite time

**Sep 27 2023 07:48:10 IST**

test start time

**Sep 27 2023 08:09:30 IST**

test end time

## Performance summary

**6**

solutions accepted

**10**

solutions rejected

## Solutions

Problem Name	Problem Type	Status	Score
Jakarta Enterprise Beans in Action	MCQ	ACCEPTED	1.0 / 1
Jakarta Enterprise Beans in Action	MCQ	ACCEPTED	1.0 / 1
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 2
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 1
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 1
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 1
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 1
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 2
Jakarta Enterprise Beans in Action	MCQ	ACCEPTED	1.0 / 1
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 1
Jakarta Enterprise Beans in Action	MCQ	ACCEPTED	1.0 / 1
Jakarta Enterprise Beans in Action	MCQ	ACCEPTED	2.0 / 2
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 1
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 2
Jakarta Enterprise Beans in Action	MCQ	REJECTED	0.0 / 1
Jakarta Enterprise Beans in Action	MCQ	ACCEPTED	1.0 / 1

# Detailed Report

## Problem 1 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

In Jakarta EE platform, the declarative style of programming is made possible by \_\_\_\_\_ that includes both programmatic and declarative security concepts.

### Solution

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
annotations	
programmatic API	
deployment descriptor	
beans	

## Problem 2 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

Which of the following is NOT one of the main approaches for injecting beans into other beans in CDI?

- a) Employing annotations
- b) Making use of the beans.xml file
- c) Using Jakarta code
- d) Using the unified EL

### Solution

ACCEPTED

SCORE: 1.0 / 1

a	
b	
<b>CANDIDATE'S ANSWER</b>	<b>CORRECT ANSWER</b>
c	
d	

### Problem 3 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 2

What is the function of a deployment description in a Jakarta EE unit?

#### Solution

REJECTED

SCORE: 0.0 / 2

To provide functional component or components

To specify location-specific information during deployment

CORRECT ANSWER

To have an optional content description

#### CANDIDATE'S ANSWER

All of these

## Problem 4 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

DI is a kind of IoC that deals with decoupling dependencies between high-level and low-level layers by means of \_\_\_\_\_.

### Solution

REJECTED

SCORE: 0.0 / 1

shared contexts

shared abstractions

CORRECT ANSWER

CANDIDATE'S ANSWER

shared dependencies

shared components



## Problem 5 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

What annotation is used to resolve autowiring conflicts when there are multiple beans of the same type?

### Solution

REJECTED

SCORE: 0.0 / 1

@Bean

@Component

@Qualifier

CORRECT ANSWER

CANDIDATE'S ANSWER

@Inject

## Problem 6 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

Different flavors of Java are differentiated based on the \_\_\_\_\_ provided for the development of various kinds of applications.

### Solution

REJECTED

SCORE: 0.0 / 1

languages	
<b>CANDIDATE'S ANSWER</b> platforms	
packages	<b>CORRECT ANSWER</b>
libraries	

**Problem 7 : Jakarta Enterprise Beans in Action**

MCQ

SCORE: 1

The parameters of the method injection must all be valid \_\_\_\_\_ beans.

**Solution**

REJECTED

SCORE: 0.0 / 1

CDI	CORRECT ANSWER
CANDIDATE'S ANSWER	
JSF	
Java	
POJO	

## Problem 8 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 2

According to the instructions provided in the deployment descriptors, the archive files are deployed onto the \_\_\_\_\_.

### Solution

REJECTED

SCORE: 0.0 / 2

client	
application server	CORRECT ANSWER
database	
CANDIDATE'S ANSWER	
file system	

## Problem 9 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

After migrating from Oracle to the Eclipse Foundation, Jakarta Enterprise Edition EE 9 (Jakarta EE) now makes use of package namespace \_\_\_\_\_ rather than javax.

### Solution

ACCEPTED

SCORE: 1.0 / 1

java.

org.\*

CANDIDATE'S ANSWER

jakarta.\*

CORRECT ANSWER

ee.\*

## Problem 10 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

The Jakarta EE security environment \_\_\_\_\_ security constraints to be defined at deployment time, in contrast to other enterprise application models that demand platform-specific security measures in each application.

### Solution

REJECTED

SCORE: 0.0 / 1

does not allow	
allows	CORRECT ANSWER
demand	
CANDIDATE'S ANSWER does not demand	

## Problem 11 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

The <mapping-file> element in the persistence.xml file is used to specify the \_\_\_\_\_ for the entity classes.

### Solution

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
object-relational mapping	
transaction-type	
provider	
class files	

**Problem 12 : Jakarta Enterprise Beans in Action**

MCQ

SCORE: 2

The deployment descriptor for the EJB modules is \_\_\_\_\_ and for Web modules it is \_\_\_\_\_.

- a) ejb-jar.xml and web.xml
- b) ejb.xml and web-jar.xml
- c) jar-ejb.xml and xml-web
- d) ejb-deploy.xml and web-deploy.xml

**Solution**

ACCEPTED

SCORE: 2.0 / 2

CANDIDATE'S ANSWER	CORRECT ANSWER
a	
b	
c	
d	



### Problem 13 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

The \_\_\_\_\_ of a bean helps determine the lifecycle of its instances and which clients refer to which bean instances.

### Solution

REJECTED

SCORE: 0.0 / 1

**CANDIDATE'S ANSWER**

instance

class

object

scope

**CORRECT ANSWER**

**Problem 14 : Jakarta Enterprise Beans in Action**

MCQ

SCORE: 2

The <class> element in the persistence.xml file represents which files that operate upon the persistence unit.

- a) Archive files
- b) Class files
- c) Mapping-file
- d) Transaction-type

**Solution**

REJECTED

SCORE: 0.0 / 2

a	
b	CORRECT ANSWER
CANDIDATE'S ANSWER	
c	
d	

## Problem 15 : Jakarta Enterprise Beans in Action

MCQ

SCORE: 1

Constructor injection occurs when a bean constructor is annotated with the @Inject annotation and one or more parameters. The container will \_\_\_\_\_ all parameters.

### Solution

REJECTED

SCORE: 0.0 / 1

ignore	
resolve	CORRECT ANSWER
CANDIDATE'S ANSWER instantiate	
call	

**Problem 16 : Jakarta Enterprise Beans in Action**

MCQ

SCORE: 1

Enterprise beans are frequently used to provide the business logic of a Web application and can be packaged within a \_\_\_\_\_ module of the Web application.

**Solution**

ACCEPTED

SCORE: 1.0 / 1

EAR	
<b>CANDIDATE'S ANSWER</b>	<b>CORRECT ANSWER</b>
WAR	
RAR	
JAR	