



nvhoang12082003@gmail

TH-7023-Java Programming II's report

Submitted on Nov 26 2022 17:05:17 IST

**13.0 (65%)**

scored out of 20

**Passed**

in the assignment (Cut-off score 40%)

**16**

problems attempted out of 16

Test time analysis

**19m 24s**

time taken for completion

**Nov 25 2022 12:55:31 IST**

test invite time

**Nov 26 2022 16:45:52 IST**

test start time

**Nov 26 2022 17:05:17 IST**

test end time

Performance summary

**9**

solutions accepted

**7**

solutions rejected

Solutions

Problem Name	Problem Type	Status	Score
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	REJECTED	0.0 / 1

Detailed Report

Problem 1 : java Programming II

MCQ

SCORE: 1

_____ class enables developers to format numbers into compact values.

Solution

ACCEPTED

SCORE: 1.0 / 1

CompactNumberingFormat

CommonNumberFormat

CompactNumberFormula

CANDIDATE'S ANSWER

CompactNumberFormat

CORRECT ANSWER

Problem 2 : java Programming II

MCQ

SCORE: 1

For what purpose will you use a Java enum?

Solution

REJECTED

SCORE: 0.0 / 1

To store objects in a collection

To store a pre-defined set of constants

CORRECT ANSWER

To group together related classes of program

CANDIDATE'S ANSWER

To iterate through the elements of a collection

Problem 3 : java Programming II

MCQ

SCORE: 1

Which built-in functional interface represents an operation that takes an argument, but returns nothing?

Solution

REJECTED

SCORE: 0.0 / 1

CANDIDATE'S ANSWER

Predicate<T>

Supplier<T>

Consumer<T>

CORRECT ANSWER

Function<T>

Problem 4 : java Programming II

MCQ

SCORE: 1

_____ is an open-source logging framework for Java applications.

Solution

ACCEPTED

SCORE: 1.0 / 1

Logo4Java	
Logg4J	
CANDIDATE'S ANSWER	CORRECT ANSWER
Log4J	
Log4Java	

Problem 5 : java Programming II

MCQ

SCORE: 1

_____ is an interface in the java.util package that defines methods to iterate through the elements of a collection.

Solution

ACCEPTED

SCORE: 1.0 / 1

Enumner	
CANDIDATE'S ANSWER	CORRECT ANSWER
Enumeration	
Expression	
Exception	

Problem 6 : java Programming II

MCQ

SCORE: 1

_____ simplify writing code and passing it around the application to be executed later.

Solution

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
Lambdas	
Alphas	
Beta	
Delta	

Problem 7 : java Programming II

MCQ

SCORE: 1

Which pattern involves a technique for separating the business logic from persistence logic, making it easier to implement and maintain an application?

Solution

REJECTED

SCORE: 0.0 / 1

Data Arrange Object	
Data Account Object	
CANDIDATE'S ANSWER Data Ability Object	
Data Access Object	CORRECT ANSWER

Problem 8 : java Programming II

MCQ

SCORE: 1

_____ are related to communication between various objects.

Solution

ACCEPTED

SCORE: 1.0 / 1

Creational Patterns	
Structural Patterns	
CANDIDATE'S ANSWER Behavioral Patterns	CORRECT ANSWER
Behavioral Strings	

Problem 9 : java Programming II

MCQ

SCORE: 1

What is used to represent variable-length string?

Solution

REJECTED

SCORE: 0.0 / 1

Char	
Varchar	CORRECT ANSWER
Bit	
CANDIDATE'S ANSWER	
Integer	

Problem 10 : java Programming II

MCQ

SCORE: 1

The _____ object in JDBC API represents a SQL result set in the JDBC application.

Solution

REJECTED

SCORE: 0.0 / 1

CANDIDATE'S ANSWER

ResultSetup

CORRECT ANSWER

ResultSet

ResultSide

ResultSec

Problem 11 : java Programming II

MCQ

SCORE: 1

Which method returns a boolean value of true or false depending on whether the database supports positioned UPDATE statements?

Solution

REJECTED

SCORE: 0.0 / 1

getUserName()

CANDIDATE'S ANSWER

getConnection()

supportsPositionedDelete()

CORRECT ANSWER

supportsPositionedUpdate()

Problem 12 : java Programming II

MCQ

SCORE: 2

Java 14 onwards includes support for _____ accounting styles.

Solution

ACCEPTED

SCORE: 2.0 / 2

currency value

CANDIDATE'S ANSWER

currency number format

CORRECT ANSWER

current value

current number

Problem 13 : java Programming II

MCQ

SCORE: 2

Which of these methods returns a Set of all keys in the ResourceBundle?

Solution

ACCEPTED

SCORE: 2.0 / 2

debug()

warn()

fatal()

CANDIDATE'S ANSWER

keySet()

CORRECT ANSWER

Problem 14 : java Programming II

MCQ

SCORE: 2

Which among the following are the three core classes in the Http Client API?

Solution

ACCEPTED

SCORE: 2.0 / 2

HttpRequire

CANDIDATE'S ANSWER

CORRECT ANSWER

HttpRequest

CANDIDATE'S ANSWER

CORRECT ANSWER

HttpClient

CANDIDATE'S ANSWER

CORRECT ANSWER

HttpResponse

Problem 15 : java Programming II

MCQ

SCORE: 2

Which method checks whether or not the specified key exists in the resource bundle?

Solution

ACCEPTED

SCORE: 2.0 / 2

getBundle()

getLocale()

clearCache()

CANDIDATE'S ANSWER

containsKey(String key)

CORRECT ANSWER

Problem 16 : java Programming II

MCQ

SCORE: 1

An _____ parameter is used to pass values into a stored procedure.

Solution

REJECTED

SCORE: 0.0 / 1

IN	CORRECT ANSWER
OUT/IN	
OUT	
CANDIDATE'S ANSWER IN/OUT	