

hung.pq. 1962@aptechlearning.ed

TH-7023-Sem 4-Web Component Development using Java's report Submitted on Aug 02 2023 08:07:16 IST





Passed

in the assignment (Cut-off score >=



problems attempted out of 16

Test time analysis



22m 15s

time taken for completion



Aug 01 2023 13:07:18 IST

test invite time



Aug 02 2023 07:45:00 IST


test start time



Aug 02 2023 08:07:16 IST

test end time

Performance summary





solutions rejected

Solutions

Problem Name	Problem Type	Status	Score
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 2

Problem Name	Problem Type	Status	Score
Web Development Pages and Servlets	MCQ	ACCEPTED	2.0 / 2
Web Development Pages and Servlets	MCQ	ACCEPTED	2.0 / 2
Web Development Pages and Servlets	MCQ	ACCEPTED	2.0 / 2

Detailed Report

Problem 1 : Web Development Pages and Servlets

MCQ SCORE: 1

As per JSP 3.0 release, as part of Jakarta EE 9, major update was renaming of javax.servlet.jsp to which of these packages?

Solution

Servlet.jsp

CANDIDATE'S ANSWER
jakarta.servlet.jsp

Servlet.Jakarta.jsp

None of these

Problem 2 : Web Development Pages and Servlets

MCQ SCORE: 1

Which of the following are benefits of JSP in Jakarta EE applications?

Solution

REJECTED

SCORE: **0.0** / 1

CANDIDATE'S ANSWER

Allows development of complex N-Tier Applications

CANDIDATE'S ANSWER

Supports the use of JavaBean components with JSP language elements.

CORRECT ANSWER

CORRECT ANSWER

Dynamic content is difficult to generate using standard tags provided by JSP.

CANDIDATE'S ANSWER

Web pages are platform-dependent

Problem 3 : Web Development Pages and Servlets

MCQ SCORE: 1

What is the error code if time taken by client is very long to send the request (only available in HTTP 1.1)?

Solution	ACCEPTED	SCORE: 1.0 / 1
302		
401		
404		
CANDIDATE'S ANSWER	COF	RRECT ANSWER
408		

Problem 4 : Web Development Pages and Servlets

MCQ SCORE: 1

Which of the following is true about Apache Tomcat Server?

Solution

REJECTED

SCORE: **0.0** / 1

CANDIDATE'S ANSWER

CORRECT ANSWER

Apache Tomcat is free and open-source.

CANDIDATE'S ANSWER

CORRECT ANSWER

It is a servlet container for Java-based programming applications, such as Java servlets, Java Server Pages (JSP), and Java Expression Language.

CORRECT ANSWER

Uses more memory and resources.

Tomcat supports Secure Socket Layer (SSL)

Problem 5 : Web Development Pages and Servlets

MCQ	SCORE: 1
-----	----------

The ___ method returns the Multipurpose Internet Mail Extensions (MIME) type of the request body or null if the type is not known.

Solution SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
getContentType()	
getWriter()	
getOutput()	
getHeader()	

Problem 6 : Web Development Pages and Servlets

MCQ SCORE: 1

To secure the cookies from hackers on the Web, they can be configured with ___ and ___ settings.

Solution

REJECTED SCORE: 0.0 / 1

Secure

CORRECT ANSWER

Http

CANDIDATE'S ANSWER

HttpOnly

CANDIDATE'S ANSWER

Cookie

Problem 7 : Web Development Pages and Servlets

MCQ SCORE: 1

The ____ annotation provides file information to the server while uploading its content.

Solution SCORE: 1.0/1

Multipart

CANDIDATE'S ANSWER
MultipartConfig

FilepartConfig

Filepart

Problem 8 : Web Development Pages and Servlets

MCQ SCORE: 1

The ___ object represents data in a tabular form that is retrieved by executing an SQL query.

Connection

CANDIDATE'S ANSWER
Statement

ResultSet

Correct Answer

Correct Answer

Prok	olem	9	: '	Web	Deve	lopment
Page	es ai	nd	S	ervle	ets	

|--|

The persistence unit is defined in a special descriptor file named ______.

Solution REJECTED SCORE: 0.0 / 1

web.xml	
persistence-config.xml	
persistence.xml	CORRECT ANSWER
entity.xml	

Problem 10 : Web Development Pages and Servlets

MCQ SCORE: 1

JSP Model 2 is commonly known as _____.

Solution

ACCEPTED SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
Model-View-Controller	
Front Controller	
Singleton Object	
Delegation Model	

Problem 11 : Web Development Pages and Servlets

MCQ SCORE: 1

Identify the correct syntax of open() method.

Solution ACCEPTED SCORE: 1.0/1

CANDIDATE'S ANSWER	CORRECT ANSWER
open(method,url,async)	
open(action,url,async)	
open(async,url,method)	
open(method,action,async)	

Problem 12 : Web Development Pages and Servlets

MCQ SCORE: 1

The ____ class is used to process the request asynchronously within the Servlet.

Solution

REJECTED SCORE: 0.0 / 1

jakarta.servlet.AsyncContext

jakarta.servlet.Async

CANDIDATE'S ANSWER
javax.servlet.AsyncServlet

javax.servlet.AsyncServletContext

Problem 13: Web Development Pages and Servlets	MCQ SCORE: 2
It is based on two data structures, and	<u>_</u> ·
Solution	REJECTED SCORE: 0.0 / 2
Objects, Arrays	CORRECT ANSWER
Graph, Queue	
Objects, List	
CANDIDATE'S ANSWER	

Arrays, List

Problem 14 : Web Development Pages and Servlets

MCQ SCORE: 2	MCQ	SCORE: 2
------------------	-----	----------

_____ refers to converting objects to JSON string.

Solution ACCEPTED SCORE: 2.0 / 2

CANDIDATE'S ANSWER	CORRECT ANSWER
JSON Serialization	
JSON Deserialization	
JSON()	
JSON Object	
JOIN Object	

Problem 15 : Web Development Pages and Servlets

MCQ SCORE: 2

Which of the following code snippets demonstrates Maven dependency for server push correctly?

Solution

ACCEPTED SCORE: **2.0** / 2

<pre>CANDIDATE'S ANSWER <dependency> <groupid>jakarta.servlet</groupid> <artifactid>jakarta.servlet-api<!-- artifactId--> <version>4.0.0</version> </artifactid></dependency></pre>
<pre><dependency> <groupid>jakarta.servlet</groupid> <artifactid>jakarta.servlet-api<!--<br-->artifactId> </artifactid></dependency></pre>
<pre><dependency></dependency></pre>
<pre><dependency></dependency></pre>

Problem 16: Web Development Pages and Servlets

MCQ SCORE: 2

Which of the following is correct syntax to forward the client request to a different resource?

Solution

ACCEPTED SCORE: 2.0 / 2

CANDIDATE'S ANSWER

CORRECT ANSWER

public void forward(ServletRequest request, ServletResponse response) throws IOException, ServletException

public void forward(ServletRequest request, ServletResponse response)

public void (ServletRequest request, ServletResponse response) throws IOException, ServletException

public void init(ServletRequest request, ServletResponse response) throws IOException, ServletException