



**nvhoang12082003@gmail**

**TH-7023-Sem 4-Web Component  
Development using Java's report**

**Submitted on Sep 21 2023 17:14:08 IST**

**14.0 (70%)**

scored out of 20

**Passed**in the assignment (Cut-off score  $\geq$  40%)**16**

problems attempted out of 16

## Test time analysis

**15m 38s**

time taken for completion

**Sep 19 2023 09:02:14 IST**

test invite time

**Sep 21 2023 16:58:29 IST**

test start time

**Sep 21 2023 17:14:08 IST**

test end time

## Performance summary

**10**

solutions accepted

**6**

solutions rejected

## Solutions

Problem Name	Problem Type	Status	Score
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	REJECTED	0.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	1.0 / 1
Web Development Pages and Servlets	MCQ	ACCEPTED	2.0 / 2

Problem Name	Problem Type	Status	Score
Web Development Pages and Servlets	MCQ	ACCEPTED	2.0 / 2
Web Development Pages and Servlets	MCQ	ACCEPTED	2.0 / 2
Web Development Pages and Servlets	MCQ	ACCEPTED	2.0 / 2

# Detailed Report

## Problem 1 : Web Development Pages and Servlets

MCQ

SCORE: 1

As per JSP 3.0 release, as part of Jakarta EE 9, major update was renaming of javax.servlet.jsp to which of these packages?

### Solution

REJECTED

SCORE: 0.0 / 1

**CANDIDATE'S ANSWER**

servlet.jsp

**CORRECT ANSWER**

jakarta.servlet.jsp

servlet.Jakarta.jsp

None of these

## Problem 2 : Web Development Pages and Servlets

MCQ

SCORE: 1

Which of the following are benefits of JSP in Jakarta EE applications?

### Solution

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
Allows development of complex N-Tier Applications	
CANDIDATE'S ANSWER	CORRECT ANSWER
Supports the use of javaBean components with JSP language elements.	
Dynamic content is difficult to generate using standard tags provided by JSP.	
Web pages are platform-dependent	

### Problem 3 : Web Development Pages and Servlets

MCQ

SCORE: 1

What is the error code if time taken by client is very long to send the request (only available in HTTP 1.1)?

#### Solution

ACCEPTED

SCORE: 1.0 / 1

302	
401	
404	
<b>CANDIDATE'S ANSWER</b>	<b>CORRECT ANSWER</b>
408	



## Problem 4 : Web Development Pages and Servlets

MCQ

SCORE: 1

Which of the following is true about Apache Tomcat Server?

### Solution

REJECTED

SCORE: 0.0 / 1

**CANDIDATE'S ANSWER**

Apache Tomcat is free and open-source.

**CORRECT ANSWER****CANDIDATE'S ANSWER**

It is a servlet container for Java-based programming applications, such as Java servlets, Java Server Pages (JSP), and Java Expression Language.

**CORRECT ANSWER**

Uses more memory and resources.

**CORRECT ANSWER****CANDIDATE'S ANSWER**

Tomcat supports Secure Socket Layer (SSL)

## Problem 5 : Web Development Pages and Servlets

MCQ

SCORE: 1

The \_\_\_ method returns the Multipurpose Internet Mail Extensions (MIME) type of the request body or null if the type is not known.

### Solution

REJECTED

SCORE: 0.0 / 1

getContentType()	CORRECT ANSWER
getWriter()	
getOutput()	
CANDIDATE'S ANSWER	
getHeader()	

## Problem 6 : Web Development Pages and Servlets

MCQ

SCORE: 1

To secure the cookies from hackers on the Web, they can be configured with \_\_\_ and \_\_\_ settings.

### Solution

REJECTED

SCORE: 0.0 / 1

Secure	CORRECT ANSWER
CANDIDATE'S ANSWER	CORRECT ANSWER
Http	
HttpOnly	
CANDIDATE'S ANSWER	
Cookie	

## Problem 7 : Web Development Pages and Servlets

MCQ

SCORE: 1

The \_\_\_\_ annotation provides file information to the server while uploading its content.

### Solution

REJECTED

SCORE: 0.0 / 1

Multipart	
MultipartConfig	CORRECT ANSWER
CANDIDATE'S ANSWER FilepartConfig	
Filepart	

## Problem 8 : Web Development Pages and Servlets

MCQ

SCORE: 1

The \_\_\_ object represents data in a tabular form that is retrieved by executing an SQL query.

### Solution

REJECTED

SCORE: 0.0 / 1

Connection	
<b>CANDIDATE'S ANSWER</b> Statement	
ResultSet	<b>CORRECT ANSWER</b>
DriverManager	

## Problem 9 : Web Development Pages and Servlets

MCQ

SCORE: 1

The persistence unit is defined in a special descriptor file named \_\_\_\_\_.

### Solution

ACCEPTED

SCORE: 1.0 / 1

web.xml	
persistence-config.xml	
<b>CANDIDATE'S ANSWER</b> persistence.xml	<b>CORRECT ANSWER</b>
entity.xml	

## Problem 10 : Web Development Pages and Servlets

MCQ

SCORE: 1

JSP Model 2 is commonly known as \_\_\_\_\_.

### Solution

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
Model-View-Controller	
Front Controller	
Singleton Object	
Delegation Model	

## Problem 11 : Web Development Pages and Servlets

MCQ

SCORE: 1

Identify the correct syntax of open() method.

### Solution

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
open(method,url,async)	
open(action,url,async)	
open(async,url,method)	
open(method,action,async)	



## Problem 12 : Web Development Pages and Servlets

MCQ

SCORE: 1

The \_\_\_\_ class is used to process the request asynchronously within the Servlet.

### Solution

ACCEPTED

SCORE: 1.0 / 1

CANDIDATE'S ANSWER	CORRECT ANSWER
jakarta.servlet.AsyncContext	
jakarta.servlet.Async	
javax.servlet.AsyncServlet	
javax.servlet.AsyncServletContext	

**Problem 13 : Web Development  
Pages and Servlets**

MCQ

SCORE: 2

It is based on two data structures, \_\_\_\_\_ and \_\_\_\_\_.

**Solution**

ACCEPTED

SCORE: 2.0 / 2

CANDIDATE'S ANSWER	CORRECT ANSWER
Objects, Arrays	
Graph, Queue	
Objects, List	
Arrays, List	

## Problem 14 : Web Development Pages and Servlets

MCQ

SCORE: 2

\_\_\_\_\_ refers to converting objects to JSON string.

### Solution

ACCEPTED

SCORE: 2.0 / 2

CANDIDATE'S ANSWER	CORRECT ANSWER
JSON Serialization	
JSON Deserialization	
JSON()	
JSON Object	

## Problem 15 : Web Development Pages and Servlets

MCQ

SCORE: 2

Which of the following code snippets demonstrates Maven dependency for server push correctly?

### Solution

ACCEPTED

SCORE: 2.0 / 2

CANDIDATE'S ANSWER	CORRECT ANSWER
<pre>&lt;dependency&gt;    &lt;groupId&gt;jakarta.servlet&lt;/groupId&gt;    &lt;artifactId&gt;jakarta.servlet-api&lt;/artifactId&gt;    &lt;version&gt;4.0.0&lt;/version&gt;    &lt;/dependency&gt;</pre>	
<pre>&lt;dependency&gt;    &lt;groupId&gt;jakarta.servlet&lt;/groupId&gt;    &lt;artifactId&gt;jakarta.servlet-api&lt;/artifactId&gt;    &lt;/dependency&gt;</pre>	
<pre>&lt;dependency&gt;    &lt;artifactId&gt;jakarta.servlet-api&lt;/artifactId&gt;    &lt;version&gt;4.0.0&lt;/version&gt;    &lt;/dependency&gt;</pre>	
<pre>&lt;dependency&gt;    &lt;artifactId&gt;jakarta.servlet-api&lt;/artifactId&gt;    &lt;version&gt;4.0.0&lt;/version&gt;    &lt;/dependency&gt;</pre>	

## Problem 16 : Web Development Pages and Servlets

MCQ

SCORE: 2

Which of the following is correct syntax to forward the client request to a different resource?

### Solution

ACCEPTED

SCORE: 2.0 / 2

#### CANDIDATE'S ANSWER

```
public void forward(ServletRequest request, ServletResponse response) throws IOException, ServletException
```

```
public void forward(ServletRequest request, ServletResponse response)
```

```
public void (ServletRequest request, ServletResponse response) throws IOException, ServletException
```

```
public void init(ServletRequest request, ServletResponse response) throws IOException, ServletException
```

#### CORRECT ANSWER