

buibinhminhpham2004@g

TH-7023-Java Programming II's report Submitted on Jul 07 2023 07:56:22 IST





Passed

in the assignment (Cut-off score >=



problems attempted out of 16

Test time analysis




14m 58s

14m 58s time taken for completion



Jul 06 2023 08:40:48 IST test invite time



Jul 07 2023 07:41:23 IST



Jul 07 2023 07:56:22 IST

test end time

Performance summary



11

solutions accepted



solutions rejected

Solutions

Problem Name	Problem Type	Status	Score
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	REJECTED	0.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	ACCEPTED	1.0 / 1
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	ACCEPTED	2.0 / 2
java Programming II	MCQ	ACCEPTED	1.0 / 1

Detailed Report

Problem 1: java Programming II

MCQ SCORE: 1

_____ class enables developers to format numbers into compact values.

Solution

ACCEPTED

SCORE: **1.0** / 1

 ${\bf Compact Numbering Format}$

CommonNumberFormat

Compact Number Formula

CANDIDATE'S ANSWER

CompactNumberFormat

CORRECT ANSWER

Problem 2: java Programming II

MCQ SCORE: 1

For what purpose will you use a Java enum?

Solution

ACCEPTED SCORE: 1.0 / 1

To store objects in a collection

CANDIDATE'S ANSWER

CORRECT ANSWER

To store a pre-defined set of constants

To group together related classes of program

To iterate through the elements of a collection

Problem 3: java Programming II

MCQ SCORE: 1

Which built-in functional interface represents an operation that takes an argument, but returns nothing?

Predicate<T>
Supplier<T>
CANDIDATE'S ANSWER
Consumer<T>
Function<T>
CORRECT ANSWER

Problem 4: java Programming II

MCQ SCORE: 1

CORRECT ANSWER

_____ is an open-source logging framework for Java applications.

Solution REJECTED SCORE: 0.0 / 1

Logo4Java

Logg4J

Log4J

CANDIDATE'S ANSWER

Log4Java

Problem 5: java Programming II

MCQ SCORE: 1

_____ is an interface in the java.util package that defines methods to iterate through the elements of a collection.

Solution REJECTED SCORE: 0.0 / 1

Enumber

Enumeration

CANDIDATE'S ANSWER
Expression

Exception

	Problem	6:	java	Progra	mming	П
--	----------------	----	------	---------------	-------	---

MCQ SCORE: 1

_____ simplify writing code and passing it around the application to be executed later.

Solution

REJECTED

SCORE: **0.0** / 1

	CORRECT ANSWER
Lambdas	
Alabaa	
Alphas	
Data	
Beta	
CANDIDATE'S ANSWER	
Delta	

Problem 7: java Programming II

MCQ SCORE: 1

Which pattern involves a technique for separating the business logic from persistence logic, making it easier to implement and maintain an application?

Solution		ACCEPTED	SCORE: 1.0 / 1
Data Arrange Object			
Data Account Object			
Data Ability Object			
CANDIDATE'S ANSWER Data Access Object		COR	RECT ANSWER

Problem 8: java Programming II

MCQ SCORE: 1

CORRECT ANSWER

_____ are related to communication between various objects.

Solution REJECTED SCORE: 0.0 / 1

Creational Patterns

CANDIDATE'S ANSWER

Structural Patterns

Behavioral Patterns

Behavioral Strings

Problem 9 : java Programming II

CANDIDATE'S ANSWER

Integer

MCQ SCORE: 1

What is used to represent variable-length string?

Char

Correct Answer

Varchar

Bit

Problem	10:	java	Program r	ning	Ш
---------	-----	------	------------------	------	---

MCQ SCORE: 1

The _____ object in JDBC API represents a SQL result set in the JDBC application.

Solution

ACCEPTED SCORE: 1.0 / 1

ResultSetup	
CANDIDATE'S ANSWER	CORRECT ANSWER
ResultSet	
ResultSide	
ResultSec	

Problem 11: java Programming II

MCQ SCORE: 1

Which method returns a boolean value of true or false depending on whether the database supports positioned UPDATE statements?

getUserName()

getConnection()

supportsPositionedDelete()

CANDIDATE'S ANSWER
supportsPositionedUpdate()

Problem 12: java Programming II

MCQ SCORE: 2

Java 14 onwards includes support for _____ accounting styles.

Solution SCORE: 2.0 / 2

currency value

CANDIDATE'S ANSWER

currency number format

current value

current number

Problem 13 : java Programming II

MCQ SCORE: 2

Which of these methods returns a Set of all keys in the ResourceBundle?

Solution	ACCEPTED SCORE: 2.0 / 2
debug()	
warn()	
fatal()	
candidate's answer keySet()	CORRECT ANSWER

Problem 14: java Programming II

MCQ SCORE: 2

Which among the following are the three core classes in the Http Client API?

Solution SCORE: 2.0 / 2

HttpRequire

CANDIDATE'S ANSWER
HttpRequest

CANDIDATE'S ANSWER
HttpClient

CANDIDATE'S ANSWER
HttpClient

CANDIDATE'S ANSWER
HttpResponse

Problem 15: java Programming II

MCQ SCORE: 2

Which method checks whether or not the specified key exists in the resource bundle?

Solution	ACCEPTED	SCORE: 2.0 / 2
getBundle()		
getLocale()		
clearCache()		
containsKey(String key)	COR	RECT ANSWER

Problem 16 : java Programming II	MCQ SCORE: 1
An parameter is used to pass values into a stored procedure.	
Solution	ACCEPTED SCORE: 1.0 / 1
CANDIDATE'S ANSWER	CORRECT ANSWER
IN	
OUT/IN	
OUT	
IN/OUT	