
$Each\ DNA\ molecule\ is\ packed\ into\ a$ .	$contain\ instructions\ for\ making$
The two strands of DNA twist to form a $oxedsymbol{1}$ .	When replicating, the between the DNA strands break, and come to bind with the exposed ones on the separated strands to form new strands.
Proteins act alone or in functions. to perform many cellular	The four DNA bases are $6$
A backbone provides structure for the $DNA$ .	bonds hold the two strands of DNA together.

Genes contain instructions for making proteins.	Each DNA molecule is packed into a chromosome.
	2 1
When replicating, the hydrogen bonds between the DNA strands break, and new bases come to bind with the exposed ones on the separated strands to form new strands.	The two strands of DNA twist to form a double helix.
	4 3
Adenine, Thymine, Guanine, Cytosine	Proteins act alone or in complexes to perform many cellular functions.
	6 5
$Hydrogen\ bonds\ hold\ the\ two\ strands\ of\ DNA\ together.$	$A\ sugar-phosphate\ backbone\ provides\ structure\ for\ the\ DNA.$

binds to binds to	Before a cell divides, its DNA is duplicated using ${}^{\circ}$ .
$What \ is \ the \ Karyotype?$	$What \ is \ an \ autosome?$
In addition to the autosomes, what other chromosomes are there?	is the process where a sperm producing cell or an egg producing cell makes a new cell with 23 chromosomes.
is when an exact replica of the genome is made (46 chromosomes).	is when only one chromosome from each pair is passed on to the new (sperm/egg).



$DNA \longrightarrow RNA \longrightarrow protein$	When a gene is, it forms many
molecules get into proteins.	Define an allele
Define polymorphism (in the context of $DNA$ )	is when a person has two copies of one allele on a gene locus.
is when a person has two different alleles on a gene locus.	A gene is if the protein that it produces can be compensated for by the correct protein produced by



A gene is recessive if the mutated protein that it produces can

be compensated for by the correct protein produced by an

 $alternative \ allele.$ 

24

23

Heterozygous is when a person has two different alleles on a

gene locus.

If a mutated gene produces proteins that fulfil a new function, then it may be sometimes, since the original function will be fulfilled by .	Genes can be, or
Define genotype.	Define phenotype
The phenotype is controlled by derived from , and the	What bloodgroup is made from two co-dominant alleles?
Blood groups: $\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Allele frequency is linked to its in a given.

Genes can be recessive, dominant or co-dominant.

If a mutated gene produces proteins that fulfil a new function, then it may be co-dominant, since the original function will be fulfilled by the other allele.

26

25

The physical appearance of an individual, including its observable or measurable traits.

The genetic make-up of an individual, which includes the genes or alleles present in it.

28

27

AB

The phenotype is controlled by proteins derived from genes, and the environment.

30

29

Allele frequency is linked to the fitness it provides to its carriers in a given environment.

$$Blood\ groups: \begin{array}{c|cccc} & I^A & I^B & i \\ \hline I^A & A & AB & A \\ I^B & AB & B & B \\ i & A & B & O \\ \end{array}$$

Define genetic fitness	If an allele provides , it is likely to and become in a given population.
Mutations have allowed us to our diet. This includes a mutation that lets us produce during adulthood (to drink milk) and another one that reduces the function of a allowing us to eat broccoli and sprouts! This is an example of .	Carriers of alleles are and get protection from malaria.
Carriers of alleles die if they are since their haemoglobin does not function well.	People for a mutation affecting are asymptomatic and immune to HIV. Probably because this gave protection against and in the past.  This mutation is less effective agains pathogens from .
Environment interaction can influence the genotype.  and are sensitive to temperature, and change colour at different temperatures.  This is caused by temperature sensative.	The environment affects the phenotype; a can make a human twin grow to be smaller, and flowers have based on the soil.



Most are due to several genes and the environment (e.g. , , , ).	A greater similarity between for a particular compared to provides evidence that factors play a role.
41	42
twins share all their genes and their home environment. twins share their genes and a home environment.	

A greater similarity between identical twins for a particular trait compared to fratermal twins provides evidence that genetic factors play a role.

Most phenotypes are due to several genes and the environment (e.g. skin colour, height, weight).

42

Identical twins share all their genes and their home environment. Fraternal twins share half their genes and a home environment.