
Java Proficiency Quiz 3 TOTAL POINTS 4

1.	What would be the output of this code?:	0 / 1 point
	1 int age; 2 age - age + 7; 3 System.out.orintln("My age is: " + age);	
	 This will not compile because you cannot add a string and integer value together. My age is: null My age is: 7 This will not compile because age is not initialized with a value. Incorrect Incorrect. The age variable is not initialized to 0. In Java, variables must be initialized with a value before being used. 	
2.	How many times will "Hello" be printed out?:	1/1 point
	1 int i = 1; 2 while (1 (= 3) { 3 system.out.println("Hello"); 4 if (1 (2) { 5 System.out.println("Hello"); 6 } 7 1 1++; 8 } 9 10	
	4205	
	✓ Correct Correct!	
	Conce	
3.	Look at the following code:	1/1 point
	1 class Person { 2	
	What would be the output of running the code above?	
	Error, because the Boy class does not have the method talk. Helio Goo goo hi hi Helio Goo goo Helio	
	hi Those will be no output since those are just size definitions.	
	There will be no output since these are just class definitions.	
	✓ Correct Correct!	



What would be the output of running the code above?

\circ	There will be no output since these are just classes definitions.
0	method 1

method 2

© Error because there is no method2 defined in MyClass. Because this class implements MyInterface, it must define all methods that are in the interface.

method 1

method 1

