LESSON I. Introduction

Trinh Thanh TRUNG (MSc)
trungtt@soict.hust.edu.vn
094.666.8608

Objectives

- Upon completion of this lesson, students will be able to
  - Recall the basics of programming
  - Approach the object-oriented paradigm
  - Understand the Java background
  - Install and use some basic tools for Java programming

Content

- Programming
- Object-oriented paradigm
- Java background
  - Process of programming using Java technology
  - Java technology
- Basic tools for Java programming

I. Programming

- Given a problem, how to:
  - Design an algorithm for solving it
  - Implement this algorithm as a computer program

→ Needs of programming languages and paradigms

- Language: express the algorithm to a machine
  - Declarative language (**I**): what to do, what to store
  - Non declarative language (**II**): how to do, how to store



I. Programming

- Given a problem, how to:
  - Design an algorithm for solving it
  - Implement this algorithm as a computer program

→ Needs of programming languages and paradigms

- Paradigm: comprise a set of concepts that are used as patterns for programming

First do this and next do that	Imperative
Evaluate an expression and use the resulting value for something	Functional
Answer a question via search for a solution	Logical
Send messages between objects to simulate the temporal evolution of a set of real world phenomena	Object-oriented
	….

I. Programming

- Given a problem, how to:
  - Design an algorithm for solving it
  - Implement this algorithm as a computer program

→ Needs of programming languages and paradigms



II. OBJECT-ORIENTED PARADIGM

1. Concepts
2. Principles

Object-oriented modeling

- Object in the real world are related to us and each other.
- They can be modeled as software objects



Object

- Object in the real world is represented by:
  - Attributes: information about theirs states
  - Methods: their behaviors related to theirs states.
- Example

Object	State	Behavior
	- Speedometer: How fast is it moving? - Odometer: How many miles has it driven? - ….	- Move forward - Stop - Reverse - ….
	- Author: Who is the author? - Pages number: How many pages does it contain ? -…	- Buy - Borrow - Count the number of pages….

State

- The condition which the object exists
- Can be changed over time

Name: J Clark
Employee ID: 567138
Date Hired: July 25, 1991
Status: Tenured
Discipline: Finance
Maximum Course Load: 3 classes



Professor Clark

Behavior

- The message which the object responds to the world
- The actions which the object can do

Name: J Clark
Employee ID: 567138
Date Hired: July 25, 1991
Status: Tenured
Discipline: Finance
Maximum Course Load: 3 classes



Professor Clark

Object

- Object in OOP is the software entity encapsulating (wrap) associated *attributes* and *methods*
  - Each specified object is called an *instance*
  - Each attribute with specified value is called an *attribute instance*



Example: Bicycle



I. Programming
II. Object-oriented paradigm
1. Concepts
- Object-oriented modeling
- Object

Class

- A class specifies the common attributes and methods of many individual objects all of the same kind.
- Class is used as the blueprint or prototype to create objects
  - Example: Bicycle class
- Each *instance* of a class has its own *attribute instance*

2. Principles

- Abstraction: Hide details
- Encapsulation: Keep changes local
- Modularity: Control the information flows
- Hierarchy: Order abstractions
- Inheritance: Reuse codes

Abstraction

- Hide details and keep general information
- Focus on basic specification of objects, differentiate them to other kinds of objects
- Depend on each view
  - Could be importance in certain situation but not necessary in other situations



Encapsulation

- Hide inside details
- Provide an *interface*
- Users don't have to care about the execution inside an object





Encapsulation

Bicycle



Bank account



Modularity

- "Divide to conquer"
- Divide a complex system into smaller manageable parts



Modularity

- Example: Library management system



Library management



Accounting system



Book management



Staff management

Hierachy

- Order (rank) abstraction level into a tree structure
- Help understanding the similarities and differences between classes



III. JAVA BACKGROUND

1. History
2. Process of programming using Java technology
3. Java technology

1. History

- When and by whom?
  - was created in 1991 by James Gosling, Patrick Naughton, Chris Warth, Ed Frank and Mike Sheridan of Sun Microsystems.
- Which motivation ?
  - Need of a language, which is independent from platforms and which could be embedded in various electronic devices such as interactive TVs.
- Why Java ?
  - Widely used.
  - Widely available.
  - Embraces full set of modern abstractions.
  - Variety of automatic checks for mistakes in programs.

2. Process of programming using Java technology



I. Programming
II. Java background
1. History
2. Programming using Java technology
3. Java technology

a. Java as programming language

- Platform independent and object-oriented programming language
- Able to create all kinds of applications that can be created by any conventional programming language.



b. Java as platform: JVM + API

I. Programming
II. Java background
1. History
2. Programming using Java technology
3. Java technology

- JVM: interpretation for the Java bytecode, ported onto various hardware-based platforms.
- Java API: collection of packages of classes and interfaces providing useful functionalities

→ These components work as
  - Development environment
  - Application environment and deployment environment

  of Java applications



Development environment

- Compiler `javac.exe`
- Interpreter `java.exe`
- Debugger `jdb.exe`
- Document Generator `javadoc.exe`
- Archiver `jar.exe`
- Class Library `rt.jar`



Application and deployment environments

I. Programming
II. Java background
1. History
2. Programming using Java technology
3. Java technology

- Java programs run on any machine where the Java runtime environment (JRE) is installed.
- 2 main deployment environments:
  - The JRE supplied by the Java Software Development Kit (JDK 7)
  - The Java technology interpreter and runtime environment supplied by commercial web browsers.

Classification of Java platform

- Java SE (Java Platform, Standard Edition)
  - Aims at the development of a usual business application.
- Java EE (Java Platform, Enterprise Edition) and GlassFish
  - Aims at the development of a decentralized application in a multistory layer in Internet/Intranet.
- Java ME (Java Platform, Micro Edition)
  - Aims at the development of an embedded application such as the cellular phone, the portable terminal, and the microchip, etc.
- JavaCard
  - Aims at the development of smart card applications.
- Etc.

IV. BASIC TOOLS FOR JAVA PROGRAMMING

1. Java SE + text editor + console
2. IDE (Eclipse)

1. Java SE + text editor + console

- Java platform standard edition
  - Download the Java SE Development Kit 7 (JDK) at:
  - http://www.oracle.com/technetwork/java/javase/downloads/index.html
  - Don’t forget to update the PATH / CLASSPATH environment variables
- Text editor: Notepad, Notepad++, Wordpad, etc.
- Console: for typing Java command line and getting results.

Exercise: first Java program using text editor + console

- Use your text editor (e.g Notepad) to create this code and save it in the file named SayHello.java

```
public class SayHello {
  // The program starts here
  public static void main (String[] args) {
      // print "Chao!" on the screen
      System.out.println ("Chao!");
  }
}
```

Exercise: first Java program using text editor + console

- Compile this file by **`javac`** command

```
> dir
SayHello.java
> javac SayHello.java
```

- Verify if a **`.class`** file is produced or not

```
> dir
SayHello.java
SayHello.class
```

- Run the class file using **`java`** command

```
> java SayHello
Chao!
```

2. Eclipse (Juno 4.2)

available at: http://www.eclipse.org/downloads/

- Open source Java IDE
- Features:
  - Extension of functions through plug-ins
  - Enhanced development assistance functions: Code assistance, automatic build function, refactoring, debugger, etc.
- Basics:
  - Workbench: desktop development environment, each contains one or more Perspectives
  - Perspectives: Contain views and editors, menus and tool bars

Screen composition of Eclipse

Java - javaproject/src/firstpackage/SayHello.java - Eclipse

File Edit Source Refactor Navigate Search Project Run Window He

compile and run

Quick Access

Java

Package Explorer

- javaproject
  - src
    - firstpackage
      - SayHello.java
  - JRE System Library [JavaS

SayHello.java

```
package firstpackage;

public class SayHello {

    /**
     * @param args
     */
    public static void main(String[] args) {
        // Print Chao! on the screen
        System.out.println ("Chao!");
    }
}
```

Editor

Task List

Perspective

Outline

- firstpackage
- SayHello
  - main(String[]) : void

Console

Problems @ Javadoc Declaration Console

<terminated> SayHello [Java Application] C:\Program Files\Java\jdk1.7.0_03\bin\javaw.exe (13:58:29 29-07-2012)

Chao!

Writable | Smart Insert | 14 : 1

Lab: Create – Compile – Run a Java Program with Eclipse

- Starting screen



Creating a simple application

- Select File -> New -> Java Project ->. Fill in the Project Name as javaproject
  - Under Contents, select Create new project in workspace
  - Under Project Layout , choose Create separate source and output folders
  - Click Finish
- Create a SayHello class by selecting File -> New -> Class. This will bring up a New Java Class window.
  - Fill in javaproject /src as Source folder.
  - Fill in firstpackage as Package.
  - Use SayHello as the Name.
  - Select public static void main ... .
  - Click Finish.

Creating a simple application

Java - javaproject/src/firstpackage/SayHello.java - Eclipse

File Edit Source Refactor Navigate Search Project Run Window Help

Quick Access | Java

Package Explorer

- javaproject
  - src
    - firstpackage
      - SayHello.java
  - JRE System Library [JavaS

SayHello.java

```
package firstpackage;

public class SayHello {

    /**
     * @param args
     */
    public static void main(String[] args) {
        // Print Chao! on the screen
        System.out.println ("Chao!");
    }

}
```

Task List

Outline

- firstpackage
- SayHello
  - main(String[]) : void

Problems | Javadoc | Declaration | Console

```
<terminated> SayHello [Java Application] C:\Program Files\Java\jdk1.7.0_03\bin\javaw.exe (13:58:29 29-07-2012)
Chao!
```

Writable | Smart Insert | 14 : 1

Edit the code

- Delete the comment lines and insert a line so that the main method looks like this:

```
public static void main(String[] args) {
  // Print Chao! on the screen
  System.out.println ("Chao!");
}
```

Compile and Run

- Right click on SayHello and choose Run As -> Java Application
- A Save and Launch window may pop up.
  - If it does, select Always save resources before launching (so this does not pop up again) and click OK.
- You should see the output in the Console window at the bottom of the screen.

Convention

- Layout and comments
- Naming
- Files
- Statements

Quiz

1. Java program is termed “Write once, run everywhere”. Explain.
2. Give an example of class and objects in the real world.
3. Write a program named MyFavouriteBook to display the information about the book you love (title, author, language) and why you love it.
4. Using javac and java command to compile and run it
5. Using Eclipse to create a project FirstLecture, them compile and run it.

Solution

Quiz 1

- A Java program can be written on any device, for example a PC.
- Then, it is compiled into a standard byte code and be expected to run on any device such as cell phone, mainframe without any adjustments, if these devices are equipped with a Java virtual machine (JVM)

Quiz 2

- Consider your marker pen. Each marker pen contains the same components, so we can say that each marker pen was manufactured from the same blueprint.
- Your marker pen (a specific pen object) is an instance of a class of objects known as marker pens. You can easily describe the state and behavior of a marker pen.

Quiz 3-4: Solution

```
public class MyFavouriteBook {
    public static void main(String[] args) {
      System.out.println("My favourite book");
      System.out.println("Title: Pride and Prejudice");
      System.out.println("Author: Jane Austen");
      System.out.println("Language: English");
      System.out.println("Why do I love it ? I don't know.");
    }
}
```



Quiz 5: Solution

MyFavouriteBook.java

```java
public class MyFavouriteBook {

    /**
     * @param args
     */
    public static void main(String[] args) {
        // TODO Auto-generated method stub
        System.out.println("My favourite book");
        System.out.println("Title: Pride and Prejudice");
        System.out.println("Author: Jane Austen");
        System.out.println("Language: English");
        System.out.println("Why do I love it ? I don't know.");
    }
}
```

Problems | @ Javadoc | Declaration | Console

```
<terminated> MyFavouriteBook [Java Application] C:\Program Files\Java\jdk1.7.0_03
My favourite book
Title: Pride and Prejudice
Author: Jane Austen
Language: English
Why do I love it ? I don't know.
```

Review

- Programming
  - Language
  - Paradigm
- Object-oriented paradigm
  - Object: state + behavior
  - Class: blueprint for creating objects
  - Principles: abstraction, encapsulation, hierarchy, modularity, inheritance
- Java background:
  - Language: Java
  - Platform: JVM + API
- Basic tools for Java programming
  - Platform +Text editor + console
  - Platform + IDE