# TestSuite1

## Execution Environment

| | |
|---|---|
| Host name | nthuyen5 - nthuyen5.tma.com.vn |
| Local OS | Windows 10 64bit |
| Katalon version | 8.6.5.208 |
| Browser | Chrome 114.0.0.0 |

## Summary

| | |
|---|---|
| ID | Test Suites/TestSuite1 |
| Description | |

| | | | |
|---|---|---|---|
| Total | 2 | | |
| Passed | 2 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2023-06-27 16:54:22 | End | 2023-06-27 16:54:32 |
| Elapsed | 9.126s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/LoginSwag | | PASSED |
| 2 | Test Cases/TestVariables | | PASSED |

# LoginSwag

## Information

| | |
|---|---|
| ID | Test Cases/LoginSwag |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2023-06-27 16:54:23 | End | 2023-06-27 16:54:31 |
| Elapsed | 8.467s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.001s | PASSED |
| 2 | Start setup action : setupTestCase<br><br>Method 'setupTestCase' complete successfully | 0.374s | PASSED |
| 3 | openBrowser("")<br><br>Browser is opened with url: '' | 2.382s | PASSED |
| 4 | navigateToUrl(url_swag)<br><br>Navigate to 'https://www.saucedemo.com/' successfully | 2.137s | PASSED |
| 5 | setText(findTestObject("Object Repository/Page_Swag Labs/input_Swag Labs_user-name"), username_swag)<br><br>Text 'standard_user' is set on object 'Object Repository/Page_Swag Labs/input_Swag Labs_user-name' | 0.712s | PASSED |
| 6 | setText(findTestObject("Object Repository/Page_Swag Labs/input_Swag Labs_password"), password_swag)<br><br>Text 'secret_sauce' is set on object 'Object Repository/Page_Swag Labs/input_Swag Labs_password' | 0.646s | PASSED |

# LoginSwag

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | click(findTestObject("Object Repository/Page_Swag Labs/input_Swag Labs_login-button")) | 0.406s | PASSED |
| | Object: 'Object Repository/Page_Swag Labs/input_Swag Labs_login-button' is clicked on | | |
| 8 | closeBrowser() | 1.467s | PASSED |
| | Browser is closed | | |
| 9 | Start tear down : tearDownTestCase | 0.002s | PASSED |
| | Method 'tearDownTestCase' complete successfully | | |
| 10 | Start listener action : sampleAfterTestCase | 0.001s | PASSED |

# TestVariables

## Information

ID   Test Cases/TestVariables

Description

Tag

Start   2023-06-27 16:54:31   End   2023-06-27 16:54:32

Elapsed   0.351s

Status   PASSED

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.000s | PASSED |
| 2 | Start setup action : setupTestCase | 0.001s | PASSED |
|   | Method 'setupTestCase' complete successfully | | |
| 3 | str = "Print this text" | 0.002s | PASSED |
| 4 | i = 2 | 0.001s | PASSED |
| 5 | j = 5 | 0.000s | PASSED |
| 6 | sum = i + j | 0.000s | PASSED |
| 7 | println(str) | 0.000s | PASSED |

# TestVariables

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 8 | println(sum) | 0.000s | PASSED |
| 9 | Start tear down : tearDownTestCase<br><br>Method 'tearDownTestCase' complete successfully | 0.001s | PASSED |
| 10 | Start listener action : sampleAfterTestCase | 0.001s | PASSED |