

Folder v2 test plan

Team	Data
Document owner	 Thai Hoang
Reviewers	☒  Alex Oleksiuk signed off
Ticket Link	☒ VE-16002: Folders V2: E2E Test Plan Closed
Stakeholders	
Status	IN REVIEW
Related Designs	Folder V2 Gap Analysis – Stage.us-1 V2 Folder s: stage.us-1 Folder Information Panel
Requirements Document	

1. Purpose and Structure

Purpose

Structure

2. Summary Job and Task useage

2.1 List Root folder

2.2 Create root folder

2.3 Create folder

2.4 Update Folder

2.5 Move 1 folder

2.6 Move multi folders

2.7 Delete Folder

2.8 Share folder for org

2.9 Get 1 folder

2.10 Get folder over view

2.11 Get folder detail

2.12 Get shared folder

3. System Health Assessment

3.1 Pass/Fail Rate Calculation

3.2 Weighted Health Assessment

3.3 Health Categories

4. Folder test flow

4.1 Folder basic (non OLP for V1 + V2)

Create Folder Tests	
Update Folder Tests	
Move folder tests	
Share folder test	
File Folder content	
deleteFolder	
4.2 Folder with OLP (V1 and V2)	
OLP Get folder test	
OLP update folder test	
4.3 Folder V1/V2 regression	
4.3.1 Org folder V1 and V2 interact (non OLP)	
Test Flow Org folder V1, V2 interact each other, read permission	
Test Flow Org folder V1, V2 interact each other, write permission	
4.3.3 Update feature flag OLP	
5. Test result	
5.1 Test result without share folder	
5.2 Test result with share folder	
6. Issues	
6.1 Folder Issues	
6.2 OLP Issues	

1. Purpose and Structure

Purpose

- Summarize the information required to perform collect query, mutation
- Define test flows for **Folder OLP** and **non OLP**.
- Improvement of test coverage

Structure

- Model each test as a **user action flow**
- Include both **happy paths** and **negative** checks.
- Continuously **review and expand coverage** for **Folder** feature based on gaps and defects.

2. Summary Job and Task useage

2.1 List Root folder

▼ rootFolders query

```
1 query rootFolders {  
2   rootFolders (type: watchlist) {  
3     id  
4     name  
5   }  
6 }
```

2.2 Create root folder

▼ createRootFolders mutation

```
1 mutation createRootFolders {
2   createRootFolders (rootFolderType: watchlist) {
3     id
4     name
5   }
6 }
```

2.3 Create folder

▼ createFolder mutation

```
1 mutation createFolder {
2   createFolder (input: {
3     name: String!
4     description: String!
5     parentId: ID!
6     rootFolderType: RootFolderType
7     orderIndex: Int = 0
8     userId: ID
9     entityTags: [{
10      tagKey: String!
11      tagValue: String
12      entityType: EntityTagType
13      entityId: ID
14      organizationId: ID
15    }]
16  }) {
17    Folder
18  }
19 }
```

2.4 Update Folder

▼ updateFolder mutation

```
1 mutation updateFolder {
2   updateFolder (input: {
3     id: ID!
4     name: String!
5     entityTags: [{
6      tagKey: String!
7      tagValue: String
8      entityType: EntityTagType
9      entityId: ID
10     organizationId: ID
11   }]
12 }) {
13   Folder
14 }
15 }
```

2.5 Move 1 folder

▼ moveFolder mutation

```
1 mutation moveFolder {  
2   moveFolder (input:{  
3     folderId: ID  
4     fromFolderId: ID  
5     toFolderId: ID  
6     rootFolderType: RootFolderType = watchlist  
7   }){  
8     Folder  
9   }  
10 }
```

2.6 Move multi folders

▼ moveFolders mutation

```
1 mutation moveFolders {  
2   moveFolders (input: {  
3     folderIds: [ID!]!  
4     newParentFolderId: ID!  
5     rootFolderType: RootFolderType = watchlist  
6   }){  
7     organizationId  
8     newParentFolderId  
9     message  
10  }  
11 }
```

2.7 Delete Folder

▼ deleteFolder mutation

```
1 mutation deleteFolder {  
2   deleteFolder (input: {  
3     id: ID!  
4     orderIndex: Int!  
5   }){  
6     id  
7     message  
8   }  
9 }
```

2.8 Share folder for org

▼ shareFolder mutation

```
1 mutation shareFolder {  
2   shareFolder (input : {  
3     folderId: ID  
4     readOrganizationIds: [Int]
```

```

5     writeOrganizationIds: [Int]
6   }){
7     Folder
8   }
9 }

```

2.9 Get 1 folder

▼ folder query

```

1 query folder {
2   folder (id: ID!){
3     Folder
4   }
5 }

```

2.10 Get folder over view

▼ folderOverview query

```

1 query folderOverview {
2   folderOverview (
3     ids: [ID!]!
4     rootFolderType: RootFolderType = watchlist
5   ){
6     FolderOverview
7   }
8 }

```

2.11 Get folder detail

▼ folderSummaryDetails query

```

1 query folderSummaryDetails {
2   folderSummaryDetails (
3     ids: [ID!]!
4     rootFolderType: RootFolderType = watchlist
5   ) {
6     [FolderSummaryDetail]
7   }
8 }

```

2.12 Get shared folder

▼ sharedFolders query

```

1 query sharedFolders {
2   sharedFolders {
3     id
4     name
5   }
6 }

```

3. System Health Assessment

3.1 Pass/Fail Rate Calculation

Overall System Health = $\left(\frac{\text{Passed Test Cases}}{\text{Total Executed Test Cases}} \right) \times 100$

3.2 Weighted Health Assessment

Priority Level	Weight	Pass Rate Priority
Critical (P0)	3x	Each failure = -3% from total
High (P1)	2x	Each failure = -2% from total
Medium (P2)	1x	Each failure = -1% from total
Low (P3)	0.5x	Each failure = -0.5% from total

3.3 Health Categories

Health Status	Pass Rate	Security Priority	Action Required
Secure	≥ 98%	No security vulnerabilities	Ready for production
Warning	95-97%	Minor permission gaps	Review failures, security assessment
Risk	90-94%	Potential security issues	Fix critical security gaps
Insecure	< 90%	Major security vulnerabilities	Stop deployment, comprehensive security fixes

4. Folder test flow

4.1 Folder basic (non OLP for V1 + V2)

Before All

create new org with `v2FoldersEnabled: 'enabled'` for V2

create new org with `v2FoldersEnabled: 'disabled'` for V1

create admin, cms user, restricted user

create rootFolders

Create Folder Tests

Mutation: [Folder v2 test plan](#) | [2.3 Create folder](#)



Summary Create folder Non OLP:

- **OrderIndex:**
 - V1 use **OrderIndex** to sort folder
 - V2 use **createdDate** instead of **OrderIndex** any more
- **UserId:**
 - UserId only require for API Token and JWT Token
 - create folder using api token is failed
- **entityTags:**
 - **entityTags:** only require **tagKey**
 - Other fields is ignored

✓ Create folders tests Non OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note

A1	org admin create folder without folder name should fail	P2	V1: PAS...	V2: PAS...	FDB I	
A2	org admin create folder without description should fail	P3	V1: PAS...	V2: PAS...	FDB I	
A3	org admin create folder with not existed parentId should fail	P2	V1: PAS...	V2: PAS...	FDB I	create folder using random parentId
A4	create folder using inaccessible parentId should fail	P2	V1: PAS...	V2: PAS...	FDB I	create folder using org Veritone folder as parentId
A5	create folder with valid parentId should success	P1	V1: PAS...	V2: PAS...	FDB I	
A6	create folder with invalid rootFolderType should fail	P2	V1: PAS...	V2: PAS...	FDB I	
A7	create folder with each rootFolderType should success	P1	V1: PAS...	V2: PAS...	FDB I	
A8	create folder with negative orderIndex	P2	V1: FAIL...	V2: PAS...	CFO I	create folder using negative orderIndex
A9	2 folder should auto indexed, not have same orderIndex	P2	V1: PAS...	V2: SKIP	CFO I	orderIndex no longer used in V2 Create multiple folders with the same index and verify that they are automatically re-indexed.
A10	create folder with not existed userId should fail	P2			FDU I	test case removed
A11	create folder with inaccessible userId should fail	P2			FDU I	test case removed create folder using userId from other org

A12.1	api token create folder with not existed, inaccessible userId should fail	P2	V1: PAS...	V2: PAS...	FDU I	
A12.2	api token create folder with mis-match userId , parent folder Id should fail	P2	V1: PAS...	V2: PAS...	FDU I	
A13	api token create folder with valid userId should success	P1	V1: PAS...	V2: PAS...	FDU I	use api token to create folder using valid userId , parent folder Id
A14	org admin create folder with valid userId should success	P1	V1: PAS...	V2: PAS...	FDU I	
A15	org admin create folder with entityTags : without tagKey should fail	P3	V1: PAS...	V2: PAS...	FDE T	> entityTags
A16	create folder with entityTags: using not existed entityId should fail	P3			FDE T	test case removed test entityType with not matching, not existing entityId
A17	create folder with entityTags: using not existed organizationId should fail	P3			FDE T	test case removed test entityTags with not existed orgId
A18	create folder with entityTags: using not accessible organizationId should fail	P3			FDE T	test case removed test entityTags with inaccessible orgId
A19	create folder with entityTags: using matched organizationId, entityType, entityId should success	P3			FDE T	test case removed

Update Folder Tests

Mutation: [Folder v2 test plan](#) | [2.4 Update Folder](#)

 Summary Update folder Non OLP:

- **entityTags:**
 - **entityTags:** only require **tagKey**
 - Other fields is ignored

▼ Update folder test Non OLP

ID	test case	Priority	status V1	status V2	Test GroupId	note
A20	Update folder using not existed folderId should fail	P2	V1: PAS...	V2: PAS...	FDB I	
A21	Update folder using inaccessible folderId should fail	P2	V1: PAS...	V2: PAS...	FDB I	
A22	Update folder using valid folderId should success	P1	V1: PAS...	V2: PAS...	FDB I	
A23	Update folder without folder name should fail	P2	V1: PAS...	V2: PAS...	FDB I	

A24	Update folder name should success	P1	V1: PAS...	V2: PAS...	FDB I	
A25	Update folder entityTags tagKey	P3	V1: PAS...	V2: PAS...	FDE T	
A26	update entityTags without tagKey should fail	P3	V1: PAS...	V2: PAS...	FDE T	
A27	Update folder entityTags entityType	P3	V1: PAS...	V2: PAS...	FDE T	entityTags: [{ tagKey: String! tagValue: String entityType: EntityType entityId: ID organizationId: ID }]
A28	Update folder entityTags using not existed entityId should fail	P3			FDE T	test case removed test entityTags input with not existed entityId
A29	Update folder entityTags using not match entityType, entityId should fail	P3			FDE T	test case removed test entityTags input with not matched entityType and entityId

A30	Update folder- entityTags using- not existed- organizationId- should fail	P3			FDE T	test case removed test entityTags input with invalid orgId
A31	Update folder- entityTags using- not accessible- organizationId- should fail	P3			FDE T	test case removed test entityTags input with invalid orgId
A32	Update folder- entityTags using- not match- organizationId- entityId should- fail	P3			FDE T	test case removed test entityTags input with invalid input
A33	Update folder- entityTags using- matched- organizationId- entityType- entityId should- success	P3			FDE T	test case removed

Move folder tests

Mutation: [Folder v2 test plan](#) | [2.5 Move 1 folder](#)

Summary Move folder Non OLP:

- Move folder into its child folder:
 - **V1:** PASSED (prevents circular move)
 - **V2:** FAILED still return success ( [VE-16402: \[folder\] Disallow moving a parent folder in to its own child](#) Closed)

✓ Move folder tests Non OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
A34	Move folder using not existed folderId should fail	P2	V1: PAS...	V2: PAS...	MF D	
A35	Move inaccessible folderId should fail	P2	V1: PAS...	V2: PAS...	MF D	
A36	Move owned folderId should success	P1	V1: PAS...	V2: PAS...	MF D	
A37	Move folder using not existed fromFolderId should fail	P2	V1: PAS...	V2: PAS...	MF D	
A38	Move folder using inaccessible fromFolderId should fail	P2	V1: PAS...	V2: PAS...	MF D	
A39	Move folder using not existed toFolderId should fail	P2	V1: PAS...	V2: PAS...	MF D	
A40	Move folder using inaccessible toFolderId should fail	P2	V1: PAS...	V2: PAS...	MF D	

A41	Admin Move folder using valid fromFolderId, toFolderId should success	P1	V1: PAS...	V2: PAS...	MF D	
A42	cms user Move folder should fail	P2	V1: PAS...	V2: PAS...	MF D	
A43	restricted user can not move folder	P2	V1: PAS...	V2: PAS...	MF D	
A44	Move folder using valid toFolderId should success	P2	V1: PAS...	V2: PAS...	MF D	
A45	Move folder using not match rootFolderType should fail	P2	V1: PAS...	V2: PAS...	MF D	
A46	Move folder using valid rootFolderType should success	P2	V1: PAS...	V2: PAS...	MF D	
A47	move folder to its own child should fail (loop folder)	P2	V1: PAS...	V2: PAS...	MF D	Should NOT Allows moving a folder into its own child (circular hierarchy) ✳️ VE-16402: [folder] Disallow moving a parent folder into its own child Closed

Move multi folders

mutation: [Folder v2 test plan](#) | [2.6 Move multi folders](#)

Summary Move multi folder Non OLP:

- Move folders into its child folder:

- **V1:** PASSED (prevents circular move)
- **V2:** FAILED still return success ([✳️ VE-16402: \[folder\] Disallow moving a parent folder in to its own child](#) Closed)

▼ Move multi folder test Non OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
A48	Move folders using not existed, inaccessible folderIds should fail	P2	V1: PAS...	V2: PAS...	MF D	
A49	Move folders using valid folderIds should success	P1	V1: PAS...	V2: PAS...	MF D	
A50	Move folders to not existed, inaccessible newParentFolderId should fail	P2	V1: PAS...	V2: PAS...	MF D	
A51	Move folders to valid newParentFolderId should success	P1	V1: PAS...	V2: PAS...	MF D	
A52	Move folder using not match rootFolderType should fail	P2	V1: PAS...	V2: PAS...	MF D	

A53	cms user Move folder should fail	P2	V1: PAS...	V2: PAS...	MF D	
A54	Admin Move folder to other parent folder with same rootFolderType should success	P2	V1: PAS...	V2: PAS...	MF D	
A55	Move folder to other parent folder with difference rootFolderType should fail	P2	V1: PAS...	V2: PAS...	MF D	
A56	move folder to folder of other org should fail	P2	V1: PAS...	V2: PAS...	MF D	
A57	move folders into child should fail	P2	V1: PAS...	V2: PAS...	MF D	Should NOT Allows moving a folder into its own child (circular hierarchy) ✳ VE-16402: [folder] Disallow moving a parent folder into its own child Closed

Share folder test

mutation: [Folder v2 test plan | 2.8 Share folder for org](#) , [Folder v2 test plan | 2.9 Get 1 folder](#)

Summary share folder Non OLP:

- **Missing validate for orgId:**
 - Share folder to random orgId return success for **both V1 and V2** ([✳ VE-16405: \[Folder\] Missing orgId validation when sharing a folder](#) Closed)
- **Target org access folder after shared**
 - **V1:** PASSED target org can access shared folder

- **V2:** FAILED target org can not access shared folder ( [VE-16291: \[V2 Folder\] Shared folder succeeds but target organization cannot access it](#) Closed)
- **Target org delete shared folder**
 - Target org should not delete the shared folder ( [VE-16403: \[Folder\] Shared folder with read permission, but deleteFolder returns success](#) Blocked)

✓ Share folder tests Non OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
A58	Share folder using not existed treeObjectId should fail	P2	V1: PAS...	V2: PAS...	SFD	
A59	Share folder using valid treeObjectId should success - only super admin can share folder	P2	V1: PAS...	V2: PAS...	SFD	
A60	Share folder using not existed readOrganizationIds should fail	P2	V1: PAS...	V2: PAS...	SFD	Bug: Not validate orgId ( VE-16405: [Folder] Missing orgId validation when sharing a folder Closed)
A61	Share folder using valid readOrganizationIds should success	P1	V1: PAS...	V2: PAS...	SFD	
A62	org admin get sharing folder should success	P2	V1: PAS...	V2: PAS...	SFD	share the org root folder

A63	target org admin get shared folderId should success	P1	V1: PAS...	V2: PAS...	SFD	• Target org access folder after shared ◦ V1: PASSED target org can access shared folder ◦ V2: FAILED target org can not access shared folder (✖ VE-16291: [V2 Folder] Shared folder succeeds but target organization cannot access it Closed)
A64	target org regular user get shared folderId should success	P1	V1: PAS...	V2: PAS...	SFD	V2: folder v2 can not access after got shared ✖ VE-16291: [V2 Folder] Shared folder succeeds but target organization cannot access it Closed
A65	target org get not shared folder should fail	P2	V1: PAS...	V2: PAS...	SFD	Try to get sibling or parent folder of the shared folder - expect return fail V2: folder v2 can not access after got shared
A66	target org get child folder should success	P2	V1: PAS...	V2: FAIL...	SFD	✖ VE-16715: [Folder] Shared org cannot access child folders inside a shared folder Blocked
A67	shared org get folder content should success	P2	V1: FAIL...	V2: FAIL...	SFD	☑ VE-16738: [Folder] Shared org cannot access TDs under shared folder To Do

A68	target org admin get new created folder should success	P2	V1: PAS...	V2: FAIL...	SFD	✖ VE-16715: [Folder] Shared org cannot access child folders inside a shared folder Blocked
A69	target org regular user get new folder should success	P2	V1: PAS...	V2: FAIL...	SFD	✖ VE-16715: [Folder] Shared org cannot access child folders inside a shared folder Blocked
A70	target org admin update shared folder should fail	P2	V1: PAS...	V2: PAS...	SFD	
A71	target org admin add new folder under shared folder should fail	P2	V1: PAS...	V2: PAS...	SFD	
A72	target org admin add new content should fail (file TDO, watchlist, app)	P2	V1: FAIL...	V2: FAIL...	SFD	• ✖ VE-16540: [Folder] Adding content to a shared folder with read-only permission should fail Blocked
A73	shared org admin remove his own content should success	P2			SFD	
A74	target org admin remove other content should fail (unfile TDO, watchlist, app)	P2	V1: PAS...	V2: PAS...	SFD	

A75	target org admin delete shared folder should fail	P2	V1: FAIL...	V2: PAS...	SFD	Bug: folder read permission org can delete folder ✖ VE-16403: [Folder] Shared folder with read permission, but deleteFolder returns success Blocked
A76	Share folder using not existed, inaccessible writeOrganizationIds should fail	P2	V1: PAS...	V2: PAS...	SFD	Bug: Not validate orgId before share folder ✖ VE-16405: [Folder] Missing orgId validation when sharing a folder Closed
A77	Share folder using valid writeOrganizationIds should success	P2	V1: PAS...	V2: PAS...	SFD	
A78	target org admin update shared folder should success	P2	V1: PAS...	V2: FAIL...	SFD	V2: folder v2 can not access after got shared ✖ VE-16718: [Folder] Shared org cannot update shared folder in Folder V2 To Do

File Folder content

mutation: unfileTemporalDataObject / fileTemporalDataObject



Summary file folder Non OLP:

- All tests work as expected

File folder tests Non OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
A79	restricted user can not file, unfile content	P2	V1: PAS...	V2: PAS...	FDF	
A80	cms User unFile and file should success	P2	V1: PAS...	V2: PAS...	FDF	
A81	cms User file new TDO should fail	P2	V1: PAS...	V2: PAS...	FDF	
A82	Admin unflie and file TDO to folder should success	P1	V1: PAS...	V2: PAS...	FDF	
A83	Admin file new TDO to folder should success	P1	V1: PAS...	V2: PAS...	FDF	
A84	TDO can only be filed to 1 folder	P2	V1: PAS...	V2: PAS...	FDF	

deleteFolder

mutation: [Folder v2 test plan](#) | [2.7 Delete Folder](#)

Summary delete folder Non OLP:

- **orderIndex:**
 - **orderIndex** is required
 - Delete folder using random orderIndex return success (ticket)

▼ Delete folder tests Non OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
A85	Delete folder using not existed, inaccessible folderId should fail	P2	V1: PAS...	V2: PAS...	DFD	
A86	restricted user can not delete folder	P2	V1: PAS...	V2: PAS...	DFD	
A87	cms user can not delete folder	P2	PAS...	PAS...	DFD	
A88	Admin Delete folder using valid folderId should success	P1	V1: PAS...	V2: PAS...	DFD	
A89	Delete folder using not matched orderIndex, folderId should fail	P2	V1: FAIL...	V2:	DFD	orderIndex is required to delete folder but is not validated
A90	Delete folder using matched orderIndex, folderId should success	P1	V1: PAS...	V2: PAS...	DFD	
A91	Folder V2 delete non-empty folder should fail	P2		V2: PAS...	DFD	

4.2 Folder with OLP (V1 and V2)

Before All

- Create parent folder and folderContentTemplate, TDO, App, watchlist
- Add child folder and folderContentTemplate, TDO, App, watchlist
- Add child folder to folders
- should removes restricted users from default AGs (restrict user still added to default authGroup)

OLP Get folder test

Query: [Folder v2 test plan](#) | [2.9 Get 1 folder](#)

Summary get folder OLP:

- All test work as expect

▼ Get folder tests OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
FO1	owner can get folder and child folder	P2	V1: 	V2: 		
FO2	admin can get folder and child folder	P2	V1: 	V2: 		
FO3	cms user can get parent and child folder	P2	V1: 	V2: 		
FO4	cms user can get folder content and child content (TDO, App, watch list)	P2	V1: 	V2: 		
FO5	restricted user can not get folder	P2	V1: 	V2: 		

FO6	Add folder read permission for restricted user	P2	V1: PAS...	V2: PAS...		
FO7	restricted user can get parent folder	P2	V1: PAS...	V2: PAS...		
FO8	restricted user can not get current child folder	P2	V1: PAS...	V2: PAS...		
FO9	restricted user can not get current folder content	P2	V1: PAS...	V2: PAS...		
FO10	Add parent folder content read permission for restricted user	P2	V1: PAS...	V2: PAS...		
FO11	restricted user can get shared content	P2	V1: PAS...	V2: PAS...		
FO12	owner create another child folder and content	P2	V1: PAS...	V2: PAS...		
FO13	cms user can access new child folder and child content	P2	V1: PAS...	V2: PAS...		
FO14	restricted user can get new child folder	P2	V1: PAS...	V2: PAS...		
FO15	restricted user can not get new child content	P2	V1: PAS...	V2: PAS...		

mutation: [Folder v2 test plan | 2.4 Update Folder](#) [Folder v2 test plan | 2.5 Move 1 folder](#)

Summary update folder OLP:

- **Move folders into its child folder:**
 - **V1:** PASSED (prevents circular move)
 - **V2:** FAILED still return success ([✱ VE-16402: \[folder\] Disallow moving a parent folder in to its own child](#) Closed)
- **restricted user try update folder:**
 - **V1:** PASSED prevents not added ACE user to update folder
 - **V2:** FAILED still return success (Ticket)
- **cms viewer try delete TDO of admin**
 - Only added ACE user can **delete** TDO of admin
 - **V1 and V2:** FAILED still return success (Ticket)

Update folder test OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
FO16	owner can update, move folder	P1	V1: PAS...	V2: PAS...		
FO17	move folder to its own child should fail (loop folder)	P2	V1: PAS...	V2: PAS...		Bug: Allows moving a folder into its own child (circular hierarchy allowed) ✱ VE-16402: [folder] Disal low moving a parent folde r into its own child Closed
FO18	admin can update, move folder	P1	V1: PAS...	V2: PAS...		

FO19	cms user can update and move folder	P2	V1: PAS...	V2: PAS...	
FO20	restricted user update folder should fail	P2	V1: PAS...	V2: PAS...	• restricted user try update folder: ◦ V1: PASSED prevents not added ACE user to update folder ◦ V2: FAILED still return success (Ticket) ◦ ✱ VE-16583: [Folder] Inconsistent AIWAR E_FOLDER_READ permission behavior between V1 and V2 Closed Bug: may missing validate for update folder V2
FO21	restricted user move folder should fail	P2	V1: PAS...	V2: PAS...	The <i>restricted user</i> now has the AIWARE_FOLDER_READ permission (add at test FO6), which allows them to move folders. ✱ VE-16695: [Folder] Moving a folder should require stronger permission than AIWARE_FOLDER_READ Closed
FO22	Add folder update permission for restricted user	P2	V1: PAS...	V2: PAS...	

FO23	restricted user update folder should succeed	P2	V1: PAS...	V2: PAS...		
FO24	restricted user update new child folder should succeed	P2	V1: PAS...	V2: PAS...		
FO25	cms user can update folder content	P2	V1: PAS...	V2: PAS...		org admin create folder, create TDO in folder cms viewer user update the admin created TDO
FO26	restricted user update folder content should fail	P2	V1: PAS...	V2: PAS...		
FO27	cms user add content to folder TDO, watchlist, app succeed (file TDO, App, watch list)	P2	V1: PAS...	V2: PAS...		
FO28	restricted user file content should fail	P2	V1: PAS...	V2: PAS...		
FO29	restricted user unfile content of owner should fail	P2	V1: PAS...	V2: PAS...		
FO30	cms user delete content of owner should fail	P2	V1: FAIL...	V2: FAIL...		✖ VE-16848: [Folder OLP] CMS Viewer can delete T DO created by Org Admin (OLP-enabled org) Closed

Share folder

mutation: [Folder v2 test plan](#) | [2.8 Share folder for org](#)

Summary Share folder OLP:

- **Missing validate for orgId:**

- Share folder to random orgId return success for **both V1 and V2** ( [VE-16405: \[Folder\] Missing orgId validation when sharing a folder](#) )

- **Access folder after shared**

- **V1:**  target org can access shared folder
- **V2:**  target org can not access shared folder ( [VE-16291: \[V2 Folder\] Shared folder succeeds but target organization cannot access it](#) )

- **Target org delete shared folder**

- Target org should not delete the shared folder ( [VE-16403: \[Folder\] Shared folder with read permission, but deleteFolder returns success](#) )

▼ Share folder test OLP

ID	test case	Priority	status V1	status V2	Test GroupId	note
FO31	restricted user share folder to other org should fail	P2	V1: 	V2: 		in non-OLP the <code>shareFolder</code> mutation requires <code>Superadmin</code> , but in OLP it only requires the <code>AIWARE_FOLDER_READ</code> role.  VE-16539: [OLP] Org Admin is able to share folders, but only Super Admin should have this permission 

FO32	share folder to not existing org should fail	P2	V1: PAS...	V2: PAS...	Share folder to random orgId return success for both V1 and V2 ( VE-16405: [Folder] Missing orgId validation when sharing a folder )
FO33.1	cms user share folder to other org should fail	P2	V1: FAI...	V2: FAI...	in non-OLP the <code>shareFolder</code> mutation requires <code>Superadmin</code> , but in OLP it only requires the <code>AIWARE_FOLDER_READ</code> role.  VE-16539: [OLP] Org Admin is able to share folders, but only Super Admin should have this permission 
FO33.2	super user share folder to other org success	P2	V1: PAS...	V2: PAS...	
FO34	owner can get sharing folder	P2	V1: PAS...	V2: PAS...	
FO35.1	target org can get shared folder	P1	V1: PAS...	V2: PAS...	target org can not access shared folder ( VE-16291: [V2 Folder] Shared folder succeeds but target organization cannot access it )
FO35.2	target org can get child folder	P2	V1: PAS...	V2: FAI...	 VE-16715: [Folder] Shared org cannot access child folders inside a shared folder 

FO36	target org can get folder content	P2	V1: FAI...	V2: FAI...	☒ VE-16738: [Folder] Shared org cannot access TD Os under shared folder To Do
FO37	cms user can get folder content	P2	V1: PAS...	V2: PAS...	
FO38	target org can get new created folder	P2	V1: PAS...	V2: FAI...	✖ VE-16715: [Folder] Shared org cannot access child folders inside a shared folder Blocked
FO39	target org can get new created content	P2	V1: FAI...	V2: FAI...	☒ VE-16738: [Folder] Shared org cannot access TD Os under shared folder To Do
FO40	target org create folder content should fail (read permission)	P2	V1: FAI...	V2: FAI...	✖ VE-16540: [Folder] Adding content to a shared folder with read-only permission should fail Blocked
FO41	target org can delete his own folder content	P2	V1:	V2:	
FO42	target org cannot update folder (read permission)	P2	V1: PAS...	V2: PAS...	
FO43	target org can not delete shared folder	P2	V1: FAI...	V2: PAS...	Target org should not delete the shared folder (✖ VE-16403: [Folder] Shared folder with read permission, but deleteFolder returns success Blocked)

FO44	superAdmin user share write permission	P2	V1: PAS...	V2: PAS...		
FO45	target org can update folder	P1	V1: PAS...	V2: FAI...		✖ VE-16718: [Folder] Shar ed org cannot update sha red folder in Folder V2 To Do
FO46	target org can add new child folder	P2	V1: FAI...	V2: FAI...		✖ VE-16541: [Folder] Addi ng a folder to a shared fol der should succeed when write permission is grante d Blocked
FO47	target org can add content to folder	P2	V1: PAS...	V2: PAS...		
FO48	target org can access their added content	P2	V1: PAS...	V2: PAS...		
FO49	admin can not access content added by shared org	P2	V1: PAS...	V2: PAS...		
FO50	cms user can not access content added by shared org	P2	V1: PAS...	V2: PAS...		
FO51	restricted user can not access content added by shared org	P2	V1: PAS...	V2: PAS...		

OLP file folder test

mutation: unfileTemporalDataObject / fileTemporalDataObject

Summary file folder OLP:

- All tests work as expected

File folder test OLP

ID	test case	Priority	status V1	status V2	Test GroupID	note
FO52	cms user unfile and file admin content should succeed	P2	V1: PAS...	V2: PAS...		
FO53	restricted user file new content to folder should fail	P2	V1: PAS...	V2: PAS...		
FO54	Add file permission for cms user	P2	V1: PAS...	V2: PAS...		
FO55	cms user file content to folder should succeed	P2	V1: PAS...	V2: PAS...		
FO56	cms user unfile his owned content should succeed	P2	V1: PAS...	V2: PAS...		
FO57	cms user unfile admin content success (unfile TDO, App, watch list)	P2	V1: PAS...	V2: PAS...		
FO58	admin can access unfiled content of cms user	P2	V1: PAS...	V2: PAS...		

FO59	admin can access his unfiled content	P2	V1: PAS...	V2: PAS...		
FO60	cms user search TDO, App, watch list	P2				search test will be add later

OLP create permission

Summary create folder OLP:

• Shared org try to get new created folder

- **V1:** PASSED target org can access new child folder
- **V2:** FAILED target org can not access new child folder. This fail because share folder on V2 not work as expect

✓ Create folder tests OLP

ID	test case	Prio rity	stat us V1	stat us V2	Tes t Gro upI d	note
FO61	cms user create folder should succeed	P2	V1: PAS...	V2: PAS...		
FO62	restricted user create folder should fail	P2	V1: PAS...	V2: PAS...		
FO63	Add folder create permission for restricted user	P2	V1: PAS...	V2: PAS...		
FO64	restricted user create folder and child folder should succeed	P2	V1: PAS...	V2: PAS...		

FO65	shared org can access new folder	P2	V1: PAS...	V2: FAIL...		shared org fail to get folder V2 due to share folder not work on V2 VE-16715: [Folder] Shared org cannot access child folders inside a shared folder Blocked
FO66	cms user can access new added folder	P2	V1: PAS...	V2: PAS...		
FO67	cms user delete restricted user folder should fail	P2	V1: PAS...	V2: PAS...		
FO68	restricted user delete his folder should succeed	P2	V1: PAS...	V2: PAS...		

OLP Delete folder permission

Summary delete folder OLP:

- **cms user try to delete admin folder**
 - Only added ACE user can delete admin folder
 - **V1 and V2 OLP:** FAILED return success when delete admin folder (Ticket)
- **cms user try to delete root folder of org:**
 - Only added ACE user can delete org root folder
 - **V1 and V2 OLP:** FAILED return success when delete org root folder (Ticket)
- **auto remove child folder:**
 - **V1:** When delete folder , it auto delete child folders
 - **V2:** Only empty folder can be deleted (may be gap) (Ticket)

▼ Delete folder test OLP

ID	test case	Prio rity	stat us V1	stat us V2	Test Gro upI d	note
FO69	restrict user delete folder should fail	P2	V1: PAS...	V2: PAS...		
FO70	cms user can not delete admin created folder	P2	V1: FAIL...	V2: FAIL...		• cms user try to delete admin folder ◦ Only added ACE user can delete admin folder ◦ V1 and V2 OLP: FAILED return success when delete admin folder (Ticket) ◦ ✖ VE-16854: [Folder OLP] cms viewer should not delete Folder of other user Closed
FO71	Add delete permission for restricted user	P2	V1: PAS...	V2: PAS...		
FO72	restrict user delete folder success	P2	V1: PAS...	V2: PAS...		
FO73	restrict user cannot access root folder	P2	V1: PAS...	V2: PAS...		
FO74	restrict user cannot access root folder of admin	P2	V1: PAS...	V2: PAS...		
FO75	cms user can access root folder of organization	P2	V1: PAS...	V2: PAS...		

FO76	cms user can not delete root folder of organization	P2	V1: FAIL...	V2: PAS...	• cms user try to delete root folder of org: ◦ Only added ACE user can delete org root folder ◦ V1 and V2 OLP: FAILED return success when delete org root folder (Ticket) • ✖ VE-16855: [Folder OL P] CMS Viewer should not be able to delete the root folder of the organization Closed
FO77	child folder auto deleted with parent folder	P2	V1: PAS...	V2:	Folder V2 prevents deleting non-empty folders.

4.3 Folder V1/V2 regression

4.3.1 Org folder V1 and V2 interact (non OLP)

Before All:

- Create org folder v1 non OLP, create folder, create content
- Create org folder v2 non OLP, create folder, create content
- Org folder V1 share folder read permission to org v2
- Org v2 share folder read permission to Org folder V1

Test Flow Org folder V1, V2 interact each other, read permission

Naming:

V1: Folder V1 non-OLP

OV1: folder V1 OLP

V2: Folder V2 non-OLP

OV2: folder V2 OLP

V1-OV2 mean share folder V1 non-OLP to org V2 OLP

 Summary share folder read permisison:

• **Access folder after shared**

- **V1:** PASSED target org can access shared folder
- **V2:** FAILED target org can not access shared folder ( [VE-16291: \[V2 Folder\] Shared fol](#)
[der succeeds but target organization cannot access it](#) Closed)

• **Target org delete shared folder**

- Target org should not delete the shared folder ( [VE-16403: \[Folder\] Shared folder wit](#)
[h read permission, but deleteFolder returns success](#) Blocked)

• **Target org add TDO to shared folder with read permission:**

- When share with read permission, expect target org can only read the folder
- FAILED Target org add TDO to shared folder (read permission) return success (Ticket)

✓ Share folder V1 read pemission tests

ID	test case	Prio rity	V1- OV1	V1- V2	V1- OV 2	OV1 -V1	OV1 -V2	OV1 - OV 2	Note
SFS1	target org can not access folder	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS2	super admin share folder read permission to target org should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS3	target org can get shared folder	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	Target org should get the shared folder success

SFS3	target org can get shared folder	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	Target org should get the shared folder success
SFS4	target org can not get TDO in shared folder	P2	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	Target org should get the shared folder content success
SFS5	target org can get child folder in shared folder	P2	PAS...	PAS...	FAIL...	PAS...	PAS...	FAIL...	Target org should get the shared folder success
SFS6	target org can get new TDO	P2	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	
SFS7	target org update shared folder should fail	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS8	target org create child folder in shared folder should fail	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS9	target org create TDO in shared folder should fail	P2	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	share folder with read permission, add TDO to folder should fail

SFS10	target org remove TDO in shared folder should fail	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS11	target org file TDO to shared folder should fail	P2	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	✖ VE-1684 2: [Folder] T arget org ca n file conte nt into a sha red folder w ith read-onl y permissio n To Do
SFS12	target org delete child folder should fail	P2	FAIL...	FAIL...	PAS...	FAIL...	FAIL...	PAS...	share folder with read permission, delete folder should fail
SFS13	target org delete shared folder should fail	P2	FAIL...	FAIL...	PAS...	FAIL...	FAIL...	PAS...	share folder with read permission, delete folder should fail

Test Flow Org folder V1, V2 interact each other, write permission

Before All:

- Org v2 share folder write permission to Org folder V1
- Org folder V1 share folder write permission to org v2

Test case:

Summary share folder write permisison:

- Access folder after shared
 - V1: PASSED target org can access shared folder

- **V2:** FAILED target org can not access shared folder ([✖ VE-16291: \[V2 Folder\] Shared folder succeeds but target organization cannot access it](#) Closed)
- **Target org delete shared folder**
 - Target org should not delete the shared folder ([✖ VE-16403: \[Folder\] Shared folder with read permission, but deleteFolder returns success](#) Blocked)
- **Target org add child folder to shared folder with write permission:**
 - When share with write permission, expect target org can add data to folder
 - FAILED Target org add add folder into shared folder return share folder with read permission, delete folder should fail (Ticket)

✓ Share folder V1 write permission

ID	test case	Priority	V1- OV1	V1- V2	V1- OV 2	OV1 -V1	OV1 -V2	OV1 - OV 2	Note	
SFS14	super admin share folder write permission to target org should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...		
SFS15	target org update shared folder should success	P2	PAS...	FAIL...	FAIL...	PAS...	FAIL...	FAIL...		
SFS16	target org update child folder in shared folder should success	P2	PAS...	FAIL...	FAIL...	PAS...	FAIL...	FAIL...		

SFS17	target org create child folder in shared folder should success	P2	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	FAIL...	Expect target org can add child folder to shared folder	
SFS18	target org create TDO in shared folder should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...		
SFS19	target org remove their TDO in shared folder should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...		
SFS20	target org file TDO to shared folder should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...		
SFS21	target org unfile TDO from shared folder should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...		
SFS22	target org delete other TDO in shared folder should fail	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...		
SFS23	target org delete folder should fail	P2	FAIL...	PAS...	PAS...	FAIL...	PAS...	PAS...	Expect target org can not delete owner folder	

SFS19	target org remove their TDO in shared folder should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS20	target org file TDO to shared folder should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS21	target org unfile TDO from shared folder should success	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS22	target org delete other TDO in shared folder should fail	P2	PAS...	PAS...	PAS...	PAS...	PAS...	PAS...	
SFS23	target org delete folder should fail	P2	FAIL...	FAIL...	PAS...	FAIL...	FAIL...	PAS...	Expect target org can not delete owner folder
SFS24	target org delete shared folder should fail	P2	FAIL...	FAIL...	PAS...	FAIL...	FAIL...	PAS...	

4.3.3 Update feature flag OLP

Before All:

- Create org folder v1 non OLP, create folder, create content
- update feature flag to OLP
- Create new desktop admin

Test folder OLP flag

 **Summary change OLP flag:**

- **OLP migration:**

- After change to from non-OLP to OLP org, cms user and org admin not auto added to matched authGroup. That leading to missing almost all of permission after migrate to OLP org (Ticket)

- **share folder permission**

- Only super admin can share folder
- But in OLP org admin and cms user share folder return success

- **Access folder after shared**

- **V1:** PASSED target org can access shared folder
- **V2:** FAILED target org can not access shared folder ([✖ VE-16291: \[V2 Folder\] Shared folder succeeds but target organization cannot access it](#) Closed)

▼ Change org OLP flag tests

ID	test case	Pri orit y	sta tus V1	sta tus V2	Tes t Gro upI d	note
MXF1	cms user get folder and content should success	P2	V1: PA...	V2: PA...		
MXF2	restricted user can not get folder and content	P2	V1: PA...	V2: PA...		
MXF3	admin update folder successfully	P2	V1: PA...	V2: PA...		
MXF4	cms user update folder should fail	P2	V1: PA...	V2: PA...		
MXF5	restrict user update folder should fail	P2	V1: PA...	V2: PA...		

MXF6	admin move folder success	P2	V1: 	V2: 		
MXF7	cms user move folder fail	P2	V1: 	V2: 		
MXF8	restrict user move folder fail	P2	V1: 	V2: 		
MXF9	admin file, unfile content success	P2	V1: 	V2: 		
MXF10	cms user file, unfile current content success	P2	V1: 	V2: 		
MXF11	cms user file new content should fail	P2	V1: 	V2: 		
MXF12	restrict user file, unfile content should fail	P2	V1: 	V2: 		
MXF13	admin create new child folder success	P2	V1: 	V2: 		
MXF14	cms user create folder should fail	P2	V1: 	V2: 		
MXF15	restrict user create folder should fail	P2	V1: 	V2: 		
MXF16	only super admin can share folder	P2	V1: 	V2: 		

MXF17	target org can access folder after share	P2	V1: PA...	V2: PA...	• Access folder after shared ◦ V1: PASSED target org can access shared folder ◦ V2: FAILED target org can not access shared folder (✖ VE -16291: [V2 Folder] Shared folder succeeds but target organization cannot access it Closed)
MXF18	admin delete folder success	P2	V1: PA...	V2: PA...	
MXF19	cms user can not delete folder	P2	V1: PA...	V2: PA...	
MXF20	restrict user can not delete folder	P2	V1: PA...	V2: PA...	
MXF21	update organization to OLP should success	P2	V1: PA...	V2: PA...	
MXF22	should removes restricted users from default AGs	P2	V1: PA...	V2: PA...	

MXF23	cms user get folder success	P2	V1: FAI...	V2: FAI...	After change from non-OLP to OLP, cms user is only add to default org authGroups, not added to matched cms viewer authGroup ( VE-16534: [OLP] lose permission after migrate OLP for org )
MXF24	restrict user get folder should fail	P2	V1: PA...	V2: PA...	
MXF25	cms, restrict user update folder should fail	P2	V1: PA...	V2: PA...	
MXF26	OLP cms user can create folder	P2	V1: PA...	V2: PA...	After change from non-OLP to OLP, cms user is only add to default org authGroups, not added to cms viewer authGroup default org authGroups can only create resource and work with its own resource
MXF27	restrict user create folder should fail	P2	V1: PA...	V2: PA...	
MXF28	cms, restrict user file folder should fail	P2	V1: PA...	V2: PA...	
MXF29	cms, restrict user delete folder should fail	P2	V1: PA...	V2: PA...	

MXF30	old legacy admin Grant FOLDER_READ to old restrict user should fail	P2	V1: 	V2: 		After change from non- OLP to OLP, org admin non-OLP is not auto added to desktop admin authGroup
MXF31	new desktop admin Grant FOLDER_READ to new restrict user should success	P2	V1: 	V2: 		
MXF32	restrict user get folder should success	P2	V1: 	V2: 		
MXF33	old legacy admin Grant FOLDER_UPDATE to restrict user should fail	P2	V1: 	V2: 		
MXF34	new desktop admin Grant FOLDER_UPDATE to new restrict user	P2	V1: 	V2: 		
MXF35	restrict user update folder should success	P2	V1: 	V2: 		
MXF36	old legacy admin Grant FOLDER_CREATE to restrict user should fail	P2	V1: 	V2: 		

MXF37	new admin Grant FOLDER_CREATE to new restrict user	P2	V1: PA...	V2: PA...		
MXF38	restrict user create folder should success	P2	V1: PA...	V2: PA...		
MXF39	Grant FOLDER_FILE to cms user	P2	V1: PA...	V2: PA...		
MXF40	cms user file new folder content should success	P2	V1: PA...	V2: PA...		
MXF41	cms user share folder to other org should fail	P2	V1: FAI...	V2: FAI...		only super admin can share folder
MXF42	org admin share folder should fail	P2	V1: PA...	V2: PA...		
MXF43	superadmin can share folder	P2	V1: PA...	V2: PA...		
MXF44	target org can get folder	P2	V1: PA...	V2: PA...		
MXF45	old admin Grant FOLDER_DELETE to cms user should fail	P2	V1: PA...	V2: PA...		
MXF46	new admin Grant FOLDER_DELETE to restrict user	P2	V1: PA...	V2: PA...		
MXF47	restricted user delete child folder should success	P2	V1: PA...	V2: PA...		

5. Test result

5.1 Test result without share folder

✓ Test result without share folder

Date	Pass Rate %	Result	Tester	Testing Notes
2026-01-09	97% (56/58)	WARNI...	TH Thai Hoang	non OLP V1 without share folder (skip A58-72, 74-A78) Fail P2 tests: A8, A89
2026-01-09	100% (57/57)	SECURE	TH Thai Hoang	non OLP V2 without share folder (skip A58-72, 74-A78)
2026-01-09	94.5% (52/55)	RISK	TH Thai Hoang	OLP V1 without share folde (skip FO31-51) Fail P2 tests: FO30, FO70, FO76
2026-01-09	96% (52/54)	WARNI...	TH Thai Hoang	OLP V2 without share folder (skip FO31-51) Fail P2 tests: FO30, FO70
2026-01-09	98% (42/43)	WARNI...	TH Thai Hoang	Folder V1 migrate OLP (skip MXF41-44) Fail P2 tests: MXF23
2026-01-09	98% (42/43)	WARNI...	TH Thai Hoang	Folder V2 migrate OLP (skip MXF41-44) Fail P2 tests: MXF23

5.2 Test result with share folder

✓ The latest test result


Date	Pass Rate %	Result	Tester	Testing Notes
2026-01-09	94% (73/78)	RISK	TH Thai Hoang	non OLP V1: Fail P2 tests: A8, A67, A72, A75, A89
2026-01-09	92% (71/77)	RISK	TH Thai Hoang	non OLP V2: Fail P2 tests: A66-69, A72, A78
2026-01-09	87% (67/77)	INSECU...	TH Thai Hoang	OLP V1: Fail P2 tests: FO30, FO31, FO33.1, FO36, FO39, FO40, FO43, FO46, FO70, FO76
2026-01-09	86% (65/76)	INSECU...	TH Thai Hoang	OLP v2: Fail P2 tests: FO30, FO33.1, FO35.2, FO36, FO38, FO39, FO40, FO45, FO46, FO65, FO70
2026-01-09	95% (45/47)	WARNI...	TH Thai Hoang	Folder V1 migrate OLP: Fail P2 tests: MXF23, MXF41
2026-01-09	95% (45/47)	WARNI...	TH Thai Hoang	Folder V2 migrate OLP: Fail P2 tests: MXF23, MXF41
2025-12-01	63% (15/24)	INSECU...	TH Thai Hoang	V1-OV1, OV1-V1, V2-V1, V2-OV1, OV2-V1, OV2-OV1 Share folder to V1 , OLP V1
2025-12-01	67% (16/24)	INSECU...	TH Thai Hoang	V1-V2, V1-OV2, OV1-V2, OV1-OV2, V2-OV2, OV2-V2 Share folder to V2 , OLP V2

6. Issues

6.1 Folder Issues

Date	Test ID	Issue	Prio rity	Note/ Comment
2025-11-12	A16->A18 A28->A32	• Create/Update folder ◦ entityTags: ▪ When creating or updating a folder, the <code>entityTags</code> field only requires <code>tagKey</code> . ▪ Only the <code>tagKey</code> is validated. ▪ Other fields within <code>entityTags</code> are ignored. ◦ Impact: ▪ This issue does not affect V1, V2, or OLP, so it can be left as-is for now.	LOW	
2025-11-12	A8, A9	• Create folder ◦ OrderIndex: ▪ In V1, folders are sorted using the <code>OrderIndex</code> field. ▪ In V2, sorting is now based on <code>createdDate</code> instead of <code>OrderIndex</code> . ▪ Need to validate if this will affect front end logic ▪ If this not affect V1, V2, OLP we can leave it for now	LOW	
2025-11-12	A10->A14	• Create folder ◦ UserId: ▪ UserId only require for API Token and JWT Token ▪ create folder using api token is failed ▪ (Ticket): 🐛 VE-16581: [Folder] Unable to create folder using API token Closed	MED...	ADDED TO THE SPRINT
2025-11-12	A47, A57, FO17	• Move parent folder into its child folder: ◦ V1: PASSED (prevents circular move) ◦ V2: FAILED still return success (🐛 VE-16402: [folder] Disallow moving a parent folder into its own child Closed)	HIGH	

2025-11-12	A60, A76, FO32	• Share folder Missing validate for orgId: ◦ Share folder to random/invalid orgId return success for both V1 and V2 (✖ VE-16405: [Folder] Missing orgId validation when sharing a folder Closed)	MED...	
2025-11-12	A63 → A78 FO35 → FO48, FO65 SFS3, SFS5, SFS13 → SFS17	• Share Folder: Target org access folder after shared ◦ V1: PASSED target org can access shared folder ◦ V2: FAILED target org can not access shared folder (✖ VE-16291: [V2 Folder] Shared folder succeeds but target organization cannot access it Closed)	HIGH	RELEASE READY
2025-11-12	A75, FO43 SFS11, SFS19	• Share Folder: Target org can delete shared folder (READ permission only) ◦ Target org should not delete the shared folder (✖ VE-16403: [Folder] Shared folder with read permission, but deleteFolder returns success Blocked)	MED...	ADDED TO THE SPRINT
2025-11-12	A88	• Delete Folder: ◦ orderIndex: ▪ orderIndex is required ▪ Delete folder using random orderIndex return success	LOW	

2025-11-12	SFS9, A72, FO40	• Share Folder: Target org add TDO to shared folder with read permission: • Happened on V1, V2 , with OLP enabled and disabled. ◦ When share with read permission, expect target org can only read the folder ◦ FAILED Target org add TDO to shared folder (read permission) return success ◦  VE-16540: [Folder] Adding content to a shared folder with read-only permission should fail 	LOW	Is expected? 
2025-11-12	SFS15, A71, FO46	• Share Folder: Target org add child folder to shared folder with write permission: ◦ When share with write permission, expect target org can add data to folder ◦ FAILED Target org add folder into shared folder return fail ◦  VE-16541: [Folder] Adding a folder to a shared folder should succeed when write permission is granted 	LOW	Is expected? 
2025-11-12	FO77	• Delete Folder: auto remove child folder: ◦ V1: When delete folder , it auto delete child folders ◦ V2: Only empty folder can be deleted ◦ This may be a gap ◦  VE-16542: [Folder] Delete folder behavior differs between V1 and V2 	MED...	Not considered to be a failure.

2025-11-20	SFS5, SFS13, SFS14, SFS19, A66	• Get Folder: When the target org tries to get a child folder inside a shared folder: ◦ V1: Successfully returns the child folder ◦ V2: Fails to return the child folder This may indicate a gap in Folder V2 behavior. ◦  VE-16715: [Folder] Shared org cannot access child folders inside a shared folder Blocked	MED...	
2025-11-20	SFS13, A78, FO45	• Update Folder: When the target org with write permission tries to update shared folder: ◦ V1: Successfully update shared folder ◦ V2: Fails to update shared folder ◦ This may indicate a gap in Folder V2 behavior. ◦  VE-16718: [Folder] Shared org cannot update shared folder in Folder V2 To Do	MED...	
2025-11-20	A67, SFS4, FO39	• Share Folder: Target Org Cannot Access TDOs under shared folder ◦ When a folder is shared with read permission to a target organization, the target org cannot retrieve any TDOs located inside that shared folder. ◦ This behavior occurs in both Folder V1 and Folder V2, with OLP enabled and disabled.. ◦ There is an assumption that the purpose of a shared folder is to allow the target organization to access the content inside the folder ◦ Based on this assumption, it would be reasonable to expect that the target organization should be able to retrieve the TDOs within the shared folder. ◦ ☒ VE-16738: [Folder] Shared org cannot access TDOs under shared folder To Do	MED...	

2025-11-28	SFS11	Share folder: Target org File TDO into shared folder with read permission should fail: - Currently target org can successfully file TDO into shared folder with read permission - This behavior occurs in both Folder V1 (OLP and non-OLP) and Folder V2 (OLP and non-OLP). 🔗 VE-16842: [Folder] Target org can file content into a shared folder with read-only permission To Do	MED...	
Other issues		📁 Folder V2 Gap Analysis – Stage.us-1		
	1	- Creating root folders generates two entries (organization and user-level). - Behavior aligns with V1 implementation; enhancement to create user folder only upon user-org association planned post-V2 rollout. (See related documentation) 🔗 VE-10737: V2 Folder Enhancement - Only generate a user folder when a user is created/added to an org Closed	LOW	An improvement
	2	- Filed TDO visible in ancestor folders - Behavior is working as designed. The GraphQL folders field comment should be updated to match the original folderTreeObjectIds description (“TreeObjectIds of all parent folders in the TDO folder path”). Also note: the list appears ordered by proximity (immediate parent first). (See related documentation) 🔗 VE-10738: V2 Folder Enhancement - Update documentation Closed	LOW	Data from V1 and V2 differ, so updating the schema's description now may cause confusion. → We should update after releasing V2?

3	• <code>orderIndex</code> parameter unused in V2 ◦ The deleteFolder mutation includes a mandatory orderIndex input that is not used in the V2 folder flow. Since it remains required for V1, the schema definition should be updated to mark this parameter as optional or deprecated. ◦ VE-10739: V2 Folder Enhancement - Update schema to remove orderIndex input param Blocked	LOW	An improvement
4	• getTDO: Folder hierarchy structure differs between V1 and V2 ◦ In V1, the folders field returns only the leaf folder with its full folderPath chain (leaf → child → parent → root) ◦ In V2, the folders array returns all ancestor folders (leaf, child, parent, root) as separate items each with its own folderPath. This differs from V1 (which returns only the leaf with a full folderPath) — confirm whether this is by design. ◦ Discussion: Re: Folder V2 Gap Analysis – Stage.us-1 Comment ◦ VE-16584: [Folder] TDO path and folder path differ between V1 and V2 Closed	MED...	Needs to consider ADDED TO THE SPRINT
5	• When getTDO and retrieving foldersTreeObjectIds, the result in V2 includes the root folder's treeObjectId. In V1, the root folder ID is excluded. ◦ Confirm if inclusion of the root folder in <code>foldersTreeObjectIds</code> is intentional. If not, align behavior with V1 for consistency or update the GraphQL field comment to reflect the intended difference. ◦ The discussion: Re: Folder V2 Gap Analysis – Stage.us-1 Comment	MED...	Needs to check if this impacts UI/UX

	6	- Root folder naming differs between V1 and V2 - In V1, root folders include the rootFolderType label (e.g. “Veritone, Inc. CMS Root Folder”), while in V2, the root folder name follows the format Root Folder <uuid>:<id> and does not include the folder type. It may be preferable to include the rootFolderType in V2 as well for consistency with V1 naming. 🔖 VE-16060: V2 Folder Enhancement — Include rootFolderType in root folder naming for consistency with V1 Closed	LOW	

6.2 OLP Issues

Date	Test ID	Issue	Priority	Note
2025-11-12	MXF 41, MXF 42	Share Folder: share folder permission - The current state: Only super admin can share folder, but in OLP org admin and cms user share folder return success 🔥 VE-16539: [OLP] Org Admin is able to share folders, but only Super Admin should have this permission To Do	MEDIUM	ADDED TO T...
2025-11-12	FO3 0	Delete TDO: cms viewer try delete TDO of admin - OLP enabled, only added ACE user can delete admin's TDOs V1 and V2: FAILED still return success 🔥 VE-16848: [Folder OLP] CMS Viewer can delete TDO created by Org Admin (OLP-enabled org) Closed	MEDIUM	

2025-11-12	FO70	• Delete Folder: cms user try to delete admin folder ◦ Only added ACE user can delete admin folder ◦ V1 and V2 OLP: FAILED return success when deleting admin folder ◦ 🔗 VE-16854: [Folder OLP] cms viewer should not delete Folder of other user Closed	MEDIUM	
2025-11-12	FO76	• Delete Root Folder: cms user try to delete root folder of org: ◦ Only added ACE user can delete org root folder ◦ V1 and V2 OLP: FAILED return success when delete org root folder ◦ 🔗 VE-16855: [Folder OLP] CMS Viewer should not be able to delete the root folder of the organization Closed	MEDIUM	
2025-11-12	FO20	• Update Folder: restricted user try update folder: ◦ Scope: org OLP ◦ V1: PASSED prevents not added ACE user to update folder ◦ V2: FAILED still return success ◦ 🔗 VE-16583: [Folder] Inconsistent AIWARE_FOLDER_READ permission behavior between V1 and V2 Closed	HIGH	
2025-11-12	MXF23	• Switching OLP: ◦ After enabling OLP for an org (from non-OLP to OLP), cms user and org admin not auto added to matched authGroup. That leading to missing almost all of permission after migrate to OLP org ◦ 🔗 VE-16534: [OLP] lose permission after migrate OLP for org Closed	HIGH	ADDED TO T...

2025-11-19	FO21	• Move folder: Attempt with Only AIWARE_FOLDER_READ Permission ◦ After removing the restricted user from the default authGroup and granting them only the AIWARE_FOLDER_READ permission, the user attempts to move a folder. Since the user only has AIWARE_FOLDER_READ , the move operation must fail. ◦  VE-16695: [Folder] Moving a folder should require stronger permission than AIWARE_FOLDER_READ Closed	MEDIUM	
------------	------	---	--------	--