Qwen3.5-9B | Gemma-4-12B-it | Granite-4.2-8B | Ministral-3-8B | Olmo-3-7B-Instruct

Pooled TS Calibrated ECE
ECE decreases 28/50 NLL harm (>0.01) 11/50 | ECE decreases 42/50 NLL harm (>0.01) 2/50 | ECE decreases 44/50 NLL harm (>0.01) 2/50 | ECE decreases 42/50 NLL harm (>0.01) 7/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50

Thermometer-P Calibrated ECE
ECE decreases 26/50 NLL harm (>0.01) 10/50 | ECE decreases 42/50 NLL harm (>0.01) 2/50 | ECE decreases 45/50 NLL harm (>0.01) 2/50 | ECE decreases 43/50 NLL harm (>0.01) 5/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50

ATS-P Calibrated ECE
ECE decreases 21/50 NLL harm (>0.01) 22/50 | ECE decreases 42/50 NLL harm (>0.01) 2/50 | ECE decreases 46/50 NLL harm (>0.01) 2/50 | ECE decreases 42/50 NLL harm (>0.01) 6/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50

Minimax TS (MRTS) Calibrated ECE
ECE decreases 15/50 NLL harm (>0.01) 0/50 | ECE decreases 50/50 NLL harm (>0.01) 0/50 | ECE decreases 50/50 NLL harm (>0.01) 0/50 | ECE decreases 32/50 NLL harm (>0.01) 0/50 | ECE decreases 50/50 NLL harm (>0.01) 0/50

RB-Cal v1 Calibrated ECE
ECE decreases 33/50 NLL harm (>0.01) 2/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 25/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50

RB-Cal v3 Calibrated ECE
ECE decreases 33/50 NLL harm (>0.01) 2/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 49/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50

RB-Cal v4b Calibrated ECE
ECE decreases 32/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50

Evo-RB Calibrated ECE
ECE decreases 34/50 NLL harm (>0.01) 1/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50 | ECE decreases 47/50 NLL harm (>0.01) 0/50 | ECE decreases 48/50 NLL harm (>0.01) 0/50

Uncalibrated ECE

NLL regret <= 0.01 | NLL regret > 0.01 (harmed unit) | no change (y = x)

LOTO: each dot = one held-out task x prompt | 25 tasks x 2 prompts per model | below diagonal = lower ECE