

Friend Group Expense App Product Plan and Architecture

Build the first version as a mobile first React Native application centered on one unusually clear workflow: a member records a shared expense, the app calculates who owes whom, the debtor marks the payment as sent with optional proof, and the recipient confirms that the money arrived. Voice dictation and receipt OCR should run on the phone without a transcription API key or a media processing server. The product should track payments made elsewhere and must not hold money in the MVP.

The product should not compete by copying every feature in Splitwise or tricount. The closest current competitor already supports browser joining, nudges, mark as paid, and recipient confirmation. The opportunity is a more focused verification inbox, safer proof handling, and a friend group personality layer that makes reminders warm without becoming harassment.^{1,4,8,9}

Recommended product direction

- **Positioning** Shared expenses that close only when both people agree the payment landed.
- **MVP platform** React Native with an Expo development build for iOS and Android, plus a small web invite and deep link fallback.
- **Account model** Name and verified email only, using a passwordless magic link or email code.
- **Primary wedge** A settlement review queue with proof, confirmation, rejection, audit history, and reminders that automatically pause when a payment is under review.
- **Smart entry** On device speech dictation and receipt OCR that suggest field values but never save financial data without review.
- **Default visual theme** Dusk Blend, with a charcoal summary band, warm off white working surfaces, mint actions, coral debt states, and amber humor accents.
- **Working name** OweYaar, pending trademark, domain, social handle, and app store clearance.

Contents

1. Research findings and competitive benchmark
2. Product strategy and intended users
3. MVP scope and core journeys
4. Information architecture and screen design
5. On device voice transcription and OCR
6. Visual system and theme behavior
7. Settlement state model
8. Technical architecture and data model
9. Email reminders and friend group tone
10. Privacy security and abuse prevention
11. Delivery roadmap and success metrics
12. Naming recommendations and risk decisions

Research findings and competitive benchmark

Current products prove that group expense tracking is a well understood behavior. Splitwise offers broad split methods, groups, external settlements, recurring expenses, and receipt scanning in its paid tier. Tricount emphasizes shared entry, offline use, uneven splits, photos, multiple currencies, and payment requests. Settle Up and Splid compete on understandable balances, reduced transaction counts, offline use, and low sign up friction.^{1,2,3,4,5,6,7}

The proposed verification loop is not unique by itself. KittyPot publicly describes a five step sequence that ends with the debtor marking a payment as paid and the recipient confirming that it landed. It also supports browser joining, links, codes, QR invitations, receipts, and nudges. Bexbox presents proof backed IOUs and partial payments. These products validate the need but narrow the differentiation available.^{8,9}

Product	Strength	Relevant features	Opening	Design lesson	Sources
Splitwise	Breadth and mature balance tracking	Groups, flexible splits, external settlement, recurring expenses	Feature density and paid gating leave room for a calmer core flow	Use as a completeness benchmark, not a screen template	1 2 3
tricount	Fast group collaboration	Link invites, shared entry, offline use, photos, currencies, payment requests	Bank request availability is regional	Copy its plain language and fast group entry	4 5
Settle Up	Clear settlement suggestions	Sync across a group and fewer suggested transfers	Public material emphasizes accounting over verification	Make the final who pays whom answer equally obvious	6
Splid	Very low friction	No sign up, offline mode, more than 150 currencies, export	Lower identity assurance is a poor fit for proof confirmation	Preserve its speed while verifying email ownership	7
KittyPot	Closest workflow match	Browser join, link code and QR invite, receipts, nudges, mark paid and recipient confirms	The proposed idea needs a sharper reason to switch	Differentiate through verification inbox, proof privacy, and email personality	8
Bexbox	Evidence first ledger	Proof attachments, partial payments, private ledgers, link and QR invites	Narrow and Android focused public positioning	Treat payment evidence as sensitive content	9

What the market evidence changes

- Do not describe bilateral payment confirmation as a first in the category.
- Make the settlement inbox the fastest and best explained part of the product, because that is where the proposed app can feel meaningfully different.
- Keep the first version small. Mature competitors already cover currencies, charts, exports, and payment integrations; matching that breadth would delay learning. Include voice and OCR only as assisted entry, not as an automatic bookkeeping system.
- Remove app download as a condition for invite acceptance. Current competitors show that browser based joining is expected.
- Avoid a public trust score. The useful outcome is a shared record, while a reputation score can turn friendly debt into social punishment.

Product strategy and intended users

Product promise

The product keeps a shared record of who paid, who owes a share, what the share covers, and whether repayment has been confirmed. It removes repeated calculation and gives both sides a clear closing action. It does not replace a bank, wallet, or cash payment method.

Initial users

User	Current difficulty	Required outcome
Friend group organizer	Pays for bookings or meals and currently chases people in chat	Add an expense in under one minute and see every open settlement
Debtor	Wants the exact amount and an easy way to show payment	Open one link, review the share, tap I paid, and attach proof
Expense recipient	Needs to know which transfers arrived	Review a compact queue and confirm or flag each payment
Occasional guest	Does not want another installed app	Join from a secure browser link and verify email

Jobs the MVP should solve

- When I cover a group cost, record it before I forget and divide it without doing arithmetic in chat.
- When I owe money, show exactly why, where to pay outside the app, and what remains after a partial payment.
- When I send money, let me mark the payment as sent and provide evidence without exposing that evidence to the entire group.
- When someone says they paid me, let me confirm receipt or explain the problem without changing the ledger incorrectly.
- When a balance stays open, remind the right person at a reasonable cadence and stop as soon as the state changes.

Positioning boundaries

The app should use words such as track, record, claimed, and confirmed. It should not say that it processed, transferred, secured, or guaranteed a payment. Every settlement screen should state that money moves outside the app.

The original expense payer is the recipient or creditor during repayment. The member who owes the share is the debtor. Interface labels should be written from the viewer's perspective: I paid for the debtor and Money received for the recipient. This avoids the ambiguous word payer.

MVP scope and core journeys

MVP capability list

Area	Included behavior
Identity	Name, verified email, magic link or six digit email code, profile theme
Groups	Create group, base currency, group accent, roles, invite link, invite email, revoke invite
Expenses	Amount, description, date, one expense payer, equal or exact split, optional receipt, edit history
Assisted entry	Field dictation in a supported device locale, receipt OCR, deterministic amount and date suggestions, mandatory review before save
Balances	Per group and overall amounts, who owes whom, expense level explanation, no hidden simplification
Settlements	Full or partial amount, I paid, optional proof, awaiting review, confirm, needs attention, reversal
Notifications	Invite, new expense, reminder, proof submitted, confirmed, needs attention, bounce handling
Controls	Reminder cadence, quiet hours, mute group, tone preference, data export, account deletion

Defer until after product validation

- **Conversational expense parsing** Do not promise that one spoken sentence can reliably identify every payer, member, amount, and split across every language. Start with field level dictation and reviewed suggestions.
- **Downloaded OCR language packs** Add Tesseract based packs only for launch languages that the native OCR engines do not cover and only after device testing.
- **Multiple currencies** Use one currency per group at launch. Add conversion only with a dated exchange rate and an explicit source.
- **Recurring expenses** Useful for flatmates, but not required to test the verified settlement loop.
- **Payment app links** Add region specific deep links after selecting a launch country and checking platform rules.
- **Desktop application** Keep the web surface focused on invitations and essential review until the native mobile workflow is validated.
- **Debt simplification** Keep off by default because redirected debts are harder to explain and verify.

Explicitly out of scope

The MVP should not hold funds, connect bank accounts, provide credit, arbitrate disputes, expose public payment feeds, calculate a social credit score, or let a member send unlimited reminders. These features raise compliance, security, or relationship risk without proving the main value.


Core journey

1. **Create or join** A member enters an email address, uses a one time link or code, adds a display name, and enters the group.
2. **Record** The expense payer types, dictates, or scans a receipt. On device tools suggest the amount, description, and date; the member reviews those fields, chooses participants, and confirms the split.
3. **Review** Every affected member receives a concise notice and can open the expense explanation or raise an issue.
4. **Settle** The debtor pays elsewhere, returns to the app, taps I paid, enters the amount, and optionally uploads proof.
5. **Confirm** The recipient reviews the settlement and taps Money received or Needs attention.
6. **Close** The balance changes only after confirmation. Both members receive a short success message and the audit trail remains visible.

Information architecture and screen design

Dusk Blend mobile concept

A dark summary band over warm light working surfaces



Original concept showing the recommended dark and light blend across the three most important mobile screens

Navigation

Use four bottom navigation items on mobile: Home, Groups, Activity, and You. A persistent Add expense action appears above the navigation on Home and Group screens. Settlement reviews appear at the top of Home until cleared. Desktop uses the same destinations in a left rail.

Screen	Primary content	Acceptance standard
Sign in	Email field, Continue button, code or link confirmation, name only for first use	A new member reaches the invited group without creating a password
Home	You owe, Owed to you, Review payments, recent groups, primary Add expense action	The screen answers what needs attention before showing history
Group	Group balance, settle suggestion, members, chronological ledger, invite	A member can explain any number by opening its expenses
Add expense	Large amount field, microphone, Scan receipt, description, paid by, split with, split method	Typed, dictated, and scanned entry all end in the same reviewable form
Settle	Recipient, amount, external payment note, I paid, optional proof	Payment evidence is not required when friends trust each other
Payment review	Amount, sender, group, proof, timestamp, Money received, Needs attention	No unrelated actions compete with the decision
Activity	Expenses, edits, reminders, claims, confirmations, reversals	Financial history is readable and attributable
You	Name, email, theme, tone, reminders, quiet hours, exports, deletion	People control their own inbox and theme

Interaction rules

- Show the amount before every confirmation action and use the group currency symbol plus ISO code when ambiguity is possible.
- Keep destructive or corrective actions behind a More menu, but never hide the dispute action on an open settlement.
- Use optimistic updates only for reversible local actions. A confirmed settlement should wait for a committed server response.
- Never rely on green and red alone. Pair every state color with a label and icon.
- Show the calculation behind every share, including rounding, in one tap.
- When a proof is submitted, replace reminder actions with Awaiting review and stop scheduled nudges immediately.
- Treat voice and OCR output as suggestions. Highlight every inserted field and require the member to review the final amount and split before saving.

On device voice transcription and OCR

The app can provide useful multilingual dictation and OCR without an application owned transcription service or API key. The React Native layer does not perform recognition itself; it bridges the operating system or a bundled native engine. These engines use machine learning internally, so the accurate product promise is on device processing with no cloud AI account, not no AI. Language and offline availability vary by device, operating system, installed models, and script.^{26,27,29,30}

Voice dictation design

Use expo speech recognition in an Expo development build. It wraps Apple Speech on iOS and Android SpeechRecognizer behind one React Native interface and exposes on device capability and locale checks.

Do not start with the archived React Native Voice package. Native libraries require a development build because Expo Go cannot contain arbitrary native code.^{28,31,32}

Concern	MVP behavior	Guardrail
Language choice	Default to the app language but let the member choose a BCP 47 locale before recording	Never label the feature as every language; display only locales reported by the device
Offline gate	Check on device support and installed locale assets before activating the microphone	If unavailable, offer model download where supported or return to keyboard entry
Recording	Short field level dictation for description, note, merchant, or amount	Do not upload or retain audio; stop immediately when the member leaves the screen
Review	Show partial text while listening, then place the final transcript in an editable preview	Apply only after the member taps Use text
Parsing	Use locale aware number and date parsing plus exact group member name matching	No free form command may silently choose participants or save a split

On iOS, require on device recognition only when SFSpeechRecognizer reports that the selected locale supports it. On Android, check isOnDeviceRecognitionAvailable and the supported locale list, then use the on device recognizer. The ordinary Android recognizer may stream audio to a provider, so strict local mode must not silently fall back to it. Automatic language detection is device dependent and should not replace a visible language selector.^{26,27,28}

Receipt OCR design

Capture a still image with React Native Vision Camera, then run OCR after the member crops and rotates the receipt. Avoid continuous frame processing in the MVP. On Android, ML Kit Text Recognition v2 can run from a bundled model or a model downloaded through Google Play services. It supports Latin, Chinese, Devanagari, Japanese, and Korean scripts. On iOS, Apple Vision performs text recognition on device and can report the languages supported by the current request revision.^{29,30,35}

Stage	MVP behavior	Privacy and accuracy rule
Capture	Edge guide, focus warning, flash control, crop and rotate	Keep the original local until the member decides whether to attach it
Recognize	Return text blocks and positions on device	Do not send the image to an OCR server
Extract	Use deterministic patterns for totals, dates, tax, and currency; rank totals by labels and position	A rule can suggest a value but cannot replace user confirmation
Review	Overlay detected candidates and let the member tap the correct total and merchant	Show the source crop beside each suggestion
Persist	Save confirmed structured fields; upload the receipt only when the member explicitly keeps it	Delete temporary images and raw OCR text after the flow completes

Language coverage strategy

Ship a tested language matrix rather than a universal claim. The first release should support every locale that the phone reports as available for on device dictation and the scripts supported by the selected native OCR engine. For important launch scripts outside that set, a later native Tesseract module can use downloadable or bundled language packs. Tesseract provides data for more than 130 languages and over 35 scripts, including Urdu, but accuracy, binary size, right to left layout, and receipt formatting must be tested per language. Tesseract.js is not the React Native solution because its own documentation says React Native lacks the required WebAssembly support.^{33,34}

Tier	Implementation	Product promise
Tier 1	Device native speech and OCR	Fastest path, lowest app size, best privacy; exact coverage varies by device
Tier 2	Optional native Tesseract language pack	Broader OCR scripts such as Urdu; larger downloads and more QA
Fallback	Keyboard, camera attachment, and manual amount entry	Always available when recognition is unsupported or uncertain

Visual system and theme behavior

The default theme should be neither a conventional light theme nor a full dark theme. Dusk Blend uses a dark summary layer for orientation and warm light surfaces for data entry and reading. This gives the app a distinctive mixed appearance while keeping dense financial details easy to scan.

Token	Hex	Role	Text pairing
Ink	17212B	Top bars, summary areas, primary text	White or warm canvas
Warm canvas	F7F3EA	Main working background	Ink
Mint	35C3A5	Primary actions and confirmed status	Ink, not white
Coral	FF7A6B	Amount owed and needs attention accents	Ink or dark red text
Amber	F5C451	Reminder and playful tone accents	Ink
Slate	637083	Secondary text and inactive icons	White or warm canvas after contrast testing

Theme choices

Theme	Availability	Behavior
Dusk Blend	Default	Dark summary band plus warm light content surfaces
Cloud	Manual option	Light surfaces throughout, with Ink navigation and text
Midnight	Manual option	Dark surfaces with softened white text and the same semantic status labels
System	Manual option	Follows the operating system light or dark preference
Group accent	Per group	Changes decorative accent only; it never redefines debt, warning, or success colors

Material Design 3 recommends semantic color roles and design tokens rather than assigning raw colors ad hoc, and it supports dynamic color on compatible Android experiences. The React Native theme layer should map the same semantic tokens to iOS and Android. System and manual themes remain the launch commitment; Android dynamic color can be added as an optional platform enhancement.^{20,21}


Target WCAG 2.2 AA. Maintain at least 4.5 to 1 contrast for normal text, provide visible keyboard focus, use comfortably sized targets, label all controls, and make authentication usable without memory tests or puzzles. WCAG 2.2 adds guidance for minimum target size and accessible authentication.²⁰

Writing style

Use short direct labels: Add expense, You owe Sara, I paid, Awaiting review, Money received, and Needs attention. Humor belongs in optional email or celebration copy, not in amounts, error messages, disputes, or privacy controls.

Settlement state model

Verified settlement state model



Balances change only after recipient confirmation; a problem path returns the settlement to an actionable state

State definitions

State	Meaning	System behavior
Open	A confirmed expense creates an amount owed	Debtor can start a full or partial settlement
Claimed	Debtor states that money was sent	Amount, time, method note, and optional proof are recorded
Awaiting review	Recipient has not decided	Automatic reminders to the debtor stop; recipient receives a review notification
Confirmed	Recipient says the money arrived	Settlement is posted to the ledger and the remaining balance is recalculated
Needs attention	Recipient reports missing money, wrong amount, or unclear evidence	Settlement does not change the balance; both people can add a note or submit corrected proof
Reversed	A confirmed record was entered incorrectly	A compensating ledger entry restores the amount and preserves the audit history

Integrity rules

- Only the debtor can create a payment claim for their own balance unless the recipient records a cash payment on their behalf and the activity log names that action.
- Only the intended recipient can confirm or reject the claim.
- Confirmation and reversal endpoints require idempotency keys so double taps and retries cannot post twice.


- A partial settlement cannot exceed the currently open amount without a second explicit confirmation.
- Edits to expenses that already have settlements create an adjustment entry and notify affected members.
- Debt simplification remains disabled at launch. Traceable pairwise balances are easier to explain when evidence and confirmation matter.

Rounding

Store all money as integer minor units with an ISO 4217 currency code. For an equal split, divide the total minor units, assign the same base share to each participant, and distribute remaining units deterministically in participant order. Display the exact allocated amounts before save. Never use binary floating point for persisted money.

Technical architecture

Recommended MVP architecture



Mobile input stays on device; the managed backend stores only confirmed app data

The mobile app performs speech and OCR locally while the managed backend synchronizes confirmed financial records and notifications

Recommended stack

Layer	Choice	Reason
Mobile client	React Native, TypeScript, Expo development build, React Navigation	One native codebase for iOS and Android with custom native modules
Web companion	Small Next.js invite, authentication callback, and deep link fallback	Keeps invitation links usable before the app is installed
Voice	expo speech recognition with strict on device capability checks	No transcription API key; audio stays on the phone when local mode is available

Layer	Choice	Reason
Camera and OCR	React Native Vision Camera plus Apple Vision or Google ML Kit through a local Expo module	Native capture and recognition with explicit script and device support
Application	Next.js route handlers or Supabase Edge Functions	Server side authorization for settlements, invitations, files, and email jobs
Database	Supabase Postgres	Transactions, constraints, audit records, and row level security
Authentication	Supabase email magic link or OTP	Verified email without passwords; redirect URLs must be allowlisted
Files	Private Supabase Storage bucket	Receipt and proof objects protected by membership policies and short lived signed URLs
Email	Resend transactional delivery	Templates, domain authentication, delivery events, bounces, and complaints
Hosting	Vercel for web and jobs; local or EAS builds for mobile binaries	The OCR and speech path does not require a processing server
Operations	Structured logs, error tracking, uptime checks, database backups	Enough observability to investigate money state and email delivery

Expo development builds are required because speech, OCR, and camera libraries include native iOS and Android code that Expo Go cannot load. Builds can run locally; EAS is optional. Keep the Next.js surface small and use it for invite links, authentication callbacks, and essential browser fallback rather than duplicating the full mobile application.³¹

Supabase Auth supports passwordless email links and codes. Magic links are single use, and its hosted defaults include request rate limits and expiry. Supabase also integrates authentication with Postgres row level security, which is suitable for group scoped records when policies and database grants are both configured deliberately.^{10,11}

Notification execution

Use a database outbox instead of sending email inside the expense transaction. The transaction writes the expense, shares, activity event, and pending notification job together. A worker claims jobs, sends through Resend, stores the provider message ID, and marks the job sent. Delivery webhooks then update delivered, delayed, bounced, failed, or complained states.¹⁸

A scheduled reminder worker must use a database lock and a unique key such as settlement member reminder type and cadence date. Vercel documents that scheduled events can overlap or be delivered more than once and recommends locks plus idempotency. Its scheduler does not retry failed runs, so failed jobs must remain in the outbox for the next run.¹⁶

Data model and application interfaces

Entity	Key fields	Constraint
profiles	id, auth user id, display name, verified email, theme, timezone, preferred locale	One row per account

Entity	Key fields	Constraint
input preferences	profile id, dictation locale, strict local mode, OCR script	Stores settings only, never audio or raw OCR images
groups	id, name, base currency, accent, created by, archived at	A group owns expenses and memberships
group members	group id, profile id or invited email, role, state, joined at	Unique active member per group and identity
invites	group id, email optional, token hash, expires at, max uses, revoked at	Raw tokens are never stored
expenses	group id, amount minor, currency, description, paid by, occurred at, version	One expense payer in MVP
expense shares	expense id, member id, owed minor, split method	Share rows must sum exactly to the expense amount
settlements	group id, from member, to member, amount minor, state, claimed at, confirmed at	Supports partial settlement and one currency
settlement proofs	settlement id, storage key, mime, size, hash, submitted by	Private object metadata only
ledger entries	group id, member pair, amount minor, currency, source type, source id, reversed by	Append only financial effect
activity events	group id, actor, event type, subject, safe metadata, created at	Human readable audit history
notification jobs	recipient, type, payload reference, due at, state, dedupe key, provider id	Reliable email outbox
notification preferences	profile, group optional, channel, cadence, quiet hours, tone, muted	Recipient controls override group defaults

Core server interfaces

Interface	Responsibility
POST groups	Create a group and owner membership
POST groups id invites	Issue an email bound or limited use invite token
POST invites accept	Validate token, verify email, and join idempotently
POST expenses	Validate shares and commit expense ledger entries
PATCH expenses id	Create a versioned adjustment and notifications
POST settlements	Create a full or partial payment claim
POST settlements id proof	Validate and attach a private image
POST settlements id confirm	Authorize recipient and post settlement ledger entry
POST settlements id attention	Pause closure and record a structured reason

Interface	Responsibility
POST notifications preferences	Set personal cadence, tone, mute, and quiet hours

Authorization policy

Every group scoped query must require an active membership. A member may read group ledger data but can read a settlement proof only when they are the settlement sender or recipient. File paths should include opaque IDs, and access should use short lived signed URLs. Service role keys stay server side because they bypass row level security.^{11,12}

Email reminders and friend group tone

Email is a core workflow channel, not decoration. Every message should identify the group, amount, reason, current state, and one safe action. Do not attach or preview payment proof in email. The message should link to an authenticated in app review page.

Email events

Event	Default timing	Primary action	Guardrail
Invitation	Immediately	Join group	One reminder after 48 hours; expire after seven days
New expense	Immediately or daily digest	Review share	Affected members only
Friendly reminder	Day 3 after amount becomes open	View and settle	Skip if muted, disputed, or awaiting review
Cheeky reminder	Day 7	View and settle	Recipient selected tone controls the wording
Final automatic reminder	Day 14	View and settle	Then weekly only if the recipient explicitly enables it
Payment claimed	Immediately	Review payment	Sent to the recipient, not the group
Payment confirmed	Immediately	View receipt record	Sent to both people
Needs attention	Immediately	Resolve issue	No humor and no automated debtor reminders

Tone controls

- **Friendly** Neutral and warm. This is the default for every account.
- **Cheeky** Light jokes that never mention a member publicly or question their character.
- **Chaos** More playful group language, available only when the recipient opts in.
- **Quiet** Important state changes only, with no automatic reminders.

The group may choose a default tone pack, but each recipient's own setting wins. Manual nudges require a 24 hour cooldown, automatic reminders stop after three by default, and every message includes a group mute link. Disputed and awaiting review states suppress payment reminders.

Sample message library

Moment	Subject	Body direction
Invitation	The group chat did the talking. Now let the numbers behave.	Sara invited you to Weekend Crew. Join to see and add shared expenses.
Friendly reminder	A small reminder from Weekend Crew	You still have Rs 2,400 open with Sara. If you already paid, mark it and add proof.
Cheeky reminder	Your balance is still doing overtime	Rs 2,400 is waiting for its retirement. Settle it or open the expense if something looks wrong.
Chaos reminder	Breaking news your Rs 2,400 has not left the chat	No panic. Pay outside the app, then tap I paid so Sara can confirm.
Proof submitted	Hamza says the money is on its way	Review the Rs 1,100 payment and confirm only after it appears in your account.
Confirmed	Settled and officially out of the group lore	Sara confirmed Rs 2,400 received. Your balance is now clear.
Needs attention	This payment needs a quick check	Sara could not confirm Rs 1,100. Open the payment to see the reason and respond.

Delivery standards

Send from a dedicated subdomain and configure SPF, DKIM, and DMARC. Resend recommends verifying SPF and DKIM and optionally adding DMARC; Google requires authentication for Gmail delivery and sets additional rules for high volume senders. Store bounce and complaint events, suppress hard bounces, provide visible controls, and keep spam complaints far below Google's 0.3 percent ceiling.^{17,18,19}

Privacy security and abuse prevention

On device input privacy

Strict local speech mode must never fall back to a network recognizer without a separate informed choice. The app should not retain microphone audio. OCR temporary files and raw detected text should remain in the application cache and be deleted after the user applies or discards the suggestions. Analytics may record success, failure category, duration band, locale, and device capability, but never transcript text, receipt text, or images.

Proof handling

Payment screenshots may reveal account numbers, balances, transaction references, notifications, and contact names. Before upload, tell members to crop sensitive details and offer an in app crop and blur step. Strip image metadata, compress the image, and delete proof automatically after a configurable retention period such as 30 days after confirmation unless both people choose to keep it.

- Allow JPEG, PNG, and WebP only for the MVP. Do not accept PDFs or videos until there is a demonstrated need.
- Verify extension, decoded file signature, and MIME type; do not trust the browser Content Type header.

- Generate the stored filename, limit dimensions and file size, re encode images, and scan uploads where practical.
- Use private storage, group and settlement authorization, and short lived signed URLs.
- Do not expose proof in email, activity feeds, analytics payloads, or support logs.

OWASP recommends allowlisting file types, validating signatures and MIME types, generating filenames, setting size limits, authorizing uploaders, storing files outside public web paths, and scanning when available.¹³

Invitation safety

Generate at least 128 bits of random token entropy, store only a cryptographic hash, use HTTPS, bind private invitations to the intended email, expire links, support revocation, and rate limit acceptance. Generic group links should have a short lifetime and maximum use count. OWASP guidance for URL tokens recommends cryptographically random values, secure storage, single use, expiry, trusted redirect destinations, HTTPS, and rate limiting.¹⁴

Group safety

- A member can mute reminders without leaving the group or hiding the balance.
- A user can report abusive copy or a group, and support can suspend reminder sending independently of financial records.
- Names and custom group text require length limits and output encoding. Email templates must escape all user content.
- Group admins can remove future access but cannot erase another member's confirmed financial history silently.
- Export and deletion behavior must be defined before launch. Account deletion should anonymize activity where complete erasure would corrupt other members' ledgers.

Security acceptance tests

Test	Pass condition
Cross group access	A member cannot query another group's expense, proof, invite, or activity row
Proof URL	An expired signed URL fails and a non participant cannot issue another one
Double confirmation	Repeated requests create one ledger effect
Invite replay	Used, expired, revoked, or email mismatched tokens fail safely
Reminder duplication	Concurrent workers send at most one message per cadence window
File disguise	Renamed executable and malformed image inputs are rejected
Audit integrity	Corrections create reversals rather than deleting confirmed history

Delivery roadmap and success metrics

A focused private beta with on device voice and OCR can be delivered in roughly twelve weeks by one experienced full stack engineer with part time product design and structured QA support. A solo first time builder should expect a longer schedule. The timeline below is a planning assumption, not a vendor estimate.

Timing	Focus	Exit condition
Week 1	Validate	Interview five to eight friend groups; map current chat and spreadsheet behavior; test terminology
Week 2	Prototype	Clickable mobile prototype for join, typed or assisted expense entry, settle, review, and reminder settings
Weeks 3 and 4	Foundation	Auth, profiles, groups, memberships, invitations, RLS, and base navigation
Weeks 5 and 6	Ledger	Expenses, exact rounding, balances, activity history, edits, and tests
Weeks 7 and 8	Settlement	Payment claims, private proof, confirmation, attention state, outbox, and emails
Weeks 9 and 10	On device input	Speech capability gate, locale selector, camera capture, OCR, deterministic field suggestions, privacy tests
Week 11	Hardening	Accessibility, security cases, device matrix, email authentication, export and deletion
Week 12	Private beta	Launch to three to five real groups, watch events, collect interviews, and fix blockers

Definition of done for private beta

- A new member can accept an invite and reach the intended group in under two minutes without a password.
- An equal expense with four members saves with exact shares whose minor units sum to the total.
- A debtor can submit a full or partial payment claim and proof; only the recipient can view and decide it.
- The confirmed settlement changes the ledger exactly once, including under retries and double taps.
- Reminder emails stop during review, respect tone and mute choices, and record delivery failures.
- On supported devices, dictation and OCR work without an application API key; unsupported locales fail clearly to manual entry and no media is uploaded.
- All core screens meet the agreed WCAG 2.2 AA checks and work at common mobile widths.

Product metrics

Metric	Definition	Why it matters
Activation	Percentage of invited members who verify email and open the group within 24 hours	Measures invite friction
First value	Median time from group creation to first correctly shared expense	Tests entry speed
Assisted entry completion	Percentage of voice or OCR attempts that produce a confirmed expense without retyping every field	Measures useful accuracy rather than raw transcription confidence
Settlement completion	Percentage of payment claims confirmed within seven days	Measures the core outcome
Review time	Median time from I paid to Money received	Measures recipient clarity
Dispute rate	Percentage of claims moved to Needs attention	Surfaces wrong math, unclear proof, or trust issues
Reminder health	Mute rate, bounce rate, complaint rate, and manual nudge frequency	Prevents fun email from becoming spam
Group retention	Groups with a new expense in a later month	Separates trip only use from ongoing value

Recommended launch test

Run the beta with a mix of one trip group, one flat or household group, and one recurring social group. Do not start with a public launch. Observe whether members understand I paid versus Money received, whether proof is actually used, how many reminders are tolerated, and whether the mixed theme remains readable in bright and low light conditions.

Naming recommendations

OweYaar is the strongest working name. It is short, sounds like the familiar expression oh yaar, states the debt concept through owe, and supports both warm and chaotic reminder copy. A preliminary web search did not surface an obvious exact product collision, but this is not trademark, company registry, domain, social handle, or app store clearance.

Name	Role	Why it works	Risk
OweYaar	Recommended	Warm, memorable, directly tied to owing, strong South Asian friend group personality	May feel regional if global expansion is immediate
TabToli	Strong alternate	Tab plus a group of friends; playful and group centered	Meaning of toli may need explanation outside South Asia

Name	Role	Why it works	Risk
PaidNa	Cheeky alternate	Feels like a real reminder between friends	Question like name can feel nagging and is less clear in search
HisabScene	Descriptive alternate	Connects shared accounts with casual plans	Longer and culturally specific
OweHo	Playful alternate	Short, rhythmic, works well in reminder subjects	Less obvious pronunciation and meaning
SceneSet	Brandable alternate	Positive friend group phrase and good celebration language	Does not explain expense tracking on its own

Names to avoid

SettleBro is already used by a 2026 bill splitting app that advertises payment confirmation, reminders, and invite links. PingTab is used by at least a driver logistics app and a browser link sharing product. TabMates is already the name of an open source expense application, and Khatakhat is used by active consumer brands. These are poor launch candidates even before formal legal review.^{22,23,24,25}

Name clearance checklist

1. Search exact and similar marks in the launch country's trademark database and relevant financial software classes.
2. Search Apple App Store, Google Play, GitHub, company registries, and major search engines for exact and phonetic matches.
3. Check the preferred domain, sensible alternatives, and core social handles on the same day.
4. Ask ten target users to hear the name once, spell it, and explain what they expect the app to do.
5. Have counsel clear the final candidate before paying for identity design or publishing stores.

Early voice ideas for OweYaar

- Product descriptor: Shared expenses with proof and confirmation
- Friendly completion line: Settled, yaar
- Invite line: Bring the group. Leave the calculator.
- Reminder label inside the app: Send a nudge
- Confirmation celebration: Balance clear. Friendship untouched.

Risks and decisions before development

Risk	Level	Failure	Mitigation
Weak differentiation	High	Closest competitors already confirm payments	Test the verification inbox and tone controls with prototypes before engineering breadth
Reminder fatigue	High	People mute or mark mail as spam	Recipient control, default cap, quiet hours, dispute pause, cooldown, delivery monitoring

Risk	Level	Failure	Mitigation
Sensitive screenshots	High	Bank details leak to group members or logs	Private bilateral access, crop and blur, metadata stripping, short retention, signed URLs
Language coverage gaps	High	A device lacks an offline speech model or OCR script	Runtime capability checks, tested device matrix, visible language selector, manual fallback
OCR amount error	High	A tax subtotal or previous balance is mistaken for the total	Rank candidates but require a user tap and final amount confirmation
Native module drift	Medium	A React Native or operating system update breaks recognition	Pin versions, use development builds, wrap providers behind local interfaces, test upgrades
Ledger disagreement	High	Edits or rounding make balances untrustworthy	Integer money, database constraints, calculation preview, audit events, reversal entries
Invite hijacking	Medium	Forwarded or guessed links admit the wrong person	High entropy hashed tokens, email binding, expiry, use caps, revocation, rate limiting
Scope expansion	High	Conversational parsing, payments, currencies, and desktop parity delay launch	Keep the MVP decision log and require beta evidence for every added feature
Regional product fit	Medium	Payment methods and language differ by market	Choose one launch country after interviews; keep money movement outside the MVP

Decisions still required

Decision	Why it matters
Launch geography	Currency defaults, wording, payment links, privacy notices, and legal review
Launch languages	Select the first tested speech locales, interface translations, OCR scripts, and any Tesseract packs
Invite policy	Email bound invitations only or controlled generic links for very casual groups
Proof requirement	Optional by default is recommended; groups may request it but should not expose it broadly
Retention period	Recommended starting point is automatic proof deletion 30 days after confirmation
Partial payment	Recommended for MVP because it affects the data model and real payment behavior

Decision	Why it matters
Expense approval	Recommended to notify and allow disputes, not require every member to approve every expense

Immediate next step

Create a clickable prototype of five screens: invite acceptance, Home, Add expense with microphone and Scan receipt, I paid, and Payment review. Then build a two day technical spike on one recent iPhone and two Android devices: enumerate offline speech locales, dictate short fields, scan ten real receipts, and verify that disabling connectivity does not upload media. Test the prototype with two friend groups before writing the ledger backend.

Sources

1. Splitwise. [Split expenses with friends](#). Official product page. Accessed September 12 2026.
2. Splitwise Help Center. [How do I use Splitwise](#). Official workflow documentation. Accessed September 12 2026.
3. Splitwise. [Splitwise Pro](#). Official paid feature description. Accessed September 12 2026.
4. tricount. [Expense Tracker App Features](#). Official product features. Accessed September 12 2026.
5. tricount Help Center. [Request links](#). Official request link availability and fee information. Accessed September 12 2026.
6. Settle Up. [Settle Up](#). Official product page. Accessed September 12 2026.
7. Splid. [Split expenses the easy way](#). Official product page. Accessed September 12 2026.
8. KittyPot. [Split the cost Not the friendship](#). Official workflow and feature page. Accessed September 12 2026.
9. Bexbox. [Private personal ledger with proof](#). Official product page. Accessed September 12 2026.
10. Supabase. [Passwordless email logins](#). Official authentication documentation. Accessed September 12 2026.
11. Supabase. [Row Level Security](#). Official authorization documentation. Accessed September 12 2026.
12. Supabase. [Storage Access Control](#). Official private storage access documentation. Accessed September 12 2026.
13. OWASP. [File Upload Cheat Sheet](#). Security guidance. Accessed September 12 2026.
14. OWASP. [Forgot Password Cheat Sheet](#). URL token security guidance applied to invitations and magic links. Accessed September 12 2026.
15. Next.js. [How to build a Progressive Web Application](#). Official PWA guide, updated March 25 2026.
16. Vercel. [Managing Cron Jobs](#). Official scheduling, locking, and idempotency guidance, updated January 28 2026.
17. Resend. [Managing Domains](#). Official SPF DKIM and DMARC setup guidance. Accessed September 12 2026.
18. Resend. [Event Types](#). Official email delivery event documentation. Accessed September 12 2026.
19. Google. [Email sender guidelines](#). Official Gmail authentication, unsubscribe, and spam rate requirements. Accessed September 12 2026.
20. W3C. [Web Content Accessibility Guidelines 2.2](#). W3C Recommendation, December 12 2024 version.
21. Android Developers. [Create an accessible and personalized theme and brand with Material Design 3](#). Official theming guidance. Accessed September 12 2026.
22. Apple App Store. [SettleBro](#). Current app listing used for preliminary name screening. Accessed September 12 2026.
23. Google Play. [PingTab](#). Current app listing used for preliminary name screening. Accessed September 12 2026.

24. **GitHub.** [TabMates app](#). Existing open source project name identified during preliminary screening. Accessed September 12 2026.
25. **Khatakhat Logistics.** [Khatakhat](#). Existing consumer brand identified during preliminary screening. Accessed September 12 2026.
26. **Apple Developer.** [On device speech recognition support](#). Official iOS capability documentation. Accessed September 12 2026.
27. **Android Developers.** [SpeechRecognizer](#). Official Android on device recognition and capability API documentation. Accessed September 12 2026.
28. **GitHub.** [Expo Speech Recognition](#). React Native bridge for Apple Speech and Android SpeechRecognizer. Accessed September 12 2026.
29. **Google for Developers.** [ML Kit Text Recognition v2](#). Official on device OCR capabilities and supported scripts. Accessed September 12 2026.
30. **Apple Developer.** [Recognizing text in images](#). Official Apple Vision on device text recognition guidance. Accessed September 12 2026.
31. **Expo.** [Add custom native code](#). Official development build and local Expo module guidance. Accessed September 12 2026.
32. **GitHub.** [React Native Voice](#). Archived package notice and migration recommendation. Accessed September 12 2026.
33. **Tesseract OCR.** [Installing Tesseract from Git](#). Official language and script pack coverage documentation. Accessed September 12 2026.
34. **GitHub.** [Tesseract.js framework support](#). Official note that React Native is not supported by the WebAssembly implementation. Accessed September 12 2026.
35. **GitHub.** [React Native Vision Camera](#). Current React Native camera library and release history. Accessed September 12 2026.