

DOE2: SJ900 vs SJ1300

양극 동일 · 음극 상이 — knee & pattern

DOE2 변곡점 · 패턴 대비 (양극 동일 · 음극 상이)

- SJ900 dry (provisional set4): M01Ch022, M01Ch024, M01Ch025

- SJ1300 dry: M01Ch010, M01Ch011, M01Ch012

Knee (bilinear on routine SoHQ)

- **SJ900**: knee $\approx 223 \pm 139$ cyc (cells: M01Ch022=350, M01Ch024=290, M01Ch025=30); severity=0.0147; SoHQ@knee

- **SJ1300**: knee $\approx 253 \pm 5$ cyc (cells: M01Ch010=250, M01Ch011=260, M01Ch012=250); severity=0.0422; SoHQ@knee

열화 패턴 (Δ late-early, arm mean)

- `LAM\_PE activity`: SJ900 +0.269 vs SJ1300 +0.321 (Δ 1300-900=+0.0517)

- `contact\_loss`: SJ900 +0.198 vs SJ1300 +0.183 (Δ 1300-900=-0.015)

- `LLI`: SJ900 +0.0745 vs SJ1300 +0.381 (Δ 1300-900=+0.307)

- `PE\_side`: SJ900 +0.168 vs SJ1300 +0.279 (Δ 1300-900=+0.112)

- `contact\_stack`: SJ900 +0.198 vs SJ1300 +0.183 (Δ 1300-900=-0.015)



- `NE\_hyp`: SJ900 +0.072 vs SJ1300 +0.0611 (Δ 1300-900=-0.0109)

- `si\_cosign`: SJ900 +0.2 vs SJ1300 +0.0667 (Δ 1300-900=-0.133)

- `mech/chem`: SJ900 +0.791 vs SJ1300 +0.548 (Δ 1300-900=-0.243)

> SJ900 set4 = provisional dry arm (DOE2 README). Ch025는 사이클 짧아 knee 해석 시 주의. 절대 LAM% 아님.

1. SoHQ + knee markers



2. Pattern Δ (late-early) by arm

