
HYBRID AG
PRECISION NUTRITION



MYCRO-TEC ®

# LOCKOUT

AVAILABLE IN




COLONISE · COMPETE · BALANCE

## Every root zone is already occupied. The question is by what.

1

### COLONISE

*Fast-growing biology establishes on roots and through the rhizosphere*



2

### COMPETE

*Beneficials take the space and the food first*



3

### BALANCE

*A more balanced root-zone microbiome, held through the season*



#### SOIL · INJECTION

| RATE | WATER |
|---|---|
| 2–5 L/ha | 60–100 L |

**BELOW SEED & FERTILISER**

Aim 1.5 mL per lineal metre.

#### FOLIAR

| BROADACRE | HORTICULTURE |
|---|---|
| 2–5 L/ha | 5–10 L/ha |

**LATE AFTERNOON OR EVENING**

Cover the canopy well.

#### FERTIGATION

| RATE | DRENCH |
|---|---|
| 5–10 L/ha | 2.5 L / 50 L |

**NURSERY OR ROOT ZONE**

Ahead of the risk window.

## INSIDE THIS BROCHURE

**PAGE 2** Where Lockout fits

**PAGE 3** Where Lockout sits

**PAGE 4** Composition & function

**PAGE 5** Mode of action

**PAGE 6** Better together

HYBRID AG
PRECISION NUTRITION

# Where Lockout fits.

*The living layer that establishes and holds a productive root zone.*

AVAILABLE IN




## OPTIMISING INPUTS · WHY LOCKOUT FITS

### A productive root zone is colonised early, not left open.

*Lockout places purpose-selected living biology into the active rhizosphere — colonising roots, competing for the space and the food, and supporting a more balanced biological environment ahead of the window.*

| ROLE | APPLICATION | WINDOW |
|---|---|---|
| *root-zone balance layer* | *soil · foliar · fertigation · drench* | *budswell to pre-flowering* |



#### EVERY ZONE IS ALREADY OCCUPIED

*The root zone is never empty. The question is what holds the space and the food.*

WHAT LOCKOUT CHANGES

*Lockout establishes beneficial biology first, so the space is taken before pressure arrives.*

#### PRESSURE KEEPS A CALENDAR

*The risk window is predictable — budswell to pre-flowering, season after season.*

WHAT LOCKOUT CHANGES

*Applied ahead of the window, the population is built before pressure, not after it.*

#### LATE IS TOO LATE

*Once an adverse population dominates, the living zone is hard to win back.*

WHAT LOCKOUT CHANGES

*A colonise-compete-balance layer held through the season — never a rescue step.*

WHAT HAS TO BE TRUE

*Lockout works ahead of a known risk window, with establishment time before pressure — proactive biology, not rescue chemistry.*

## MAXIMISING OUTCOMES · WHAT GROWERS SEE

*Get in before the space is taken. Population, not dose, does the work.*

### COLONISES THE RHIZOSPHERE

*Screened organisms establish along roots and the surrounding soil interface.*

PROGRAM SIGNAL · ESTABLISHMENT



### COMPETES FOR SPACE

*Established beneficials take up the space and the food first.*

PROGRAM SIGNAL · COMPETITION



### STRONGER ROOT SYSTEMS

*A biologically supported rhizosphere helps roots maintain density and function.*

PROGRAM SIGNAL · ROOT RESPONSE



### MULTIPLIES IN PLACE

*A few million applied cells meet a resident population near a billion per gram — what multiplies does the work.*

PROGRAM SIGNAL · PROLIFERATION



*Colonise early. Compete well. Hold the balance.*

**PRECISION NUTRITION**
*Physical · Mineral · Biological*

**OPTIMISING INPUTS**
*Addressed · Optimised · Enabled*

**MAXIMISING OUTCOMES**
*Measured · Proven · Delivered*

HYBRID AG
PRECISION NUTRITION

AVAILABLE IN




# Where Lockout sits in your program.

*The same four lanes your program already runs.*

## THE SEASON · FIVE WINDOWS, ONE PROGRAM

*Simplified, illustrative program to show you when it goes on — actual programs vary with crop, variety, soil, season, test data, goals.*



### ESTABLISHMENT

GROUND SPREAD
*Prescription dry blend*

SOIL PRIMER
—

FOLIAR
—

FERTIGATION
—



### EARLY GROWTH

GROUND SPREAD
—

SOIL PRIMER
*Biological primer*

FOLIAR
*Trace elements*

FERTIGATION
*Base nutrition*

+ Lockout 5–20 L/ha



### FLOWERING & SET

GROUND SPREAD
—

SOIL PRIMER
—

FOLIAR
*Calcium · boron*

FERTIGATION
*Base nutrition*

+ Lockout 5–20 L/ha



### FRUIT FILL

GROUND SPREAD
—

SOIL PRIMER
—

FOLIAR
*Calcium · potassium*

FERTIGATION
*Base nutrition*



### FINISH


GROUND SPREAD
—

SOIL PRIMER
—

FOLIAR
*Potassium*

FERTIGATION
—

*Lockout goes in through soil, foliar, fertigation or drench — rates by segment on the front cover, ahead of these windows.*



YOUR PROGRAM
**NO EXTRA PASS**
Built into fertigation or drench ahead of the known windows — never an extra trip.



NEXT · PAGE 4
**COMPOSITION & FUNCTION**
What Lockout actually is — the organisms inside it and the job each one does.



THEN · PAGE 5
**MODE OF ACTION**
The stage-by-stage breakdown for agronomists and technical growers.

## ALL OUR PROGRAMS CONTAIN

### NUTRIENT LOADING
Every product's N, P, K, S, Ca, Mg and trace contribution, totalled per hectare.


### COST PER HECTARE
Each pass costed per hectare — judged on what it costs to grow the crop.

### AGAINST THE TARGET
Supply weighed against target yield and removal, so the program balances.

*Build the biology in. Carry the response through the season.*

HYBRID AG
PRECISION NUTRITION


AVAILABLE IN




# Composition & function.

*Purpose-selected living biology in a single liquid consortium — built to colonise, compete and hold balance in the root zone.*

## INSIDE LOCKOUT · WHAT EACH GROUP DOES



### RAPID COLONISERS

**WHAT IT IS**

*Endophytic Trichoderma, screened for very rapid growth in the root zone.*


**WHAT IT DOES**

*Supports early colonisation around active roots and plant surfaces.*

**CONTAINS**

*T. endophytycum >2×10⁸ CFU/mL*

**RAPID ESTABLISHMENT**



### COMPETITIVE PARTNERS

**WHAT IT IS**

*Complementary living organisms selected for survivability and multiplication.*


**WHAT IT DOES**

*Competes for food and space, helping beneficials establish ahead of the window.*

**CONTAINS**

*B. amyloliquefaciens >1×10⁹ CFU/mL*

**COMPETES FOR SPACE & FOOD**



### LIVING BALANCE SYSTEM

**WHAT IT IS**

*The selected consortium working as one living layer.*

**WHAT IT DOES**

*Fills productive root-zone niches and supports a more balanced biological environment.*

**CONTAINS**

*S. lydicus >2×10⁷ CFU/mL*

**COLONISE + COMPETE + BALANCE**

## BENEFICIAL BIOLOGY · FORMULATION PROFILE

| Microbial Blend | Viable Count | Formulation | Certification | Biological Profile |
|---|---|---|---|---|
| 3 ORGANISM GROUPS | AT PRODUCTION | LIVE LIQUID | ORGANIC USE | LOCKOUT |
| **BLEND** | **$10^9$** | **LIVE** | **CASE BY CASE** | **PROACTIVE BIOLOGY** |
| *LABEL IDENTITY* | *CFU/mL* | *SPORES + METABOLITES* | *CERTIFICATION IN PROGRESS* | *ROOT-ZONE PROGRAM* |
| FORM · MULTI-ORGANISM CONSORTIUM | BASIS · LIVING ORGANISMS | FORM · LIVING LIQUID INPUT | STATUS · NOT YET CERTIFIED | COLONISE · COMPETE · BALANCE |
| *Broader than a single-strain inoculant.* | *Measures viable biology, not nutrient percentage.* | *Placed as biology rather than rescue chemistry.* | *GSB certification is underway. Use in organic production is approved case by case — confirm with your certifier.* | *Built for establishment, not a late rescue step.* |

*Lockout is expressed by living count, consortium form and root-zone role rather than nutrient percentage.*

## MIXING · STORAGE · SAFETY

### MIXING & USAGE

Shake well. Mix at the approved label rate in cool, clean, non-chlorinated water. Apply soon after mixing; never store diluted product. Below 2% soil carbon, pair with a humic — not a simple sugar.

### STORAGE & HANDLING

Store at 5–40 °C, best held at 15 °C, out of direct sunlight. Do not freeze. Keep tightly closed. 12-month shelf life from manufacture.

### SAFETY

Keep out of reach of children. May irritate skin or eyes. Follow the current label and SDS.

HYBRID AG
PRECISION NUTRITION

# Mode of action.

*Lockout works in five linked steps — from placement to a resilient, balanced root zone.*

AVAILABLE IN




## THE FIVE-STAGE CASCADE

*Designed for the agronomist who needs to see how beneficial biology establishes and holds space.*

### 1 APPLICATION & PLACEMENT

*Applied as a liquid through the chosen program — mixed at the approved label rate and positioned close to the active root zone.*

KEY · TARGETED PLACEMENT



### 2 ROOT-ZONE COLONISATION

*The selected living consortium establishes along roots and the surrounding rhizosphere.*

KEY · LIVING BIOLOGY ESTABLISHED



### 3 BENEFICIAL METABOLITES

*Beyond the living spores, the liquid carries the fermentation metabolites produced alongside them — the reason Lockout is supplied as a liquid.*

KEY · SPORES PLUS METABOLITES



### 4 COMPETITION FOR SPACE & FOOD

*Established biology competes with the resident population for the space, the food and the root surface.*

KEY · SPACE AND FOOD TAKEN FIRST



### 5 RESILIENT ROOT ZONE

*A stronger colonised root zone supports healthier roots and a more resilient biological environment.*

KEY · PRODUCTIVE BALANCE HELD



**PRECISION NUTRITION**
*Physical · Mineral · Biological*

**OPTIMISING INPUTS**
*Addressed · Optimised · Enabled*

**MAXIMISING OUTCOMES**
*Measured · Proven · Delivered*

HYBRID AG
PRECISION NUTRITION

AVAILABLE IN




# Better together.

*Three complementary biological jobs — digest the residue, unlock tied phosphorus, colonise the living zone.*

## DIGESTER + SP + LOCKOUT · THREE COMPLEMENTARY JOBS



### DIGESTER · DIGESTS RESIDUE

**ROLE**


*Cellulose- and lignin-degrading microbes and their enzymes break down last season's stubble.*

**PAYOFF**

*Returns the nutrition tied up in crop residue to the soil, and improves structure and water-holding for the next crop.*

**DIGEST**
*Breaks down residue*

**MYCRO-TEC DIGESTER**



### SP · UNLOCKS NUTRIENT

**ROLE**


*Four screened microbes secrete gluconic and other organic acids that break the bonds locking up soil nutrient.*

**PAYOFF**

*Helps release phosphorus fixed with calcium, aluminium and iron.*

**UNLOCK**
*Releases fixed P*

**MYCRO-TEC SP**



### LOCKOUT · COLONISES THE ZONE

**ROLE**

*Purpose-selected living biology colonises the rhizosphere and competes for space and food.*

**PAYOFF**

*Supports a more balanced root-zone microbiome and a productive living zone.*

**COLONISE**
*Colonises the living zone*

**MYCRO-TEC LOCKOUT**

## PROUD PARTNERSHIP WITH GREAT SOUTHERN BIOLOGY · AUSTRALIAN-MADE

*Digester, Mycro-Tec SP and Mycro-Tec Lockout are live, Australian-made biology developed with Great Southern Biology.*

## THE PROGRAM IN PRACTICE

### STEP 1 · DIGEST

*Spray Mycro-Tec Digester onto crop residue with ammonium sulphate, close to a rain event, to break the stubble down.*



### STEP 2 · UNLOCK

*Apply Mycro-Tec SP to soil, on fertiliser or through fertigation to free locked phosphorus and minerals.*



### STEP 3 · COLONISE

*Apply Mycro-Tec Lockout ahead of the window to colonise the root zone and compete for space and food.*



**PRECISION NUTRITION**
*Physical · Mineral · Biological*

**OPTIMISING INPUTS**
*Addressed · Optimised · Enabled*

**MAXIMISING OUTCOMES**
*Measured · Proven · Delivered*