ROOT-ZONE BIOLOGY

MYCRO-TEC ®

LOCKOUT

APPLICATION RATES

SOIL · INJECTION
2–5L
per ha · in 60–100L water

FOLIAR
2–5L
per ha · broadacre · hort 5–10L

FERTIGATION
5–10L
per ha · pre-window

DRENCH
2.5L
in 50L water · nursery

Store 5–40 °C, best 15 °C, out of sun. Stir well.

MICROBIAL ANALYSIS · CFU/mL AT PRODUCTION

Bacillus amyloliquefaciens · *Trichoderma endophyticum* · *Streptomyces lydicus*

Three-species live consortium

B. amyloliquefaciens >1×10^{9} · T. endophyticum >2×10^{8} · S. lydicus >2×10^{7}

Organic certification in progress · confirm with your certifier

VISIT WEBSITE

www.hybridag.com.au Hybrid-Ag Pty Ltd warrants that this material conforms to the chemical description on the label. However, Hybrid-Ag Pty Ltd makes no other warranties of any kind express or implied with regards to this product. This material is sold upon the condition that the buyer and/or user assumes all the risks of the use and handling of the material as well as the results obtained for its use. Every care has been taken during manufacture of this product. However, climatic and soil conditions, irrigation, application methods and agricultural practices are beyond the control of Hybrid-Ag Pty Ltd and cannot be foreseen. No responsibility can be taken by the manufacturer, distributor or his agents for any injury, damage, loss or other results following the use or misuse of this product. The buyer accepts and uses this product subject to these conditions.

Batch No: _____ Volume: _____

HYBRID AG