
HYBRID AG
PRECISION NUTRITION

MYCRO-TEC ®

LOCKOUT

AVAILABLE IN



COLONISE · COMPETE · BALANCE

NOP ORGANIC

Every root zone is already occupied. The question is by what.

01

COLONISE

Fast-growing biology establishes on roots and through the rhizosphere



02

COMPETE

Beneficials take the space and the food first



03

BALANCE

A more balanced root-zone microbiome, held through the season



PREVENTATIVE

RATE	DILUTION
5 L/ha	1:20

SOIL OR FERTIGATION

Ahead of the window.

LIGHT

RATE	DILUTION
10 L/ha	1:20

SOIL OR FERTIGATION

Early in the window.

HEAVY

RATE	DILUTION
20 L/ha	1:20

SOIL OR FERTIGATION

Rebuilding the zone.

INSIDE THIS BROCHURE

PAGE 2 Where Lockout fits

PAGE 3 Where Lockout sits

PAGE 4 Composition & function

PAGE 5 Mode of action


PAGE 6 Better together

HYBRID AG
PRECISION NUTRITION

Where Lockout fits.

The living layer that establishes and holds a productive root zone.

AVAILABLE IN



OPTIMISING INPUTS · WHY LOCKOUT FITS

A productive root zone is colonised early, not left open.

Lockout places purpose-selected living biology into the active rhizosphere — colonising roots, competing for the space and the food, and supporting a more balanced biological environment ahead of the window.

ROLE	APPLICATION	WINDOW
root-zone balance layer	*soil · fertigation · drench*	*budswell to pre-flowering*



EVERY ZONE IS ALREADY OCCUPIED

The root zone is never empty. The question is what holds the space and the food.

WHAT LOCKOUT CHANGES

Lockout establishes beneficial biology first, so the space is taken before pressure arrives.

PRESSURE KEEPS A CALENDAR

The risk window is predictable — budswell to pre-flowering, season after season.

WHAT LOCKOUT CHANGES

Applied ahead of the window, the population is built before pressure, not after it.

LATE IS TOO LATE

Once an adverse population dominates, the living zone is hard to win back.

WHAT LOCKOUT CHANGES

A colonise-compete-balance layer held through the season — never a rescue step.

WHAT HAS TO BE TRUE

Lockout works ahead of a known risk window, with establishment time before pressure — proactive biology, not rescue chemistry.

MAXIMISING OUTCOMES · WHAT GROWERS SEE

Get in before the space is taken. Population, not dose, does the work.

COLONISES THE RHIZOSPHERE

Screened organisms establish along roots and the surrounding soil interface.

PROGRAM SIGNAL · ESTABLISHMENT



COMPETES FOR SPACE

Established beneficials take up the space and the food first.

PROGRAM SIGNAL · COMPETITION



STRONGER ROOT SYSTEMS

A biologically supported rhizosphere helps roots maintain density and function.

PROGRAM SIGNAL · ROOT RESPONSE



MULTIPLIES IN PLACE

A few million applied cells meet a resident population near a billion per gram — what multiplies does the work.

PROGRAM SIGNAL · PROLIFERATION



Colonise early. Compete well. Hold the balance.

PRECISION NUTRITION
Physical · Mineral · Biological

OPTIMISING INPUTS
Addressed · Optimised · Enabled

MAXIMISING OUTCOMES
Measured · Proven · Delivered

HYBRID AG
PRECISION NUTRITION

AVAILABLE IN



Where Lockout sits in your program.

The same four lanes your program already runs.

THE SEASON · FIVE WINDOWS, ONE PROGRAM

Simplified, illustrative program to show you when it goes on — actual programs vary with crop, variety, soil, season, test data, goals.



ESTABLISHMENT

GROUND SPREAD
Prescription dry blend

SOIL PRIMER
—

FOLIAR
—

FERTIGATION
—



EARLY GROWTH

GROUND SPREAD
—

SOIL PRIMER
Biological primer

FOLIAR
Trace elements

FERTIGATION
Base nutrition

+ Lockout 5–20 L/ha



FLOWERING & SET

GROUND SPREAD
—

SOIL PRIMER
—

FOLIAR
Calcium · boron

FERTIGATION
Base nutrition

+ Lockout 5–20 L/ha



FRUIT FILL

GROUND SPREAD
—

SOIL PRIMER
—

FOLIAR
Calcium · potassium

FERTIGATION
Base nutrition



FINISH


GROUND SPREAD
—

SOIL PRIMER
—

FOLIAR
Potassium

FERTIGATION
—

Lockout goes in through fertigation or drench — 5–20 L/ha by pressure tier, ahead of these windows.



YOUR PROGRAM
NO EXTRA PASS
Built into fertigation or drench ahead of the known windows — never an extra trip.



NEXT · PAGE 4
COMPOSITION & FUNCTION
What Lockout actually is — the organisms inside it and the job each one does.



THEN · PAGE 5
MODE OF ACTION
The stage-by-stage breakdown for agronomists and technical growers.

ALL OUR PROGRAMS CONTAIN

NUTRIENT LOADING
Every product's N, P, K, S, Ca, Mg and trace contribution, totalled per hectare.


COST PER HECTARE
Each pass costed per hectare — judged on what it costs to grow the crop.

AGAINST THE TARGET
Supply weighed against target yield and removal, so the program balances.

Build the biology in. Carry the response through the season.

HYBRID AG
PRECISION NUTRITION

AVAILABLE IN



Composition & function.

Purpose-selected living biology in a single liquid consortium — built to colonise, compete and hold balance in the root zone.

INSIDE LOCKOUT · WHAT EACH GROUP DOES



RAPID COLONISERS

WHAT IT IS

Endophytic Trichoderma, screened for very rapid growth in the root zone.


WHAT IT DOES

Supports early colonisation around active roots and plant surfaces.

CONTAINS

Endophytic Trichoderma backbone

RAPID ESTABLISHMENT



COMPETITIVE PARTNERS

WHAT IT IS

Complementary living organisms selected for survivability and multiplication.

WHAT IT DOES

Competes for food and space, helping beneficials establish ahead of the window.

CONTAINS

Bacterial and actinomycete partners

COMPETES FOR SPACE & FOOD



LIVING BALANCE SYSTEM

WHAT IT IS

The selected consortium working as one living layer.

WHAT IT DOES

Fills productive root-zone niches and supports a more balanced biological environment.

CONTAINS

Three organisms · 10^9 CFU/mL

COLONISE + COMPETE + BALANCE

TYPICAL ANALYSIS · BENEFICIAL BIOLOGY

Proprietary microbial blend	Average concentration	Formulation	NASAA Organic Certified
Trichoderma · Streptomyces · Bacillus	*Avg. conc.*	*Live liquid*	*Organic input*
BLEND	**10^9**	**LIVE**	**3620M**
label identity	*CFU/mL*	*spores + metabolites*	*certification*

Typical analysis per current Lockout label: a three-organism Trichoderma, Streptomyces and Bacillus consortium, average concentration 10^9 CFU/mL, NASAA Organic Certified 3620M. Supplied as a live liquid.

MIXING · STORAGE · SAFETY

MIXING & USAGE

Shake well. Mix at the approved label rate in cool, clean, non-chlorinated water. Apply soon after mixing; never store diluted product. Below 2% soil carbon, pair with a humic — not a simple sugar.

STORAGE & HANDLING

Store cool and out of direct sunlight. Do not freeze. Keep tightly closed. 12-month shelf life from manufacture when stored correctly.

SAFETY

Keep out of reach of children. May irritate skin or eyes. Follow the current label and SDS.

HYBRID AG
PRECISION NUTRITION

Mode of action.

Lockout works in five linked steps — from placement to a resilient, balanced root zone.

AVAILABLE IN



THE FIVE-STAGE CASCADE

Designed for the agronomist who needs to see how beneficial biology establishes and holds space.

1 APPLICATION & PLACEMENT

Applied as a liquid through the chosen program — mixed at the approved label rate and positioned close to the active root zone.

KEY · TARGETED PLACEMENT



2 ROOT-ZONE COLONISATION

The selected living consortium establishes along roots and the surrounding rhizosphere.

KEY · LIVING BIOLOGY ESTABLISHED



3 BENEFICIAL METABOLITES

Beyond the living spores, the liquid carries the fermentation metabolites produced alongside them — the reason Lockout is supplied as a liquid.

KEY · SPORES PLUS METABOLITES



4 COMPETITION FOR SPACE & FOOD

Established biology competes with the resident population for the space, the food and the root surface.

KEY · SPACE AND FOOD TAKEN FIRST



5 RESILIENT ROOT ZONE

A stronger colonised root zone supports healthier roots and a more resilient biological environment.

KEY · PRODUCTIVE BALANCE HELD



PRECISION NUTRITION
Physical · Mineral · Biological

OPTIMISING INPUTS
Addressed · Optimised · Enabled

MAXIMISING OUTCOMES
Measured · Proven · Delivered

HYBRID AG
PRECISION NUTRITION

Better together.

Three complementary biological jobs — digest the residue, unlock tied phosphorus, colonise the living zone.

AVAILABLE IN



DIGESTER + SP + LOCKOUT · THREE COMPLEMENTARY JOBS



DIGESTER · DIGESTS RESIDUE

ROLE

Cellulose- and lignin-degrading microbes and their enzymes break down last season's stubble.

PAYOFF

Returns the nutrition tied up in crop residue to the soil, and improves structure and water-holding for the next crop.

DIGEST
Breaks down residue

MYCRO-TEC DIGESTER



SP · UNLOCKS NUTRIENT

ROLE


Four screened microbes secrete gluconic, oxalic and citric acids that break the bonds locking up soil nutrient.

PAYOFF

Helps release phosphorus fixed with calcium, aluminium and iron.

UNLOCK
Releases fixed P

MYCRO-TEC SP



LOCKOUT · COLONISES THE ZONE

ROLE

Purpose-selected living biology colonises the rhizosphere and competes for space and food.

PAYOFF

Supports a more balanced root-zone microbiome and a productive living zone.

COLONISE
Colonises the living zone

MYCRO-TEC LOCKOUT

PROUD PARTNERSHIP WITH GREAT SOUTHERN BIOLOGY · AUSTRALIAN-MADE

Digester, Mycro-Tec SP and Mycro-Tec Lockout are live, Australian-made biology developed with Great Southern Biology.

THE PROGRAM IN PRACTICE

STEP 1 · DIGEST

Spray Mycro-Tec Digester onto crop residue with ammonium sulphate, close to a rain event, to break the stubble down.



STEP 2 · UNLOCK

Apply Mycro-Tec SP to soil, on fertiliser or through fertigation to free locked phosphorus and minerals.



STEP 3 · COLONISE

Apply Mycro-Tec Lockout ahead of the window to colonise the root zone and compete for space and food.



PRECISION NUTRITION
Physical · Mineral · Biological

OPTIMISING INPUTS
Addressed · Optimised · Enabled

MAXIMISING OUTCOMES
Measured · Proven · Delivered