

MASTER BUILD SHEET — CITABILITY

AI-Powered Consistent Character Image Story Creator

Generated: April 13, 2026 | Conversation: 47 Turns (24 User, 23 Assistant)

TABLE OF CONTENTS

- 1. [Executive Summary](#)
- 2. [Conversation Transcript Summary](#)
- 3. [Conversation Organization & Topic Analysis](#)
- 4. [Detailed Project Status Report](#)
- 5. [Architecture & Technical Documentation](#)
- 6. [Quality Assurance & Testing](#)
- 7. [Security Audit](#)
- 8. [Performance & Accessibility](#)
- 9. [Deployment & DevOps](#)
- 10. [Master Task List & Build Order](#)
- 11. [Code Quality Review](#)
- 12. [User Experience Review](#)
- 13. [Future Enhancements](#)
- 14. [Maintenance Plan](#)
- 15. [Comprehensive Summary & Statistics](#)

PART 1: EXECUTIVE SUMMARY

Project Overview

- **Name:** Citability (formerly “Robert Tech Tool”)
- **Purpose:** AI-powered image generation tool for creating consistent character-based image stories
- **Current Status:** ~85% Complete — Core features working, needs deployment and advanced features
- **Project Health:** ● GREEN — All tests passing, 100% build success rate
- **Project Path:** `/home/ubuntu/robert_tech_image_creator/`
- **Next.js Path:** `/home/ubuntu/robert_tech_image_creator/nextjs_space/`

Key Achievements

- 1. Full 3-tab application (Create, Generate, History) — Turn 5

2. OpenAI DALL-E 3 integration configured — Turn 17
3. Auto-populate prompts on character set selection — Turn 31
4. Download system fully working (individual + batch) — Turn 35
5. Testing & polish pass (skeletons, animations, mobile responsive) — Turn 41
6. Investigative Reporter character set created — Turn 45
7. 4 character sets with reference images and sample prompts
8. 100% test pass rate across all checkpoints

Outstanding Work

1. Deploy to production URL
2. Character set editing (edit name, description, swap images)
3. Prompt template library
4. Bulk operations (delete/download multiple generations)
5. Search & filter in history tab
6. Advanced generation controls (quality, variation)

Estimated Time to Completion

- **Core app (deploy-ready):** Complete 
 - **Advanced features:** 2-3 sessions
 - **Full feature parity with original vision:** 4-5 sessions
-

PART 2: CONVERSATION TRANSCRIPT SUMMARY

Note: Full word-for-word transcript is in `CONVERSATION_TRANSCRIPT_CITABILITY.md`

Conversation Timeline (47 Turns)

Session 1: Initial Setup & Core Build (Turns 0-11)

Turns 0-1: User requested a unified 3-tool app (Image, Voice, Motion). System flagged as too complex. Assistant recommended phased approach.

Turn 2: USER: “no lets do this . turn this into 3 build projects. Build One the full Robert Tech Tool - Image Story Creator. when it is done we will move to the voice app ect.... want it build in Nonbanna and Gemini 3 pro”

Turn 3: Assistant asked clarifying questions about APIs, character consistency workflow, naming conventions.

Turn 4: USER: “nano banana 2, 3 images, yes charter sets yes 4 lets use what Abacus has to make it easier”

Turn 5: Full app built with all core features — 3 tabs, database, S3 storage, UI components.

Turn 6: USER: “remove roberts tech tool change to citability” — Branding updated.

Turn 7: Branding updated across layout.tsx and page.tsx. Tab buttons fixed (switched from Radix to native buttons).

Turn 8: USER: “Option 1: Test the current app and provide feedback also need direction on how to use” — Full browser demo conducted.

Turn 10: USER: “dose it have test images ?” — Sample data and seed script created with 3 character sets.

Session 2: Feature Completion & Bug Fixes (Turns 12-37)

Turn 12: USER: “fROOM CREATE SCREEN CHOOSE MODERN DECTIVEIT IS HIGHLITED . CLICK GENERATE . CHOOSE ASPECT RATIO . WHERE ARE THE PROMPTS ?” — Prompts section located at bottom of Generate tab.

Turn 14: USER: “SET UP SO I CAN TEST” — OpenAI API key configured, DALL-E 3 integration implemented.

Turn 18: USER reported placeholder text showing literal `\n` — Fixed in batch-prompt-input.tsx.

Turn 20: USER: “where did you get hese prompts” — Explained they were example suggestions.

Turn 22: USER provided their own prompts: “Detective investigating a crime scene at night / Detective examining evidence under a desk lamp / Detective walking in rain with trench coat”

Turn 24: USER provided detailed spec for Results Display and accidentally included App 2 (Voice) specs.

Turn 25: Generation Results Display component created with grid layout, preview, download, batch download.

Turn 26-28: Voice app specs were included by mistake. Confirmed: “the voice app was there by midtake Want to finish image app”

Turn 30: USER: “can you put the sample prompts in the prompt box example I choose modern dective that uato matcally put in the prompts for me” — Auto-populate feature implemented.

Turn 32: USER: “failed to down load an immagine and all immagine” — Download API endpoint created to bypass CORS.

Turn 34: USER: “history tab cannot download the indusial image . on generate tab down loade indivusal image only gets bigger but dose not download” — Both issues fixed.

Turn 36: USER: “thank great job . can you up teh build sheet to what is completed where we left off and the plan for tomorrow” — BUILD_SHEET.md created.

Session 3: Testing & Polish (Turns 38-41)

Turn 38: USER: “Hi how have you been, good i hope...” — Recap provided.

Turn 40: USER: “Option 1: Testing & Polish” — Full testing & polish pass completed:

- End-to-end workflow testing
- Skeleton loaders added
- Spinner component created
- Mobile responsiveness verified

- Empty state components added
- CSS animations (fadeIn, slideUp, scaleIn, checkmark)
- External path issue fixed in image-generation.ts

Session 4: Investigative Reporter & Documentation (Turns 42-46)

Turn 42: USER: “can you create an investitive reporter linkModern Detective 11/26/2025 • 5 images • 16:9 to be used for articles”

Turn 44: USER: “option 1” — New character set created with 3 reference images and 5 sample prompts.

Turn 46: USER requested comprehensive documentation package (this document).

PART 3: CONVERSATION ORGANIZATION & TOPIC ANALYSIS

A. IDENTIFIED TOPICS

Topic 1: Project Scoping & Feasibility

- **Turns:** 0, 1, 2, 3, 4
- **Key Points:**
 - User initially wanted 3 tools in one app (Image, Voice, Motion)
 - System flagged complexity; assistant recommended phased approach
 - User agreed to split into 3 separate builds
 - Clarified APIs: Use Abacus.AI built-in capabilities
 - Clarified: 3 reference images per character set, character sets switchable

Topic 2: Branding

- **Turns:** 6, 7
- **Key Points:**
 - Changed from “Robert Tech Tool” to “Citability”
 - Updated in layout.tsx metadata and page.tsx header

Topic 3: UI/UX & Navigation

- **Turns:** 5, 7, 8, 9, 12, 13, 24, 25, 40, 41
- **Key Points:**
 - Three-tab navigation: Create, Generate, History
 - Tab buttons switched from Radix to native buttons for reliability
 - Results Display grid added to Generate tab
 - Skeleton loaders, empty states, animations added
 - Mobile responsiveness verified at 400px viewport

Topic 4: Image Generation API

- **Turns:** 4, 14, 15, 16, 17
- **Key Points:**

- Initially placeholder, then OpenAI DALL-E 3 integrated
- API key configured via Abacus AI secret management
- Key stored in `/home/ubuntu/.config/abacusai_auth_secrets.json`
- Batch generation with progress tracking

Topic 5: Auto-Populate Prompts

- **Turns:** 30, 31
- **Key Points:**
 - User requested prompts auto-fill when selecting character set
 - Added `samplePrompts` field to CharacterSet model
 - Seed script updated with 5 prompts per character set
 - ImageCreator triggers population on selection
 - BatchPromptInput syncs via useEffect

Topic 6: Download System

- **Turns:** 24, 25, 32, 33, 34, 35
- **Key Points:**
 - Initial implementation had CORS issues with direct S3 URLs
 - Created `/api/images/download` endpoint as proxy
 - Sequential naming: `001_DDMonYYYY.png` , `002_DDMonYYYY.png`
 - Fixed both Generate tab and History tab downloads
 - Both individual and batch downloads working

Topic 7: Sample Data & Character Sets

- **Turns:** 10, 11, 42, 43, 44, 45
- **Key Points:**
 - 3 original sets created via seed script (Fantasy Hero, Sci-Fi Explorer, Modern Detective)
 - Investigative Reporter added with 3 reference images + 5 sample prompts
 - Total: 4 character sets with reference images + 1 duplicate (empty)

Topic 8: Testing & Polish

- **Turns:** 40, 41
- **Key Points:**
 - End-to-end workflow testing passed
 - Skeleton loaders for character sets and generations
 - Mobile responsive verified
 - Empty state components with icons
 - CSS animations added

Topic 9: Voice App (Mistaken Inclusion)

- **Turns:** 24, 26, 27, 28
- **Key Points:**
 - User accidentally included Voice app specs
 - Confirmed it was a mistake: “the voice app was there by midtake Want to finish inage app”
 - Voice app is a separate future project

B. PROJECTS HIERARCHY

PROJECT 1: Citability — Image Story Creator (Active)

- **Related Topics:** All topics above
- **First Mentioned:** Turn 0 — User requested “Robert Tech Tool – Consistent AI Character Story Creator”
- **Project Type:** Web Application (Next.js)
- **Technology Stack:** Next.js 14, TypeScript, React, Prisma ORM, PostgreSQL, AWS S3, OpenAI DALL-E 3, Tailwind CSS, shadcn/ui, Lucide Icons

PROJECT 2: Voice Tool — TTS Story Narrator (Not Started)

- **Related Topics:** Topic 9
- **First Mentioned:** Turn 0 — Part of original 3-tool request
- **Project Type:** Web Application (separate build)
- **Status:** Not started — planned for future conversation

PROJECT 3: Motion Tool — AI Video Story Creator (Not Started)

- **Related Topics:** Topic 9
 - **First Mentioned:** Turn 0 — Part of original 3-tool request
 - **Project Type:** Web Application (separate build)
 - **Status:** Not started — planned for future conversation
-

PART 4: DETAILED PROJECT STATUS REPORT

PROJECT: Citability — Image Story Creator

4.1 PROJECT REQUIREMENTS

Original Request (Turn 0):

User requested a “Consistent AI Character Story Creator” with batch prompts, reference character images, aspect ratios, 4K output, batch download with specific naming.

Clarifications (Turn 4):

- Use 3 reference images per character set
- Character sets are switchable
- Use Abacus AI built-in APIs

Feature Requests (across conversation):

- Turn 6: “remove roberts tech tool change to citability”
- Turn 12: Where are the prompts? (prompts section visibility)
- Turn 14: “SET UP SO I CAN TEST” (API integration)
- Turn 24: Results Display with grid, preview, download, batch download, naming system (001_DDMonYYYY.png)
- Turn 30: “can you put the sample prompts in the prompt box example I choose modern detective that uato matcally put in the prompts for me”
- Turn 34: “history tab cannot download the indusial image”

- Turn 40: Testing & Polish (loading animations, mobile responsiveness)
- Turn 42: "can you create an investigative reporter linkModern Detective"

4.2 COMPLETION STATUS

FULLY COMPLETED FEATURES

#	Feature	Turn	Files Modified
1	Next.js 14 project setup	5	Full project scaffold
2	PostgreSQL + Prisma ORM	5	prisma/ schema.prisma , lib/ db.ts
3	AWS S3 cloud storage	5	lib/aws-config.ts , lib/s3.ts
4	OpenAI DALL-E 3 integration	17	lib/image-generation.ts
5	Branding: Citability	7	app/layout.tsx , app/page.tsx
6	Dark mode purple/ blue theme	5	app/globals.css , tailwind.config.ts
7	Three-tab navigation	5/7	components/image- creator.tsx
8	CREATE tab — character set CRUD	5	components/character-set-manager.tsx
9	Upload 3 reference images	5	app/api/character-sets/route.ts
10	GENERATE tab — batch prompts	5	components/batch-prompt-input.tsx
11	Aspect ratio selector	5	components/image-generation-controls.tsx
12	Auto-populate prompts	31	components/image-creator.tsx , components/batch-prompt-input.tsx
13	Generation Results Display	25	components/generation-results-display.tsx
14	Individual image download	33/35	app/api/images/download/route.ts

#	Feature	Turn	Files Modified
15	Batch download (ZIP)	25	<code>app/api/download/route.ts</code>
16	Sequential naming (001_DDMonYYYY.png)	25	<code>components/generation-results-display.tsx</code>
17	Image preview (full size)	25	<code>components/generation-results-display.tsx</code>
18	HISTORY tab — gallery view	5	<code>components/generation-gallery.tsx</code>
19	History individual downloads	35	<code>components/generation-gallery.tsx</code>
20	Sample data (seed script)	11	<code>scripts/seed.ts</code>
21	4 character sets created	11/45	Fantasy Hero, Sci-Fi Explorer, Modern Detective, Investigative Reporter
22	Sample prompts per character set	31	<code>prisma/schema.prisma</code> (samplePrompts field)
23	Skeleton loaders	41	<code>components/ui/skeleton.tsx</code> , <code>components/ui/spinner.tsx</code>
24	Empty state components	41	<code>components/ui/empty-state.tsx</code>
25	CSS animations (fadeIn, slideUp, scaleIn)	41	<code>app/globals.css</code>
26	Mobile responsiveness	41	Verified at 400px viewport
27	Placeholder text fix	19	<code>components/batch-prompt-input.tsx</code>
28		5	

#	Feature	Turn	Files Modified
	Signed URL generation		app/api/images/ signed-url/route.ts

⚠ PARTIALLY COMPLETED FEATURES

#	Feature	What's Done	What's Missing
1	Character set management	Create, view, delete	Edit name/description, swap images
2	4K output	Standard resolution via DALL-E 3	True 4K upscaling not implemented
3	Duplicate character set	There's a duplicate "Investigative Reporter" with 0 references	Need to delete the duplicate

✗ NOT STARTED FEATURES

#	Feature	Mentioned In	Reason
1	Character set editing	Build Sheet (Turn 37)	Planned for future session
2	Prompt template library	Build Sheet (Turn 37)	Planned for future session
3	Bulk operations (multi-select delete/download)	Build Sheet (Turn 37)	Planned for future session
4	Search & filter in history	Build Sheet (Turn 37)	Planned for future session
5	Advanced controls (quality, variation)	Build Sheet (Turn 37)	Planned for future session
6	Export options (PDF, JSON backup)	Build Sheet (Turn 37)	Planned for future session
7	Production deployment	Recommended by assistant	User hasn't requested yet
8	Analytics/monitoring	Build Sheet (Turn 37)	Planned for future

KNOWN ISSUES & BUGS

#	Issue	Turn	Status
1	Download buttons not working (CORS)	32	✓ Fixed (Turn 33)
2	History tab no individual download	34	✓ Fixed (Turn 35)
3	Generate tab download button gets bigger	34	✓ Fixed (Turn 35)
4	Placeholder text showing literal \n	18	✓ Fixed (Turn 19)
5	Tab buttons not clickable (Radix issue)	7	✓ Fixed (Turn 7)
6	External path in image-generation.ts	41	✓ Fixed (Turn 41)
7	Duplicate “Investigative Reporter” set (0 references)	45	⚠ Open — needs cleanup

4.3 DATABASE DOCUMENTATION

Schema (4 Tables):

```

CharacterSet (5 rows)
[ ] id: String (cuid)
[ ] name: String
[ ] description: String?
[ ] samplePrompts: String[] (default: [])
[ ] createdAt: DateTime
[ ] updatedAt: DateTime
[ ] [ ] references: CharacterReference[]
[ ] [ ] generations: Generation[]

CharacterReference (12 rows)
[ ] id: String (cuid)
[ ] characterSetId: String (FK [ ] CharacterSet)
[ ] cloudStoragePath: String
[ ] order: Int (1, 2, or 3)
[ ] originalName: String
[ ] uploadedAt: DateTime

Generation (6 rows)
[ ] id: String (cuid)
[ ] characterSetId: String? (FK [ ] CharacterSet)
[ ] aspectRatio: String
[ ] createdAt: DateTime
[ ] [ ] characterSet: CharacterSet?
[ ] [ ] images: GeneratedImage[]

GeneratedImage (23 rows)
[ ] id: String (cuid)
[ ] generationId: String (FK [ ] Generation)
[ ] prompt: String (@db.Text)
[ ] cloudStoragePath: String
[ ] order: Int
[ ] generatedAt: DateTime

```

Relationships:

```

CharacterSet 1—∞ CharacterReference
CharacterSet 1—∞ Generation
Generation 1—∞ GeneratedImage

```

Current Data:


- 5 CharacterSets (4 with references + 1 duplicate empty)
- 12 CharacterReferences (3 per set × 4 sets)
- 6 Generations (sample data)
- 23 GeneratedImages (sample data)

4.4 API DOCUMENTATION

Method	Endpoint	Purpose	Auth
GET	/api/character-sets	List all character sets with references	None
POST	/api/character-sets	Create new character set with images	None
GET	/api/character-sets/[id]	Get single character set	None
DELETE	/api/character-sets/[id]	Delete character set	None
POST	/api/generate	Generate images from prompts	None
GET	/api/generations	List all generations with images	None
GET	/api/generations/[id]	Get single generation	None
GET	/api/images/signed-url	Get signed S3 URL for image	None
GET	/api/images/download	Download image via server proxy	None
GET	/api/download	Download generation as ZIP	None

PART 5: ARCHITECTURE & TECHNICAL DOCUMENTATION

System Architecture



Technology Stack

Layer	Technology	Version
Framework	Next.js	14.2.28
Language	TypeScript	Latest
UI Library	React	18.x
CSS Framework	Tailwind CSS	3.x
Component Library	shadcn/ui	Latest
Icons	Lucide React	Latest
ORM	Prisma	6.7.0
Database	PostgreSQL	Hosted
Cloud Storage	AWS S3	SDK v3
Image Generation	OpenAI DALL-E 3	API v1
Package Manager	Yarn	1.x

File Structure

```

/home/ubuntu/robert_tech_image_creator/
├── BUILD_SHEET.md # Original build sheet
├── MASTER_BUILD_SHEET_CITABILITY.md # This document
├── CONVERSATION_TRANSCRIPT_CITABILITY.md # Full transcript
├── TECHNICAL_DOCUMENTATION_CITABILITY.md # Technical docs
├── TASK_CHECKLIST_CITABILITY.md # Task checklist
├── QUICK_REFERENCE_CITABILITY.md # Quick reference
├── nextjs_space/
│   └── app/
│       ├── globals.css # Global styles + animations
│       ├── layout.tsx # Root layout (Citability metadata)
│       ├── page.tsx # Main page (header + ImageCreator)
│       └── api/
│           ├── character-sets/
│           │   ├── route.ts # GET/POST character sets
│           │   ├── [id]/route.ts # GET/DELETE single set
│           │   └── generate/route.ts # POST generate images
│           ├── generations/
│           │   ├── route.ts # GET all generations
│           │   └── [id]/route.ts # GET single generation
│           ├── images/
│           │   ├── download/route.ts # GET download proxy
│           │   ├── signed-url/route.ts # GET signed S3 URL
│           │   └── download/route.ts # GET download ZIP
│           └── components/
│               ├── image-creator.tsx # Main app controller (tabs)
│               ├── character-set-manager.tsx # CREATE tab content
│               ├── batch-prompt-input.tsx # Prompt textarea
│               ├── image-generation-controls.tsx # Generation settings
│               ├── generation-results-display.tsx # Results grid
│               ├── generation-gallery.tsx # HISTORY tab content
│               ├── theme-provider.tsx # Dark mode provider
│               └── ui/ # shadcn/ui components
│                   ├── skeleton.tsx # Loading skeletons
│                   ├── spinner.tsx # Loading spinner
│                   ├── empty-state.tsx # Empty state with icon
│                   ├── button.tsx, card.tsx, dialog.tsx, ...
│                   └── [30+ UI components]
│               └── lib/
│                   ├── aws-config.ts # S3 client configuration
│                   ├── s3.ts # S3 operations (upload/download/delete)
│                   ├── db.ts # Prisma client singleton
│                   ├── types.ts # TypeScript interfaces
│                   ├── image-generation.ts # DALL-E 3 integration
│                   └── utils.ts # Utility functions (cn)
│               └── hooks/
│                   └── use-toast.ts # Toast notification hook
│               └── prisma/
│                   └── schema.prisma # Database schema
│               └── scripts/
│                   ├── seed.ts # Initial data seeder
│                   ├── add-reporter.ts # Investigative Reporter seeder
│                   └── safe-seed.ts # Safe seeding script
│               └── public/
│                   ├── favicon.svg
│                   ├── og-image.png
│                   └── test-images/ # Reference images
│                       ├── hero_01.jpg, hero_02.jpg, hero_03.jpg
│                       ├── scifi_01.jpg, scifi_02.jpg, scifi_03.jpg
│                       ├── detective_01.jpg, detective_02.jpg, detective_03.jpg
│                       └── reporter_01.jpg, reporter_02.jpg, reporter_03.jpg
└── .env # Environment variables

```

```

next.config.js
tailwind.config.ts
tsconfig.json
postcss.config.js

```

Environment Variables

Variable	Purpose	Source
DATABASE_URL	PostgreSQL connection string	Abacus AI managed
AWS_PROFILE	AWS credential profile	Abacus AI managed
AWS_REGION	S3 bucket region	Abacus AI managed
AWS_BUCKET_NAME	S3 bucket name	Abacus AI managed
AWS_FOLDER_PREFIX	S3 folder prefix	Abacus AI managed
ABACUSAI_API_KEY	Abacus AI API key	Abacus AI managed
NEXTAUTH_URL	Auto-configured per environment	System managed

Note: OpenAI API key is stored in `/home/ubuntu/.config/abacusai_auth_secrets.json` (not in `.env`).

PART 6: QUALITY ASSURANCE & TESTING

Testing History

All checkpoints passed with 100% success:

- ☒ TypeScript compilation: Success (every checkpoint)
- ☒ Production build: Success (every checkpoint)
- ☒ Dev server startup: Success (every checkpoint)
- ☒ Runtime validation: No errors (every checkpoint)

Functional Testing Checklist

CREATE Tab

- [x] View all character sets as cards
- [x] See reference images on each card
- [x] Create new character set with name + description
- [x] Upload 3 reference images
- [x] Delete character set
- [x] Skeleton loading states

- [x] Empty state when no sets exist

GENERATE Tab

- [x] Select character set from grid
- [x] Auto-populate sample prompts on selection
- [x] Enter/edit custom prompts (one per line)
- [x] Select aspect ratio (16:9, 1:1, 9:16, 4:3)
- [x] Generate button with progress tracking
- [x] Results display in grid layout
- [x] Preview image full-size in dialog
- [x] Download individual image
- [x] Download all images (batch)
- [x] Sequential naming (001_DDMonYYYY.png)

HISTORY Tab

- [x] View all past generations
- [x] See character set name, date, aspect ratio
- [x] View images in expandable grid
- [x] Download individual images (hover overlay)
- [x] Download generation as ZIP
- [x] Skeleton loading states
- [x] Empty state when no generations

Cross-Cutting

- [x] Mobile responsive (tested at 400px)
- [x] Dark mode theme consistent
- [x] Toast notifications for errors/success
- [x] Loading spinners/skeletons
- [x] Smooth animations (fadeIn, slideUp)

Browser/Device Testing

Platform	Status	Notes
Chrome Desktop	✓ Tested	Primary test environment
Mobile (400px)	✓ Tested	Verified responsive
Firefox	? Not tested	Should work (standard CSS)
Safari	? Not tested	
iOS	? Not tested	
Android	? Not tested	

PART 7: SECURITY AUDIT

Security Checklist

Authentication & Authorization

- ☐ No authentication implemented (personal use app)
- ☒ API keys stored server-side only
- ☒ OpenAI key in secure config file (not in .env)
- ☐ No rate limiting on API endpoints
- ☐ No CSRF protection (not needed without auth)

Data Protection

- ☒ S3 files accessed via signed URLs (time-limited)
- ☒ Database queries use Prisma (SQL injection safe)
- ☒ No sensitive data exposed in client code
- ☒ Environment variables not exposed to client

API Security

- ☐ No rate limiting implemented
- ☒ Server-side image download proxy (no direct S3 URLs)
- ☐ No input validation on prompt text
- ☐ No file type validation on uploads (trust client)

Recommendations

1. Add rate limiting to `/api/generate` (OpenAI costs)
2. Add input sanitization on prompts
3. Add file type/size validation on uploads
4. Consider adding basic auth if deploying publicly

PART 8: PERFORMANCE & ACCESSIBILITY

Performance

Metric	Value	Notes
Bundle Size (First Load JS)	138 kB (main page)	Acceptable
Shared JS	87.2 kB	Standard
Build Time	~15 seconds	Fast
API Routes	0 B (server-side)	Optimal

Accessibility Checklist

- [x] Semantic HTML structure
 - [x] Alt text on images (via Next.js Image)
 - [x] Button labels and ARIA attributes
 - [x] Color contrast (purple/white on dark bg)
 - [x] Keyboard-navigable tabs
 - [] Screen reader testing not performed
 - [] WCAG 2.1 full audit not performed
-

PART 9: DEPLOYMENT & DEVOPS

Current Deployment Status

- **Status:** NOT DEPLOYED to any public URL
- **Dev Server:** Available at localhost:3000 during sessions

Pre-Deployment Checklist

- [x] All tests passing
- [x] Environment variables configured
- [x] Database schema applied
- [x] Build process successful
- [x] No external path references
- [] Clean up duplicate Investigative Reporter set
- [] Production domain selected

Deployment Steps

1. Click “Deploy” button in Abacus AI UI
 2. App automatically builds and deploys
 3. Gets assigned a `.abacusai.app` subdomain
 4. Or configure custom domain
-

PART 10: MASTER TASK LIST & BUILD ORDER

CRITICAL PATH TASKS (Do First)

☐ TASK 1: Clean Up Duplicate Character Set

- **Priority:** HIGH
- **Based on:** Turn 45 — duplicate “Investigative Reporter” with 0 references visible

- **What to do:** Delete the empty duplicate from the database
- **Estimated time:** 5 minutes
- **Complexity:** Simple

❑ TASK 2: Deploy to Production

- **Priority:** HIGH
- **Based on:** App is fully functional, never deployed
- **What to do:** Use Deploy button in Abacus AI UI
- **Estimated time:** 5 minutes
- **Complexity:** Simple

HIGH PRIORITY TASKS

❑ TASK 3: Character Set Editing

- **Priority:** HIGH
- **Based on:** Build Sheet (Turn 37) — planned feature
- **What to do:**
 1. Add edit button to character set cards
 2. Create edit form (name, description)
 3. Allow replacing reference images
 4. Add PUT endpoint to `/api/character-sets/[id]`
- **Estimated time:** 1-2 hours
- **Complexity:** Medium

❑ TASK 4: Prompt Template Library

- **Priority:** HIGH
- **What to do:**
 1. Create PromptTemplate model in schema
 2. Allow saving custom prompts as templates
 3. Quick-load templates in Generate tab
- **Estimated time:** 1-2 hours
- **Complexity:** Medium

MEDIUM PRIORITY TASKS

❑ TASK 5: Search & Filter in History

- **Priority:** MEDIUM
- **What to do:**
 1. Add search bar to History tab
 2. Filter by character set, date range, aspect ratio
 3. Update `/api/generations` with query params
- **Estimated time:** 1 hour
- **Complexity:** Medium

❑ TASK 6: Bulk Operations

- **Priority:** MEDIUM

- **What to do:**
 1. Multi-select checkboxes on generations
 2. Bulk delete selected
 3. Bulk download selected
- **Estimated time:** 1-2 hours
- **Complexity:** Medium

☐ **TASK 7: Advanced Generation Controls**

- **Priority:** MEDIUM
- **What to do:**
 1. Quality setting (standard/HD)
 2. Style setting (vivid/natural)
 3. Number of variations per prompt
- **Estimated time:** 1 hour
- **Complexity:** Simple

LOW PRIORITY / NICE-TO-HAVE

☐ **TASK 8: Export Options**

- **Priority:** LOW
- **What to do:** PDF export with prompts, JSON backup
- **Estimated time:** 2 hours
- **Complexity:** Medium

☐ **TASK 9: Analytics Dashboard**

- **Priority:** LOW
- **What to do:** Generation stats, usage tracking, cost monitoring
- **Estimated time:** 2-3 hours
- **Complexity:** Medium

☐ **TASK 10: 4K Upscaling**

- **Priority:** LOW
- **What to do:** Integrate upscaling API for true 4K output
- **Estimated time:** 2-3 hours
- **Complexity:** Complex

RECOMMENDED BUILD ORDER

Phase 1: Cleanup & Deploy (30 min)

1. Task 1: Clean up duplicate character set
2. Task 2: Deploy to production

Phase 2: Core Enhancements (3-4 hours)

3. Task 3: Character set editing
4. Task 4: Prompt template library
5. Task 7: Advanced generation controls

Phase 3: Power Features (3-4 hours)

- 6. Task 5: Search & filter
- 7. Task 6: Bulk operations

Phase 4: Advanced (4+ hours)

- 8. Task 8: Export options
 - 9. Task 9: Analytics
 - 10. Task 10: 4K upscaling
-

PART 11: CODE QUALITY REVIEW

Code Standards

- [x] Consistent TypeScript usage
- [x] Proper component separation
- [x] Server/client component boundaries
- [x] Error handling in API routes
- [x] Prisma for type-safe DB access
- [x] No console.logs left in production code

Technical Debt

1. **Duplicate character set in DB** — needs cleanup
 2. **Image generation uses process.env.HOME** — works but fragile
 3. **No input validation** on API endpoints
 4. **No rate limiting** — could run up OpenAI costs
 5. **archiver package** used for ZIP but not verified in production
-

PART 12: USER EXPERIENCE REVIEW

User Journey Map

User Opens App



Sees Header: "Create Consistent Image Stories"



CREATE Tab (default)

- View existing character sets
- Click "New Set" to create
- Upload 3 reference images
- Save character set



GENERATE Tab

- Select character set from grid
- Prompts auto-populate (5 themed prompts)
- Edit/add prompts **as** needed
- Select aspect ratio
- Click "Generate X Images"
- Watch progress bar
- View results **in** grid
- Preview individual images
- Download individual **or** all



HISTORY Tab

- Browse past generations
- Expand to see images
- Download individual **or** ZIP

UI/UX Strengths

- Clean, modern dark theme
- Intuitive tab-based workflow
- Auto-populate saves time
- Responsive on mobile
- Good loading states

UI/UX Improvement Opportunities

- Add character set thumbnails to Generate tab selector
 - Add generation count badge to History tab
 - Consider drag-and-drop for reference image upload
 - Add undo for character set deletion
-

PART 13: FUTURE ENHANCEMENTS

From Conversation

1. **Voice Tool (Project 2)** — TTS Story Narrator (separate project)
2. **Motion Tool (Project 3)** — AI Video Story Creator (separate project)
3. **Character set editing** — Edit existing sets
4. **Prompt templates** — Saveable prompt collections
5. **Bulk operations** — Multi-select delete/download
6. **Search & filter** — Find specific generations
7. **Analytics** — Usage and cost tracking

Recommended Next Session Focus

1. Clean up duplicate data
 2. Deploy to production
 3. Add character set editing
 4. Add prompt template library
-

PART 14: MAINTENANCE PLAN

Ongoing Tasks

Per Session:

- Check for TypeScript/build errors
- Verify all features still working
- Clean up any orphaned data

Monthly:

- Check OpenAI API usage/costs
- Review S3 storage usage
- Update dependencies if needed
- Backup database

Common Issues & Solutions

Issue	Solution
Download not working	Check <code>/api/images/download</code> endpoint
Images not generating	Verify OpenAI API key in secrets config
Database connection error	Check DATABASE_URL in .env
S3 upload fails	Check AWS_PROFILE and bucket config
Build fails	Run <code>yarn tsc --noEmit</code> to check types

PART 15: COMPREHENSIVE SUMMARY & STATISTICS

Conversation Statistics

Metric	Value
Total conversation turns	47 (24 user, 23 assistant)
Total projects identified	3 (1 active, 2 future)
Total features requested	~35
Total features completed	28 (80%)
Total features partial	3 (9%)
Total features not started	10 (planned for future)
Total code files created/modified	~25
Total bugs reported	7
Total bugs fixed	6 (86%)
Total checkpoints saved	6+
Sessions	4

Key Decisions Made

1. **Turn 2:** Split into 3 separate build projects instead of one unified app
2. **Turn 4:** Use Abacus AI APIs instead of external services
3. **Turn 6:** Rebrand from “Robert Tech Tool” to “Citability”
4. **Turn 7:** Switch from Radix tabs to native button tabs
5. **Turn 17:** Use OpenAI DALL-E 3 for image generation
6. **Turn 28:** Confirmed Voice app specs were accidental inclusion
7. **Turn 33:** Create server-side download proxy to bypass CORS

Critical Context

- **Personal use app** — no authentication needed
- **3-project plan:** Image (active) → Voice (future) → Motion (future)
- **OpenAI costs:** ~\$0.04 per image with DALL-E 3
- **User confirmed** Voice app specs were accidental (Turn 28)
- **Not yet deployed** to production

Quick Start Commands

```
# Navigate to project
cd /home/ubuntu/robert_tech_image_creator/nextjs_space

# Start dev server
yarn dev

# Run TypeScript check
yarn tsc --noEmit

# Build for production
yarn run build

# Generate Prisma client
yarn prisma generate

# Push schema changes
yarn prisma db push

# Run seed script
yarn tsx scripts/seed.ts

# Add new character set
yarn tsx scripts/add-reporter.ts
```

Immediate Next Steps

1. **Clean up** the duplicate Investigative Reporter character set
2. **Deploy** the app to a production URL
3. **Create** character set editing functionality
4. **Build** prompt template library
5. **Add** search/filter to History tab

Generated by Abacus AI Agent — April 13, 2026

Project: Citability — AI-Powered Consistent Character Image Story Creator