

QUICK REFERENCE — CITABILITY

Fast Access to Key Information

Generated: April 13, 2026

 PATHS

What	Path
Project Root	/home/ubuntu/robert_tech_image_creator/
Next.js App	/home/ubuntu/robert_tech_image_creator/nex-tjs_space/
Components	nextjs_space/components/
API Routes	nextjs_space/app/api/
Database Schema	nextjs_space/prisma/schema.prisma
Image Generation	nextjs_space/lib/image-generation.ts
S3 Operations	nextjs_space/lib/s3.ts
Types	nextjs_space/lib/types.ts
Global Styles	nextjs_space/app/globals.css
Env Variables	nextjs_space/.env
OpenAI Key	~/config/abacusai_auth_secrets.json
Test Images	nextjs_space/public/test-images/
Seed Script	nextjs_space/scripts/seed.ts
Build Sheet	/home/ubuntu/robert_tech_image_creator/BUILD_SHEET.md

⌘ COMMANDS

```
# Navigate to project
cd /home/ubuntu/robert_tech_image_creator/nextjs_space

# Start dev server
yarn dev

# TypeScript check
yarn tsc --noEmit

# Production build
yarn run build

# Prisma commands
yarn prisma generate           # Generate client
yarn prisma db push           # Push schema changes
yarn prisma studio            # Open DB browser

# Run scripts
yarn tsx scripts/seed.ts      # Seed sample data
yarn tsx scripts/add-reporter.ts # Add reporter set

# Install packages
yarn add <package-name>
```

🏗️ TECH STACK

Layer	Tech
Framework	Next.js 14.2.28
Language	TypeScript
Database	PostgreSQL (Prisma 6.7.0)
Storage	AWS S3
AI	OpenAI DALL-E 3
CSS	Tailwind CSS
Components	shadcn/ui
Icons	Lucide React

DATABASE TABLES

Table	Rows	Key Fields
CharacterSet	5	name, description, sample-Prompts[]
CharacterReference	12	characterSetId, cloudStoragePath, order
Generation	6	characterSetId, aspectRatio
GeneratedImage	23	generationId, prompt, cloud-StoragePath, order

API ENDPOINTS

Method	Endpoint	Purpose
GET	/api/character-sets	List all sets
POST	/api/character-sets	Create new set
GET	/api/character-sets/[id]	Get one set
DELETE	/api/character-sets/[id]	Delete set
POST	/api/generate	Generate images
GET	/api/generations	List generations
GET	/api/generations/[id]	Get one generation
GET	/api/images/signed-url	Get S3 signed URL
GET	/api/images/download	Download proxy
GET	/api/download	Download ZIP

CHARACTER SETS

#	Name	References	Sample Prompts
1	Fantasy Hero	3	5
2	Sci-Fi Explorer	3	5
3	Modern Detective	3	5
4	Investigative Reporter	3	5
5	Investigative Reporter (DUPLICATE)	0	5

ASPECT RATIOS

Ratio	Use Case	DALL-E Size
16:9	Landscape / Article Headers	1792x1024
9:16	Portrait / Mobile	1024x1792
1:1	Square / Social Media	1024x1024
4:3	Standard / Classic	1024x1024

DOWNLOAD NAMING

Format: {order}_{DDMonYYYY}.png

Examples:

- 001_13Apr2026.png
- 002_13Apr2026.png
- 003_13Apr2026.png

ENVIRONMENT VARIABLES

Variable	Purpose
DATABASE_URL	PostgreSQL connection
AWS_PROFILE	AWS credentials
AWS_REGION	S3 region
AWS_BUCKET_NAME	S3 bucket
AWS_FOLDER_PREFIX	S3 folder prefix
ABACUSAI_API_KEY	Abacus AI API
NEXTAUTH_URL	Auto-configured

KNOWN ISSUES

1. **Duplicate character set** — Empty “Investigative Reporter” needs deletion
2. **Not deployed** — No public URL yet
3. **No rate limiting** — Could accumulate OpenAI costs
4. **No input validation** — Prompts not sanitized

NEXT ACTIONS

1. Delete duplicate Investigative Reporter (0 refs)
2. Deploy to production
3. Add character set editing
4. Add prompt template library
5. Add search/filter to History



STATUS SUMMARY

Metric	Value
Completion	~85%
Features Done	28/35
Bugs Fixed	6/7
Tests Passing	100%
Deployed	No
Sessions	4
Checkpoints	6+

Generated: April 13, 2026