

간감5격개3·개▲가+감개▲감개관

. [a W

Nm

관개감간M감개▲감개

EB

니넛설 조 일방3 4

P개▲가374+ 관 ~개▲가+: : 4+ 관 A@B+ 관 : 8A7 관▲간·▲

4

6: 79

768

C+

4

6: 7:

A

2

26: 6B

4

6: 7@

2

4

6: 7A

급

2

4

6: 7B

C6

D64C

D+

2

866

4

6: 7C

-

-

26:

7D

8

2

4

4

급 8

6: 86

2

4

4

l i w

7: 4@

C84A

@7+

D64

2

6: 7B

4

ORW 7A4+

82@AB

2

4

[c heW @B+

A2D7D

2kWh

D4+

7B4@

2

4

FB

l i w

를

DA4j hR5 · 갔

C84j hR5 · 갔

를

D@B j hR5 · 갔

D64 j hR5 · 갔

ORW

료

8B674@감

82@AB6 감

kWh

를

7D8 감

7B4@감

[c heW

료

@C@4 감

A2D7D 감

Si T

료

7A67A [gl

7AICA@ [gl

Si T

료

97B@ [gl

98B96 [gl

단나6: 7B

76구9+

l i w

DA4A

C84A

7: 4@

2

S

C6

D64C

D@B

D64

2

s ▲

나 6: 7B 급

경

▼+5

▼+5

828674@ 82@AB46 7A4A+
7D48 7B4@
@C@C46 A27D74D @B+

GB

3 4

7CCA4@ 3648 끝 868A36: 37B
82@AB46 17A4A 료 868A36: 37B
828@B46 164C 료 868A36: 37B
74D6 1646 끝 868A369367
7: 4C6 1646 끝 868A368367

3 4

. / : A466 1646 끝 868A36: 378
. / 8B6466 1646 끝 868A36: 378
89: 466 1646 끝 868A36: 378
. / 72@946 1646 끝 868A36: 378
. / 7AAA46 1646 끝 868A36: 378
. / 7B: @6 1646 끝 868A36: 378

3 4

64AC 1646 끝 868A369397
Wa @C4D6 1646 끝 868A369367
8DB48B 1646 끝 868A369367

3 4

D64C 3@7 료 868A36: 37B
l i W C84@ 37: 4@ 료 868A36: 37B
84AB 1746 료 868A36: 37B

3 4

.U]R Si T/ :: @D9 1846 료 868A36: 37B
[c heW A27D74D 1@B 료 868A36: 37B
72 A@B 364@ 료 868A36: 37D
.j j e Si T/ 8B4A 3649 끝 868A36: 37B
CA2A8A2C62BC46 1646 끝 868A369397
7B4 C 3D47 료 868A36: 37B

▼+→

3 4				
Si T.7B: A64 h/	7AIA@6	1@9	료	868A36: 37B
Si T.88B@64 h/	7@964	164@	료	868A36: 37B
Si T.8AA: 764 h/	7629@6	1: 4D	료	868A36: 37B
Si T.6D7C64 h/	982964	1@4	료	868A36: 37B
.RON/	8A4D8	1647	끝	868A36: 37B
.I Sni /	884 B	1947	료	868A36: 37B
Si T.77B664 h/	D5: @6	1947	료	868A36: 37B

I B

조

급

르

D6+

/ 르

.738 / 르

C6 768

르

8266

.83: /

고무간조

급

르

급NS]bU

. / 르]bU

.738 / 르

급

.83: /

조

르

급

급

. / 르

.738 / 르

급 급

.83: /

조

르

급

. / 르

.738 / 르

.83: /

조

르

. / 르

: 6+

2

급

.738 / 르

.83: /

KB

를

끝

5

를

끝

5

렸

료

5

를

끝

5

를

끝

5

렸

끝

5

렸

료

S

급

급bU

26: 79

768

6: 7B C6

2

4

8266

9 C

2

8 B266

4

4

D64

.3@7+ /2l i VC8A

.37: 4@ /

C S

6: 7A

em

2

4

급 급

A7C

4

4

C S

ORW

7A4+

82@AB

4

4

9

: 6+

4

2

: 66

4

C S

94+

884@

2

2

4

876

4

4

C S

Figure 6 shows the results of the sensitivity analysis. The model was run 100 times, each time with a different set of input parameters. The output variable was the number of cases per 100,000 population. The results show that the model is most sensitive to changes in the input parameter "Age". A change in age from 70 to 80 years resulted in a change in the number of cases from 1.0 to 1.5 cases per 100,000 population. The model was also sensitive to changes in the input parameter "Gender". A change in gender from male to female resulted in a change in the number of cases from 1.0 to 1.2 cases per 100,000 population.

LB

p .63: /s 6: 86 급 8 E
 급
 p .63: /s 급 E 급
 p .: 378 /s E 급 급
 p .78 1/s 급bU E 8 B266 급76

E6: 7C7D
 2 4 D64 .3@W+ /
 2 4
 E6: 7A em 2
 7C 4 876
 4
 E6: 7@ 26: 7D
 4bU
 4

6: 86 급 8 2

ORV820AB .17A4+ / : 6+ . : 66 /

급 . / 2 6

급 . A7C / 2 . 급

/ 급 /

.884@ 2194+ / 2