
Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.50-0.51 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.50-0.51 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.55-0.56 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.55-0.56 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.60-0.61 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.60-0.61 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.65-0.66 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.65-0.66 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.70-0.71 GeV/c [log]

P=0.992 ± 0.000 [poor fit]

χ^2/ndf=6.7




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.70-0.71 GeV/c [linear]

P=0.992 ± 0.000 [poor fit]

χ^2/ndf=6.7




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.75-0.76 GeV/c [log]

P=0.999 ± 0.000 [poor fit]

χ^2/ndf=5.3




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.75-0.76 GeV/c [linear]

P=0.999 ± 0.000 [poor fit]

χ^2/ndf=5.3




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.80-0.81 GeV/c [log]

P=1.000 ± 0.000

χ^2/ndf=3.2




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=0.80-0.81 GeV/c [linear]

P=1.000 ± 0.000

χ^2/ndf=3.2




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=1.00-1.01 GeV/c [log]

P=0.942 ± 0.008

χ^2/ndf=1.2




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 13.5 GeV beam energy | 2020 P24iy | inclusive accepted events

R=1.00-1.01 GeV/c [linear]

P=0.942 ± 0.008

χ^2/ndf=1.2



Gray: original calibration gate; curves retain saved-bin heights