
Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.50-0.51 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.50-0.51 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.55-0.56 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.55-0.56 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.60-0.61 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.60-0.61 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.65-0.66 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.65-0.66 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.70-0.71 GeV/c [log]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.70-0.71 GeV/c [linear]

No accepted fit

Does not imply no peak




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.75-0.76 GeV/c [log]

P=0.106 ± 0.000 [poor fit]

χ^2/ndf=10004.8




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.75-0.76 GeV/c [linear]

P=0.106 ± 0.000 [poor fit]

χ^2/ndf=10004.8




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.80-0.81 GeV/c [log]

P=0.997 ± 0.000 [poor fit]

χ^2/ndf=187.0




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=0.80-0.81 GeV/c [linear]

P=0.997 ± 0.000 [poor fit]

χ^2/ndf=187.0




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=1.00-1.01 GeV/c [log]

P=0.955 ± 0.001 [poor fit]

χ^2/ndf=176.8




Gray: original calibration gate; curves retain saved-bin heights

Au+Au FXT: 3.85 GeV beam energy | 2021 P24iy | inclusive accepted events

R=1.00-1.01 GeV/c [linear]

P=0.955 ± 0.001 [poor fit]

χ^2/ndf=176.8



Gray: original calibration gate; curves retain saved-bin heights