d

3.26877 < m^2 < 3.69315; R >= 2

Bands: model sensitivity, not a confidence interval

Green: adopted R domain; hatched: excluded / unassessed



t

7.25643 < m^2 < 8.28169; R >= 2

Bands: model sensitivity, not a confidence interval

Green: adopted R domain; hatched: excluded / unassessed



^{3}He

1.78285 < m^2 < 2.06485; R >= 2

Bands: model sensitivity, not a confidence interval

Green: adopted R domain; hatched: excluded / unassessed



^{4}He

3.26877 < m^2 < 3.69315; R >= 2

Bands: model sensitivity, not a confidence interval

Green: adopted R domain; hatched: excluded / unassessed




d
3.26877 < m² < 3.69315; R >= 2
Bands: model sensitivity, not a confidence interval
Green: adopted R domain; hatched: excluded / unassessed
Selected-track purity
TPC+TOF (4 fit conditions)
R = |p/q| [GeV/c]


t
7.25643 < m² < 8.28169; R >= 2
Bands: model sensitivity, not a confidence interval
Green: adopted R domain; hatched: excluded / unassessed
Selected-track purity
TPC+TOF (4 fit conditions)
R = |p/q| [GeV/c]


³He
1.78285 < m² < 2.06485; R >= 2
Bands: model sensitivity, not a confidence interval
Green: adopted R domain; hatched: excluded / unassessed
Selected-track purity
TPC+TOF (4 fit conditions)
R = |p/q| [GeV/c]


⁴He
3.26877 < m² < 3.69315; R >= 2
Bands: model sensitivity, not a confidence interval
Green: adopted R domain; hatched: excluded / unassessed
Selected-track purity
TPC+TOF (4 fit conditions)
Open red: quality unassessed
R = |p/q| [GeV/c]

Selection and interpretation

d: $3.26877 < m^2 < 3.69315$; $R >= 2$

Winner first; strict TOF window; $R < 2.5$

t: $7.25643 < m^2 < 8.28169$; $R >= 2$

Winner first; strict TOF window; $R < 2.5$

^{3}He: $1.78285 < m^2 < 2.06485$; $R >= 2$

Winner first; strict TOF window; $R < 2.5$

^{4}He: $3.26877 < m^2 < 3.69315$; $R >= 2$

Same m^2 window as d; direct $\Delta R=0.05$ fits; $R >= 3.2$ unassessed

Low R: 80 runs unchanged. High R: 4 nominal shape/background models.

High R: purity conditional on the stated TOF window; not TOF efficiency.

A curve is not evidence of valid fit: open red points remain unassessed.

Neither result is a centrality/m_T/CF-pair-conditioned purity measurement.