d

$3.26877 < m^2 < 3.69315$; R >= 2

Bands: model sensitivity, not a confidence interval



t

$7.25643 < m^2 < 8.28169$; R >= 2

Bands: model sensitivity, not a confidence interval



^{3}He

$1.78285 < m^2 < 2.06485$; R >= 2

Bands: model sensitivity, not a confidence interval



^{4}He

$3.26877 < m^2 < 3.69315$; R >= 2

Bands: model sensitivity, not a confidence interval




d
3.26877 < m² < 3.69315; R >= 2
Bands: model sensitivity, not a confidence interval
Selected-track purity
TPC+TOF (4 fit conditions)
R = |p/q| [GeV/c]


t
7.25643 < m² < 8.28169; R >= 2
Bands: model sensitivity, not a confidence interval
Selected-track purity
TPC+TOF (4 fit conditions)
R = |p/q| [GeV/c]


³He
1.78285 < m² < 2.06485; R >= 2
Bands: model sensitivity, not a confidence interval
Selected-track purity
TPC+TOF (4 fit conditions)
R = |p/q| [GeV/c]


⁴He
3.26877 < m² < 3.69315; R >= 2
Bands: model sensitivity, not a confidence interval
Selected-track purity
TPC+TOF (4 fit conditions)
Open red: quality unassessed
R = |p/q| [GeV/c]

Selection and interpretation

d: $3.26877 < m^2 < 3.69315$; R >= 2

Winner first; strict TOF window; R < 2.5

t: $7.25643 < m^2 < 8.28169$; R >= 2

Winner first; strict TOF window; R < 2.5

^{3}He: $1.78285 < m^2 < 2.06485$; R >= 2

Winner first; strict TOF window; R < 2.5

^{4}He: $3.26877 < m^2 < 3.69315$; R >= 2

Study: same TOF window as d; old He4 $3 < m^2 < 4$ not evaluated

Low R: unchanged 80-run study; inclusive TPC best-species selection.

High R: purity conditional on the stated TOF window; not TOF efficiency.

A curve is not evidence of valid fit: open red points remain unassessed.

Neither result is a centrality/m_T/CF-pair-conditioned purity measurement.