
TAG_T R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 88.1; D 1.223e+04; AMP 1



Saved fit mask 16.00-30.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 88.1; D 1.223e+04; AMP 1



Saved fit mask 16.00-30.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 70.5; D 9754; AMP 1



Saved fit mask 16.50-30.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 70.5; D 9754; AMP 1



Saved fit mask 16.50-30.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 56.3; D 8017; AMP 1



Saved fit mask 16.50-31.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 56.3; D 8017; AMP 1



Saved fit mask 16.50-31.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 42.7; D 6054; AMP 1



Saved fit mask 17.00-31.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 42.7; D 6054; AMP 1



Saved fit mask 17.00-31.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 34.4; D 5058; AMP 1



Saved fit mask 17.00-32.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 34.4; D 5058; AMP 1



Saved fit mask 17.00-32.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 24.8; D 3640; AMP 1



Saved fit mask 17.50-32.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 24.8; D 3640; AMP 1



Saved fit mask 17.50-32.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 20.8; D 3043; AMP 1



Saved fit mask 18.00-33.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 20.8; D 3043; AMP 1



Saved fit mask 18.00-33.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 15.9; D 2399; AMP 1



Saved fit mask 18.00-33.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 15.9; D 2399; AMP 1



Saved fit mask 18.00-33.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 12.8; D 1932; AMP 1



Saved fit mask 18.50-34.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 12.8; D 1932; AMP 1



Saved fit mask 18.50-34.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 12.7; D 1985; AMP 1



Saved fit mask 19.00-35.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 12.7; D 1985; AMP 1



Saved fit mask 19.00-35.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 861; D 1.244e+05; AMP 1



Saved fit mask 25.00-40.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 861; D 1.244e+05; AMP 1



Saved fit mask 25.00-40.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 863; D 1.288e+05; AMP 1



Saved fit mask 25.00-40.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 863; D 1.288e+05; AMP 1



Saved fit mask 25.00-40.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 864; D 1.294e+05; AMP 1



Saved fit mask 25.50-41.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 864; D 1.294e+05; AMP 1



Saved fit mask 25.50-41.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 853; D 1.319e+05; AMP 1



Saved fit mask 25.50-41.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 853; D 1.319e+05; AMP 1



Saved fit mask 25.50-41.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 846; D 1.315e+05; AMP 1



Saved fit mask 26.00-42.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 846; D 1.315e+05; AMP 1



Saved fit mask 26.00-42.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 842; D 1.311e+05; AMP 1



Saved fit mask 26.50-42.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 842; D 1.311e+05; AMP 1



Saved fit mask 26.50-42.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 820; D 1.32e+05; AMP 1



Saved fit mask 26.50-43.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 820; D 1.32e+05; AMP 1



Saved fit mask 26.50-43.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 789; D 1.312e+05; AMP 1



Saved fit mask 27.00-44.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 789; D 1.312e+05; AMP 1



Saved fit mask 27.00-44.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 773; D 1.29e+05; AMP 1



Saved fit mask 27.50-44.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 773; D 1.29e+05; AMP 1



Saved fit mask 27.50-44.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 731; D 1.259e+05; AMP 1



Saved fit mask 27.50-45.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 731; D 1.259e+05; AMP 1



Saved fit mask 27.50-45.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 1.02e+03; D 4.941e+05; AMP 1



Saved fit mask 8.50-56.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 1.02e+03; D 4.941e+05; AMP 1



Saved fit mask 8.50-56.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 989; D 4.855e+05; AMP 1



Saved fit mask 8.50-56.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 989; D 4.855e+05; AMP 1



Saved fit mask 8.50-56.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 954; D 4.783e+05; AMP 1



Saved fit mask 8.50-57.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 954; D 4.783e+05; AMP 1



Saved fit mask 8.50-57.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 935; D 4.694e+05; AMP 1



Saved fit mask 9.00-58.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 935; D 4.694e+05; AMP 1



Saved fit mask 9.00-58.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 898; D 4.6e+05; AMP 1



Saved fit mask 9.00-59.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 898; D 4.6e+05; AMP 1



Saved fit mask 9.00-59.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 858; D 4.479e+05; AMP 1



Saved fit mask 9.00-60.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 858; D 4.479e+05; AMP 1



Saved fit mask 9.00-60.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 832; D 4.349e+05; AMP 1



Saved fit mask 9.50-60.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 832; D 4.349e+05; AMP 1



Saved fit mask 9.50-60.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 792; D 4.222e+05; AMP 1



Saved fit mask 9.50-61.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 792; D 4.222e+05; AMP 1



Saved fit mask 9.50-61.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 758; D 4.081e+05; AMP 1



Saved fit mask 10.00-62.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 758; D 4.081e+05; AMP 1



Saved fit mask 10.00-62.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 727; D 3.957e+05; AMP 1



Saved fit mask 10.00-63.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS / BOUNDARY

Status 0 / covariance 3; raw chi2/ndf 727; D 3.957e+05; AMP 1



Saved fit mask 10.00-63.00 keV/cm (gray); outside: observed data ONLY

Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation