
TAG_T R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 87.7; D 1.227e+04; AMP 1



Saved fit mask 16.00-30.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 87.7; D 1.227e+04; AMP 1



Saved fit mask 16.00-30.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 70.6; D 9774; AMP 1



TAG_T R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 70.6; D 9774; AMP 1



TAG_T R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 56.2; D 8021; AMP 1



Saved fit mask 16.50-31.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 56.2; D 8021; AMP 1



Saved fit mask 16.50-31.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 42.7; D 6066; AMP 1



TAG_T R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 42.7; D 6066; AMP 1



TAG_T R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 34.4; D 5058; AMP 1



Saved fit mask 17.00-32.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 34.4; D 5058; AMP 1



Saved fit mask 17.00-32.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 24.8; D 3641; AMP 1



TAG_T R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 24.8; D 3641; AMP 1



TAG_T R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 20.8; D 3043; AMP 1



Saved fit mask 18.00-33.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 20.8; D 3043; AMP 1



Saved fit mask 18.00-33.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 15.9; D 2400; AMP 1



TAG_T R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 15.9; D 2400; AMP 1



TAG_T R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 12.8; D 1930; AMP 1



Saved fit mask 18.50-34.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 12.8; D 1930; AMP 1



Saved fit mask 18.50-34.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 12.7; D 1984; AMP 1



TAG_T R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 12.7; D 1984; AMP 1



TAG_HE3 R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 826; D 1.213e+05; AMP 1



Saved fit mask 25.00-40.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 826; D 1.213e+05; AMP 1



Saved fit mask 25.00-40.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 831; D 1.261e+05; AMP 1



TAG_HE3 R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 831; D 1.261e+05; AMP 1



TAG_HE3 R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 833; D 1.266e+05; AMP 1



Saved fit mask 25.50-41.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 833; D 1.266e+05; AMP 1



Saved fit mask 25.50-41.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 828; D 1.297e+05; AMP 1



TAG_HE3 R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 828; D 1.297e+05; AMP 1



TAG_HE3 R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 821; D 1.293e+05; AMP 1



Saved fit mask 26.00-42.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 821; D 1.293e+05; AMP 1



Saved fit mask 26.00-42.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 817; D 1.289e+05; AMP 1



TAG_HE3 R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 817; D 1.289e+05; AMP 1



TAG_HE3 R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 801; D 1.303e+05; AMP 1



Saved fit mask 26.50-43.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 801; D 1.303e+05; AMP 1



Saved fit mask 26.50-43.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 771; D 1.295e+05; AMP 1



TAG_HE3 R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 771; D 1.295e+05; AMP 1



TAG_HE3 R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 756; D 1.274e+05; AMP 1



Saved fit mask 27.50-44.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 756; D 1.274e+05; AMP 1



Saved fit mask 27.50-44.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 718; D 1.247e+05; AMP 1



TAG_HE3 R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 718; D 1.247e+05; AMP 1



TAG_D R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 1.04e+03; D 4.994e+05; AMP 1



Saved fit mask 8.50-56.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 1.04e+03; D 4.994e+05; AMP 1



Saved fit mask 8.50-56.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 1.01e+03; D 4.908e+05; AMP 1



TAG_D R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 1.01e+03; D 4.908e+05; AMP 1



TAG_D R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 969; D 4.834e+05; AMP 1



Saved fit mask 8.50-57.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 969; D 4.834e+05; AMP 1



Saved fit mask 8.50-57.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 948; D 4.735e+05; AMP 1



TAG_D R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 948; D 4.735e+05; AMP 1



TAG_D R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 910; D 4.639e+05; AMP 1



Saved fit mask 9.00-59.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 910; D 4.639e+05; AMP 1



Saved fit mask 9.00-59.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 869; D 4.517e+05; AMP 1



TAG_D R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 869; D 4.517e+05; AMP 1



TAG_D R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 843; D 4.382e+05; AMP 1



Saved fit mask 9.50-60.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 843; D 4.382e+05; AMP 1



Saved fit mask 9.50-60.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 800; D 4.25e+05; AMP 1



TAG_D R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS


Status 0 / covariance 3; raw chi2/ndf 800; D 4.25e+05; AMP 1



TAG_D R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 766; D 4.107e+05; AMP 1



Saved fit mask 10.00-62.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 766; D 4.107e+05; AMP 1



Saved fit mask 10.00-62.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Lognormal mode/local-curvature width; NOT mean/std; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 734; D 3.978e+05; AMP 1



TAG_D R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 734; D 3.978e+05; AMP 1

