
TAG_T R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 179; D 2.61e+04; AMP 1



Saved fit mask 16.00-30.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 179; D 2.61e+04; AMP 1



Saved fit mask 16.00-30.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 166; D 2.424e+04; AMP 1



Saved fit mask 16.50-30.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 166; D 2.424e+04; AMP 1



Saved fit mask 16.50-30.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 153; D 2.31e+04; AMP 1



Saved fit mask 16.50-31.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 153; D 2.31e+04; AMP 1



Saved fit mask 16.50-31.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 149; D 2.239e+04; AMP 1



Saved fit mask 17.00-31.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 149; D 2.239e+04; AMP 1



Saved fit mask 17.00-31.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 132; D 2.053e+04; AMP 1



Saved fit mask 17.00-32.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 132; D 2.053e+04; AMP 1



Saved fit mask 17.00-32.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 118; D 1.816e+04; AMP 1



Saved fit mask 17.50-32.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 118; D 1.816e+04; AMP 1



Saved fit mask 17.50-32.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 107; D 1.637e+04; AMP 1



Saved fit mask 18.00-33.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 107; D 1.637e+04; AMP 1



Saved fit mask 18.00-33.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 93.6; D 1.465e+04; AMP 1



Saved fit mask 18.00-33.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 93.6; D 1.465e+04; AMP 1



Saved fit mask 18.00-33.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 83; D 1.291e+04; AMP 1



Saved fit mask 18.50-34.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 83; D 1.291e+04; AMP 1



Saved fit mask 18.50-34.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 76.8; D 1.205e+04; AMP 1



Saved fit mask 19.00-35.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_T R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 76.8; D 1.205e+04; AMP 1



Saved fit mask 19.00-35.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 476; D 6.941e+04; AMP 1



Saved fit mask 25.00-40.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 476; D 6.941e+04; AMP 1



Saved fit mask 25.00-40.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 476; D 7.177e+04; AMP 1



Saved fit mask 25.00-40.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 476; D 7.177e+04; AMP 1



Saved fit mask 25.00-40.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 480; D 7.246e+04; AMP 1



Saved fit mask 25.50-41.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 480; D 7.246e+04; AMP 1



Saved fit mask 25.50-41.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 472; D 7.379e+04; AMP 1



Saved fit mask 25.50-41.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 472; D 7.379e+04; AMP 1



Saved fit mask 25.50-41.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 470; D 7.359e+04; AMP 1



Saved fit mask 26.00-42.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 470; D 7.359e+04; AMP 1



Saved fit mask 26.00-42.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 470; D 7.365e+04; AMP 1



Saved fit mask 26.50-42.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 470; D 7.365e+04; AMP 1



Saved fit mask 26.50-42.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 457; D 7.408e+04; AMP 1



Saved fit mask 26.50-43.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 457; D 7.408e+04; AMP 1



Saved fit mask 26.50-43.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 438; D 7.331e+04; AMP 1



Saved fit mask 27.00-44.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 438; D 7.331e+04; AMP 1



Saved fit mask 27.00-44.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 431; D 7.231e+04; AMP 1



Saved fit mask 27.50-44.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 431; D 7.231e+04; AMP 1



Saved fit mask 27.50-44.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 405; D 7e+04; AMP 1



Saved fit mask 27.50-45.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_HE3 R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 405; D 7e+04; AMP 1



Saved fit mask 27.50-45.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.890-0.900 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 552; D 2.513e+05; AMP 1



Saved fit mask 8.50-56.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.890-0.900 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 552; D 2.513e+05; AMP 1



Saved fit mask 8.50-56.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.880-0.890 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 549; D 2.526e+05; AMP 1



Saved fit mask 8.50-56.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.880-0.890 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 549; D 2.526e+05; AMP 1



Saved fit mask 8.50-56.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.870-0.880 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 541; D 2.552e+05; AMP 1



Saved fit mask 8.50-57.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.870-0.880 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 541; D 2.552e+05; AMP 1



Saved fit mask 8.50-57.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.860-0.870 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 528; D 2.5e+05; AMP 1



Saved fit mask 9.00-58.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.860-0.870 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 528; D 2.5e+05; AMP 1



Saved fit mask 9.00-58.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.850-0.860 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 526; D 2.542e+05; AMP 1



Saved fit mask 9.00-59.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.850-0.860 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 526; D 2.542e+05; AMP 1



Saved fit mask 9.00-59.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.840-0.850 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 518; D 2.552e+05; AMP 1



Saved fit mask 9.00-60.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.840-0.850 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 518; D 2.552e+05; AMP 1



Saved fit mask 9.00-60.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.830-0.840 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 504; D 2.491e+05; AMP 1



Saved fit mask 9.50-60.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.830-0.840 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 504; D 2.491e+05; AMP 1



Saved fit mask 9.50-60.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.820-0.830 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 494; D 2.505e+05; AMP 1



Saved fit mask 9.50-61.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.820-0.830 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 494; D 2.505e+05; AMP 1



Saved fit mask 9.50-61.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.810-0.820 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 470; D 2.407e+05; AMP 1



Saved fit mask 10.00-62.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.810-0.820 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 470; D 2.407e+05; AMP 1



Saved fit mask 10.00-62.50 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.800-0.810 | display FULL 0-120 | log

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 468; D 2.446e+05; AMP 1



Saved fit mask 10.00-63.00 keV/cm (gray); outside: observed data ONLY


Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation

TAG_D R 0.800-0.810 | display FULL 0-120 | linear

REFERENCE ONLY / isotope identity unvalidated / POOR RESIDUALS

Status 0 / covariance 3; raw chi2/ndf 468; D 2.446e+05; AMP 1



Saved fit mask 10.00-63.00 keV/cm (gray); outside: observed data ONLY

Curves: saved bin-integrated expectations; display uses native-bin SUM, no density scaling

Gaussian mean/std; merged-R projection; TAG conditional, NOT intrinsic/transfer validation