

Index

- ε -neighborhood, 939
- σ -additivity, 239
- σ -algebra, 239, 344
 - cylinder set(s), 239, 538
- action, 44, 305, 520
 - mixed, 272
- affine
 - dependence, 917
 - independence, 917
- Akerlof, G. A., 368
- algorithm
 - computing the nucleolus, 815
 - men's courtship, 888, 890
 - women's courtship, 890, 891
- allocation, 703
- alternative, 856
 - efficient, 640
 - individually rational, 640
- Altman, E., 194
- Anscombe, F., 27, 321
- approval voting, 882
- Arrow, K., 31, 859
- Arrow–Pratt measure of risk aversion, 37
- assessment, 278
 - consistent, 278, 295, 296
 - sequentially rational, 296
- assumption
 - completeness, 27
 - rational player, 86
 - transitivity, 28
- auction
 - all-pay, 465
 - Dutch, 464
 - efficiency property, 484
 - efficient, 478
 - English, 464, 467, 470
 - first-price, 133, 412
 - with a reserve price, 486
 - open-bid, 462
 - ascending, 464, 467, 470
 - descending, 464, 468
 - sealed-bid, 412, 462, 466, 472, 478, 479
 - all-pay, 481
 - first-price, 465, 468, 472, 473, 475, 477, 480, 481, 486, 490, 492, 494, 496
 - second-price, 91, 465, 467, 469, 470, 473, 477, 489, 492, 494
 - third-price, 511
 - with a reserve price, 507
 - with entry fee, 482
 - second-price
 - with a reserve price, 507
 - with entry fee, 482
 - symmetric with independent private values, 471
 - Vickery, 465
 - with a reserve price, 465
 - with entry fee, 465
- Aumann, R. J., 27, 313, 321, 339, 367, 456, 531, 555, 590, 591, 607, 608, 735, 774, 798, 843
- Avenhaus, R., 194
- axiom, 14
 - utility
 - continuity, 17
 - independence, 18, 21
 - monotonicity, 17, 21
 - replacement, 18
 - simplification, 18, 21, 22, 29
 - von Neumann–Morgenstern, 76, 145, 441, 489
- axiomatic approach, 625, 858
- backward induction, 138, 257, 258, 260
- balanced collection of coalitions, 693, 816, 819, 821
 - weakly, 694, 821
- balanced cover, 708
- balancing coefficients, 693
 - weak, 694
- Banks, J. S., 284
- barycentric coordinates, 677, 920
- Bayes, T., 322
- Bayesian approach, 322
- belief, 392

- coherent, 445
- common, 393
- hierarchy
 - coherent, 445
 - order k , 442
- inconsistent, 367
- operator, 392
- player, 334, 387
- space, 387
 - of a player, 403
- subspace, 400
 - consistent, 416
 - minimal, 401
 - of a player, 403
- belief system
 - complete, 275
 - consistent, 399
 - partial, 273, 275
 - induced, 275
- Benoit, J. P., 531, 555
- best reply, 97
- bid, 465
- Billingsley, P., 448, 452, 456
- Biran, D., 194
- Bird, C. G., 678, 735
- Blackwell, D., 555, 569, 573, 579
- board position, 2
- Bohnenblust, H. F., 941
- Bollobás, B., 368
- Bondareva, O., 695, 701, 735
- Borda
 - Method, 875
 - ranking, 875
 - winner, 875
- Borda, J. C., 853
- Border, K. C., 916
- Bouton, C. L., 62
- Braess paradox, 140
- Braess, D., 128, 140
- Branch, J., 31
- Camerer, C., 284
- capacity, 724
 - cut, 728
- Cesa-Bianchi, N., 607
- chance move, 49, 50
- child, 44
- Cho, I. K., 284
- Claus, A., 678
- coalition, 660, 860
 - decisive, 860–2
 - essential, 738
 - excess, 802
 - inessential, 738
 - losing, 663, 764, 826
 - winning, 663, 764, 826
 - minimal, 680, 826
 - worth, 660
- coalitional structure, 673
- coloring, 925
 - proper, 925
- common
 - belief, 393
 - knowledge, 87, 304, 321, 331, 471
 - among players, 333
 - prior, 334, 416
- comprehensiveness, 644, 652
- condition
 - balancing, 696
 - Bondareva–Shapley, 696
 - coherency, 444
 - efficiency, 478
 - Slater, 213
- Condorcet, 28, 881
 - component, 876
 - Method, 875
 - paradox, 28
 - winner, 854
- Condorcet, M. C., 854
- consistency, 823
- consistent
 - belief subspace, 416
 - belief system, 399
 - distribution, 399, 416
 - state of the world, 399, 416
- convex
 - combination, 917
 - hull, 203, 917
 - set, 687, 808, 917
- Conway, J. B., 442, 456
- coordinates
 - barycentric, 920
- core, 767, 786, 789, 802, 813
 - ε -core, 740, 847
 - for a coalitional structure, 732
 - least, 740
 - minimal, 847
- correspondence, 158, 939
 - graph, 939
 - upper semi-continuous, 316
- counterobjection, 785
- Cournot competition, 99, 358, 435, 561
- Cournot, A. A., 99
- covariance under strategic equivalence, 690

- cover
 - balanced, 708
 - monotonic, 684, 744
 - superadditive, 683, 732
 - totally balanced, 709, 740
- Curiel, I., 678
- cut, 728
 - capacity, 728
- Darwin, C., 101
- Davis, M., 735, 798, 844
- Dawkins, R., 187
- decision maker, 44, 601
- dictator, 828, 858, 864, 865
- Diekmann, A., 194
- direct market, 712
- discount factor, 543
- discounted
 - equilibrium, 544
 - payoff, 543
 - repeated game, 544
- distribution
 - consistent, 399, 416
 - probability, 239
- Dresher, M., 128
- Drèze, J. H., 735
- Dubey, P., 779
- Dubins, L. E., 905
- Dunford, N., 408, 452, 453, 456, 941
- dynamic programming, 258
- edge, 41
 - public, 746
- endowment, 703
- equilibrium
 - ε -equilibrium, 541
 - Bayesian, 408, 469, 495
 - correlated, 300, 307, 384
 - strict, 317
 - discounted, 544
 - evolutionarily stable, 189
 - in completely mixed strategies, 267
 - in mixed strategies, 147
 - Nash, 95–7, 110, 118, 134, 138, 235, 254, 266, 278, 353, 528, 539
 - path, 252
 - payoff, 96, 528, 539
 - perfect, 262, 266, 267, 271, 275
 - extensive-form, 268, 269, 271, 280
 - strategic-form, 268
 - refinements, 251
 - sequential, 271, 275, 278, 280
 - strategy
 - symmetric, 472
 - strict, 132, 191
 - subgame perfect, 252, 254, 257, 261–3, 269, 271, 555
 - symmetric, 134, 203, 472, 475, 477
 - differentiable, 485
 - increasing, 480, 481, 489, 490
 - monotonically increasing, 474
 - strategy, 472
 - uniform
 - for discounted games, 546
 - for finite games, 549
 - uniform payoff
 - for discounted games, 546
 - for finite games, 549
- event, 325
 - occurrence, 325
 - public, 321
 - tail, 210
- excess, 787
 - coalition, 802
 - vector, 802
- extreme point, 312, 917
- Felsenthal, D. S., 774
- Ferguson, T. S., 555
- Fibich, G., 508
- Filar, J. A., 520, 555
- Fisher, I., 843
- fixed point, 936, 938, 939, 941
- Flood, M., 128
- flow, 725
 - game, 724, 726
 - magnitude, 725
 - maximal, 725
- folding, 257
- Ford, L. K., 728
- Forges, F., 243, 607
- forward induction, 121, 261
- Foster, D., 607
- free rider, 722
- Freedman, D. A., 905
- Fudenberg, D., 555, 607
- Fulkerson, D. R., 728
- function
 - bilinear, 148, 570, 944
 - characteristic, 660
 - choice
 - nonmanipulable, 882
 - coalitional, 660
 - concave, 26
 - convex, 26

- correspondence, 158
- cumulative distribution, 464
- density, 464
- differentiable, 485
- distance, 571
- linear, 26
- measurable, 467, 495
- objective, 946
- payoff, 112
- potential, 780
- production, 703
- quasi-concave, 953
- set-valued, 158, 939
 - upper semi-continuous, 316
- social choice, 864
 - dictatorial, 865, 872, 873
 - majority rule, 865
 - manipulable, 871
 - monotonic, 865, 867, 872, 873, 882
 - nonmanipulable, 871, 872
 - unanimity, 865
- social welfare, 857
 - dictatorship, 858
 - independence of irrelevant alternatives, 859
 - majority rule, 858
 - monotonic, 878
 - unanimity, 859
- uniformly continuous, 936
- utility, 11, 14, 16
 - linear, 14, 19, 626
 - ordinal, 11
- Gaifman, H., 423
- Gale, D., 47, 885, 888, 905
- gamble, 27
- game
 - 0-monotonic, 683, 789, 822, 825
 - 0-normalization, 683, 822
 - 0-normalized, 822
 - 0-(−1) normalized, 670, 701
 - 0-0 normalized, 670, 700
 - 0-1 normalized, 670
 - ε -perturbed, 264
 - Absent-Minded Driver, 225, 283
 - additive, 712, 775, 781
 - agent-form, 143, 354, 411
 - Airport, 777
 - Alternating Offers, 289, 562
 - And-Or, 65
 - balanced, 696
 - bargaining, 625, 650, 759
 - solution, 651
 - symmetric, 627, 651
 - Battle of the Sexes, 61, 98, 158, 301, 313
 - Big Match, 567
 - bimatrix, 78
 - buyer-seller, 737
 - carrier, 757, 769
 - Cartel, 561
 - Centipede, 61, 259, 260
 - chess, 1, 81, 114, 115
 - Chicken, 303, 305, 384, 531
 - Chomp, 47, 63
 - coalitional, 660
 - constant-sum, 826
 - convex, 717, 767, 794, 822
 - cost, 717, 780
 - cooperative, 659
 - coordination, 98, 117
 - cost, 661, 662, 671, 687
 - convex, 717, 780
 - cost-sharing, 667
 - Cournot, 99, 358, 435, 561
 - David Gale's, 47, 63
 - Davis-Maschler reduced, 768
 - depth, 240
 - derived from a market, 704
 - dictator, 828
 - dictatorship, 764
 - dual, 737, 776, 781
 - Electronic Mail, 380
 - exact, 738
 - extensive-form, 39, 41, 43, 50, 54, 82, 115, 118, 219, 251, 257, 267, 349
 - finite, 77
 - flow, 724, 726
 - form, 467
 - gloves, 690, 759, 799, 803
 - guessing, 139
 - Harsanyi, 347, 467
 - ex ante stage, 349
 - interim stage, 349
 - Hart-Mas-Colell reduced, 768
 - Hex, 64
 - homogeneous, 827
 - incomplete information
 - ex ante stage, 349
 - interim stage, 349
 - inessential, 712
 - Lemon Market, 379
 - location, 142
 - majority, 673, 764
 - simple, 690, 759
 - market, 665, 681, 696, 705, 800
 - Matching Pennies, 52, 63, 112, 113, 320, 322
 - matrix, 78

- game (*cont.*)
 - maximum, 778
 - minimum, 778
 - monotonic, 672, 763, 826
 - monotonic cover, 684, 744, 795
 - My Aunt and I, 846
 - Nim, 62, 63
 - normal-form, 77
 - on the unit square, 121, 138, 139
 - partnership, 139
 - perfect information, 115, 118
 - perfect recall, 525
 - Principal-Agent, 288
 - Prisoner's Dilemma, 88, 97, 128
 - repeated, 259, 260, 521, 523, 525–7, 537, 539–41
 - profit, 661
 - projective, 680, 826
 - property
 - Davis–Maschler converse reduced, 716
 - Davis–Maschler reduced, 716
 - reduced
 - Davis–Maschler, 715, 823
 - Hart–Mas-Colell, 823
 - strategic form, 80
 - repeated, 519
 - T*-stage, 528
 - discounted, 544
 - infinite, 539
 - with vector payoffs, 572
 - road network, 777
 - Rock, Paper, Scissors, 74, 78, 193
 - Security Dilemma, 98
 - sequencing, 665
 - signaling, 298, 378
 - simple, 663, 763, 826
 - majority, 690, 759
 - strong, 826
 - situation, 2, 42
 - terminal, 4
 - spanning tree, 666, 679, 846
 - state, 346
 - strategic equivalence, 174
 - strategic-form, 75, 77, 82, 118, 219, 251
 - subgame, 4, 45, 55
 - superadditive, 671, 822
 - cover, 683
 - superadditive cover, 732
 - symmetric, 134, 203, 736
 - Tic-Tac-Toe, 59
 - totally balanced, 708
 - transferable utility, 660
 - tree, 4, 41, 43, 50, 54
 - Ultimatum, 285
 - unanimity, 764
 - value, 114
 - Volunteer's Dilemma, 203
 - weighted majority, 664, 826
 - quota, 664
 - weight, 664
 - with chance moves, 49, 50
 - with constraints, 213
 - with imperfect information, 52, 55
 - with incomplete information, 347, 407, 467, 469, 494
 - with perfect information, 44–6, 256, 257
 - with perfect recall, 232, 271, 280, 299
 - without nontrivial subgames, 254
 - without perfect information, 55
 - zero-sum, 110, 111, 138, 164, 174
- Gavious, A., 508
- Geanakoplos, J., 367, 368
- Gibbard, A., 872
- Gilboa, I., 309
- Gillette, D., 555
- Glazer, J., 284
- Glicksberg, T. L., 941
- Gossner, O., 555
- Granot, D., 735
- graph, 41, 721, 724
 - closed component, 406
 - connected component, 332
 - correspondence, 939
 - directed, 41
 - edge, 41
 - undirected, 721
 - vertex, 41
- Gusfield, D., 892, 905
- half-space, 308, 577, 740, 943
- Halpern, J. Y., 368
- Hannan, J., 607
- Hardy, G. H., 551
- Harris, C., 284
- Harsanyi, J., 345, 355, 367, 368, 776
- Hart, S., 607, 768, 774
- Heifetz, A., 456
- Hein, P., 64
- hierarchy
 - belief
 - coherent, 445
 - order *k*, 442
- history, 525
- Hofbauer, J., 193

- Holt, C., 508
- homeomorphism, 452
- homogeneous
 - representation, 680
 - weights, 680
- Hosokawa, Y., 128
- Hou, T. F., 606
- Huberman, G., 735
- Hurwicz, L., 508
- hyperplane, 577, 579, 943
 - separating, 578, 943
 - strictly separating, 944
- imperfect information, 180
- imputation, 674
 - set, 805
- incentives, 508
- independence
 - affine, 917
 - linear, 918
- index
 - Arrow–Pratt risk aversion, 655
 - Shapley–Shubik power, 763
- individual, 856
- inequality
 - Cauchy–Schwartz, 571
 - Markov, 582, 608
 - triangle, 571
- information
 - perfect, 44, 45
 - set, 52, 54, 55
 - preceding, 247
- initial endowment, 681
- initial position, 42
- inner product, 570, 943
- Irving, R. W., 892, 905
- Isbell, J. R., 843
- iterated elimination of strictly dominated strategies, 88
- Kahan, J. P., 783
- Kakutani, S., 938–9
- Kalai, E., 642, 645, 648, 735
- Kameda, H., 128
- Kaminski, M. M., 843
- Kaplan, T., 508
- Karlin, S., 941
- Kihlstrom, R. E., 653
- Kleitman, D. J., 678
- Klemperer, P., 508
- Knaster, B., 941
- knowledge
 - common, 87, 304, 321, 331
 - among players, 333
- operator, 325, 327
- Kohlberg, E., 260, 284, 607, 821, 843
- Kolmogorov's 0-1 Law, 210
- Kopelowitz, A., 843
- Korevaar, J., 555
- Krasucki, P., 367
- Kreps, D. M., 284
- Kripke, S., 327, 367
- Krishna, V., 508, 531, 555
- Kuhn, H., 118, 232, 950
- Kuratowski, K., 408, 941
- lattice, 898
- leaf, 42
- Lebrun, B., 508
- Ledoux, A., 128
- Lehrer, E., 194, 313, 555, 606–8
- lemma
 - Farkas, 955
 - Sperner, 926
- Lensberg, T., 652
- Levine, D., 607
- Lewis, D. K., 367
- lexicographic order, 803
- Liggett, T. M., 555
- limit
 - inverse, 450
 - projective, 450
- limited monotonicity, 649
- linear
 - independence, 918
 - program, 946
 - constraints, 946
 - dual, 946, 948
 - primal, 946, 948
 - programming, 164, 215, 701, 815, 945
 - utility function, 14
- Lippman, S. A., 555
- Littlewood, J. E., 551
- lottery, 13
 - compound, 14
 - simple, 15
- lower envelope, 153
- Luce, R. D., 30, 641
- Lugosi, G., 607
- Ma, A., 284
- Machover, M., 774
- Mailath, G. J., 555
- Mannor, S., 607
- marginal contribution, 779
- market, 703

- Marschak, J., 31
- Mas-Colell, A., 607, 768, 774
- Maschler, M., 194, 555, 590, 591, 607, 608, 653, 735, 783, 798, 843, 844
- Maskin, E., 508, 555
- matching, 884, 886, 898, 901, 904
 - polygamous, 903
 - problem, 886, 901
 - stable, 887, 901, 904
- matrix game, 78
- maximum, 897
- maxmin
 - mixed strategies, 176
 - strategy, 103, 113
 - value, 102, 103, 112, 113
- Maynard Smith, J., 186, 193
- Mazurkiewicz, S., 941
- McKelvey, R. D., 367
- mechanism
 - design, 492
 - selling, 493, 496
 - direct, 495–502, 504, 507
 - incentive compatible, 495, 496, 498–504, 507
 - individually rational, 500–2, 504
 - optimal, 501
- Megiddo, N., 555
- Mertens, J. F., 260, 284, 423, 456
- Milgrom, P. R., 423, 463, 508
- Milnor, J. W., 735
- minimum, 898
- minmax
 - mixed strategies, 177, 183
 - strategy, 113
 - value, 113, 529
- mixed extension, 147
- model
 - Aumann model of incomplete information, 323
 - with beliefs, 334, 387, 388, 416, 422
 - Harsanyi model of incomplete information, 345, 348, 349, 350, 388, 422
- Monderer, D., 367, 423
- monopoly, 509
- Morgenstern, O., 13, 678, 843
- Mycielski, J., 47, 258
- Myerson, R. B., 496, 508
 - product, 631
 - solution, 630, 635, 641
- Nash, J., 31, 64, 96, 117, 128, 151, 622, 627
- Neyman, A., 520, 555, 607, 774
- norm, 570
 - maximum, 531, 546
 - sup, 936
- normative approach, 858
- nucleolus, 804, 805, 809, 811
 - characterization, 816
 - computation, 815
 - for a coalitional structure, 805–7, 809, 813
 - relative to a set, 804
- O'Neill, B., 745
- objection, 785, 887, 901, 904
 - counterobjection, 785
 - justified, 786
- operator
 - belief, 392
 - knowledge, 325, 327
- Orshan, G., 842
- outcome, 13, 43, 50, 54
- Page, T., 367
- paradox
 - Braess, 128
 - Condorcet, 28
- Pareto optimum, 627
- Pareto, V., 627
- Parikh, R., 367
- partition, 43, 323, 673
 - meet, 334
- path, 41
 - cyclic, 41
 - end points, 41
 - length, 41
- payoff, 112, 408
 - average, 572
 - discounted, 543
 - equilibrium, 528, 539
 - uniform for discounted games, 546
 - uniform for finite games, 549
 - function, 112
 - relevant parameter, 346
- Pederzoli, G., 678
- Peleg, B., 194, 735, 798, 843, 844
- perfect recall, 232
- Perles, M. A., 653
- Piccione, M., 243
- play, 2
- Nagel, R., 128
- Nash
 - agreement point, 630
 - equilibrium, 95–7, 110, 118, 134, 138, 235, 254, 266, 278, 353, 528, 539

- player, 43, 660
 - belief, 334, 387
 - dummy, 752, 845
 - knowledge, 325
 - null, 736, 750, 811
 - pivot, 764
 - rational, 86
 - risk averse, 23–5, 37, 488, 489, 492, 655
 - risk neutral, 23–5, 471, 489
 - risk seeking, 23–5, 489
 - symmetric players, 736, 749, 810
 - value, 749
 - veto, 737, 800
- point
 - accumulation, 209
 - agreement
 - Kalai–Smorodinsky, 648
 - Nash, 630
 - conflict, 625
 - disagreement, 623–5, 627, 650, 651
 - efficient, 627
 - weakly, 627
 - extreme, 151, 312, 917
 - fixed, 166, 167, 169, 170, 936
 - individually rational, 630
 - saddle, 117, 118
 - solution, 673
 - utopia, 643
- Polemarchakis, H. M., 367, 368
- polytope, 170, 308, 687, 740, 830
- Pratt, J., 31
- preference
 - profile, 857
 - relation, 10, 14, 857, 886
 - anti-symmetric, 31
 - symmetric, 31
 - single-peaked, 874
 - strict, 857
 - two-leveled, 882
- preimputation
 - set, 805
- prenucleolus, 805, 809, 811
 - for a coalitional structure, 805, 807, 809, 813
- Price, G. R., 186
- principle
 - approachability, 607, 613
 - consistency, 835, 836
 - efficiency, 624
 - indifference, 159
 - one-stage deviation, 287, 299
 - revelation, 496
 - stability, 95
 - sure-thing, 33
 - symmetry, 624
 - trembling hand, 90, 263, 275, 277
- prize, 13
- probability
 - subjective, 26
- probability distribution, 239
- problem
 - bankruptcy, 745, 833, 843
 - corporate, 851
 - bargaining, 85
 - decision problem, 112
 - with experts, 601
 - flow, 724
 - matching, 886, 901
 - polygamous, 903
- producer, 703
- profit, 464
- profitable deviation, 96
- property
 - additivity, 751, 754, 755
 - anonymity, 652
 - consistency, 651, 652
 - covariance under changes in the units of measurement, 628
 - covariance under multiplication by a constant, 629
 - covariance under positive affine transformations, 629, 630, 632, 633, 640, 641, 651, 652
 - covariance under strategic equivalence, 750, 771, 810
 - covariance under translations, 628
 - Davis–Maschler converse reduced game, 716
 - Davis–Maschler reduced game, 716, 823
 - efficiency, 92, 627, 630, 632, 633, 640, 641, 645, 648, 651–4, 754, 755, 758, 761, 771
 - weak, 628
 - full monotonicity, 643, 645
 - homogeneity, 644, 645
 - independence of irrelevant alternatives, 630, 632, 633, 640, 641, 643, 651, 654, 859, 861, 869, 873
 - independence of units of measurement, 644, 648, 649, 653, 654
 - individual rationality
 - strict, 644, 645
 - limited monotonicity, 643, 648
 - marginality, 760, 761
 - monotonicity of marginal contributions, 760

- property (*cont.*)
 - nondictatorship, 859
 - nonmanipulability, 495
 - null player, 750, 754, 755, 758, 761
 - strong symmetry, 736
 - symmetry, 627, 630, 632, 633, 640, 641, 645, 648, 651–4, 750, 754, 755, 758, 761, 771
 - unanimity, 859, 861–3, 865, 869, 873
 - valuation, 779
- public event, 321
- quadratic programming, 165
- quota, 664, 826
- Raiffa, H., 30, 641
- Ramey, G., 284
- random variable, 464
- Rapoport, A., 783
- rationality, 260
- rationalizability, 90, 95
- recommendation, 305
- region
 - feasible, 946
- relation
 - acyclic, 791
 - anti-symmetric, 31
 - asymmetric, 886
 - binary, 10
 - complete, 10, 803, 886
 - continuous, 803
 - equivalence, 669
 - indifference, 10, 897
 - irreflexive, 886
 - lexicographic, 803
 - ordering
 - irreflexive, 897
 - partial, 897
 - transitive, 897
 - preference, 10, 857, 886
 - weak, 10
 - reflexive, 10, 669, 803
 - symmetric, 31
 - symmetry, 669
 - transitive, 10, 669, 803, 886
- Reny, P., 284, 508
- representation, 826
 - homogeneous, 827
 - normalized, 827
- Riley, J., 508
- risk
 - aversion, 23–5
 - Arrow–Pratt, 37
 - neutrality, 23–5
 - seeking, 23–5
 - risk aversion, 37
- Roberts, J., 423
- Robson, A., 284
- root, 42
- Rosenthal, R., 61
- Roth, A. E., 653, 905
- Rothschild, M., 31
- Rubinstein, A., 243, 284, 368, 555
- Rustichini, A., 607
- Ryll-Nardzewski, C., 408
- Samet, D., 367, 423, 456
- Samuelson, L., 555
- Satterthwaite, M., 872
- Savage, L., 26, 31, 321
- Schauder, J., 941
- Schmeidler, D., 653, 735, 801
- Schuster, K., 844
- Schwartz, J. T., 408, 452, 453, 456, 941
- Sebenius, J., 367, 368
- security level, 103
- Sela, A., 508
- Selten, R., 29, 90, 128, 253, 284, 844
- sequential rationality, 274
- set
 - B*-Set, 579
 - approachable, 573
 - bargaining, 813
 - closed, 405, 566
 - convex, 687, 808, 917
 - convex hull, 917
 - cylinder, 538
 - decision vertices, 43
 - excludable, 573
 - feasible payoffs, 531
 - histories in stage t , 601
 - imputation, 805
 - individually rational payoffs, 530
 - information, 52, 54, 55
 - measurable, 387
 - of alternatives, 625, 650
 - open, 405
 - partially ordered, 898
 - preimputation, 805
 - relatively open, 344
 - solution, 654, 673
 - weakly approachable, 606
 - weakly excludable, 606
 - Weber, 720
- Shapley value, 85, 755, 812, 823, 842

- Shapley, L. S., 194, 531, 555, 637, 678, 695, 701, 705, 708, 717, 735, 748, 754, 774, 844, 885, 888
- Shapley–Shubik power index, 764
- Shiryayev, A. N., 453
- Shubik, M., 678, 705, 708, 735
- Sigmund, K., 193
- Simon, R. S., 354, 607
- simple majority rule, 858
- simplex, 146, 920
 - boundary, 921
 - diameter, 929
 - face, 921
 - perfectly colored, 926
 - simplicial partition, 921
 - diameter, 930
 - standard, 935
 - subsimplex, 921
- sink, 724
- situation
 - Aumann
 - incomplete information, 324
 - incomplete information with beliefs, 337
- Slater condition, 213
- Smorodinsky, M., 642, 648
- Sobel, J., 284
- Sobolev, A. I., 842
- Solan, E., 194, 607, 608
- solution, 88, 626, 638, 833
 - bargaining game, 651
 - concept, 624
 - efficient, 749
 - linear, 770
 - single-valued, 749
 - consistent, 843
 - containers, 837
 - dominant strategies, 88
 - Hart–Mas–Colell consistent, 770, 771
 - Kalai–Smorodinsky, 648, 657
 - Nash, 630, 635, 641
 - optimal, 946
 - point, 673
 - Rabbi Nathan, 836
 - reasonable, 737
 - set, 673
 - standard, 811
 - utilitarian, 640
- Solymosi, T., 798
- Sorin, S., 423, 520, 555, 607
- Sotomayer, M. A. O., 905
- source, 721, 724
- space
 - belief, 387
 - belief hierarchies, 445
 - coherent, 445
 - half-space, 308
 - Hausdorff, 453, 460
 - measurable, 239, 344, 387, 493
 - topological, 405
 - type, 394
 - universal belief, 453
 - universal type, 450
- Spież, S., 607
- Spinat, X., 606
- state
 - game, 346
 - of mind, 450
 - of nature, 323, 346, 453, 600
 - of the world, 323, 453
 - consistent, 399, 416
- status quo
 - line, 639
 - region, 639
- Stearns, R. E., 797
- Stiglitz, J., 31
- Stoltz, G., 607
- strategic equivalence, 174, 668, 670, 690
- strategy, 2, 45, 56, 305, 525, 601
 - approaching, 573
 - behavior, 219, 221, 278, 408, 525, 538, 572
 - completely mixed, 256
 - best reply, 97
 - completely mixed, 161, 256, 276, 278
 - dominated, 95
 - equalizing, 198
 - equivalent, 223
 - evolutionarily stable, 189
 - finite memory, 563
 - Grim–Trigger, 538, 563
 - guaranteeing, 198, 592
 - guaranteeing at least a draw, 3, 5, 46
 - maxmin, 103
 - measurable, 467
 - mixed, 144, 146, 352, 525, 576
 - no-regret, 602, 619
 - optimal, 114, 592
 - punishment, 529
 - vector, 529
 - pure, 146, 219, 257, 351, 467, 495, 525, 538
 - reduced, 59
 - stationary, 587
 - strictly dominant, 86
 - strictly dominated, 86, 110
 - symmetric equilibrium
 - monotonically increasing, 474
 - threshold, 363

- strategy (*cont.*)
 - Tit-for-Tat, 564
 - vector, 45, 526
 - mixed/behavior, 222
 - rational, 90, 276
 - sequentially rational, 276
 - weakly dominant, 90, 469
 - weakly dominated, 90, 265
 - by a mixed strategy, 196, 292
 - winning, 3, 5, 46–8
- subgame, 4, 45, 55
- subspace
 - belief, 400
- subtree, 4
- Sudhölter, P., 798, 843
- support, 203, 206, 925
- supporting line, 635, 653
- Suslin, M., 345
- system
 - spanning tree, 721, 745
- Tamir, A., 678, 735
- Tauman, Y., 194
- terminal point, 42
- theorem
 - Arrow, 859, 870, 873
 - Bondareva–Shapley, 701
 - Brouwer's Fixed Point, 166, 935, 936, 941, 953
 - Duality, 215, 817, 818
 - envelope, 484, 485
 - fixed point, 166, 916
 - Folk, 531, 539, 545, 549
 - Ford–Fulkerson, 728
 - Gibbard–Satterthwaite, 872
 - Hardy–Littlewood, 551
 - Kakutani's Fixed Point, 214, 939, 941, 953
 - KKM, 941, 953
 - Kohlberg, 821, 823, 824
 - Kolmogorov extension, 453
 - Kuhn, 118, 525
 - Minmax, 151, 699
 - Nash, 192
 - Nash equilibrium, 151
 - Revenue Equivalence, 474, 478, 479, 492, 497
 - Riesz representation, 441, 442
 - Separating Hyperplane, 944
 - Shapley–Shubik, 705
 - Strong Duality, 949
 - Tychonoff, 452
 - von Neumann, 46, 49, 59, 63, 215
 - Weak Duality, 949
- Thompson, F. B., 84
- tight system, 816
- Tijs, S., 678
- Tomala, T., 555
- topology
 - weak-*, 441
- Toruńczyk, H., 607
- totally balanced cover, 709
- transformation
 - affine, 22
- tree, 4, 42
 - game, 4, 41, 43, 50, 54
 - root, 42
 - subtree, 4
- trembling hand, 90
- Tucker, A., 128
- type, 394, 450, 467
 - space, 394
 - universal type space, 450
- upper envelope, 154, 485
- utility
 - function, 11, 14, 16
 - linear, 14, 19
 - ordinal, 11
 - von Neumann–Morgenstern, 14
- utility theory, 489, 569
- value, 114, 137
 - Banzhaf, 780
 - common, 462
 - in behavior strategies, 238
 - in mixed strategies, 147, 151
 - information, 180
 - maxmin, 102, 103, 112, 113
 - mixed strategies, 176
 - minmax, 113, 529
 - mixed strategies, 177, 183
 - private, 91, 462, 466, 471, 500
 - Shapley, 755, 812
 - uniform
 - for finite games, 565, 592
- van Damme, E., 284
- van Rijswijk, J., 64
- van Zandt, T., 423
- Vanderbei, R. J., 950
- Vassilakis, S., 367
- vector
 - coalitionally rational, 687
 - division, 833
 - efficient, 674
 - excess, 802
 - feasible, 946
 - imputation, 674

- incidence, 816
- individually rational, 674
- payoff, 674
- perturbation, 264
- socially rational, 674
- strategy, 45
 - rational, 90, 276
- unit, 918
- vertex, 41, 721
 - chance, 252
 - child, 4, 44
 - decision, 43
 - depth, 240
 - descendant, 4
 - initial, 721
 - leaf, 4, 42
 - root, 4, 42
 - terminal point, 42
- Vickrey, W., 469, 508
- Vieille, N., 607
- Viossat, Y., 194, 313
- Vives, X., 423
- Vohra, R. V., 607
- von Neumann, J., xxiii, 13, 46, 151, 678, 843
- von Neumann–Morgenstern
 - Axioms, 14
- von Stengel, B., 194, 243
- Vrieze, K., 520, 555
- Weber, R. J., 463, 508, 735
- Weigelt, K., 284
- weight, 664, 826
 - homogeneous, 680
- Wilson, R. B., 284
- Wolfstetter, E., 509
- Young, H. P., 761
- Zamir, S., 194, 367, 423, 456, 508, 593, 607, 608
- Zeeman, E. C., 193
- Zemel, E., 309, 735