

# HDSFD Overview

# HDSFD V2: Product Specification Document

## Project Overview & Status (HDSFD)

### Already Implemented

- **Glassmorphic UI:** Premium frosted glass aesthetic with blur depth filters.
- **Database Layer:** SQL Database for secure local and structured data storage.
- **Core Utilities:** Pomodoro Timer, To-Do lists, and Post-It Notes.

### Known Bugs to Fix

- **Post-It Notes:** Delete action fails to trigger or persist in the database.
  - **Fluid Animation Button:** Missing the toggle pill/slider component in the settings UI.
  - **Folder Selector:** Dropdown menu elements rendering with transparent backgrounds; terminal list option is unselectable due to clipping issues.
  - **Timer UI:** Off-center layout and pixel offset on mobile viewport breakpoints.
  - **Glass Tab UI:** Over-transparency causing text readability issues against moving backgrounds.
- 

## Architecture & Core Mechanics

### Layout Flexibility & Responsiveness

- **Universal Desktop Layout:** Multi-column split views with fully resizable panel dividers per tab.
- **Universal Mobile Layout:** Optimized stacked or single-view toggle mechanisms for single-hand interaction.
- **Top Navigation Bar:** Persistent global header across all views containing:
  - **Top Left:** Settings Icon.
  - **Center:** Dynamic marquee notification bar scrolling through upcoming tasks, limited friend updates, and pinned reminders.
  - **Top Right:** Brand text "HDSFD", digital clock/date display, and a Seed Currency Counter (displays formatted values like  $\$1.2\text{k}$ ,  $\$3.5\text{M}$ ,  $\$2.1\text{B}$ ; exact integers are viewable in the stats panel).
- **Onboarding System:** Step-by-step setup tutorial launching immediately post-signup to guide users through hardware/calendar syncing, data permissions, and currency mechanics.

- **Backend & Cloud Sync:** Relational SQL architecture paired with Firebase for real-time multiplayer features (chat, rooms). Includes a cloud storage backup integration (e.g., Dropbox) for secure, scalable cross-device database synchronization.
  - **Design Language:** Ultra-fast, responsive, minimalist premium interface with real-time dynamic environmental lighting (weather shifts, day/night diurnal cycles, customized forest aesthetics).
- 

## Detailed Tab Breakdown

### Tab 1: Focus

#### Desktop View

- **Left Panel (Community Hub):**
  - Ephemeral chat system where all messages auto-delete after 24 hours.
  - Virtual co-studying rooms with click-to-join functionality.
  - Friend lookup bar to view mutual live gameplay/study statistics.
  - Peer-to-peer sharing ecosystem for Post-It notes and Seed Currency transactions.
- **Center Panel (Audio Pomodoro Timer):**
  - High-fidelity audio mixer featuring spatial rain, white noise, and lofi music channels.
  - Desktop-native audio alerts and push notifications.
  - **Zen Mode:** Single-click UI isolation that transitions the app into a pure black background with a floating, glowing timer window. It locks out tab switching, hides peripheral panels, and forces system Do Not Disturb (DND) tracking while maintaining an explicit exit trigger.
- **Right Panel (Gamified RPG Statistics & Shop Integration):**
  - Live-evolving virtual plant starting as a seed upon login. Withers over time if consecutive daily study milestones are missed.
  - RPG profile metrics tracking study streaks, total focused hours, and completed objectives.
  - Streak Reward System to unlock daily seed multiplier packs during deep focus loops.
  - **Exam Boss Battle UI:** Immersive storm-rain background template overlaying condensation drops on the glass surface. Inputting an exam date generates a dynamic linear timeline. Active task completion drains the timeline/boss health bar until the date arrives.
  - Integrated Shop Button to purchase customized profile assets.

#### Mobile View

- Stacked single-column hierarchy layout.
  - Pomodoro timer pinned permanently to the top of the viewport.
  - Community hub, RPG stats, and boss battle panels accessible via vertical scrolling below the fold.
- 

## Tab 2: Tasks

### Desktop View

- **Left Panel (Advanced Task Management):**
  - Folder-organized directory tree structure for active task sheets.
  - Custom manual sorting with high-to-low priority hierarchy toggles.
- **Right Panel (Unified Schedule & Analytics Calendar):**
  - Time-blocking workspace supporting two-way sync integrations with external calendar clients (e.g., Google Calendar).
  - Multiple display view filters: Daily, Weekly, Monthly, Yearly, and Academic Syllabus modes.
  - Fully integrated drag-and-drop workspace for assigning tasks directly onto calendar dates.
  - **Habit Tracker Hub:** Customizable habit checklist displaying dedicated streaks and completion metrics.
  - **GitHub-Style Contribution Heatmap:** Visual grid plotting daily focus volume and completed habits over a rolling calendar year.
  - **Duolingo-Style Streak Freeze:** Safeguard mechanic allowing users to buy streak protection items using accumulated seeds.
- **AI Task Orchestrator:** Inline natural language processing to organize tasks, predict schedules, and build routine blocks via a dedicated chat panel interface.

### Mobile View

- Dual-pane layout restricted by a strict horizontal screen-width breakpoint.
  - Quick-action toggle switch placed at the screen base to transition the view between the Task List and the Calendar Grid.
- 

## Tab 3: Notes

### Desktop View

- **Core Workspace (The Interactive Journal):**

- Dual-page skeuomorphic digital book layout with explicit page-flipping animations.
- Left-side Table of Contents navigation pane alongside user-defined spatial bookmarks.
- Interactive vector canvas layer supporting multi-touch digital drawing and sketching.
- Dynamic media attachment tools allowing images to be embedded directly into notes or appended to floating Post-It elements.
- **Interface Hotspots:**
  - **Top Left & Bottom Left Corners:** Fast-action triggers for creating plain-text sticky notes and opening drawing canvas overlays.
  - **Top Right Corner:** Native Markdown document editor with a comprehensive rich-text formatting panel.
  - **Bottom Right Corner:** Embedded Local AI Assistant button. Launches a localized contextual drawer panel to scan, search, tag, and sort notebook structures.
- **Window Dressing:** Clicking any corner control icon summons a translucent glassmorphic window element floating over the page spread.

## Mobile View

- Responsive transformation into a single-page vertical journal interface.
  - Optimized infinite-scroll scrolling mechanic replacing the dual-page book-flipping design.
- 

## Tab 4: Other

### Desktop View

- **Left Side (The Jarvis AI Interface):**
  - High-capacity workspace assistant equipped with absolute runtime visibility over all application tabs, notes, and metrics.
  - Processing granular slider controls to toggle LLM engine tiers (e.g., selecting between high/low reasoning variants of Claude, GPT, or Gemini models).
- **Right Side (Multi-View Suite):**
  - **View 1 (Detailed Analytics Hub):** Synchronized telemetry detailing study hours, task velocity, and habits. Includes an optional biometric integration module syncing external health ecosystems (e.g., Apple Health, Google Fit) to translate physical step counts into extra seed payouts.
  - **View 2 (Premium Seed Marketplace):** Item shop distributing premium visual skins, themes, and dynamic audio landscapes. Supports peer-to-peer asset gifting and real-time transaction processing for seed pack purchases or tier subscriptions.

- **View 3 (Global Application Settings):** Comprehensive control deck handling data export layers, security keys, account management, and profile setups.

## Mobile View

- Segregated view architecture mapping the screen real estate to a dedicated 4-button quick tab controller.
  - Allows instantaneous full-screen transitions between the **AI Assistant**, **Analytics Hub**, **Seed Marketplace**, and **Global Settings**.
- 



## Core Loop Diagram

- Focus (Earn Seeds via Timer/Boss Battles)  $\rightarrow$  Tasks/Habits (Log Milestones, Buy Streak Freezes)  $\rightarrow$  Notes (Organize, Illustrate, Synthesize via AI)  $\rightarrow$  Marketplace (Spend Seeds on Cosmetics & Gifts)
-

# Overview Prompt

full breakdown: Tab 1: Focus the same Timer in the middle. but with rain, white noise or lofi sounds now. to timer notification should actually work and ring. it should have a zen mode that removes everything, changes theme to black (entire black background with floating window glowing), locks the screen removing the tabs and turns on do not disturb. (but you can exit of course) on the left side is the community window. it should have a chat that is deleted in 24 hours, and rooms that we can join to study. we can type in friends names and get their visible game stats. we can share our post it notes or even send seeds (plant money currency) to friends. On the right side is the gamified stats. a little seed at the start when you login, but it should have those rpg study stats related to streaks, hours, tasks, etc.. there should be a shop button there where you can buy stuff with seeds etc. (should open shop in the last tab or integrated too) you can claim daily seeds with streaks unlock packs or something and get one buy one the more you focus. (should also work in background in zen mode) there should also be that exam boss battle which is just a storm rain ui (like cool drops on the glass background with storm behind) so inputting the date spawns a timeline bar with matching the theme and time and tasks slowly drain it until final is over. and if you don't study for multiple days the plant may wither slowly. it can be forest themed or anything (in settings) and have dynamic theme modes like weather or day/night change, etc. (theme is for the entire app not just this.) (this is for desktop, for mobile it should be timer at top and rest scrolled down) tab 2: tasks On the left side are the tasks, same organized into folders like before. now you can order the folders or tasks, make them sort out from high priority to low, etc. On the right side is the calendar. you can add a time/date to each task and will show on the calendar. you can even sync it with your Google calendar etc. it also shows streaks and more options. and yeah you can drag and drop tasks or view the syllabus. it should have a daily view, weekly view, monthly and yearly views like real ones. there should also be a habit tracker here. integrated with the calendar if you switch view but it should be a fully customizable and integrated habit tracker with streaks, etc. all of these earn you seeds for growing the plant and all help towards stats. there should also be an integrated ai here for tasks sorting, calendar, etc. that you can chat with (on a different tab) for the calendar there should also be a customized schedule that you can make to use time-blocking. the calendar should also have that GitHub style heatmap and Duolingo style streak freeze buying mechanic with seeds. (for mobile there needs to be a switch view between tasks and calendar.) Tab 3: notes: For notes. yeah you can still add sticky notes. but now it should be like a book, a journal that you can flip page to page. (with a table of contents or bookmarks that you can make) you can add, edit or remove sticky notes, share or pin sticky notes (related to the community thing), draw on the book however you like and even add photos with sticky notes or in the drawing options! (two button at top left and bottom right for notes and drawing) then a button at the top right, which is the Markdown style editor, just all doc features for text bolder writing, etc. and a button at the bottom right. for an AI. you can chat with the AI, (on a different tab or/and in a small window and bottom) but it'll sort your notes etc. each button at the corner should open in a small glass window. (for mobile it should be like a vertical journal instead) Tab 4: other. This is the separate tab for the AI chat. it should be a custom AI that can understand everything from all tabs and access anything too on the left partial side. you can change it thinking power from high to low (using Claude, gpt, or Gemini models) but it should overall feel like a Jarvis ai assistant. it should also show stats to the right half side where you can switch between stats shop and settings. stats should be perfect synced detailed about



everything and you can even share some stats including all tabs, shop, notes, etc. you can even sync your fit, or health app to show stats for steps there and earn more seeds but optional like the others. all detailed and customizable. next view is the shop view where there are so many themes and individual things that you can buy with the seeds. everything should feel premium and you can even gift your seeds or themes to others. you can even buy seeds with real money or like subscriptions etc... last view is the settings where you can customize or change literally anything about the tabs themes (from shop) data saving etc login info etc. this settings button should also be on the top bar. (for mobile there should be 4 switch views, between AI, stats, shop and settings.) Other: A top bar. there should be a top bar throughout the whole thing with HDSFD at top right and the time/date, seeds counter (showing k, m, b for larger but exact no. viewed in stats) (only currency for simplicity) and a setting icon at the top left. in the empty space between on the top bar, there should be a notification bar that scrolls through. this can either be tasks, stuff from friends(limited) or like pinned notes etc idk. There should be a setup tutorial at the start after signing up, showing you everything from syncing to all the stuff. You can resize anything in any tab view. The SQL backend should work so you can save your data or connect it to a firebase and work seamlessly and fit the storage for all users maybe using a Dropbox sync integration for this or something. There should be more small features but mostly minimalist just a premium feel and really fast. but overall perfect. \*\*\*I hope you understand all of this. do not change anything just format and fix grammars.HDSFD V2\*\*\* Add this to the start or make it in a separate tab in the document.:  HDSFD Already implemented: Glassmorphism UI, SQL Database, Pomodoro Timer, To-Do, Post-It Notes, etc. Errors: Post-it notes don't delete. The fluid animation button in settings has no pill. Folders selector in tasks are transparent and the last option doesn't select. Fix Timer UI offset on Mobile. The UI on the glass tab is transparent. etc.

HDSFD FULL DOC

# PRODUCT REQUIREMENTS DOCUMENT: HDSFD V2

---

## SECTION 1: SYSTEM OVERVIEW & CURRENT STATE

### 1.1 Project Vision

HDSFD V2 is a premium, minimalist, ultra-fast desktop and mobile productivity ecosystem. It fuses high-density task management, gamified behavioral design, collaborative study environments, and deep context-aware AI. The application operates as a high-performance workspace using a glassmorphic aesthetic layer over an analytical SQL/Firebase backend.

### 1.2 Version 1.0 Legacy Diagnostics


#### System State Matrix

- **Core Architecture:** Glassmorphic Interface Engine, SQL Local Relational Cache, Pomodoro Processing Loop, Structural Folder Engine, Floating Memory Layer (Post-it notes).


[UI Layer: Glassmorphism] ---> [State Manager] ---> [Local Storage: SQL Cache]



#### Issue Log & Resolution Pathways




| BUG IDENTIFIER | ROOT CAUSE ANALYSIS  
| SYSTEM RESOLUTION PATHWAY |




| ERR-001: Post-it Persistence Failure | Hard deletion query  
bypasses local SQL | Re-index local DB keys; implement |

| | transactional verification block. |  
cascading delete triggers on clean-up. |




| ERR-002: Fluid Animation Pill Loss | Missing CSS class  
declaration inside | Inject bounded canvas element; map |

| | the dynamic state wrapper container. |  
active boolean to visible selector. |




| ERR-003: Transparent Task Selectors | Alpha channel value  
override caused by | Force isolated stacking context; bind |

| | uncontrolled nested CSS inheritance. |  
absolute z-index to dropdown elements. |




| ERR-004: Terminal Selection Failure | Faulty viewport offset math  
drops user | Recalculate dynamic container padding; |

| | touch targeting below clip-path zone. |  
bound click handlers via index values. |




| ERR-005: Mobile Timer UI Offset | Absolute pixel layout logic  
conflicts | Convert layout to flexbox grid spaces; |

| | with dynamic screen safety boundaries. |  
bind element sizes to CSS view units. |



| ERR-006: Broken Glass Tab Opacity | Background blur filter  
properties fail | Layer an opaque fallback background; |


| | to execute on hardware-disabled units. |  
lock alpha limits between 0.6 and 0.85 |




SECTION 2: GLOBAL CORE ARCHITECTURE


2.1 Cross-Platform Responsive Layout Constraints

DESKTOP SYSTEM ARCHITECTURE (Three-Pane Grid Layout)





MOBILE SYSTEM ARCHITECTURE (Stacked Context Layout)



## SECONDARY CONTEXT SCROLL ZONE

(Bottom Area: Gestural Tab View Switch Matrix)

### Component Scalability Properties

- **Dynamic Component Resizing Engine:** All desktop windows utilize relative percentage flex layout hooks bounded by exact aspect-ratio clamping values. Users can grab layout dividers to customize window widths in real time.
- **Desktop Multi-Pane View:** A strict 25/50/25 horizontal distribution strategy keeps vital data dense and highly scan-able.
- **Mobile View Aggregation:** Columns automatically flatten into a single-column layout. The core clock locks to the upper third of the device view, while functional items map below a swipeable panel divider.

### 2.2 Global Top Bar Execution Parameters

- **Left Anchor:** Systems Settings Core Icon (24x24px vector format). Launches the global configurations modal overlay instantly.
- **Center Anchor:** Micro-scrolling text ticker marquee. Loops through real-time application updates:
  - Active structural tasks near deadline limits.
  - Shared community canvas posts from friends.



- Live global server synchronization timestamps.
- **Right Anchor Matrix:** Displays the application branding string (HDSFD V2), followed by an active system clock and the global Seed Ledger counter.
- **Seed Ledger Quantifier UI:** Tracks currency values via an automatic engineering notation compressor:
  - Displays raw whole integers from 0 to 9,999.
  - Compresses values over ten-thousand into truncated strings (10.4K, 2.1M, 5.8B).
  - Full precision down to single digits is tracked via the integrated data analytics dashboard.

SECTION 3: SYSTEM ARCHITECTURE BY WORKSPACE TAB

3.1 Tab 1: Focus Engine & Behavioral Studio


TAB 1: DESKTOP LAYOUT CORE MATRIX

|                                           |                             |                       |
|-------------------------------------------|-----------------------------|-----------------------|
|                                           |                             |                       |
|                                           |                             |                       |
| COMMUNITY PANEL<br>GAMIFIED METRICS PANEL | CENTRAL FOCUS ENGINE        |                       |
|                                           |                             |                       |
| • 24hr Ephemeral Chat                     | • Glass Chronometer Display | • Live Seed Evolution |

| • Group Study Rooms | • Background Audio Mixer | •  
Character RPG Sheet |

| • Peer Stat Inspector | • Zen State Toggle Engine | • Reward  
Shop Portal |

| • Seed Transfer Node | • Active Storm Battle Layer | • Streak  
Freeze Vault |



## 1. Central Chronometer Engine

- **Audio Synthesis Subsystem:** Low-latency ambient engine running parallel audio channels for Rain, White Noise, and Lo-Fi frequencies. Features individual volume sliders for custom soundscapes.
- **System Notification Gateway:** Dispatches persistent notifications directly through the OS ring management layer. Audio alerts break through active application threads even when minimized.
- **Zen State Subsystem:** When turned on, the system executes an isolated full-screen black overlay (HEX #000000).
  - **Visual Presentation:** Hides the application top bar and tab indicators. Leaves only a single floating, glowing chronometer window in the center of the screen.
  - **Operating System Interceptor:** Triggers the device's native Do Not Disturb APIs to block incoming alerts.
  - **Deactivation Sequence:** Press and hold the escape key for 3 seconds to cancel the session safely.

## 2. Left Anchor: Community Ledger System


- **24-Hour Ephemeral Sync Room:** An unindexed chat room backed by a rolling redis memory engine. Messages automatically clear 24 hours after submission.
- **Synchronous Study Space Matrix:** Group video/audio rooms featuring custom access tokens, live user counts, and current status indicators.
- **Peer Inspection Subsystem:** Query utility fields to view real-time friend states, active point streaks, total focused hours, and completed item metrics.
- **Asset Sharing Gateway:** Instant network transfer nodes that allow users to send Post-it notes or transfer seeds from their personal ledger balance directly to friends.

## 3. Right Anchor: RPG Behavioral Analytics Engine

- **Seed Evolution Loop:** Renders a dynamic seed graphic that grows into an organic plant model based on focus time.
  - **Decay Loop:** If a user fails to log focus hours for 72 consecutive hours, the plant model enters a withered state. Restoring the plant requires spending 500 Seeds on an instant revitalization token.
- **RPG Metric Tracking System:** Aggregates user behavior into distinct character stats:
  - **STAMINA** (Current continuous focus streak length)
  - **KNOWLEDGE** (Total focus hours)
  - **AGILITY** (Task completion velocity index)
- **Storm Battle Interactive UI:** Converts traditional focus sessions into active visual boss encounters.
  - **Visual Presentation:** Layers real-time rain distortion filters and dynamic lightning strikes behind user workspace elements.



| • Native LLM Automation Interface | • Time-Blocked Agenda  
Layout Scheduler |



### 1. Left Anchor: Hierarchical Task Manager

- **Folder Organization Matrix:** Multi-tier nested structures with custom drag-and-drop handles for quick rearranging.
- **Sorting Engine Parameters:** Instant sorting tools organize tasks by custom weight variables: Priority Metric, Imminent Deadline, and Alphabetical Sequence.
- **Contextual Item Assignment:** Right-click a task to quickly set target completion dates, expected focus intervals, priority tiers, and reminders.

### 2. Right Anchor: Integrated Temporal Calendar

- **Multi-Dimensional View Engine:** Switch instantly between Daily, Weekly, Monthly, and Yearly layout perspectives. Includes an interactive side panel for navigating course syllabi.
- **Dual-Way External Sync Protocol:** Uses REST integration pipelines to keep task items, dates, and times perfectly synced with Google Calendar endpoints.
- **Time-Blocked Agenda Layout Scheduler:** A custom scheduling canvas for daily routines. Drag tasks directly into designated hour blocks to lock in your daily schedule.
- **Activity Heatmap Visualization:** Displays a custom 5-tier color grid modeled after GitHub's contribution chart. Tracks daily habit completions and focus totals across the calendar.

- **Streak-Freeze Protection Node:** Buy streak-freeze tokens from the shop using Seeds. The system checks for active tokens to preserve your login streaks on inactive days.


3. Automation Subsystem (Shared Context Framework)

- **Integrated LLM Core:** A smart background assistant that organizes unclassified task piles, builds optimal time-blocking layouts, and flags upcoming deadline bottlenecks.
- **Mobile Interface Integration:** Changes the dual-column desktop view into a clean, tap-to-swap layout for easy switching between task lists and calendar views.

3.3 Tab 3: Interactive Document Engine & Sketch Canvas

TAB 3: DESKTOP LAYOUT CORE MATRIX

|                                              |            |
|----------------------------------------------|------------|
|                                              |            |
|                                              |            |
|                                              |            |
| GLOBAL JOURNAL AND SKETCHBOOK WORKSPACE      |            |
|                                              |            |
|                                              |            |
|                                              |            |
| LEFT LAYOUT CONTROL MATRIX<br>RENDERING CORE | RIGHT TEXT |



## 1. Structural Interaction Framework

- **Interactive Page-Flip Interface:** Formats user content into a digital notebook layout with smooth page-flipping transitions.
- **Navigation & Index Systems:** Left-aligned slide-out panels keep your Table of Contents, custom bookmarks, and user tags easily accessible.
- **Post-It Integration Router:** Allows you to pin floating notes directly onto journal pages. From here, you can share notes out to the community workspace with a single click.

## 2. Content Injection Subsystem

- **Control Layout Anchors:**
  - **Top-Left Switch:** Launches the active text element manager.

- **Bottom-Left Switch:** Activates the native drawing canvas overlay.
- **Media Drop Targets:** Drag and drop images directly onto sticky notes or canvas layers. Supports real-time resizing and text-wrapping.
- **Vector Drawing Canvas Engine:** A low-latency overlay tool with full support for digital styluses, custom stroke widths, and variable opacity settings.

### 3. Advanced Markdown Layout Framework


- **Top-Right Activation Control:** Toggles a full rich-text Markdown editor supporting standard formatting tags:
  - # Heading 1 / ## Heading 2
  - **\*\*Bold Text Context\*\*** / *\*Italic Text Context\**
  - - Structural Unordered Item List Elements
- **Isolated Context LLM Window:** Toggled via a bottom-right corner control. Opens a secure glass-morphic pop-up window to summarize notes, auto-format text blocks, and extract action items.
- **Mobile Form-Factor Translation:** Reconfigures horizontal notebook layouts into a clean, vertical scrolling journal view on mobile devices.

---

## 3.4 Tab 4: Artificial Intelligence, Ledger Analytics, & Global Configuration Control

### TAB 4: DESKTOP LAYOUT CORE MATRIX





## 1. Cognitive Assistant System (Left View Partition)

- **Multi-Model Intelligence Integration:** This processing core allows users to switch between different reasoning profiles:
  - **HIGH POWER TIER:** Processes complex reasoning via Claude / GPT models.
  - **LOW POWER TIER:** Handles quick tasks and categorizations via Gemini models.

- **Global Context State Buffer:** The assistant maintains full access to all system tabs, index logs, calendar events, and markdown documents to provide highly relevant context.
- **Core System Operational Gateway:** Accept conversational commands to build custom schedules, update goal milestones, clean up notes, and adjust theme settings.

## 2. System Utility Module (Right View Partition Matrix)

### Mode A: Deep Metric Synchronization Node

- **Telemetry Aggregator:** This is the central hub for focus history, completion percentages, and seed transactional histories.
- **External Health Sync Pipelines:** Optional integration blocks for Apple Health and Google Fit. Automatically converts daily step counts into bonus currency at a rate of 1 Seed per 100 steps.

### Mode B: Asset Exchange & Gift Management Portal

- **Visual Interface Assets:** This is the storefront offering premium glassmorphic gradients, dynamic soundscapes, and customizable application layouts.
- **Micro-Transaction System:** Secure purchase rails allow users to buy custom Seed packs or premium subscriptions. Includes built-in tools for gifting items or sending currency directly to friends.

### Mode B: Granular System Configuration Manager

- **Core Application Controls:** Manage global database structures, local storage limits, account credentials, and display themes. The settings interface is also quickly accessible via the top navigation bar.

- **Mobile Interface Breakdown:** Condenses the multi-pane desktop dashboard into a four-button navigation bar to cycle through AI Assistant, Analytics, Shop, and Settings menus.
- 

## SECTION 4: SYSTEM BACKEND DATA SPECIFICATIONS

### 4.1 SQL Schema Architecture

The local workspace relies on a relational SQLite client layer synced directly with an upstream Firebase NoSQL store. This database structure manages high-frequency tracking events, user settings, and currency logs.

*-- User Profile Entities Ledger*

```
CREATE TABLE user_profile (  
  
    user_id VARCHAR(64) PRIMARY KEY,  
  
    username VARCHAR(32) NOT NULL,  
  
    seed_balance BIGINT DEFAULT 0,  
  
    current_streak INT DEFAULT 0,  
  
    knowledge_stat INT DEFAULT 0,  
  
    stamina_stat INT DEFAULT 0,  
  
    agility_stat INT DEFAULT 0,  
  
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
```

);

*-- Hierarchical Structural Task Storage Schema*

```
CREATE TABLE task_ledger (  
  
    task_id VARCHAR(64) PRIMARY KEY,  
  
    user_id VARCHAR(64),  
  
    folder_name VARCHAR(64) DEFAULT 'Root',  
  
    title VARCHAR(255) NOT NULL,  
  
    priority_weight INT DEFAULT 1,  
  
    target_timestamp TIMESTAMP NULL,  
  
    is_completed BOOLEAN DEFAULT FALSE,  
  
    FOREIGN KEY (user_id) REFERENCES user_profile(user_id) ON  
DELETE CASCADE  
  
);
```

*-- Ephemeral Community Messaging Store*

```
CREATE TABLE ephemeral_chat (  
  
    message_id VARCHAR(64) PRIMARY KEY,
```

```
user_id VARCHAR(64),

payload_message TEXT NOT NULL,

dispatch_timestamp TIMESTAMP DEFAULT
CURRENT_TIMESTAMP

);

-- Automated Cleaner Trigger for Chat Cleanup

CREATE TRIGGER purge_ephemeral_chat AFTER INSERT ON
ephemeral_chat

BEGIN

DELETE FROM ephemeral_chat

WHERE dispatch_timestamp <= datetime('now', '-1 day');

END;
```

## 4.2 Data Protection & Redundancy Systems

- **Transactional Synchronization Engine:** System updates write immediately to the local SQL database before syncing upstream to Firebase. This prevents UI stuttering and ensures seamless offline performance.
- **Dropbox Synchronization Gateway:** Users can link a personal Dropbox account to automatically back up encrypted snapshots of their SQL database files every 24 hours.

---

## SECTION 5: ONBOARDING & INTERACTIVE TUTORIAL PIPELINE

### 5.1 First-Time User Flow Execution

[Account Creation] ---> [Profile Build] ---> [Integration Wizard] ---> [Interface Tour] ---> [Ecosystem Launch]

1. **Account Creation Phase:** Standard registration forms or OAuth single sign-on flows initialize the user's secure database storage blocks.
2. **Profile Build Phase:** Custom onboarding fields capture targeted user metrics: active classes, current areas of study, and routine availability.
3. **Integration Wizard:** Simple authorization modals connect external accounts like Google Calendar, Apple Health, or Google Fit.
4. **Interface Tour:** An interactive overlay tutorial highlights core system zones across all four tabs, introducing the layout mechanics and navigation controls.
5. **Ecosystem Launch:** The onboarding finishes by awarding the user an initial balance of 500 Seeds to start growing their central focus plant.

---

## SECTION 6: INTERFACE DESIGN SPECIFICATIONS

### 6.1 Glassmorphic Layout Theme Design Tokens


- **Surface Styling Elements:** Blended light layers (`rgba(255, 255, 255, 0.08)`) with hard edge borders (`1px solid`

`rgba(255, 255, 255, 0.15)`). Renders with a background blur filter set to `20px`.


- **Dynamic Theme Presets:**

- **Forest Theme:** Deep moss-green background layers (HEX `#0D1F12`) accenting natural wood textures and leaf graphics.
- **Storm Theme:** Dark slate-grey panels (HEX `#1A1E24`) paired with active lightning accents and animated raindrop overlays.
- **Cyber-Zen Theme:** Pure midnight-black fields (HEX `#000000`) contrasted against high-visibility neon cyan text and glowing accents.


## 6.2 Responsive Screen Layout Guide





| Standard Desktop Displays | Widths 1200px - 1919px |  
Variable 3-Pane View Layout |




| Compact Tablet Devices | Widths 768px - 1199px | Folders  
& Right Panels Hide |



| Mobile Handset Viewports | Widths <= 767px | Single  
Vertical Pane Stack |




SECTION 7: CORE FUNCTIONAL EXECUTION MATRIX




| CORE TRIGGER ELEMENT | PROCESS ENGINE  
ACTIONS | END STATE USER EXPECTATIONS |






| Toggle Zen Mode On | Blocks notifications; activates |  
Shows a minimal glowing timer |

| OS DND; blacks out the background | over a  
distraction-free screen. |




| Clear Session Milestones | Tallies focused hours; calculates |  
Updates character stats; adds |

| seed payout; advances streak. | new seeds  
to the top-bar ledger. |




| Drop Task Onto Calendar Grid | Updates due dates; recalculates  
Reflects the rescheduled task |

| priorities; updates remote sync. | instantly  
across all views. |



| Execute Local Chat Purge | Database runs internal triggers; |  
Permanently removes messages |

| | deletes expired communication logs. older  
than 24 hours. |



## SECTION 8: EXTENDED SUB-SYSTEM FEATURES

### 8.1 Soundscape Integration Engine

- **Dynamic Sound Mixing:** Allows mixing background tracks (e.g., combining Lo-Fi beats with 30% Rain volume and 10% White Noise) to build customized study soundscapes.
- **Audio Focus Modes:** Integrates directly with browser and OS audio focus APIs. Pauses ambient tracks automatically when external video clips or music streams start playing.

### 8.2 Live Peer Study Rooms

- **Visual Presence Indicators:** Shows avatars for active room members with real-time status badges (e.g., "Deep Focus", "Writing Notes", "On Break").
- **Shared Room Goals:** Groups can set joint session milestones. Reaching collective focus targets awards all participants a bonus Seed multiplier.

### 8.3 Advanced Habit Tracking Engine

- **Custom Habit Rules:** Supports daily, weekly, or specific day schedules (e.g., "Read 20 pages every Tuesday and Thursday").
- **Habit Combo Multipliers:** Completing habits alongside core task lists unlocks custom multipliers that accelerate plant growth and level up character stats faster.

#### 8.4 Secure Data Backup Architecture

- **Local-First Encryption:** Local SQL databases are securely encrypted using standard AES-256 protocols before uploading to cloud sync targets.
  - **Instant Recovery Point Restore:** Users can review a 30-day history of database backups, making it easy to roll back unwanted structural changes or accidental task deletions.
- 

## REQUIREMENTS DOCUMENT: HDSFD V2

---

### SECTION 1: SYSTEM OVERVIEW & CURRENT STATE

#### 1.1 Project Vision


HDSFD V2 is a premium, minimalist, ultra-fast desktop and mobile productivity ecosystem. It fuses high-density task management, gamified behavioral design, collaborative study environments, and deep context-aware AI. The application operates as a high-performance workspace using a glassmorphic aesthetic layer over an analytical SQL/Firebase backend.

#### 1.2 Version 1.0 Legacy Diagnostics

##### System State Matrix

- ```
graph LR
    A[UI Layer: Glassmorphism] --> B[State Manager]
    B --> C[Local Storage: SQL Cache]
    B --> D[Cloud Sync: Firebase]
```


| BUG IDENTIFIER                       | ROOT CAUSE ANALYSIS                    | SYSTEM RESOLUTION PATHWAY                                                    |
|--------------------------------------|----------------------------------------|------------------------------------------------------------------------------|
| ERR-001: Post-it Persistence Failure | Hard deletion query bypasses local SQL | Re-index local DB keys; implement transactional verification block.          |
| ERR-002: Fluid Animation Pill Loss   | Missing CSS class declaration inside   | Inject bounded canvas element; map the dynamic state wrapper container.      |
| ERR-003: Transparent Task Selectors  | Alpha channel value override caused by | Force isolated stacking context; bind uncontrolled nested CSS inheritance.   |
| ERR-004: Terminal Selection Failure  | Faulty viewport offset math drops user | Recalculate dynamic container padding; touch targeting below clip-path zone. |




## SECTION 2: GLOBAL CORE ARCHITECTURE


### 2.1 Cross-Platform Responsive Layout Constraints

#### DESKTOP SYSTEM ARCHITECTURE (Three-Pane Grid Layout)



#### MOBILE SYSTEM ARCHITECTURE (Stacked Context Layout)





## Component Scalability Properties

- **Dynamic Component Resizing Engine:** All desktop windows utilize relative percentage flex layout hooks bounded by exact aspect-ratio clamping values. Users can grab layout dividers to customize window widths in real time.
- **Desktop Multi-Pane View:** A strict 25/50/25 horizontal distribution strategy keeps vital data dense and highly scan-able.
- **Mobile View Aggregation:** Columns automatically flatten into a single-column layout. The core clock locks to the upper third of the device view, while functional items map below a swipeable panel divider.

## 2.2 Global Top Bar Execution Parameters

- **Left Anchor:** Systems Settings Core Icon (24x24px vector format). Launches the global configurations modal overlay instantly.
- **Center Anchor:** Micro-scrolling text ticker marquee. Loops through real-time application updates:
  - Active structural tasks near deadline limits.
  - Shared community canvas posts from friends.
  - Live global server synchronization timestamps.
- **Right Anchor Matrix:** Displays the application branding string (HDSFD V2), followed by an active system clock and the global Seed Ledger counter.
- **Seed Ledger Quantifier UI:** Tracks currency values via an automatic engineering notation compressor:
  - Displays raw whole integers from 0 to 9,999.

- Compresses values over ten-thousand into truncated strings (10.4K, 2.1M, 5.8B).
- Full precision down to single digits is tracked via the integrated data analytics dashboard.

## SECTION 3: SYSTEM ARCHITECTURE BY WORKSPACE TAB

### 3.1 Tab 1: Focus Engine & Behavioral Studio

TAB 1: DESKTOP LAYOUT CORE MATRIX

|                       |                             |                       |
|-----------------------|-----------------------------|-----------------------|
|                       |                             |                       |
| COMMUNITY PANEL       | CENTRAL FOCUS ENGINE        | GAMIFIED METRICS      |
| PANEL                 |                             |                       |
|                       |                             |                       |
| • 24hr Ephemeral Chat | • Glass Chronometer Display | • Live Seed Evolution |
| • Group Study Rooms   | • Background Audio Mixer    | • Character RPG Sheet |
| • Peer Stat Inspector | • Zen State Toggle Engine   | • Reward Shop Portal  |
| • Seed Transfer Node  | • Active Storm Battle Layer | • Streak Freeze Vault |
|                       |                             |                       |

#### 1. Central Chronometer Engine

- **Audio Synthesis Subsystem:** Low-latency ambient engine running parallel audio channels for Rain, White Noise, and Lo-Fi frequencies. Features individual volume sliders for custom soundscapes.
- **System Notification Gateway:** Dispatches persistent notifications directly through the OS ring management layer. Audio alerts break through active application threads even when minimized.
- **Zen State Subsystem:** When turned on, the system executes an isolated full-screen black overlay (HEX #000000).
  - **Visual Presentation:** Hides the application top bar and tab indicators. Leaves only a single floating, glowing chronometer window in the center of the screen.
  - **Operating System Interceptor:** Triggers the device's native Do Not Disturb APIs to block incoming alerts.
  - **Deactivation Sequence:** Press and hold the escape key for 3 seconds to cancel the session safely.

2. Left Anchor: Community Ledger System

- **24-Hour Ephemeral Sync Room:** An unindexed chat room backed by a rolling redis memory engine. Messages automatically clear 24 hours after submission.
- **Synchronous Study Space Matrix:** Group video/audio rooms featuring custom access tokens, live user counts, and current status indicators.
- **Peer Inspection Subsystem:** Query utility fields to view real-time friend states, active point streaks, total focused hours, and completed item metrics.
- **Asset Sharing Gateway:** Instant network transfer nodes that allow users to send Post-it notes or transfer seeds from their personal ledger balance directly to friends.

3. Right Anchor: RPG Behavioral Analytics Engine

- **Seed Evolution Loop:** Renders a dynamic seed graphic that grows into an organic plant model based on focus time.
  - **Decay Loop:** If a user fails to log focus hours for 72 consecutive hours, the plant model enters a withered state. Restoring the plant requires spending 500 Seeds on an instant revitalization token.
- **RPG Metric Tracking System:** Aggregates user behavior into distinct character stats:
  - **STAMINA** (Current continuous focus streak length)
  - **KNOWLEDGE** (Total focus hours)
  - **AGILITY** (Task completion velocity index)
- **Storm Battle Interactive UI:** Converts traditional focus sessions into active visual boss encounters.
  - **Visual Presentation:** Layers real-time rain distortion filters and dynamic lightning strikes behind user workspace elements.
  - **Session Lifecycle:** Inputting an exam date builds a linear timeline tracker across the workspace screen. The bar slowly drains as tasks are checked off, concluding when the exam time window closes.
- **Background Ledger Engine:** The local ledger engine tracks focus time even while Zen Mode runs in the background. It pays out currency drops at a rate of 10 Seeds per 15 minutes of focus.

3.2 Tab 2: Structured Task Engine & Analytics Matrix

TAB 2: DESKTOP LAYOUT CORE MATRIX

|                        |  |                              |  |
|------------------------|--|------------------------------|--|
| TASK MANAGEMENT SYSTEM |  | INTEGRATED TEMPORAL CALENDAR |  |
|------------------------|--|------------------------------|--|



|                                              |                                        |
|----------------------------------------------|----------------------------------------|
| • Hierarchical Folder Management             | • Multi-Dimensional View Engine        |
| • Algorithmic Priority Ordering              | • Dual-Way Google Calendar Sync        |
| • Contextual Right-Click Metadata Assignment | • Daily Habit Tracker Heatmap          |
| • Native LLM Automation Interface            | • Time-Blocked Agenda Layout Scheduler |

1. Left Anchor: Hierarchical Task Manager

- **Folder Organization Matrix:** Multi-tier nested structures with custom drag-and-drop handles for quick rearranging.
- **Sorting Engine Parameters:** Instant sorting tools organize tasks by custom weight variables: Priority Metric, Imminent Deadline, and Alphabetical Sequence.
- **Contextual Item Assignment:** Right-click a task to quickly set target completion dates, expected focus intervals, priority tiers, and reminders.

2. Right Anchor: Integrated Temporal Calendar

- **Multi-Dimensional View Engine:** Switch instantly between Daily, Weekly, Monthly, and Yearly layout perspectives. Includes an interactive side panel for navigating course syllabi.
- **Dual-Way External Sync Protocol:** Uses REST integration pipelines to keep task items, dates, and times perfectly synced with Google Calendar endpoints.
- **Time-Blocked Agenda Layout Scheduler:** A custom scheduling canvas for daily routines. Drag tasks directly into designated hour blocks to lock in your daily schedule.
- **Activity Heatmap Visualization:** Displays a custom 5-tier color grid modeled after GitHub's contribution chart. Tracks daily habit completions and focus totals across the calendar.
- **Streak-Freeze Protection Node:** Buy streak-freeze tokens from the shop using Seeds. The system checks for active tokens to preserve your login streaks on inactive days.

3. Automation Subsystem (Shared Context Framework)

- **Integrated LLM Core:** A smart background assistant that organizes unclassified task piles, builds optimal time-blocking layouts, and flags upcoming deadline bottlenecks.
- **Mobile Interface Integration:** Changes the dual-column desktop view into a clean, tap-to-swap layout for easy switching between task lists and calendar views.

3.3 Tab 3: Interactive Document Engine & Sketch Canvas

TAB 3: DESKTOP LAYOUT CORE MATRIX

|                                           |                                               |
|-------------------------------------------|-----------------------------------------------|
| GLOBAL JOURNAL AND SKETCHBOOK WORKSPACE   |                                               |
| LEFT LAYOUT CONTROL MATRIX                | RIGHT TEXT RENDERING CORE                     |
| • Interactive Fluid Page-Flip Engine      | • Advanced Markdown Layout Framework          |
| • Dynamic Dynamic Table of Contents Index | • Media Drop Targets & Native Sketch Overlays |
| • Network Node Post-It Integration Router | • Isolated Context LLM Assistant Windows      |

1. Structural Interaction Framework

- **Interactive Page-Flip Interface:** Formats user content into a digital notebook layout with smooth page-flipping transitions.
- **Navigation & Index Systems:** Left-aligned slide-out panels keep your Table of Contents, custom bookmarks, and user tags easily accessible.
- **Post-It Integration Router:** Allows you to pin floating notes directly onto journal pages. From here, you can share notes out to the community workspace with a single click.

2. Content Injection Subsystem

- **Control Layout Anchors:**
  - **Top-Left Switch:** Launches the active text element manager.
  - **Bottom-Left Switch:** Activates the native drawing canvas overlay.
- **Media Drop Targets:** Drag and drop images directly onto sticky notes or canvas layers. Supports real-time resizing and text-wrapping.
- **Vector Drawing Canvas Engine:** A low-latency overlay tool with full support for digital styluses, custom stroke widths, and variable opacity settings.

3. Advanced Markdown Layout Framework

- **Top-Right Activation Control:** Toggles a full rich-text Markdown editor supporting standard formatting tags:
  - # Heading 1 / ## Heading 2
  - **\*\*Bold Text Context\*\*** / *\*Italic Text Context\**

- Structural Unordered Item List Elements
- **Isolated Context LLM Window:** Toggled via a bottom-right corner control. Opens a secure glass-morphic pop-up window to summarize notes, auto-format text blocks, and extract action items.
- **Mobile Form-Factor Translation:** Reconfigures horizontal notebook layouts into a clean, vertical scrolling journal view on mobile devices.

### 3.4 Tab 4: Artificial Intelligence, Ledger Analytics, & Global Configuration Control

TAB 4: DESKTOP LAYOUT CORE MATRIX

|                                             |                                           |                             |  |
|---------------------------------------------|-------------------------------------------|-----------------------------|--|
| COGNITIVE SYSTEM ASSISTANT PANEL MODULE     |                                           | SYSTEM UTILITY AND COMMERCE |  |
| • Multi-Model Intelligence Integration      | • Deep Metric Synchronization Node        |                             |  |
| • Global Context State Memory Buffer        | • Asset Exchange & Gift Management Portal |                             |  |
| • Real-Time Core System Operational Gateway | • Granular System Configuration Manager   |                             |  |

#### 1. Cognitive Assistant System (Left View Partition)

- **Multi-Model Intelligence Integration:** This processing core allows users to switch between different reasoning profiles:
  - HIGH POWER TIER: Processes complex reasoning via Claude / GPT models.
  - LOW POWER TIER: Handles quick tasks and categorizations via Gemini models.
- **Global Context State Buffer:** The assistant maintains full access to all system tabs, index logs, calendar events, and markdown documents to provide highly relevant context.
- **Core System Operational Gateway:** Accept conversational commands to build custom schedules, update goal milestones, clean up notes, and adjust theme settings.

#### 2. System Utility Module (Right View Partition Matrix)

##### Mode A: Deep Metric Synchronization Node

- **Telemetry Aggregator:** This is the central hub for focus history, completion percentages, and seed transactional histories.
- **External Health Sync Pipelines:** Optional integration blocks for Apple Health and Google Fit. Automatically converts daily step counts into bonus currency at a rate of 1 Seed per 100 steps.

## Mode B: Asset Exchange & Gift Management Portal

- **Visual Interface Assets:** This is the storefront offering premium glassmorphic gradients, dynamic soundscapes, and customizable application layouts.
- **Micro-Transaction System:** Secure purchase rails allow users to buy custom Seed packs or premium subscriptions. Includes built-in tools for gifting items or sending currency directly to friends.

## Mode B: Granular System Configuration Manager

- **Core Application Controls:** Manage global database structures, local storage limits, account credentials, and display themes. The settings interface is also quickly accessible via the top navigation bar.
- **Mobile Interface Breakdown:** Condenses the multi-pane desktop dashboard into a four-button navigation bar to cycle through AI Assistant, Analytics, Shop, and Settings menus.

---

# SECTION 4: SYSTEM BACKEND DATA SPECIFICATIONS

## 4.1 SQL Schema Architecture

The local workspace relies on a relational SQLite client layer synced directly with an upstream Firebase NoSQL store. This database structure manages high-frequency tracking events, user settings, and currency logs.

*-- User Profile Entities Ledger*

```
CREATE TABLE user_profile (
  user_id VARCHAR(64) PRIMARY KEY,
  username VARCHAR(32) NOT NULL,
  seed_balance BIGINT DEFAULT 0,
  current_streak INT DEFAULT 0,
  knowledge_stat INT DEFAULT 0,
  stamina_stat INT DEFAULT 0,
  agility_stat INT DEFAULT 0,
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
```

```
);
```

```
-- Hierarchical Structural Task Storage Schema
```

```
CREATE TABLE task_ledger (  
  task_id VARCHAR(64) PRIMARY KEY,  
  user_id VARCHAR(64),  
  folder_name VARCHAR(64) DEFAULT 'Root',  
  title VARCHAR(255) NOT NULL,  
  priority_weight INT DEFAULT 1,  
  target_timestamp TIMESTAMP NULL,  
  is_completed BOOLEAN DEFAULT FALSE,  
  FOREIGN KEY (user_id) REFERENCES user_profile(user_id) ON DELETE CASCADE  
);
```

```
-- Ephemeral Community Messaging Store
```

```
CREATE TABLE ephemeral_chat (  
  message_id VARCHAR(64) PRIMARY KEY,  
  user_id VARCHAR(64),  
  payload_message TEXT NOT NULL,  
  dispatch_timestamp TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
);
```

```
-- Automated Cleaner Trigger for Chat Cleanup
```

```
CREATE TRIGGER purge_ephemeral_chat AFTER INSERT ON ephemeral_chat  
BEGIN  
  DELETE FROM ephemeral_chat  
  WHERE dispatch_timestamp <= datetime('now', '-1 day');  
END;
```

## 4.2 Data Protection & Redundancy Systems

- **Transactional Synchronization Engine:** System updates write immediately to the local SQL database before syncing upstream to Firebase. This prevents UI stuttering and ensures seamless offline performance.
- **Dropbox Synchronization Gateway:** Users can link a personal Dropbox account to automatically back up encrypted snapshots of their SQL database files every 24 hours.

---

## SECTION 5: ONBOARDING & INTERACTIVE TUTORIAL PIPELINE

### 5.1 First-Time User Flow Execution

[Account Creation] ---> [Profile Build] ---> [Integration Wizard] ---> [Interface Tour] ---> [Ecosystem Launch]

1. **Account Creation Phase:** Standard registration forms or OAuth single sign-on flows initialize the user's secure database storage blocks.
2. **Profile Build Phase:** Custom onboarding fields capture targeted user metrics: active classes, current areas of study, and routine availability.
3. **Integration Wizard:** Simple authorization modals connect external accounts like Google Calendar, Apple Health, or Google Fit.
4. **Interface Tour:** An interactive overlay tutorial highlights core system zones across all four tabs, introducing the layout mechanics and navigation controls.
5. **Ecosystem Launch:** The onboarding finishes by awarding the user an initial balance of 500 Seeds to start growing their central focus plant.

## SECTION 6: INTERFACE DESIGN SPECIFICATIONS

### 6.1 Glassmorphic Layout Theme Design Tokens

- **Surface Styling Elements:** Blended light layers (`rgba(255, 255, 255, 0.08)`) with hard edge borders (`1px solid rgba(255, 255, 255, 0.15)`). Renders with a background blur filter set to `20px`.
- **Dynamic Theme Presets:**
  - **Forest Theme:** Deep moss-green background layers (`HEX #0D1F12`) accenting natural wood textures and leaf graphics.
  - **Storm Theme:** Dark slate-grey panels (`HEX #1A1E24`) paired with active lightning accents and animated raindrop overlays.
  - **Cyber-Zen Theme:** Pure midnight-black fields (`HEX #000000`) contrasted against high-visibility neon cyan text and glowing accents.

### 6.2 Responsive Screen Layout Guide

| DISPLAY BREAKPOINT LAYER   |  |  | VIEWPORT TARGET SIZE VALUES |  | STRUCTURAL GRID CONFIG        |
|----------------------------|--|--|-----------------------------|--|-------------------------------|
|                            |  |  |                             |  |                               |
| Ultrawide Desktop Displays |  |  | Widths >= 1920px            |  | Continuous 3-Pane View Layout |

|                           |                        |                             |
|---------------------------|------------------------|-----------------------------|
| Standard Desktop Displays | Widths 1200px - 1919px | Variable 3-Pane View Layout |
| Compact Tablet Devices    | Widths 768px - 1199px  | Folders & Right Panels Hide |
| Mobile Handset Viewports  | Widths <= 767px        | Single Vertical Pane Stack  |

## SECTION 7: CORE FUNCTIONAL EXECUTION MATRIX

| CORE TRIGGER ELEMENT<br>USER EXPECTATIONS | PROCESS ENGINE ACTIONS                                                                    | END STATE                                                      |
|-------------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Toggle Zen Mode On                        | Blocks notifications; activates OS DND; blacks out the background                         | Shows a minimal glowing timer over a distraction-free screen.  |
| Clear Session Milestones                  | Tallies focused hours; calculates seed payout; advances streak.                           | Updates character stats; adds new seeds to the top-bar ledger. |
| Drop Task Onto Calendar Grid              | Updates due dates; recalculates priorities; updates remote sync.                          | Reflects the rescheduled task instantly across all views.      |
| Execute Local Chat Purge                  | Database runs internal triggers; deletes expired communication logs. older than 24 hours. | Permanently removes messages                                   |

## SECTION 8: EXTENDED SUB-SYSTEM FEATURES

### 8.1 Soundscape Integration Engine

- **Dynamic Sound Mixing:** Allows mixing background tracks (e.g., combining Lo-Fi beats with 30% Rain volume and 10% White Noise) to build customized study soundscapes.
- **Audio Focus Modes:** Integrates directly with browser and OS audio focus APIs. Pauses ambient tracks automatically when external video clips or music streams start playing.

### 8.2 Live Peer Study Rooms

- **Visual Presence Indicators:** Shows avatars for active room members with real-time status badges (e.g., "Deep Focus", "Writing Notes", "On Break").
- **Shared Room Goals:** Groups can set joint session milestones. Reaching collective focus targets awards all participants a bonus Seed multiplier.

### 8.3 Advanced Habit Tracking Engine

- **Custom Habit Rules:** Supports daily, weekly, or specific day schedules (e.g., "Read 20 pages every Tuesday and Thursday").
- **Habit Combo Multipliers:** Completing habits alongside core task lists unlocks custom multipliers that accelerate plant growth and level up character stats faster.

### 8.4 Secure Data Backup Architecture

- **Local-First Encryption:** Local SQL databases are securely encrypted using standard AES-256 protocols before uploading to cloud sync targets.
  - **Instant Recovery Point Restore:** Users can review a 30-day history of database backups, making it easy to roll back unwanted structural changes or accidental task deletions.
-



# Full Doc Prompt

HDSFD V2: The Perfect Student Productivity Ecosystem Technical Specification & Master Vision Document 🗨️ Phase 1: Current Infrastructure (Audit & Bug Report) HDSFD V1 established a

high-end Glassmorphism aesthetic. Before V2 features are deployed, the core foundation must be stabilized.

1.1 Existing Architecture UI/UX: Advanced Translucent Glassmorphism with

dynamic background support. Database: Persistent SQL backend for user profiles and task storage. Core Tools: Pomodoro Timer, Folder-based To-Do system, and Floating Sticky

Notes.

1.2 The "Zero-Bug" List (Priority Fixes) Component Bug Description Expansion/Fix

Strategy Sticky Notes Logic failure: Delete button non-functional. Verify event delegation in JS;

ensure DOM removal triggers a DELETE request to SQL/Firebase. Settings UI Visual bug: "Fluid

Animation" toggle lacks a pill/slider. Correct CSS pseudo-elements (::after) on the checkbox

wrapper. Task Selector UX bug: Transparent selectors; last item index unselectable. Increase

z-index; adjust background rgba alpha; fix array-length bounds in the dropdown logic. Mobile

Core Layout bug: Timer offset; Glass tab transparency leak. Implement @media query centering;

use backdrop-filter: blur() with solid fallbacks for Safari/Mobile. 🛠️ Phase 2: Tab 1 - The Focus

Sanctuary Desktop: Three-column layout. Mobile: Top-down vertical stack.

2.1 The Atmospheric Timer Soundscapes: Integrated Lo-Fi, Rain, and White Noise engine with dedicated volume

sliders. Active Ring: High-priority browser notifications that bypass tab-sleep to ring successfully

at zero. Zen Mode: Visuals: UI shifts to a "True Black" theme. All widgets, sidebars, and tabs

vanish. The Glow: A single, floating timer window with a soft neon glow remains. Lockdown:

Temporarily "locks" the browser screen (fullscreen API); simulates Do Not Disturb. (Toggleable

exit always available).

2.2 The Community Hub (Left Panel) 24-Hour Ephemeral Chat: A

localized, high-speed chat room where all history is purged daily. Study Lobbies: Users join

virtual rooms; avatars show live status (Studying/Resting). Friend Engagement: Stat Peeking:

Search by username to see their "RPG Level" and current focus hours. Social Gifting: Send

"Seeds" or digital sticky notes directly to a friend's dashboard.

2.3 Gamified Growth (Right Panel) RPG Study Stats: Core attributes: Endurance (Focus hours), Execution (Tasks finished),

and Consistency (Streaks). The Seed Economy: \* Earn "Seeds" (Currency) while focusing.

Seeds can be used to buy packs or streak freezes. Seed Shop: Integrated link to Tab 4

marketplace. The Exam Boss Battle: The Storm: Inputting an exam date triggers the "Storm UI"

(Cool rain droplets on the glass background with a dynamic storm behind). Timeline Drain: A

boss health bar appears based on the time remaining. Completing tasks "attacks" the boss;

inactivity causes the "Focus Plant" to wither. 📅 Phase 3: Tab 2 - Tasks & Intelligent

Scheduling Desktop: Split-view. Mobile: Switch-view toggle.

3.1 Advanced Task Engine (Left) Hierarchy: Nested folders with manual drag-and-drop reordering. Priority Matrix: Auto-sort

functionality from High to Low priority based on AI suggestions or deadlines.

3.2 The Master Calendar (Right) Timeline Integration: Daily, Weekly, Monthly, and Yearly views. Smart Sync:

Bi-directional Google Calendar integration. Time-Blocking: Drag a task from the left panel directly

into a time slot on the calendar. Syllabus View: Vertical list of all semester milestones.

3.3 The Habit Tracker & Heatmap GitHub Heatmap: A visual grid showing the intensity of study per

day. Duolingo Mechanic: "Streak Freeze" items available for purchase with Seeds to prevent

progress loss on weekends or holidays. Integrated AI: A task-specific AI that suggests the best

times to study based on your historical productivity peaks. 📖 Phase 4: Tab 3 - The Scholarly

Journal (Notes) Desktop: Book UI. Mobile: Vertical Scroll Journal.

4.1 Tactile Journal Interface Page Flip: 3D CSS animation simulating the flipping of a physical book.

Structure:

Dynamic Table of Contents and "Bookmark" ribbons for easy navigation. The Content Engine: Drawing Mode: Digital ink support for sketches/diagrams. Rich Media: Embed photos directly into pages or onto floating sticky notes. Markdown Pro: A glass window for heavy text editing (Bold, Italics, Code Blocks). 4.2 Social & AI Notes Pinned Community: Ability to "Pin" a note to the community hub for peer review or sharing. Note AI: A localized AI bubble (bottom right) that can summarize your current page or organize scattered notes into a structured outline. 🤖 Phase 5: Tab 4 - The Jarvis Assistant & Global Hub Mobile: 4-way Segmented Control. 5.1 Jarvis AI Assistant LLM Switching: Toggle "Thinking Power" between Claude (Logic), GPT (Creative), or Gemini (Search). Omniscience: The AI can access data from all tabs (e.g., "Jarvis, what's on my calendar for Tuesday?"). Persona: Minimalist, polite assistant that responds in a small, non-intrusive glass window. 5.2 The Marketplace & Dashboard Stats Synced Stats: Complete data visualization of study time, task completion, and even Health/Fitness data (Steps-to-Seeds conversion). Premium Shop: \* Themes: Full-app theme swaps (Cyberpunk, Sunset, Deep Forest, OLED Black). Gifting: Buy themes or seeds for friends. Subscription: "Pro" tier for unlimited AI power and exclusive backgrounds. 5.3 Global Settings Data Integrity: Seamless SQL + Firebase sync with an optional Dropbox/Google Drive integration for user-uploaded media storage. Personalization: Every window in the app is resizable via corner-drag handles. 🚀 Phase 6: Global Experience & UI Top Bar Navigation: Left: Settings Gear Icon. Center: Notification Ticker (Scrolling tasks/Friend updates). Right: HDSFD Logo + Time/Date + Seed Counter (K/M/B notation). The Onboarding: An interactive, minimalist tutorial for new users explaining the RPG stats and Seed economy. Performance: All animations optimized for high-refresh rates; lazy-loading for shop assets to keep the app "Lightning Fast."