

Working With Hyperproof Tasks

Best Practices, Tips and Tricks

Tasks serve the same purpose in Hyperproof as they do in program management tools—they are a reminder to get a specific piece of work done.

In Hyperproof, tasks are mainly used to collect evidence. A good example scenario is one where a compliance manager needs to ensure that a user in their organization provides evidence to satisfy a control. Rather than utilizing an external program management tool like Jira, the compliance manager simply creates a Hyperproof task attached directly to the control. They then assign the task to the user and manage the process until the evidence requirement is satisfied and the ticket is closed.

Hyperproof tasks can be manual or repeating. Manual tasks may only need to happen once, or happen infrequently. Repeating tasks can be triggered by an event or a schedule, and happen over and over again.

Manual Tasks

By utilizing tasks, you can plan, track, and delegate activities to ensure that your organization remains compliant.

Tasks can be created in one of seven ways:

- From a control
- From a label
- From an audit request
- From a requirement
- From a vendor
- From a risk
- From the *My Work* tab



Creating a Task From a Control, Label, Audit Request, Requirement, Vendor, or Risk

1. From the left navigation menu, select the tab that corresponds with the object you want to attach the task to. For example, if you want to attach a task to a control, select the *Controls* tab.
2. Select the control, label, audit request, requirement, vendor, or risk that corresponds with the task you want to create.
3. Click the **Task** icon .
4. Click **New task**.
5. Do the following:
 - a. Enter a name for the task (required)
 - b. Enter a description
 - c. Change any or all of the following by mousing over and clicking the **Edit** icon: *Assignee*, *Due Date*, and *Priority*.
6. Click **Create**.

TIP — Click the **Pin** icon to make the task pane visible at all times.

TIP — The task's status cannot be changed until the task is created. Additionally, proof cannot be linked until after the task is created.

Creating a Task From the *My Work* tab

1. From the left navigation menu, select the *My Work* tab.
2. Select the *Tasks* tab.
3. Click **New**.
4. Do the following:
 - a. Enter a name for the task (required)
 - b. Enter a description
 - c. Change any or all of the following by mousing over and clicking the **Edit** icon: *Assignee*, *Due Date*, and *Priority*.
5. Click **Create**.

TIP — Tasks in your personal task list are meant to help you manage your own work. To collaborate with others, create tasks in shared objects such as controls, labels, risks, etc.

Repeating Tasks

If you have tasks that need to happen over and over again, you can automate the setup of those tasks with Hyperproof.

Tasks can be set to repeat on a **schedule** or an **event**. For schedule-based tasks, intervals can be set to repeat daily, weekly, monthly, quarterly, or annually. Once the interval is set, you can choose to set the task to start repeating immediately or on a future date. Tasks that are event-driven can be set to repeat when there is new proof, a new proof version, a change to the control's owner, a change to the control's health, a change to the control's implementation, or a change to the control's testing status.

Currently, repeating tasks are available on controls and labels. You can create an repeating task from the *Automations* tab or turn an existing task into an repeating task.

Creating a Repeating Task From the *Automations* Tab

1. From the left navigation menu, select the tab that corresponds with the object you want to attach the repeating task to. For example, if you want to attach a task to a control, select the *Controls* tab.
2. Select the control or label that corresponds with the repeating task you want to create.
3. Select the *Automations* tab.
4. Click **New repeating task**.
5. From the *Template* tab, do the following:
 - a. Enter a name for the task (required)
 - b. Enter a description
 - c. Change any or all of the following by mousing over and clicking the **Edit** icon: *Assignee*, *Due Date*, and *Priority*.
6. Create a schedule-based or event-driven repeating task:
 - a. To create a schedule-based repeating task:
 - i. Below *Repeats*, select *On a schedule*.
 - ii. Below *Schedule*, select when the task should repeat.
 - iii. Below *Starts repeating*, select the date that the task should start.
 - b. To create an event-driven repeating task:
 - i. Below *Repeats*, select *On an event*.
 - ii. Below *Event*, select when the task should repeat.
7. Optionally, below *Integration*, click the available integration to link to an external task or issue.
8. Click **Save**.

TIP — If you have a task that starts repeating on June 22, and it is due 14 days later, the task will be due on July 6.

Creating a Repeating Task From an Existing Task

1. From the left navigation menu, select either the *Controls* or *Labels* tab depending on the location of the existing task.
2. Select the control or label that corresponds with the task you want to repeat.
3. Click the **Task** icon .
4. Select the existing task that you want to turn into a repeating task.
5. Below *Repeats*, click **Does not repeat**.
6. From the **Template** tab, create either a schedule-based or an event-driven task:
 - a. To create a schedule-based repeating task:
 - i. Below *Repeats*, select *On a schedule*.
 - ii. Below *Schedule*, select when the task should repeat.
 - iii. Below *Starts repeating*, select the date that the task should start.
 - b. To create an event-driven repeating task:
 - i. Below *Repeats*, select *On an event*.
 - ii. Below *Event*, select when the task should repeat.
7. Click **Save**.

Linking Hyperproof Tasks to External Tasks or Issues

Hyperproof supports external task linking to Jira and Asana.

Jira

Hyperproof natively integrates with Jira Cloud and Jira Server. The integration is bi-directional, meaning it provides a two-way sync of Jira issues and Hyperproof tasks.

Click to learn more:



Asana

Compliance Managers can create a task in Hyperproof and link it to an Asana task, and members of the organization who do not use Hyperproof can provide their proof via Asana.

Click to learn more:

