

Conducting a SOC 2 Audit Using Hyperproof

Internal Auditors—SOC 2 Type 1

Hyperproof is a robust, all-in-one compliance operations platform that allows organizations to stay on top of all their security assurance and compliance work. With Hyperproof, organizations can identify compliance requirements, implement controls, collect and store proof, automate routine tasks, and much more.

Many organizations prefer to conduct their audits directly in Hyperproof to eliminate the typical back-and-forth between the organization and the auditor. Using Hyperproof also helps organizations greatly reduce the number of times clients are asked for the same evidence by different audit teams.

As an auditor, your role in Hyperproof varies depending on the client's preferences—some clients may grant an auditor full access to their Hyperproof organization while others may add an auditor as a contact, meaning that the auditor never actually logs in to the platform.

For auditors that are added to their client's Hyperproof organization, you will be able to review all documentation the client has uploaded to Hyperproof, as well as communicate with the client right from the platform. Hyperproof keeps historical records with version control so both you and the client can stay up-to-speed with the audit in real-time.

Conducting a SOC 2 Type 1 audit in Hyperproof consists of the following three phases:

1. Controls preparation
2. Gap assessment and remediation
3. Conducting the audit

The attached guide is a suggested workflow for conducting a SOC 2 Type 1 audit in Hyperproof. You'll find clearly defined steps for each phase of the audit, as well as instructions on how to complete those steps using Hyperproof. You'll also find steps and instructions for client-related requirements in case your client becomes stuck and needs help completing a task.

Conducting a SOC 2 Audit Using Hyperproof

Internal Auditors—SOC 2 Type 1

Step	Who	Overview	How to in Hyperproof
CONTROL PREPARATION			
Identifying Control Set for Use	Auditor/ Client	Auditor and Client write their own controls or utilize Hyperproof’s illustrative controls.	Follow the steps below only if using Hyperproof’s illustrative controls. Otherwise, skip to the next step. 1. From the left navigation menu, select <i>Programs</i>, and then click New. 2. Search for SOC 2, select it, and then click Review. 3. Click Use this template. Be sure to select the <i>Include controls</i> check box! 4. Name your program, and then click Create program.
Tailoring Controls to Organization	Auditor/ Client	Auditor and Client work together to ensure controls fit the organization’s needs, keeping in mind the level of compliance that the organization wants to achieve.	N/A
Creating SOC 2 Program	Auditor	Once controls are approved, Auditor creates a SOC 2 program. Auditor then downloads Hyperproof’s CSV template, updates it, and then imports the approved control set into Hyperproof.	Follow the steps below only if you wrote your own controls and need to import them into Hyperproof. Otherwise, skip to the next step. 1. From the left navigation menu, select <i>Programs</i>, and then click New. 2. Search for SOC 2, select it, and then click Review. 3. Click Use this template. Do not select the <i>Include controls</i> check box! 4. Name your program, and then click Create program. 5. Click Upload controls. 6. Download the CSV template, and then update it with your controls. 7. Import the updated CSV into Hyperproof.

Step	Who	Overview	How to in Hyperproof
CONTROL PREPARATION			
Creating a Label Library	Client	Pieces of proof that are used over and over again can be added to a label. Rather than linking many pieces of proof, just the single label can be linked.	1. From the left navigation menu, select <i>Labels</i>, and then click New. 2. Enter a name for the label, and then click Create. 3. Select the label you just created, and then select the <i>Proof</i> tab. 4. Add proof to the label in one of two ways: Click Add proof or drag-and-drop files onto the proof grid. 5. Repeat steps 1 - 4 as necessary.

Step	Who	Overview	How to in Hyperproof
GAP ASSESSMENT AND REMEDIATION			
Conducting Gap Assessment	Auditor/ Client	Auditor and Client review controls to gain clarity on the organization’s current state of compliance. This is done via the SOC 2 program created by the Auditor.	1. From the left navigation menu, select <i>Programs</i>, and then select your program. 2. Select the <i>Controls</i> tab to view all of the controls in your SOC 2 program.
Assigning Control Owners	Client	Client assigns ownership of controls. Owners are responsible for ensuring that all relevant proof is linked and that the control is healthy.	1. From the left navigation menu, select <i>Programs</i>, and then select your program. 2. Select the <i>Controls</i> tab, and then click the Grid view icon. 3. Bulk edit controls per owner. Select the check boxes of the controls you want to assign, and then click Owner. 4. Select the owner, and then click Review. 5. Click Confirm.
Linking Proof	Client	Client uploads proof either via Hyperproof’s <i>Tasks</i> feature or manually. Client may also choose to link <i>labels</i> to the proof. These labels can either belong to one or many requests. If Client has questions and needs to collaborate with Auditor, they can do so via the request’s <i>Activity Feed</i> .	1. From the left navigation menu, select <i>Programs</i>, and then select your program. 2. Select the <i>Controls</i> tab. 3. Select a control, and then do one of the following: 1. Click the Task icon to link proof via a task. Click New Task, and then create the task. Proof can be linked after the task is created. 2. Select the <i>Proof</i> tab to link proof manually. 3. If using labels, select the <i>Labels</i> tab, and then click Add labels.

Step	Who	Overview	How to in Hyperproof
GAP ASSESSMENT AND REMEDIATION			
Setting Control Health	Client	Client sets control health (freshness), implementation status, and testing status.	1. From the left navigation menu, select <i>Programs</i>, and then select your program 2. Select the <i>Controls</i> tab, and then click the Grid view icon. 3. Bulk edit controls. Select the check boxes of the controls whose health you want to set. 4. Click Implementation to update the implementation status. 5. Click Testing to update the testing status. 6. Click Mark fresh to mark the control fresh. 7. Click ... (<i>More options</i>), and then select <i>Freshness settings</i> to set the freshness.
Documenting Gaps	Auditor	Auditor uses <i>Notes</i> function to document any identified gaps.	1. From the left navigation menu, select <i>Programs</i>, and then select your program. 2. Select the <i>Controls</i> tab, and then click the Card view icon. 3. Select the control that corresponds with the notes you want to create. 4. Select the <i>Notes</i> tab. 5. Enter your notes. Tip: Hyperproof automatically saves your changes.
Remediating Gaps	Client	Client reviews gaps and remediates controls and/or links new versions of proof to controls.	If gaps exist, follow previous steps until all gaps are remediated.

Step	Who	Overview	How to in Hyperproof
CONDUCTING SOC 2 TYPE 1 AUDIT			
Engaging External Auditor	Auditor	Internal Auditor connects with External Auditor. External Auditor sends Document Request List (DRL) to Client.	N/A
Creating the Audit in Hyperproof	Auditor	Auditor creates a new audit in Hyperproof and titles it [YEAR] SOC 2 Type 1 .	- From the left navigation menu, select <i>Audits</i>, and then click New. - Enter a name for the audit. - Click Create.
Formatting DRL as a CSV	Auditor/ Client	Auditor imports DRL into Hyperproof for collaborative review of controls and policies.	- From the left navigation menu, select <i>Audits</i>, and then select your audit. - Select the <i>Requests</i> tab. - Click Import DRL. - Download the CSV template and update it with your requests. Be sure to structure requests in the required format with desired proof in the descriptions and links to controls in the <i>Control ID</i> field.

Step	Who	Overview	How to in Hyperproof
CONDUCTING SOC 2 TYPE 1 AUDIT			
Collecting and Linking Proof to Requests	Client	Client changes request status to indicate they have started working on their requests. Client then links necessary proof to each request. If Client chooses to use labels, those must also be linked to the requests. Once proof has been linked, Client changes request status to Submitted.	1. From the left navigation menu, select <i>Audits</i>, and then select your audit. 2. Select the <i>Requests</i> tab. 3. Assign requests manually or by bulk editing. 4. Change the request status to In Progress (this can also be done by bulk editing). 5. Link proof to the requests manually or via an existing task. If using labels, click Link label to link a label to the request. 6. After proof is linked, change the request status from In Progress to Submitted.
Exporting Audit and Delivering to External Auditor	Auditor	Auditor exports audit, downloads zip file, and securely transfers file to Auditor.	1. From the left navigation menu, select <i>Audits</i>. 2. Select your audit. 3. Select ... (<i>More Options</i>), and then click Export audit.
External Auditor Reviews and Submits Follow-up Actions	External Auditor	External Auditor reviews audit and determines if all requests have been addressed.	N/A

Step	Who	Overview	How to in Hyperproof
CONDUCTING SOC 2 TYPE 1 AUDIT			
Reviewing Follow-up Actions	Auditor	If all requests have been satisfied, Internal Auditor moves on to next steps. If requests have not been satisfied, Internal Auditor updates the DRL, ensures that linked proof is satisfactory, re-exports updated audit, and then delivers to External Auditor for another review.	If requests have not been satisfied, follow steps <i>Collecting and Linking Proof to Requests</i> and <i>Exporting Audit and Delivering to External Auditor</i> on previous page.
Producing SOC 2 Type 1 Report	External Auditor	External Auditor compiles a Type 1 report, done outside of Hyperproof.	N/A
Conducting Post-mortem Audit	Auditor	Auditor and Client meet to determine the successes and failures of the audit, i.e. what went wrong, what went well, and what should be repeated in future audits.	N/A
Closing Audit in Hyperproof	Auditor	Auditor changes the status of the audit to Completed .	- From the left navigation menu, select <i>Audits</i>, and then select your audit. - Select the <i>Details</i> tab. - Change the status from Active to Completed.